DAILY RAINFALL 1911 - 1920

YORKSHIRE

ABERFORD LOTHERTON HALL	1911	1920
ACKWORTH SCHOOL	1911	1920
ACKWORTH HILLTHORPE	1911	1920
ACKWORTH NOSTELL PRIORY	1911-13,	1915 - 1917
ADEL LAWN'S WOOD CEM.	1911	1920
ALNE	1913	
AMPLEFORTH COLL	1912-14,	1919-1920
ARDSLEY JAW HILL FILTERS	1911	1920
ARDSLEY RES NO 1	1911-16,	1918-1920
ARDSLEY RES NO 2	1913	1920
ARKENGARTH DALE	1918	1920
ARNCLIFFE VICARAGE	1911	1918
ASKRIGG WORTON		1920
BADSWORTH GRANGE	1915	
BADSWORTH ROGERTHORPE MANOR	1916	1920
BALDERSDALE HURY RESERVOIR	1911	1920
BARDSEY PUMPING STN	1918	1920
BARNSLEY BURNTWOOD HALL	1912 - 16,	1919
BARNSLEY JORDAN HILL	1915	
BATLEY WOODWELL DEPOT	1911- 17,	1919- 1920
BATLEY STAINCLIFFE RES	1911- 18,	1920
BEDALE BURNESTON	1911	1919
BEDALE LEEMING GARTH	1912	1914
BEDALE PARK HOUSE		1920
BENTHAM FELSTEAD		1920
BEVERLEY E. RIDING MENTAL HOSP	1918	
BILSDALE PRIORY	1914	1920
BINGLEY EAST MORTON	1911	
BIRDSALL GDNS	1911	1920
BIRSTWITH SWARCLIFFE	1911	1920
BIRSTWITH THE MOSS	1911	1912
BIRSTWITH HALL	1919	1920
BOLTBY RAVENSTHORPE MANOR	1914	1920
BOLTON BY BOWLAND BOLTON HALL	1911	1914
BOLTON ON DEARNE	1914, 1916,	1920
BORROWBY LEAKE VICARAGE		1920
BRADFORD LISTER HALL	1911	1920
BRANSBY SCHOOL	1917	1918
BRANSDALE	1916	
BRIDLINGTON CORP NURSERIES	1911	1920
BRIDLINGTON GRAMMAR SCH	1911,	1918- 1920

DAILY RAINFALL	1911	1920

YORKSHIRE

BRODSWORTH HALL GDNS	1915	1920
BROOMHEAD HALL	1912, 1914 -	1915.
BUCKDEN	1918	1920
BURNSALL RECTORY	1911	1920
BURYTHORPE RECTORY	1916	1920
CARLTON HUSTHWAITE	1914	1920
CASTLEFORD SECONDARY SCH.	1911, 1916-1918,	1920
CAWTHORNE CANNON HALL	1914	1920
CHAPLETOWN POTTER HILL	1911	1920
CLECKHEATON WHITCLIFFE MOUNT SCH	1915	1919
CLIFTON CASTLE GDNS	1914	1920
COLD KIRBY SCHOOL	1918	1920
COLNE LANESHAW RES	1911	1920
CONISBOROUGH FIRSBY RES	1911-1915, 1917 -	1920
COTTINGHAM . W. W.	1911	1920
COXWOLD THE OLD HALL	1915	1920
DALTON PARSONAGE	1911	1920
CROFT DALTON ON TEE	1911	1920
DANBY SCHOOL HSE	1919	1920
DANBY PASSONAGE	1916	1918
DARNALL HIGH HAZELS MUSEUM	1913	1920
DEIGHTON GROVE	1911, 1919 -	1920
DENSHAW NEW YEARS BRIDGE	1911	1920
DEWSBURY MITCHELL LAITHES S.W	1913	1914
DONCASTER S.W	1911-1915, 1917 -	1920
DONCASTER 54, LITTLEMORE TERRACE	1914	1920
DONCASTER	1913	1920
DONCASTER CARR HOSPITAL	1913, 1916-18,	1920
DONCASTER WADWORTH HALL	1911	1916
DONCASTER WYNDTHORPE	1911	1918
DRAX VICARAGE	1912	1914
DRIFFIELD HIGHFIELD	1913	1914
DUNFORD BRIDGE	1911-1917, 1919 -	1920
EARBY S. W.	1911	1920
EASINGWOOD GRAM SCHOOL		1916
EAST AYTON LODGE	1915	1919
EAST AYTON DERWENT HSE	1916	1920
EAST HARLSEY HARLSEY HALL	1914	1920
EAST LAYTON HALL	1911	1913
EBBERSTON VICARAGE	1913	1914
ELSACK MOORSIDE FARM	1914	1920

P.T.O

EMBSAY	1911	1916
ELVINGTON	1915	1919
FARNDALE	1916	
FELIXKIRK MOUNT ST JOHN NO1	1912	1920
FELIXKIRK MOUNT ST JOHN No2	1911-17, 1919-1920.	
FILEY VICARAGE	1911	1920
FOLLIFOOT THE PRIORY	1918	
FORCETT PARK	1911	1914
FYLINGDALE VICARAGE	1911	1915
GANTON DAWNAY LODGE	1919	1920
GANTON GANTON HALL		1920
GANTON WILLERBY WOLD		1920
GARFORTH MANOR FARM	1911	1920
GLAISDALE THE GABLES GDNS	1912	1920
GOOLE	1911	1920
GOOLE SWINEFLEET	1911-1917,	1919
GRASSINGTON CHAPEL HSE	1911	
GREAT AYTON EASBY HALL	1911	1914
GREENFIELD CHEW MOUNT	1914	1920
GREENFIELD YEOMAN HEY	1911	1920
GREAT AYTON	1913, 1915, 1917, 1918	
GREENHOW HILL	1915	1920
GUISBOROUGH LOCKWOOD RES.	1911	1920
HALIFAX PUBLIC LIBRARY	1911	1920
HALIFAX HALL INGS	1911	1920
HALIFAX DEAN CLOUGH MILLS	1913	1914
HAREWOOD HSE	1911	1920
HARROGATE THE STRAY	1911	1920
HARROGATE W.W. SCARGILL RESERVIOR	1911	1920.
HARROGATE PARK PARADE	1911	1920
HARROGATE HARLOW MOOR OBS	1911	1920
HARROGATE KENT RD.	1914	1915.
HARROGATE HARLOW HILL RES	1918,	1920
HARROGATE IRONGATE BRIDGE RES		1920
HARROGATE	1915.	
HAWES THE STONE HSE	1911,	1918
HAWES JUNCTION	1913	1918.
HAWKSWORTH REVA HSE	1915	1916
HAWNBY RECTORY	1917	1920
HAWORTH HARBOUR LODGE	1913	1920
HAWORTH LAITHE RESERVOIR	1913	1920
HEBDEN BRIDGE BURNSIDE	1918	1920
HEBDEN BRIDGE FALLING ROYD		1920
HEBDEN BRIDGE SUMMERFIELD	1911	1917
HELMSLEY DUNCOMBE PARK GRDNS	1912	1920

DAILY RAINFALL 1911 1920

YORKSHIRE

HELPERTHORPE WEST FARM	1913	1919
HEMSWORTH COLLIERIES	1911	1920
HEMSWORTH HALL	1911, 1915,	1917
HIGH BENTHAM	1911	1920
HOLMBRIDGE YATEHOLME RES	1914-1918,	1920
HOLMBRIDGE YATEHOLME FARM	1911 - 1918,	1920
HOLME ON SPALDING MOOR	1912	1920
HORBURY TOWN HALL	1913	
HORBURY ADDINGFORD HOSP	1914 - 1916,	1920
HORBURY S. W.	1915	
HORBURY DURKAR HOUSE	1914	1916
HORNSEA	1911 - 1915,	1919
HORTON IN RIBBLESDALE	1913	1920
HOVINGHAM HALL	1919	1920
HOWDEN	1917. 1918,	1920
HUDDERSFIELD CEMETERY	1911	1920
HUDDERSFIELD CARR END DALTON	1911 - 1917,	1919-1920
HUDDERSFIELD DALTON PORTLAND HSE	1911	1912
HUDDERSFIELD OAKES	1916	1920
HULL PEARSON PARK	1911	1920
HULL SPRINGHEAD	1911	1920
HUSTHWAITE VICARAGE	1914 - 1917,	1919
ILKLEY BEACON VIEW, BEECHWOOD GROVE		1920
ILKLEY BROOK STREET	1911	1912
ILKLEY GLEN ROSA	1911	1917
ILKLEY MARCH GHYLL RES	1911	1920
ILKLEY ST JAMES RD	1911	1919
ILKLEY SPENCES GARDENS	1914	1920
ILKLEY SILVERWELL COTT	1911 - 1914,	1919 - 1920
INGLEBY GREENHOW	1911	1920
INGLEBY MANOR	1911	1920
INGLETON KINGSDALE HEAD	1912	1920
KEIGHLEY THE KNOWLE	1911	1920
KEIGHLEY VICTORIA PARK	1912	1913
KEIGHLEY LONG LEE IVY COTTAGE	1911	1913
KELBROOK HIGHER BURNT HILL FARM	1916	1920
KEPWICK VICARAGE	1917	
KILDALE HALL	1911	1920
KIRBY MOORSIDE HUTTON - LE - HOLE	1917	1920
KIRBY MOORSIDE RAVENSWYKE	1918	1920
KIRBY KNOWLE RECTORY	1914-1915,	1918-1920

P.T.O

KIRK BRAMWITH	1913	1920
KIRKEATON KIRK VALE	1918	1919
KNARESBOROUGH WATER TOWER	1918	
KNARESBOROUGH GOLDSBORO HALL GDNS	1911	1917
KNARESBOROUGH THE ABBEY		1920
KNARESBOROUGH GRAMMER SCH	1912	1920
KNAYTON HALL	1912	1913
LANGSETT MOOR MIDHOPE RES	1911	1919
LANGSETT SWINDEN LODGE	1911	1920
LANGSETT MOOR UPPER MIDHOPE	1911	1920
LANGSETT FLOUGH RD	1911	1920
LEEDS MUSEUM	1911	1920
LEEDS HOLBECK W.W	1911	1915
LEEDS ALLERTON HILL	1911-1913, 1915-1920	
LEEDS KINGSFISHER		1920
LEEDS UNIVERSITY		1920
LEYBURN BOLTON HALL	1911	1920
LITTLE DON VALE UNDERBANK RES	1911	1920
LITTLE DON VALE BRIDGE LANE	1911	1920
LOWTHORPE THE ELMS	1911	1920
LOXLEY VALLEY DALE DYKE RES	1911	1920
LUNEDALE GRASSHOLME RES	1911	1920
MALHAM TARN	1911	1920
MALTON THE LEAT	1911	1919
MALTON BROUGHTON RISE	1911	1920
MARKET WEIGHTON DALTON HALL	1911	1920
MARKET WEIGHTON GLEAVING GRANGE	1913	
MASHAM MOOR LEIGHTON RESERVOIR	1913	
MASHAM MOOR ROUND HILL RES	1911	1920
MASHAM BREARY BANK	1913	
MAUNBY HALL	1914	1920
MELTHAM HAREWOOD LODGE	1911	1920
MENSTON	1917	1918
MEXBOROUGH	1911	1920
MEXBOROUGH	1914	1916
MICKLETON	1911	1912
MIDDLEHAM RECTORY	1911	1920
MIDDLEHAM CASTLE HILL	1914	1920
MIDDLESBROUGH ALBERT PARK	1911	1920
MIDDLESBROUGH ORMESBY SQ	1911	1920
MIDDLESBOROUGH DORMANS MUSEUM		1920
MIDDLESBROUGH LINTHORPE	1911	1914
MIRFIELD. COTE WALL	1911	1920

DAILY RAINFALL 1911 1920

YORKSHIRE

MORLEY SECONDARY	1911	1914
MUKER VICARAGE	1918	
MYTHOLMROYD CRAGG HALL	1911	1915
NORTHALLERTON OSMOTHERLEY	1911	1916
NORTHALLESTON PASTURE HSE	1913	1920
NORTHALLERTON BROMPTON		1920
OAKWORTH OLDFIELD FILTERS	1911	1920
OLD BYLAND BOARD INN		1920
OLD BYLAND GRANGE	1918	1919
OTLEY S.W	1911	1920
OUGHTERSHAW HALL	1911	1920
OUSEBURN THORPE UNDERWOOD HALL	1911	1914
PATELEY BRIDGE CASTLE STEAD	1911	1914
PATELEY BRIDGE BEWERLEY HALL GRDS	1919	1920
PATRINGTON ROSE COTTAGE	1911	1920
PENISTONE INGBIRCHWORTH RES	1915	
PICKERING HUNGATE HILL	1911	1920
PONTEFRACT TANSHELF DRIVE	1911	1920
PONTEFRACT ROALL W.W.	1911	1913
PUDSEY FULNECK	1912	1920
REETH		1920
RAWDON BARNINGHAM	1911-1912,	1914
RICHMOND GILLING WEST	1911	1915
RICHMOND SEDBURY PK	1911	1917
RILLINGTON SCAMPSTON HALL	1911-1916,	1918-1920
RIPON STUDLEY ROYAL GDNS	1911	1919
RIPON HIGH BANK	1911	1917
RIPON THE RED HOUSE	1911	1920
RISHWORTH GT WALDEN EDGE NEWG	1911	1920
RISHWORTH STOTT HALL	1911	1920
RISHWORTH RINGSTONE RES NO.1	1911	1920
RISWORTH MOOR GREYSTONES	1911	1920
ROSEDALE ABBEY VICARAGE	1917	1920
ROTHERHAM MOORGATE GRANGE	1911	1920
ROTHERHAM ULLEY RES NO1	1911	1920
ROTHERHAM ALDWARKE S.W	1914	1920
ROTHERHAM SITWELL VALE	1911	1920
ROTHERHAM THRYBERG RES	1911-1915,	1917-1920
ROUGHTON GRANGE	1911	1920
SALTBURN SKELTON CASTLE	1911	1920

SALTBURN BY THE SEA	1911	1914
SALTERFORTH BARNOLDSWICK W.W	1914	1920
SAXTON VICARAGE	1911	1920
SCARBOROUGH	1911-1914, 1916 -	1920
SCARBOROUGH SCALBY ST PHILLIPS	1912	1920
SCARBOROUGH OSGODBY P.S.	1911	1920
SCARBOROUGH SCALBY	1911	1920
SCARBOROUGH MAY LODGE	1911	1912
SCARBOROUGH MANOR RD NURSERY	1912	1914
SCARBOROUGH SOUTH CLIFF	1911	
SCAWTON RECTORY	1918	1920
SCORTON GRAMMER SCHOOL	1913	1914
SEAMER IRTON P.S	1911	1920
SEDBERGH HAVERA BANK	1918	1920
SEDBERGH BYNAC	1911	1920
SEDBERGH CROASDALE BECK	1911	
SEDBERGH DENT VICARAGE	1911	
SEDBERGH HOWGILL SCHOOL	1911	1920
SEDBERGH THE CEMETERY	1911	1919
SEDBERGH AKAY	1911	1920
SEDBERGH THORNS HALL	1911	
SESSAY RECTORY	1914	
SETTLE GAS WORKS	1911	1920
SETTLE GIGGLESWICK SCHOOL	1911 - 1916, 1919 -	1920
SHEFFIELD W.W. RIVELIN	1911	1920
SHEFFIELD CROOKES W.W.	1911	1920
SHEFFIELD STUMPERLOW HALL	1911	1920
SHEFFIELD W.W REDMIRES RES	1911	1920
SHEFFIELD WESTON PK	1911	1920
SHEFFIELD MILLHOUSES	1913	1918
SHEFFIELD FULWOOD HSE	1911	1912
SHIPLEY GLENHOLME	1915	1920
SHIPLEY WEST POINT	1911	1912
SILSDEN BOLTON RD	1911	1920
SKELTON IN CLEVELAND THE REC	1913	1919
SKIPTON TOWN HALL	1911	1920
SKIPTON S.W.	1911,-1913 -	1920
SKIPTON EMBSAY MOOR RES	1911, 1913-14, 1916-	1918
SKIPTON TOWN SURVEYORS OFFICE	1914	1915
SKIPTON WHINNYGILL RES	1914	
SLAIDBURN WHITEHOLME	1911	
SLAITWAITE BLACKMOORFOOT RES	1911	1920
SLAITWAITE INGLEWOOD	1911	1920

DAILY RAINFALL 1911 1920

YORKSHIRE

SLEIGHTS THE AVE	1919	
SLEIGHTS CARR HILL	1917	1918
SLEIGHTS BROOK PARK	1911	1916
SOWERBY THE HAUGH END	1911-1915, 1917-1920	
SOWERBY BRIDGE MILLHOUSE	1914	1920
SOWERBY BRIDGE THORPE	1911	1915
SOYLAND MOOR SUMMIT No 1	1911	1920
SOYLAND BAITINGS GATE	1911	1920
SOYLAND MOOR MANSHEAD	1911	1920
STAINBOROUGH WENTWORTH CASTLE	1911	1913
STANDEDGE CAS SHAW BROADHEAD	1911	1920
STAPLETON PARK GARDENS.	1915	1918
STOCK IN BOWLAND	1911	1912
SUTTON HALL	1911, 1913 -	1920
SWINTON COUNCIL OFFICE	1911	
SWAINLEY WHORLTON SCHOOL	1918	1919
TADCASTER GRAMMAR SCH	1915	1918
TADCASTER OXTON HALL	1915	1917
TERRINGTON THE CLIFF	1915	
THIRSK BRYNKELLHOW	1911	1920
THIRSK STONEYBROUGH	1914	1920
THIRSK MOUNT ST JOHN	1911	
THIRSK BALDERSBY PARK	1912	1920
THIRSK SOWERBY	1912	
THIRSK CARLTON MINICOTT SCHOOL	1915 - 1917, 1919 - 1920	
THIRSK SPITAL HILL	1912	1920
THIRSK CARLTON GRANGE	1914	
THIRSK SUTTON	1911 - 1917,	1920
THIRSK NEWBUILDING	1915	1918
THIRSK THE HALL	1911 - 1915,	1917
THIXENDALE	1911	
THORNEYHOLME GARDENS	1912 - 1913, 1915, 1918	
THORNTON - LE DALE	1911	1916
THORNTON - LE MOOR	1911	1920
TICKHILL SANDBECK PARK	1911	1915
TICKHILL	1911	1913
TODMORDEN SOURHALL HOSP	1911	1920
TODMORDEN FIELDEN HOSP	1911	1920
TODMORDEN WALSDEN	1912	1919

WAKEFIELD STANLEY GRANGE	1911	
WAKEFIELD S. W	1913	1920
WAKEFIELD CLARENCE PARK	1911	1920
WAKEFIELD FIELDHEAD RES	1911-1916,	1919-1920
WALSDEN RAMSDEN HILL	1913	
WALSDEN RAMSDEN RES	1912	1920
WALTON WILLINGTON LODGE	1911	1913.
WARTER	1911	1920
WATH UPON DEARNE CHAPEL ST	1911	1920
WATTON ABBEY	1917	1920
WELBURN		1920
WENTWORTH WOODHOUSE	1911	1920
WENTWORTH HIGH HOYLAND	1915	
WEST ROUNTON RECTORY	1918	1920
WEST WITTON IVY HOUSE	1911	1920
WETHERBY RIBSTON HALL GDNS	1911	1920
WETHERBY PARK HILL	1912, 1913,	1918
WHITBY MULGRAVE CASTLE GDNS	1911	1920
WHITBY WESTHORPE	1911	1920
WHITBY PARK HALL AISLABY	1911	1920
WINCOBANK S. W	1915	1920
WOLD NEWTON MANOR		1920
WOMERSLEY PARK	1916 - 1918,	1920
WOODHOUSE HANDSWORTH	1911	1914
WOODSETTS GRANGE, OLD VICARAGE	1917	1920
YORK W.W ACOMB LANDING	1912	
YORK W.R. BARNOLDSWICK	1911	1920
YORK CHERRY HILL	1911	1920
YORK DUNNINGTON HALL	1911	1920
YORK HESLINGTON	1911	
YORK MOUNT VILLAS	1911	1920
YORK MUSEUM	1911	1920
YORK SPURN HEAD	1919	1920
YORK THE RETREAT	1911	1920

ABERF~~ORD~~
LOTHERTON HALL
YORKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REG

Kept at Lotherton

in the County of W.R. York

by Mrs Gasc

.... in.
Ground 1 ft.
Sea Level 400 ft.
am.
Name Garforth
Distance 3. Direction —

IMPORTANT NOTE. ... the result entered to the previous day. If an Observe... ...versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·30				·18		·31					·05	2
3				·02	·23					·05	·04		3
4			·09	·08				·14	·25	·52	·20	·07	4
5			·01	·06				·38			·09		5
6	·03		·03	·04				·24		·36	·21	·18	6
7	·10		·02								·02		7
8	·02		·12			·07					·01	·34	8
9	·03												9
10		·02										·65	10
11					·10				·03		·45	·02	11
12			·03		·11				·72		·11	·02	12
13	·22		·12		·20							·49	13
14		·20	·04		·50					·08	·02	·60	14
15	·05	·02	·06	·05								·18	15
16		·07	·07			·11	·07			·04	·12	·11	16
17			·04			·08	·03				·11	·09	17
18		·10	·04			·47						·02	18
19		·01	·02			·42			·10		·13		19
20		·10					·07	·62	·14		1·46	·09	20
21		·27		·20				·14			·06	·03	21
22		·05									·04		22
23		·18							·20			·25	23
24		·13	·04			·58				·10		·18	24
25	·08	·12		·17		1·70	·14		·67		·01	·12	25
26	·01			·04	·11	·18		·03		·50		·24	26
27		·11	·06	·09				·37			·27	·01	27
28	·02	·03	·03	·23				·01	·21	·32	·04	·13	28
29			·01	·04		·12	·04					·01	29
30					·07		·11			·11	·04	·03	30
31										·13			31
Total	·86	1·41	·83	1·02	1·50	3·73	·77	1·93	2·32	2·21	3·43	3·91	TOTAL 23·92
No. of Rain Days	10	14	17	11	8	9	7	8	8	10	19	23	144

9,000, IX. '10.

REG

FORM A2. BRITISH RAINFALL.

6 - JAN 1912

Kept at Lotherton Hall, Aberford

in the County of W R Yorkshire 10

by Mrs Gascoigne

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground 1 ft.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Garforth
Distance 3. Direction —

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·30				·18		·31					·05	2
3				·02	·23					·05	·04		3
4			·09	·08				·14	·25	·52	·20	·07	4
5			·01	·06				·38			·09		5
6	·03		·03	·04				·24		·36	·21	·18	6
7	·10		·02								·02		7
8	·02		·12			·07					·01	·34	8
9	·03												9
10		·02										·65	10
11					·10				·03		·45	·02	11
12			·03		·11				·72		·11	·02	12
13	·22		·12		·20							·49	13
14		·20	·04		·50					·08	·02	·60	14
15	·05	·02	·06	·05								·18	15
16		·07	·07			·11	·07			·04	·12	·11	16
17			·04			·08	·03				·11	·09	17
18		·10	·04			·47						·02	18
19		·01	·02			·42			·10		·13		19
20		·10					·07	·62	·14		1·46	·09	20
21		·27		·20				·14			·06	·03	21
22		·05									·04		22
23		·18							·20			·25	23
24		·13	·04			·58				·10		·18	24
25	·08	·12		·17		1·70	·14		·67		·01	·12	25
26	·01			·04	·11	·18		·03		·50		·24	26
27		·11	·06	·09				·37			·27	·01	27
28	·02	·03	·03	·23				·01	·21	·32	·04	·13	28
29			·01	·04		·12	·04					·01	29
30					·07		·11			·11	·04	·03	30
31										·13			31
Total	·86	1·41	·83	1·02	1·50	3·73	·77	1·93	2·32	2·21	3·43	3·91	TOTAL for year 23·92
No. of Rain Days	10	14.	17	11	8	9	7	8	8	10	19.	23.	144

9,000, IX. '10.

Wrote re aug. 17 II 13

corr from auth 18.III.13

FORM A. BRITISH RAINFALL.

7 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lotherton Hall Gardens Aberford

in the County of Yorkshire W. 10

by Mr. Gascoigne's Gardener

Lat. Long.

Time of Observation 9 a-m

Nearest Railway Station Garforth N. E. Rly

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						0.43		0.09	0.13				1
2		0.07	0.06			0.20	0.28		0.02				2
3	0.25	0.06	0.19			0.57	0.48	0.68	0.12				3
4		0.23	0.21			0.43	0.02	0.10					4
5	0.19		0.27			0.47		0.34					5
6			0.11		0.20								6
7	0.62			0.06				0.29	0.07				7
8				0.04					0.18		0.36		8
9	0.26		0.25								0.28		9
10		0.27	0.23			0.24		0.52				0.26	10
11	0.91		0.19										11
12	0.16		0.16			0.15						0.57	12
13		0.35	0.05				0.37	0.06		0.03			13
14		0.18	0.03	0.09		0.11				0.02			14
15	0.33	0.06			0.73	0.17					0.29		15
16						0.02					0.32	0.08	16
17			0.26			0.21		0.21				0.06	17
18		0.29	0.17					0.08				0.28	18
19		0.09	0.08				0.27	0.28					19
20	0.11	0.15	0.11		0.35	0.04							20
21	0.33		0.05	0.02			0.54	0.02					21
22	0.12			0.01	0.39	0.28	0.34						22
23		0.08	0.09		1.25	0.45	0.08	0.37					23
24		0.22	0.25			0.02		0.23			0.09		24
25			0.18			0.50	0.15	0.20				0.12	25
26	0.29	0.09	0.14			0.25		0.14			0.08	0.10	26
27		0.26	0.10	0.03			0.22	1.00		1.00	0.09	0.09	27
28	0.49	0.17			0.06		0.13			0.51			28
29					0.06		0.07	0.59	0.25	0.10	0.02	0.28	29
30			0.28		0.43	0.21		0.09	0.02			0.19	30
31			0.16		0.10		0.50	0.25					31
Total	4.06	2.57	3.62	0.25	3.57	4.80	3.45	5.54 5.54	0.79	1.66	1.53	2.03	YEAR'S TOTAL 33.87 33.87
Rain Days.	12	15	23	6	9	18	13	14	7	5	8	10	145

W. 7,500, XI. ·12

Wrote 14.IV.14
2.10 on Jan 11 (WR)

Jan. 11th est). 20.IV.14

REGISTER OF RAINFALL IN 1913

Gauge Wilson's self Registering

FORM A.
BRITISH RAINFALL.
15 JAN 1914

Kept at Lotherton Hall
in the County of Yorkshire
by Mrs Gascoigne

W 16

Lat. 53·57 Long. 1·50
Time of Observation 9 a.m.
Nearest Railway Station Garforth
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 200 ft.

For GOODS—
LOTHERTON HALL,
Garforth Station,
Via LEEDS.

From Mrs. ~~COLONEL~~ GASCOIGNE,
LOTHERTON HALL,
Aberford, Leeds.

Telegrams: Gascoigne, Lotherton, Aberford (1½ Miles).

MEMORANDUM.

April 17th 1914

TO Carle Salter Esq.,
British Rainfall Assen.
62 Camden Square, N.W.

Dear Sirs,

In reply to your letter of the 14th. inst re the fall of Snow on January 11th 1913. and which was not registered in my Rain gauge, I have made enquiries and find that the man who looks after the gauge did not have the snow melted, and therefore, did not measure it. My head gardener tells me that 10" of snow fell that day.

Yours truly,

Gwendolen Gascoigne

13							·03		·04		0·11		13
14				·04					·09		·03		14
15		·03	0·20	·03				·05		0·20	0·38		15
16	·04		0·30	0·48									16
17	·04						·03		0·63		·05		17
18				·06		0·30					·04		18
19			0·47	·09							0·19		19
20	·06		·04	·04			·06	·02					20
21	·06		·03	·07	·08			0·14	·06	·05	·08		21
22	·01		·05		·03						·06		22
23			0·33		·05		·08	0·27	·09	·05			23
24	0·11		·02					0·10	0·16		·02		24
25	0·15					·05		·03					25
26				0·10		0·11			·05			0·10	26
27			0·10	·07	·05	0·11			·02	0·22	·09	0·24	27
28			·01	0·26							·07	·04	28
29	0·45		0·15	0·49									29
30	·03		0·28	0·44				0·24				Snow 0·35	30
31	0·26		·02							0·38	·02		31
Total	·06 ~~1·72~~ (R 2·78)	~~0·63~~ ·57	2·39	2·97	1·56	1·19	0·61	0·94	1·25	2·49	·01 ~~·99~~ 2·90	(–) ~~1·55~~ 1·54	YEAR'S TOTAL ~~19·29~~
Rain Days.	~~13~~ ~~14~~ 15	~~9~~ 8	18	15	10	11	7	8	10	10	~~18~~ 19	~~9~~ 8	~~138~~ 136

W.7,000, XI. 13

(20·29)

Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06										·01	1
2			0·10	0·15		0·15					·04		2
3		·05								0·52		·05	3
4	·05	·05	·02		0·31		0·16		·05	0·18		0·31	4
5	0.41	·04				·02					0·19	0·19	5
6	·05	·02	0·20			0·24			·06	·07			6
7		0·15			0·45	·04	0·23					0·16	7
8		0·12	·05		·06	·02				0·78			8
9				·05	0·38	0·10	·02			·04	0·24		9
10		0·11			·07	·05		·09			·08		10
11			·02		·08						0·30		11
12	(1.00)			Snow 0·60							0·10		12
13							·03		·04		0·11		13
14				·04					·09		·03		14
15		·03	0·20	·03				·05		0·20	0·38		15
16	·04		0·30	0·48									16
17	·04						·03		0·63		·05		17
18				·06		0·30					·04		18
19			0·47	·09							0·19		19
20	·06		·04	·04			·06	·02					20
21	·06		·03	·07	·08			0·14	·06	·05	·08		21
22	·01		·05		·03						·06		22
23			0·33		·05		·08	0·27	·09	·05			23
24	0.11		·02					0·10	0·16		·02		24
25	0.15					·05		·03					25
26				0·10		0·11			·05			0·10	26
27			0·10	·07	·05	0·11			·02	0·22	·09	0·29	27
28			·01	0·26							·07	·04	28
29	0.45		0·15	0·49									29
30	·03		0·28	0·44				0·24				Snow 0·35	30
31	0.26		·02							0·38	·02		31
Total	·06 ~~1·72~~ (R 1·78)	~~0·63~~ ·57	2·39	2·97	1·56	1·19	0·61	0·94	1·25	2·49	·01 ~~1·99~~ 2·00	(–) ~~1·55~~ 1·54	YEAR'S TOTAL 19·29
Rain Days.	~~13~~ ~~14~~ 15	~~9~~ 8	18	15	10	11	7	8	10	10	~~18~~ 19	~~9~~ 8	135 ~~138~~

W.7,000, XI. 18 15

(20.29)

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 JAN 1915

Kept at Lotherton Hall

in the County of Yorkshire WR 10

by Mrs Gascoigne

Lat. 53-57 Long. 1-50

Time of Observation 9 am

Nearest Railway Station Garforth

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Register of Rainfall in 1914.

Date	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Date
1			0.01				1.82	0.18		0.02	0.02	0.22	1
2							0.60	0.21		0.02	0.25	0.05	2
3					0.20		0.01	0.02		0.01	0.05	0.36	3
4	0.10			0.20	0.05	0.02		0.01			0.16	0.45	4
5	0.03		0.26	0.23	0.03	0.05	0.04	0.05			0.24	0.18	5
6		0.04			0.17	0.07	0.01				0.08	0.02	6
7	0.05	0.02	0.33	0.01	0.05						0.09	0.11	7
8			0.02	0.01	0.07	0.49	0.05	0.06	0.02				8
9	0.33	0.01				0.81		0.03	0.02				9
10	0.17								0.06		0.02	0.03	10
11		0.32	0.28	0.01			0.01		0.01		0.38	0.28	11
12									0.33		0.02	0.30	12
13		0.10	0.26						0.01	0.04	0.15	0.20	13
14	0.03	0.03	0.05		0.02		0.06		0.01	0.05	snow 0.22	0.45	14
15		0.02	0.09							0.06	snow 0.12	0.01	15
16			0.02				0.46		0.36		0.02		16
17	0.05	0.10	0.04				0.01		0.36			0.12	17
18			0.05			0.01						0.24	18
19							0.04				0.04	0.10	19
20		0.24	0.07							0.01			20
21		0.35	0.02			0.16		0.28		0.02	0.02	0.25	21
22		0.02			0.35	0.22		0.05		0.04	0.01	0.05	22
23			0.04	0.02	0.29	0.04				0.01		0.06	23
24			0.34		0.65			0.14			0.17		24
25	0.02		0.02					0.20		0.66	0.03	0.54	25
26	0.02		0.13				0.03	0.06	0.01	0.25	0.20	0.18	26
27										0.03	0.08	0.76	27
28	0.02		0.21		0.02					0.05	0.15	0.06	28
29										0.37	0.04		29
30			0.03							0.09	0.02	0.05	30
31	0.09	0.02	0.06				0.40	0.01		0.15			31
Total	0.91	1.27	2.33	0.48	1.90	1.87	3.54	1.30	1.19	1.88	2.53	5.07	Total for Year 24.27
Rain Days	11	12	20	6	11	9	13	13	10	17	24	24	Days 170

ex 11p

3506

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 10 JAN. 1916

Kept at Lotherton Hall
in the County of Yorkshire 10
by Mrs Gascoigne

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Garforth
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·29	·01		·38			·07	·47		·01	·06	1
2		·14	·16	·20		·04	·14	·13				·01	2
3	·84		·01	·11			·12	·01			·02	·57	3
4	·18				·01		·52					·93	4
5	·10	·03	·03					·02			·01	·74	5
6	·03	·21	·11	·18			·37					·16	6
7	·33	·24	·09	·07			·06	·38				·13	7
8	·05	·03	·01	·03			·03	·02		·01	·03		8
9	·01	·01						·06	·01	·03	·06	snow ·67	9
10	·31		·07					·03		·01		·01	10
11	·03		·08	·47	·61		·01	·04		·01	·15	snow ·17	11
12	·06			·28	·09		·07			·09	·97		12
13		·41						·05	·02		·01		13
14		·03			·07		·03	·09					14
15	·34						·01	·10		·02	snow ·33	·10	15
16		·21			·05		1·15			·01		·02	16
17		·13	·01				·14					·03	17
18		·14	·21						·01	·01	·02		18
19													19
20					·01			·02		·06		·40	20
21	·07	·03		·05			·05			·01		·15	21
22			·10				·08					·05	22
23	·07	snow ·05	·04				·07		·02	·10		·03	23
24			·08	·03					·61	·02		·16	24
25			·01			·02				·03		·10	25
26	·02	·08	·01			·02	·10				snow ·02	·58	26
27	·02	·08				·37	·39			·51		·03	27
28		·16	snow ·02			·07			·01	·05		·02	28
29	·02				·17	·07		·35			·15	·63	29
30	·05	✗		·04		·04				·01	·01		30
31	·06	✗		✗		✗		·29	✗	·02	✗	·15	31
Total	2·70	2·27	1·05	1·46	1·39	·63	3·34	1·66	1·15	1·00	1·79	5·90	YEAR'S TOTAL 24·34
Rain Days.	19	17	17	10	8	7	17	15	7	17	13	24	171

W. 8,000. X. 15.

3429

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Lotherton Hall Aberford
in the County of Yorkshire WR
by Freeman. Gardener.

Lat. 53·57 Long. 1·50
Time of Observation 9 a.m
Nearest Railway Station Garforth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·01	·14			·15	·12						1
2	·03	·02	·24	·01					·19	·12			2
3		·13	·02	·11					·77	·23			3
4	·02	·19		·01	·59	·36			·14	·20	·25		4
5	·01	·01	·01		·05	·08				·30	·02		5
6	·02	·25	snow ·07	·06	·32		·12				·22	·05	6
7	·01	·10	snow ·04		·11		·41			·14	~~·26~~	·26	7
8		·05	·14		·01		·01			·01	·03	·08	8
9	·01		·02		·43	·08					·04	·18	9
10		·02	·02			·27	·01		·06	·05	·01	·05	10
11	·03	snow ·44	·43	·09	·01	·06	·50			·14		·07	11
12	·01		·45		·33		·24	·10				·01	12
13		·08	·22		·02							·02	13
14		·04	·01	·02	·11			·80					14
15		·21	·71				·04	·36	·06				15
16		·11	·13	·04			·01	·05					16
17	·03	·02		·13			·09		·07		·03		17
18		·23		·10		·02		·12	·11	·01	snow ·73	·03	18
19	·06	·01	·23	·19				·04			·40	·07	19
20	·06		·30	·01			·03	·16			·02	snow ·11	20
21	·12				·29		·45				·05	·04	21
22		·01				·10				·08			22
23		·01	snow ·05	·02		·01		·08			·07	·14	23
24		snow ·37		·01		·01		·22				snow ·08	24
25		snow ·04	·10		·04			·17		·04	·05	·07	25
26		snow ·06	·10			·01				·04			26
27		snow ·29							·01				27
28		·18			·02	·06				·01		·06	28
29		·17				·09				·10		·22	29
30		X								·04		·01	30
31		X		X	·01	X			X		X	·03	31
Total	·52	3·05	3·43	·80	2·34	1·30	2·03	2·10	1·41	1·51	1·95	1·58	YEAR'S TOTAL 22·02
Rain Days.	13	25	20	13	14	13	12	10	8	15	13	19	175

W. 8,000, VIII. 16

3285

BRITISH RAINFALL FORM
JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Lotherton Hall
in the County of Yorkshire
by D. Hazelwood

Lat. ~~51°15~~ 53°18 Long. 1° 15
Time of Observation 9 a-m
Nearest Railway Station Garforth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		Snow ·26		·01		·07	·23		·26	·03	1
2	·09			Snow ·10		·04		·09					2
3				Snow ·09		·06				·04	·01		3
4		·03								·12	·02		4
5	Snow ·27		Snow ·10	Snow ·14						·04	·11	·01	5
6	·04		Snow ·06			·12				·17			6
7	·49							·13	·02	·13	·09	·03	7
8	·45			·08				·96	·01	·36			8
9				·05				·06		·03	·18		9
10	Snow ·07		Snow ·55	Snow ·17	·09			·04		·29			10
11	Snow ·20			Snow ·35				·02					11
12	·08			Snow ·04	·18			·09		·26		·03	12
13	Snow ·08			Snow ·03	·35			·20	·14	·05		·02	13
14	Snow ·10			Snow ·06			·13	·30		·01		·04	14
15	Snow ·18			Snow (·02)				·15	·05			·06	15
16	Snow ·12	·05		·04			·02	·08				Snow ·20	16
17	Snow ·02	·05		·04	·44	·01		·24		·02		Snow ·17	17
18	Snow ·02			·03	·02		·27	·04	·12			·15	18
19		·18	·13	·01	·46	·41							19
20		·21				1·20		·03	·03		·05		20
21		·05						·23		·02			21
22	Snow ·03		Snow ·24			·07		·04	·01				22
23	Snow ·03				·07	·04		·06		·41			23
24	Snow ·01					·07		·03		·35	·19		24
25			Snow ·05			·03		·09	·04	·24	·01		25
26			Snow ·01					·44		·02			26
27			Snow ·02			·14	·09	·42		·24	·01		27
28			Snow ·25				·10				·14	·04	28
29	Snow ·01		·05				·12				·02	·06	29
30		×										·04	30
31	Snow ·01	×	Snow ·44	×		×		·30	×		×	·07	31
Total	2·28	·58	1·90	1·51	1·61	2·30	·73	4·11	·65	2·80	1·09	·95	YEAR'S TOTAL 20·51
Rain Days.	19	7	11	16	7	12	6	23	9	18	12	14	154

W. 8,000, VIII. 16

258

FORM A.
BRITISH RAINFALL.

6. I. 19

Ex Mx

REGISTER OF RAINFALL IN 1918

Kept at Lotherton Hall

in the County of Yorkshire W

by Mrs Gascoigne

Lat. 53° 18' Long. 1° 15'

Time of Observation 9 a.m

Nearest Railway Station Garforth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·05	·01	·01					·03	·08	·23	·02	1
2		·24	·01	·06					·08			·30	2
3		·06	·04	·01	·44			·28			·24	·01	3
4			·02		·13			·10	·44			·53	4
5				·09	·34			·64	·03	·14	·02		5
6	·02	·44		·21		·27		·03		·07		·05	6
7	·05	·02		·03					·26	·10	·12		7
8		·04	·06	·03			·16	·01	·09	·08	·02		8
9		·41		·20		·10	·05		1·02	·30	·02	·05	9
10	·02	·04					·35		·06		·07		10
11	·13	·05		·01	·24				·04			·07	11
12		·10	·06				·10			·03			12
13				·10	·25				·13	·10			13
14	·03			·01		·01	·13		·56	·05		·17	14
15	·07			·01		·01	·30		1·23	·02	·02	·53	15
16	·22		·02			·04	·11		·21			·11	16
17			·05		·04		·43		·02	·23		·20	17
18	·31		·03				·23		·39			·15	18
19	·20		·04	·08		·03	·26	·03	·17	·14		·79	19
20	·05	·44				·06	·06		·10	·08			20
21	·12	·05			·52	·04	·11		·23	·28			21
22	·04		·02	·01	·03	·03	·14		·08			·37	22
23	·07			·01	·34		·06					·11	23
24						·30	·09		·10	·06	·14		24
25						·02	·06	·22	·03				25
26							·22	·03	·32	·04		·04	26
27		·06	·02				·01	·36	·40		·12	·08	27
28		·13	·30						·03			·58	28
29			·01					·02	·06			·20	29
30	·02	×	·35						·01		·04	·10	30
31		×	·09	×		×		·03	×		×	·02	31
Total	1·37	2·13	1·13	·87	2·33	·91	2·87	1·75	6·12	1·80	1·04	4·48	YEAR'S TOTAL 26·80
Rain Days.	15	14	16	15	9	11	18	11	26	16	11	21	183

W. 8,000, IX. 17.

+ BR

3142

6 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens Lotherton Hall Aberfor

in the County of Yorks

by Gardener

Lat. 53° 18′ Long. 1° 15′

Time of Observation 9 a.m.

Nearest Railway Station Garforth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53		·03	·02^{s}	·36		·29		·29	·13	·03	·06	1
2	·19		·06				·26		·01		·02		2
3	·18				·04	·7	·80		·01			·20	3
4	·10		·31		·02^{s}	·05		·12	·09	·01		·03	4
5	·70		·01					·02	·12		·04^{s}	·09	5
6	·01		·03		·06						·03	·08	6
7	·03		·21		·13								7
8	·05				·06	·01					·25		8
9	·05		·03								·07		9
10			·12	·02	·05				·01	·01	·06^{s}	·23	10
11			·89	·06	·16		·13			·02	·01^{s}		11
12			·62	·03		·15	·05		·09	·14		·02	12
13	·18			·05		·01	·02		·07	·33		·01	13
14	·19			·16			·04	·06		·02	·01	·01^{s}	14
15	·06	·11	·04	·31				·02			·15	·64^{s}	15
16	·06	·63		·03							·16	·01^{s}	16
17		·08		·04		·03		·02			·11		17
18				01			·02	·36	·02		·01	·09	18
19	·19	·23	·98^{s}			·01	·62	·13	·06		·20	·02	19
20	·74	·09	·01				·30	·08	·12		·07	·16	20
21	·15	·27				·03	·15		·03		·02	·20	21
22		·08				·02	·01	·01	·11		·03	·22	22
23			·01^{s}	·03^{s}						·74	·01	·02	23
24		·01	·01^{s}	·05	·02	·26				·32	·02	·26	24
25	·05	·03		·14		·01		·62			·16		25
26			·16	·02				·21		·10	·08	·39	26
27	·06			·29^{s}						·22		·03	27
28				·05				·75		·15	·01	·28	28
29	·05			·01		·07				·87		·14	29
30	·03			·21		·09				·07	·13	·16	30
31			·01^{s}				·02			·04		·01	31
TOTAL	3·60	1·53	3·53	1·53	·90	·81	2·71	2·40	1·03	3·17	1·68	3·36	YEAR'S TOTAL 26·25
Days with ·01 in. or more	20	9	17	18	9	13	13	12	13	15	23	24	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2997

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Lotherton Hall Aberford

in the County of Yorkshire

by Mr Gascoigne

Lat. 53° 18' Long. 1° 15'

Time of Observation 9 a.m.

Nearest Railway Station Garforth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·38		1·42			·07	·08	·01	1
2			Snow ·15	·12	·02		·20		·13	·26		·27	2
3				·04	·01		1·15		·07	·04		·10	3
4	·01				·04		·30		·06	·69		·33	4
5					·04		·07	·87		·14			5
6			Snow ·14		·04		·04	·03				·03	6
7	·02				·01		·30						7
8	·03	·15			·04		·03	·10					8
9	·17		·02	·28			·08	·08					9
10	·56			·45			·33						10
11	·36			·18	·11	·07	·01	·15					11
12	·07			·17			·02	·01	·02 13				12
13	·05		·12	·28		·38			·20 14			Snow ·14	13
14			Snow ·04	·09		·13			·02 15	·05	·20	Snow ·12	14
15	·02	·10	Snow ·56	·13					·10 16	·18	·02		15
16				·13			·02		·26 17		·02		16
17				·01	·20		·79		·02 18		·02		17
18					·02	·01		·03	·05 19				18
19				·12	·02			·02					19
20		Snow ·35		·07		·19							20
21				·29			·40	·13					21
22				·04			·10						22
23				·30			·30					·26	23
24			·24	·03			·02					·08	24
25			·02	·01			·84						25
26	·45		·14	·04	·04		·02					·03	26
27	·30			·03	·43	·60					·26	·10	27
28			·10	·07	·04							·08	28
29			·12		·79						·10	·50	29
30				·04	·03	·08			·14		·11	·23	30
31	·20		·05		·09		·02			·31		·06	31
Total	2·24	·60	1·70	3·06	2·35	1·46	6·46	1·42	1·07	1·74	·81	2·34	YEAR'S TOTAL 25·25
Days with ·01 in. or more	12	2 1 Snow	8 4 Snow	23	18	7	21	9	11	8	8	13 2 Snow	147 {140 Rain 7 Snow
Days with ·04 in. or more	8	2 1 Snow	56 4 Snow	19	12	6	14	5	8	8	5	~~8~~ 10 2 Snow	110 {103 Rain 7 Snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE 3176

Kept at Ackworth ACKWORTH SCHOOL

1911 – ~~19~~ 1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

ary

in.

ound — ft. 10 in.

a Level 100 ft.

in the County of York

by Edgar Priest

n

ame Ackworth

stance 1m. Direction E.

IMPORTANT NOT … he result entered to the previous day. If an Observer … sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	..	..	·01	..	..	..	·01	·09	..	..	·01	..	1
2	·31	..	..	..	·12	..	·01	..	..	..	..	·03	2
3	·01	..	..	..	·16	..	..	·01	·01	·03	·08	..	3
4	·01	..	·06	·18	..	..	..	·01	·08	·13	·20	·03	4
5	·02	..	..	·05	..	..	..	·02	..	·22	·12	..	5
6	·10	..	·02	·01	..	..	..	·08	..	·08	·24	·31	6
7	·01	..	·01	..	..	..	..	..	..	·01	·03	..	7
8	·05	..	·05	..	..	·08	..	..	·01	·01	·01	·26	8
9	..	..	..	..	..	·01	..	..	..	..	..	·10	9
10	..	..	..	·01	..	..	..	..	..	..	·01	·26	10
11	·16	·01	..	..	·05	..	..	..	..	..	·51	·03	11
12	·11	..	·03	..	·06	..	..	..	·58	..	·07	·01	12
13	·05	·04	·11	..	..	..	..	..	..	..	·02	·45	13
14	·01	·04	·03	..	·03	..	·02	..	..	..	..	·54	14
15	..	·01	·15	·03	..	..	..	..	..	·07	..	·12	15
16	..	·04	·12	..	..	·05	·04	..	..	·04	·10	·07	16
17	..	..	·03	..	..	·13	..	..	..	..	·16	·08	17
18	..	·12	·04	·01	..	·38	..	..	..	·01	·26	·04	18
19	..	..	·01	..	..	·22	·01	·00	·14	·12	·40	·02	19
20	..	·04	..	·06	..	..	·03	·47	·05	..	..	·18	20
21	·01	·16	·02	..	..	..	..	·04	·05	·23	·04	·01	21
22	·01	·02	..	..	..	..	..	·04	..	·33	·03	·02	22
23	..	·17	·03	..	..	·53	..	·01	·20	·01	·01	·20	23
24	..	·10	·06	..	..	1·96	..	·01	..	·04	..	·05	24
25	..	·15	..	·11	..	·04	·01	..	·34	·05	·02	·18	25
26	..	..	..	·04	·11	..	..	..	..	·41	·33	·34	26
27	·01	·07	·09	·15	..	..	..	·48	·18	·00	·01	·01	27
28	..	·03	·04	·15	..	·01	..	·01	·03	·00	·07	·09	28
29	..	..	·01	·02	..	·04	·05	..	·18	·08	·01	·02	29
30	..		..	..	·08	·19	..	..	·02	·14	·01	·01	30
31	..		·04		·04		..	..		·07		..	31
Total	0·87	1·00	0·96	0·82	0·65	3·64	0·18	1·24	1·87	2·08	2·75	3·65	TOTAL for year 19·71
No. of Rain Days.	14	14	20	12	8	12	8	12	13	19	24	26	182

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

RE

Kept at Ackworth School

in the County of Yorks

by Edgar Priestman

RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground – ft. 10 in.
" " " Sea Level 100 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Ackworth
Distance 1m, Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	· ·	· ·	·01	· ·	· ·	· ·	·01	·04	· ·	· ·	·01	· ·	1
2	·31	· ·	· ·	· ·	·12	· ·	·01	· ·	· ·	· ·	· ·	·03	2
3	·01	· ·	· ·	· ·	·16	· ·	· ·	·01	·01	·03	·08	· ·	3
4	·01	· ·	·06	·18	· ·	· ·	· ·	·07	·08	·13	·20	·03	4
5	·02	· ·	· ·	·05	· ·	· ·	· ·	·02	· ·	·22	·12	· ·	5
6	·10	· ·	·02	·01	· ·	· ·	· ·	·08	· ·	·08	·24	·31	6
7	·01	· ·	·01	· ·	· ·	· ·	· ·	· ·	· ·	·01	·03	· ·	7
8	·05	· ·	·05	· ·	· ·	·08	· ·	· ·	·01	·01	·01	·26	8
9	· ·	· ·	· ·	· ·	· ·	·01	· ·	· ·	· ·	· ·	· ·	·10	9
10	· ·	· ·	· ·	·01	· ·	· ·	· ·	· ·	· ·	· ·	·01	·26	10
11	·16	·01	· ·	· ·	·05	· ·	· ·	· ·	· ·	· ·	·51	·03	11
12	·11	· ·	·03	· ·	·06	· ·	· ·	· ·	·58	· ·	·07	·01	12
13	·05	·04	·11	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·02	·45	13
14	·01	·04	·03	· ·	·03	· ·	·02	· ·	· ·	· ·	· ·	·54	14
15	· ·	·01	·15	·03	· ·	· ·	· ·	· ·	· ·	·07	· ·	·12	15
16	· ·	·04	·12	· ·	· ·	·05	·04	· ·	· ·	·04	·10	·07	16
17	· ·	· ·	·03	· ·	· ·	·13	· ·	· ·	· ·	· ·	·16	·08	17
18	· ·	·12	·04	·01	· ·	·38	· ·	· ·	· ·	·01	·26	·04	18
19	· ·	· ·	·01	· ·	· ·	·22	·01	·00	·14	·12	·40	·02	19
20	· ·	·04	· ·	·06	· ·	· ·	·03	·47	·05	· ·	· ·	·18	20
21	·01	·16	·02	· ·	· ·	· ·	· ·	·04	·05	·23	·04	·01	21
22	·01	·02	· ·	· ·	· ·	· ·	· ·	·04	· ·	·33	·03	·02	22
23	· ·	·17	·03	· ·	· ·	·53	· ·	·01	·20	·01	·01	·20	23
24	· ·	·10	·06	· ·	· ·	1·96	· ·	·01	· ·	·04	· ·	·05	24
25	· ·	·15	· ·	·11	· ·	·04	·01	· ·	·34	·05	·02	·18	25
26	· ·	· ·	· ·	·04	·11	· ·	· ·	· ·	· ·	·41	·33	·34	26
27	·01	·07	·09	·15	· ·	· ·	· ·	·48	·18	·00	·01	·01	27
28	· ·	·03	·04	·15	· ·	·01	· ·	·01	·03	·00	·07	·09	28
29	· ·	· ·	·01	·02	· ·	·04	·05	· ·	·18	·08	·01	·02	29
30	· ·	· ·	· ·	· ·	·08	·19	· ·	· ·	·02	·14	·01	·01	30
31	· ·		·04		·04		· ·	· ·		·07		· ·	31
Total	0·87	1·00	0·96	0·82	0·65	3·64	0·18	1·24	1·87	2·08	2·75	3·65	TOTAL for year 19·71
No. of Rain Days.	14	14	20	12	8	12	8	12	13	19	24	26	182

W. 8,000, X. '11.

Ex D L

FORM A2.
BRITISH RAINFALL.

6 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Ackworth School.

in the County of York. W 7

by Edgar Priestman.

RAIN GAUGE
Pattern Ordinary Funnel
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 125 ft.

Time of Observation 9.0 a.m.

Nearest Railway Station
Name Ackworth.
Distance 1 Mile Direction ~~W.S.W.~~ E.N.E. (Gr: Gauge.)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.06	.08	.00	.00	.39	.05	.02	.17	.00	.00	.18	1
2	.00	.00	.04	.00	.00	.09	.67	.00	.04	.03	.00	.61	2
3	.08	.02	.00	.00	.04	.43	.00	.50	.19	.00	.00	.03	3
4	.12	.00	.42	.02	.05	.60	.00	.41	.00	.00	.34	.00	4
5	.08	.04	.00	.00	.15	.31	.00	.02	.00	.06	.01	.00	5
6	.99	.05	.01	.00	.05	.01	.00	.42	.00	.00	.00	.00	6
7	.00	.01	.01	.00	.01	.03	.00	.18	.06	.00	.00	.00	7
8	.30	.25	.05	.01	.00	.00	.00	.02	.12	.01	.00	.00	8
9	.09	.15	.21	.14	.00	.05	.00	.05	.00	.00	.01	.01	9
10	.01	.02	.01	.07	.00	.21	.00	.10	.00	.00	.14	.00	10
11	.13	.03	.00	.00	.00	.00	.00	.00	.00	.00	.10	.66	11
12	.04	.36	.04	.00	.00	.21	.54	.00	.00	.01	.05	.00	12
13	.00	.02	.00	.00	.00	.00	.00	.05	.00	.07	.11	.00	13
14	.11	.00	.33	.00	.00	.05	.00	.02	.00	.00	.00	.01	14
15	.07	.05	.14	.00	.62	.03	.00	.00	.00	.00	.00	.07	15
16	.93	.01	.19	.00	.02	.26	.00	.06	.00	.03	.00	.02	16
17	.07	.00	.15	.00	.00	.20	.03	.25	.00	.00	.00	.16	17
18	.33 ~~.58~~	.01	.07	.00	.00	.00	.01	.05	.00	.01	.00	.01	18
19	.34 ~~.30~~	.15	.01	.00	.00	.00	.53	.59	.00	.19	.02	.00	19
20	.18 ~~.25~~	.06	.02	.00	.30	.01	.22	.01	.00	.19	.00	.00	20
21	.00 ~~.00~~	.00	.29	.00	.52	.00	.12	.00	.00	.01	.00	.00	21
22	.02 ~~.24~~	.05	.03	.00	1.23	.46	.30	.44	.00	.00	.00	.04	22
23	.00 ~~.34~~	.01	.18	.00	.02	.00	.26	.29	.00	.00	.00	.07	23
24	.42 ~~.34~~	.00	.00	.00	.01	.02	.26	.10	.00	.00	.08	.15	24
25	.01 ~~.26~~	.00	.01	.00	.00	.20	.00	.03	.00	.01	.21	.04	25
26	.00 ~~.63~~	.14	.02	.00	.00	.01	.30	.89	.00	1.02	.04	.25	26
27	.00 ~~.62~~	.00	.02	.00	.02	.22	.26	.01	.00	.55	.01	.05	27
28	.00 ~~.26~~	.00	.00	.00	.03	.00	.20	.30	.03	.31	.44	.00	28
29	.00 ~~.15~~	.01	.06	.00	.00	.00	.00	.00	.82	.07	.16	.03	29
30	.04 ~~.68~~		.08	.00	.58	.00	.00	.00	.16	.01	.00	.00	30
31	.04 ~~.52~~		.02		.28		.46	.20		.00		.00	31
Total	4.40	1.44	2.49	0.24	3.93	3.79	4.21	5.01	1.58	2.52	1.72	1.83	TOTAL for year 33.16
No. of Rain Days.	21.	19	25	4	16.	20	15	24	8	15	14	17	198

W. 8,000, X. '11.

Exe

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

5 - JAN 1914

Kept at Ackworth School, Pontefract.

in the County of York W 7

by Edgar Priestman.

Lat. .... Long. ....

Time of Observation 9.0 am.

Nearest Railway Station Ackworth.

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·01	·06	·12	·00	·00	·00	·00	·07	·00	·03	·00	1
2	·01	·05	·04	·00	·00	·01	·00	·00	·00	·00	·02	·01	2
3	·01	·00	·06	·00	·36	·00	·04	·00	·01	·57	·00	·37	3
4	·51	·01	·02	·00	·10	·00	·06	·00	·08	·03	·12	·19	4
5	·01	·01	·07	·00	·00	·02	·04	·00	·02	·38	·00	·00	5
6	·01	·10	·06	·00	·41	·02	·42	·00	·00	·44	·00	·00	6
7	·00	·13	·00	·00	·08	·13	·00	·00	·00	·70	·02	·00	7
8	·00	·01	·00	·00	·38	·03	·00	·04	·00	·08	·14	·00	8
9	·00	·14	·01	·02	·10	·01	·00	·01	·00	·00	·16	·02	9
10	·00	·03	·00	·05	·15	·00	·05	·00	·00	·02	·14	·00	10
11	·50	·00	·00	·49	·34	·00	·00	·00	·00	·06	·17	·00	11
12	·00	·00	·00	·00	·01	·02	·00	·00	·00	·00	·15	·00	12
13	·00	·01	·01	·03	·00	·00	·01	·06	·10	·00	·05	·00	13
14	·30	·08	·15	·01	·00	·00	·01	·00	·00	·10	·08	·00	14
15	·08	·01	·22	·34	·00	·00	·00	·00	·01	·00	·20	·01	15
16	·00	·00	·12	·01	·00	·00	·00	·45	·02	·00	·03	·00	16
17	·03	·02	·14	·03	·00	·00	·00	·00	1·47	·00	·02	·00	17
18	·00	·00	·13	·08	·00	·00	·05	·00	·00	·01	·08	·00	18
19	·09	·00	·09	·05	·00	·00	·00	·00	·06	·00	·00	·00	19
20	·12	·00	·12	·07	·00	·00	·00	·00	·00	·03	·05	·00	20
21	·00	·00	·01	·00	·11	·00	·13	·01	·00	·00	·03	·00	21
22	·14	·00	·32	·00	·00	·00	·00	·49	·12	·00	·00	·00	22
23	·08	·00	·00	·00	·01	·05	·00	·11	·16	·00	·01	·00	23
24	·10	·00	·00	·04	·00	·03	·00	·03	·00	·00	·00	·00	24
25	·00	·00	·00	·00	·00	·00	·00	·00	·08	·01	·00	·00	25
26	·00	·00	·11	·08	·01	·00	·00	·00	·01	·17	·01	·22 ~~·00~~	26
27	·00	·01	·00	·27	·00	·07	·00	·00	·00	·00	·01	·06	27
28	·30	·00	·23	·58	·00	·00	·00	·00	·01	·01	·00	·08	28
29	·02		·31	·41	·04	·00	·00	·37	·00	·00	·00	·30	29
30	·29		·00	·00	·00	·00	·00	·00	·00	·43	·04	·00	30
31	·01		·00		·28		·00	·00		·00		·00	31
Total	2·61	·62	2·28	2·68	2·38	·39	·81	1·57	2·22	3·04	1·56	1·26	YEAR'S TOTAL 21·42
Rain Days.	18	14	20	17	14	10	9	9	14	15	21	9	170

W.7,000, XI. 13

Oct 31 wanted written 14.IV.15

only own stats 10.IV.15 LHCL Early obsv. 15.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915

Kept at Ackworth School

in the County of Yorkshire WR 7

by Edgar Priestman

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Ackworth

Diameter of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·00	·00	·00	·00	·00	~~·00~~	·25	·00	·00	·01	·41	1
2	·00	·00	·00	·00	·00	·00	·97	·26	·00	·03	·32	·07	2
3	·01	·00	·00	·00	·06	·00	·68	·25	·00	·01	·02	·35	3
4	·12	·00	·05	·13	·03	·00	·02	·02	·00	·00	·35	·30	4
5	·09	·00	·22	·07	·02	·03	·00	·00	·00	·00	·08	·23	5
6	·00	·00	·00	·13	·12	·00	·01	·02	·00	·00	·04	·03	6
7	·00	·00	·20	·00	·03	·01	·05	·01	·00	·00	·05	·01	7
8	·11	·00	·01	·00	·09	·46	·00	·06	·00	·00	·00	·00	8
9	·30	·00	·02	·07	·01	·80	·02	·05	·03	·00	·00	·00	9
10	·21	·10	·00	·00	·00	·00	·00	·12	·03	·00	·03	·01	10
11	·00	·20	·21	·04	·00	·07	·00	·00	·08	·05	·46	·38	11
12	·00	·03	·09	·00	·00	·01	·00	·00	·05	·00	·00	·36	12
13	·02	·03	·13	·00	·00	·00	·00	·00	·24	·00	·20	·15	13
14	·02	·04	·01	·00	·00	·00	·01	·00	·01	·00	·00	·35	14
15	·01	·04	·08	·00	·00	·00	·02	·00	·03	·16	·41	·05	15
16	·00	·00	·01	·00	·00	·00	·00	·00	·00	·01	·00	·00	16
17	·03	·09	·08	·00	·00	·00	·35	·00	·22	·00	·00	·12	17
18	·00	·00	·03	·00	·00	·09	·08	·00	·18	·00	·00	·18	18
19	·00	·00	·02	·00	·00	·00	·00	·00	·00	·00	·05	·10	19
20	·01	·20	·14	·00	·00	·00	·01	·00	·00	·00	·00	·00	20
21	·00	·45	·21	·00	·00	·18	·00	·00	·00	·03	·02	·00	21
22	·00	·00	·00	·00	·17	·05	·00	·01	·00	·08	·00	·04	22
23	·00	·00	·02	·01	·62	·03	·04	·04	·00	·05	·00	·00	23
24	·00	·00	·11	·01	·26	·00	·04	·00	·00	·00	·15	·00	24
25	·01	·00	·00	·00	·01	·00	·02	·17	·00	·00	·03	·33	25
26	·00	·00	·12	·00	·00	·00	·00	·17	·00	·58	·03	·16	26
27	·04	·00	·00	·00	·00	·00	·02	·35	·00	·26	·17	·69	27
28	·00	·03	·00	·00	·00	·00	·00	·00	·00	·05	·02	·10	28
29	·00		·05	·01	·01	·00	·00	·00	·00	·04	·02	·00	29
30	·00	X	·02	·00	·02	·00	·00	·01	·00	·45	·04	·11	30
31	·03	X	·00	X	·00	X	·00	·02	X	·08	X	·00	31
Total	1·04	1·21	1·73✓	·47	1·45	1·73	·25 ~~2·34~~ 2·59	– ~~1·81~~ 1·56	– ·87✓	·17 ~~1·88~~ 2·05	2·50	4·53	YEAR'S TOTAL 21·73 ~~21·56~~✓
Rain Days.	15	10	21	8	13	10	~~15~~ 16	~~16~~ 15	9✓	~~14~~ 15	20	22	17~~8~~4

W. 8,000. X. 14.

3362

FORM A.
BRITISH RAINFALL.

JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at *Ackworth School*

in the County of *Yorkshire.*

by *Edgar Priestman*

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Ackworth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·15	—	—	·24	—	·09	·16	·01	—	·01	·03	1
2	—	·02	·10	·10	—	·06	·08	·34	—	·04	—	—	2
3	·78	—	·01	·10	—	—	·28	·03	—	—	·02	·63	3
4	·17	·01	—	—	·03	—	·53	—	—	—	—	1·10	4
5	·07	·29	·01	—	—	—	—	·01	—	·01	·02	·57	5
6	·02	·25	·15	·16	—	—	·44	·10	—	—	—	·09	6
7	·37	·19	·05	·02	·01	—	·12	·58	—	—	·01	·07	7
8	·01	·10	·01	·03	—	—	·07	·14	—	—	·02	—	8
9	·05	·01	—	·01	—	—	—	·15	—	·01	·04	·44	9
10	·15	—	·04	—	—	—	—	·07	—	·01	—	·21	10
11	·01	—	·01	·03	·54	—	·02	·02	—	—	·34	·13	11
12	·02	—	—	·27	·13	—	·03	·01	—	·03	1·21	—	12
13	·01	·70	—	—	—	—	—	—	—	—	—	·29	13
14	·01	·01	—	—	—	—	·01	·01	—	—	—	·15	14
15	·38	—	—	—	—	—	—	·03	—	·01	·14	·10	15
16	—	·17	—	—	·08	—	1·49	·02	—	·01	·14	·01	16
17	—	·08	—	—	—	—	·16	·01	—	—	—	·01	17
18	—	·08	·19	—	—	—	—	—	—	—	·03	—	18
19	—	·01	—	—	—	—	·02	—	—	·01	—	—	19
20	—	—	—	—	—	—	—	·01	—	—	—	·40	20
21	·05	—	—	·07	—	—	·13	·01	—	—	—	·20	21
22	—	—	·09	—	—	—	·16	—	—	—	—	·03	22
23	—	·05	·09	—	—	—	·20	—	·02	·11	—	·01	23
24	—	—	·14	·02	—	·01	—	—	·68	—	—	·15	24
25	—	—	—	·02	—	·07	·07	—	·01 ~~·10~~	·02	—	·13	25
26	·01	·18	—	—	—	·08	·03	—	— ~~·01~~	—	—	·43	26
27	—	·13	·01	—	—	·11	—	·36	·01	·48	—	·07	27
28	—	·16	·01	—	·01	·43	—	—	—	·04	—	—	28
29	—		—	—	·21	·04	—	—	—	—	·17	·61	29
30	·11	X	—	·05	—	·06	—	—	—	·01	—	—	30
31	·04	X	—	X	—	X	·01	·24	X	·13	X	·19	31
Total	2·41	2·59	·91	·88	1·25	·86	3·94	2·30	·73	·92	2·15	6·05	YEAR'S TOTAL 24·99
Rain Days.	18	18	14	12	8	8	19	19	5	14	12	24	172

171

W. 8,000. X. 15.

Ecc 7W

3285

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8 JAN 19

Kept at Ackworth School
in the County of York WR
by Edgar Priestman

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ackworth
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.23		.14			.10	.13				.13		1
2	.08	.02	.25						.09	.10			2
3		.22		.06			.02	.02	.38	.28	.05		3
4		.20		.01	.75	.12			1.05	.17	.33		4
5	.03	.02			.05	.18				.21	.22		5
6	.03	.28	.15	.03	.22		.13				.30	.03	6
7	.01	.03	.07		.06		.04			.10	.01	.29	7
8			.10							.04	.03	.14	8
9	.01	.02	.41		.48	.05			.15		.05	.15	9
10		.03	.04	.06		.11			.01			.12	10
11	.01	.45	.44	.11	.01	.04			.01			.02	11
12	.01	.01	.50	.03	.36		.37	.02				.01	12
13		.08	.17	.01	.03		.03	.28		.37		.03	13
14		.13	.03	.03	.10			.20		.03		.05	14
15		.12	.75				.13	.33					15
16		.10	.22	.02				.71					16
17	.03	.08	.01	.13			.05	.01	.13	.14			17
18		.38	.01	.03		.02		.21	.14	.04	1.25		18
19			.23	.19					.02		.40		19
20	.09		.32	.09			.06	.07			.01	.25	20
21	.02		.04	.01			.19					.03	21
22		.06				.05				.11	.01	.10	22
23		.03	.03	.03		.01				.01	.09	.33	23
24		.45		.01				.18		.03		.14	24
25		.05	.14					.14			.07		25
26	.01	.12	.01			.07				.07	.02		26
27		.43								.19			27
28		.30	.03		.10	.01				.01		.02	28
29		.22				.14				.28		.22	29
30	.01	X			.06	.02				.12			30
31		X		X		X			X	.25	X	.06	31
Total	.57	3.83	4.09	.85	2.22	.92	1.15	2.17	1.98	2.55	2.97	1.99	YEAR'S TOTAL 25.29
Rain Days.	13	24	22	16	11	13	10	11	9	19	15	17	180

W. 8,000, VIII. 16

3135

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Ackworth School
in the County of Yorkshire
by Edgar Priestman

Lat. 40' N Long. 1·15' W
Time of Observation 9 a. m
Nearest Railway Station Ackworth N. E. R.
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. 1917	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01							·19	·22		·12	·04	1
2	·02			·65		01		·07			·01		2
3	-					03		·23		·12			3
4	-						·01	04		·23	·02		4
5	·30		·20	·20				·02	·01	·11	·02		5
6						·02				·05	·05		6
7	·36					11		·05		·62			7
8	·55			·12				·75		·75	·04	·04	8
9	·24			·03				·02		·05	·28		9
10	·23		·64	·12	·07			·11					10
11	·02			·40				·03		·30			11
12	·06			·10	·26			·12	·01	·20			12
13	·17			·02	·07			·18	·05	·06		·03	13
14	·10			·06				(·09)		·01		·05	14
15	·07						·27	01	·02		·01	·06	15
16	·06	·07		·12		08	·02	08					16
17		·12	·01	·12	72	23	·04	17	09			·51	17
18				·03	·03			·18		01			18
19	·09	·09	·23	·02	·52	·33	·20		·28				19
20	-	·15	·02		·17	·74		·07				·01	20
21	·04	·03	·02		01	·02		·06		·01			21
22	·03		·07		01	·05		04	02				22
23	..		·01		10	·01		·08	·01		·01	(·02)	23
24	-					·07	·01	·63		·38	·18		24
25		·01	·06					·08		·31	·05		25
26						·11		·51	·06	·13	·01		26
27			·07			·26	·05	·55			·01	·02	27
28			·15			·06		·07				·15	28
29			·07		·11		·04	·01		·21		·13	29
30			06				01	·03		·04	·02		30
31	·01							·06				·05	31
Total	2·36	·47	1·61	1·99	2·07	2·13	·65	4·03	·77	3·59	·86	1·11	YEAR'S TOTAL 21·54
Rain Days.	14	6	13	13	11	15	9	29	10	18	14	13	168

W. 8,000, IX. 17.

Cx ML

116

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL

7. 1. 19

Kept at Ackworth School Nr Pontefract.

in the County of Yorkshire. W

by Edgar Priestman

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station Ackworth. NER; MR.

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·11	·01	·04					·08	·06	·22	·02	1
2		·13		·05				·05		·01		·15	2
3		·02	·03		·71			·22	·01	·01	·16		3
4					·03			·25	·22	·01	·15	·36	4
5			·03	·01	·32			·52	·09	·11			5
6	·02	·42		·25		·23			·01	·07			6
7		·01		·10		·01			·27	·11			7
8	·10		·12	·09			·59		·22	·12	·12		8
9	·07	·38		·20		·15	·09		·58	·21	·01	·03	9
10		·02					·07		·33		·01	·03	10
11		·05	·01	·03	·16		·04		·06			·02	11
12	·12	·10	·02	·01	·01	·01	·58		·03			·07	12
13		·01		·09	·11				·29	·18			13
14	·14			·03			·10		·44	·03		·24	14
15	·10			·01			·37		·89	·01			15
16			·01			·05	·06	·04	·23	·02		·20	16
17	·20					·05	·60		·02	·16		·26	17
18	·42		·02			·02	·03	·01	·40	·01		·08	18
19	·13	·01	·06	·01			·15		·06	·11		·80	19
20	·03	·38				·11	·25		·08	·10			20
21	·12	·05			·40	·04	·01		·13	·27		·02	21
22	·06				·08	·03	·19		·02			·37	22
23	·01				·40		·35		·01		·03	·01	23
24		·03					·02	·01	·10		·03		24
25						·78	·04	·20	·02		[illegible]		25
26							·24	·06	·12		·09	·02	26
27						·04		·35	·34		·03	·04	27
28		·17	·23						·03	·01	·08	·55	28
29									·10		·01	·11	29
30		×	·30					·04	·02		·08	·10	30
31	·01	×	·05	×		×		·01	×		×		31
Total	1·54	1·89	0·89	0·92	2·22	1·52	3·78	1·76	5·20	1·61	1·62	3·48	YEAR'S TOTAL 25·83
Rain Days.	15	15	12	13	9	12	18	12	29	19	13	20	167

W. 8,000, IX. 17.

2975

JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Ackworth School

in the County of Yorkshire

by Edgar Priestman

Lat. 40 N. Long. 1·15 W.
Time of Observation 9.0 A.M.
Nearest Railway Station Ackworth S.T.K.
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.01	.01	.01	.25	.00	.35	.00	.23	.11	.08	.08	1
2	.20	.00	.02	.00	.00	.00	.24	.00	.03	.00	.04	.00	2
3	.48	.00	.00	.00	.02	.11	.43	.00	.00	.00	.33	.15	3
4	.17	.00	.27	.00	.00	.01	.00	.09	.22	.00	.03	.22	4
5	.75	.00	.00	.00	.05	.00	.00	.00	.15	.00	.01	.07	5
6	.05	.00	.11	.00	.11	.00	.00	.00	.00	.01	.00	.03	6
7	.03	.00	.23	.00	.10	.00	.00	.00	.00	.00	.00	.00	7
8	.10	.00	.00	.03	.00	.00	.00	.01	.00	.00	.14	.00	8
9	.03	.00	.02	.00	.00	.00	.00	.00	.00	.00	.11	.00	9
10	.00	.00	.08	.02	.09	.00	.00	.00	.00	.01	.00	.05	10
11	.00	.00	1.08	.02	.05	.00	.13	.00	.00	.01	.06	.00	11
12	.00	.00	.74	.02	.00	.06	.25	.00	.12	.01	.00	.01	12
13	.07	.00	.00	.11	.00	.00	.00	.00	.75	.21	.00	.01	13
14	.13	.00	.00	.32	.00	.00	.03	.07	.01	.01	.05	.00	14
15	.06	.22	.03	.15	.00	.00	.00	.01	.00	.00	.00	.65	15
16	.04	.98	.00	.05	.00	.00	.00	.00	.00	.00	.25	.00	16
17	.01	.23	.00	.03	.00	.08	.00	.01	.00	.00	.09	.01	17
18	.00	.00	.09	.00	.04	.00	.02	.25	.02	.00	.00	.10	18
19	.03	.24	1.25	.00	.00	.00	2.50	.38	.06	.00	.14	.01	19
20	.52	.10	.02	.00	.00	.04	.45	.11	.07	.00	.07	.18	20
21	.17	.36	.01	.00	.00	.10	.20	.00	.01	.00	.00	.18	21
22	.00	.13	.13	.00	.00	.01	.00	.01	.06	.00	.01	.28	22
23	.00	.00	.00	.03	.00	.00	.00	.01	.00	.85	.01	.08	23
24	.00	.00	.00	.11	.06	.16	.00	.01	.00	.32	.00	.28	24
25	.04	.00	.00	.15	.03	.01	.00	.52	.00	.01	.10	.20	25
26	.00	.00	.00	.00	.00	.01	.00	.28	.00	.03	.04	.20	26
27	.02	.00	.00	.45	.00	.00	.00	.00	.00	.05	.09	.05	27
28	.09	.00	.00	.04	.00	.00	.00	.80	.00	.05	.00	.32	28
29	.08		.00	.02	.00	.17	.00	.00	.00	1.12	.00	.10	29
30	.00		.01	.11	.00	.13	.00	.00	.00	.03	.11	.18	30
31	.02		.00		.00		.03	.00		.03		.01	31
Total	3·34	2·27	4·10	1·67	·80	·89	4·63	2·56	1·73	2·86	1·70	3·45	Year's Total 30·00
Days with ·01 in. or more	22	8	16	17	10	12	11	14	12	16	18	24	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cond from stats 2660

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ackworth School
in the County of Yorks
by Edgar Priestman

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Ackworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·10	·27	·01	·33	·01		·17	·13	·05	1
2			·01	·20	·05		1·00		·20	·30		·15	2
3		·01		·23	·05	·05	·82	·03	·06	·20		·13	3
4	·01				·02		·39	·59	·02	·75		·10	4
5			·02	·07	·06		·07	·17	·01	·02			5
6			·17	·01			·07	·01				·06	6
7		·01		·28	·02		·38						7
8	·07				·01		·17	·06		·02	·01	·01	8
9		·04	·11	·48			·02	·05	·01	·02			9
10	·15	·29		·23			·31	·17					10
11	·38	·02	·04	·17	·12	·07							11
12	·02		·04	·30	·01		·02	·07			·02		12
13	·03	·02	·03	·16		·35			·02				13
14	·01		·40	·09		·30	·02		·35	·09	·18	·29	14
15		·08	·23	·09			·01		·05	·08	·03		15
16			·01		·02		·72						16
17		·01	·01		·06		·01	·08	·37				17
18	·07		·02	·03	·04	·65			·01				18
19		1·16		·09	·02	·22		·02	·01		·01		19
20	·03	·11		·12		·11	·08						20
21				·05			·55					·04	21
22				·26				·34	·01		·01	·03	22
23	·01	·01	·01	·02			·25			·01		·40	23
24			·15	·02								·03	24
25	·02	·13	·07				·68				·02		25
26		·01	·05	·03	·15		·08						26
27	·30	·01		·03	·22	·56	·01			·03	·23	·12	27
28	1·18		·09	·12	·12		·01				·09	·05	28
29			·12	·07	·80		·04		·01		·14	·43	29
30	·34			·04 ~~·07~~					·17		·14	·22	30
31	·04		·03		·13		·02			·40		·04	31
TOTAL	2·66	1·91	1·63	3·29	2·17	1·72	6·06	1·40 ~~1·30~~	1·30	2·09	1·01	2·15	YEAR'S TOTAL 27·39
Days with ·01 in. or more	15	14	20	25	18	9	24	12	14	12	12	16	191
Days with ·04 in. or more	8	5	11	19	12	8	16	8	6	7	6	13	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ACKWORTH
HILLTHORPE
YORKSHIRE
1911 - ~~[illegible]~~ 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Hill
in the County of
by Mrs. Fra

1
uary
5 in.
e Ground 1 ft. 3 in.
Sea Level 175 ft.
a.m
Name Ackworth
Distance 2 Direction N.W.

IMPORTAN d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·2					1
2	·30						·1						2
3					·10			·2		·5	·7		3
4			·10	·16	·14				·10	·9	·22	·13	4
5	·2			·2				·4		·24	·8		5
6	·13		·2					·9		·5	·23	·32	6
7			·1								·2		7
8	·6		·5						·1		·1	·32	8
9						·8						·7	9
10		·1										·26	10
11	·16				·6			·2			·45		11
12	·7		·5		·8				·40		·7		12
13			·13								·4	·45	13
14		·20	·5		·5		·1					·51	14
15		·2	·15	·3						·6		·10	15
16		·2	·10			·7	·3			·4	·7	·6	16
17		·1	·4			·9					·20	·15	17
18		·8	·3			·10					·33	·4	18
19			·2			·2	·1		·10	·15	·45	·2	19
20		·7		·7			·2	·54	·6			·19	20
21		·12	·1					·20		·17	·12		21
22	·1	·4						·10	·1	·40	·4		22
23		·13	·4			·38		·1	·28		·2	·31	23
24		·9	·6			1·95				·5		·3	24
25		·12	·1	·14		·2			·25	·1	·1	·15	25
26				·4	·11			·1		·37	·31	·33	26
27		·7	·8	·14				·56	·33		·2		27
28		·4	·4	·18					·3		·3	·8	28
29			·2	·2		·2	·4		·24	·7		·2	29
30					·6	·17			·1	·13			30
31			·4		·2					·5			31
Total	·75	1·02	1·05	·80	·62	2·90	·12	1·61	1·82	1·93	2·79	3·54	TOTAL for year 18·95
No. of Rain Days	7	14	20	9	8	10	6 ~~9~~	11	12	15	20	19	151 ~~154~~

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Hillthorpe (near Pontefract)

in the County of York WR

by Mrs Frank Hatchard

RAIN GAUGE
Pattern ordinary
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 175 ft.

Time of Observation 8. a. m

Nearest Railway Station
Name Ackworth
Distance 2 Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·2					1
2	·30						·1						2
3					·10			·2		·5	·7		3
4			·10	·16	·14				·10	·9	·22	·13	4
5	·2			·2				·4		·24	·8		5
6	·13		·2					·9		·5	·23	·32	6
7			·1								·2		7
8	·6		·5						·1		·1	·32	8
9						·8						·7	9
10		·1										·26	10
11	·16				·6			·2			·45		11
12	·7		·5		·8				·40		·7		12
13			·13								·4	·45	13
14		·20	·5		·5		·1					·51	14
15		·2	·15	·3						·6		·10	15
16		·2	·10			·7	·3			·4	·7	·6	16
17		·1	·4			·9					·20	·15	17
18		·8	·3			·10					·33	·4	18
19			·2			·2	·1		·10	·15	·45	·2	19
20		·7		·7			·2	·54	·6			·19	20
21		·12	·1					·20		·17	·12		21
22	·1	·4						·10	·1	·40	·4		22
23		·13	·4			·38		·1	·28		·2	·31	23
24		·9	·6			1·95				·5		·3	24
25		·12	·1	·14		·2			·25	·1	·1	·15	25
26				·4	·11			·1		·37	·31	·33	26
27		·7	·8	·14				·56	·33		·2		27
28		·4	·4	·18					·3		·3	·8	28
29			·2	·2		·2	·4		·24	·7		·2	29
30					·6	·17			·1	·13			30
31			·4		·2					·5			31
Total	·75	1·02	1·05	·80	·62	2·90	·12	1·61	1·82	1·93	2·79	3·54	TOTAL for year 18·95
No. of Rain Days	7	14	20	9	8	10	6 ~~9~~	11	12	15	20	19	151 ~~154~~

9,000, IX. '10.

cord for anilt 17·III·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Kept at Hillthorpe
in the County of York · West Riding W.7
by Mrs Frank Hatchard

Lat. ...... Long. ......
Time of Observation 8 . a . m .
Nearest Railway Station Ackworth . M . R .
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·4	·20			·43	·3	·7	·19	·1		·16	1
2			·2			·7	·64		·2			·4	2
3	·8	·4			·3	·40		·48	·19			·2	3
4	·12		·35		·5	·39		·40			·40		4
5		·3			·12	·41		·2			·2		5
6	1·00	·5	·2		·6	·4	·1	·30	·1				6
7		·2			·2	·5		·41					7
8	·18	·16	·5					·1	·16				8
9	·3	·10	·12	·14				·1			·2		9
10	·4			·6		·27		·12			·10		10
11	·5	·6									·8	·55	11
12	·5	·28	·10			·23	·55				·6		12
13		·2						·3		·8	·10		13
14	·7		·27			·5		·2				·1	14
15	·4	·4	·9		·66	·6						·6	15
16	·85		·22		·4	·6	·4	·22		·4		·3	16
17	·10	·2	·14			·17		·5				·15	17
18	·20		·3					·4		·1		·1	18
19	·29	·12					·84	·26		·14	·2		19
20	·24				·24	·1	·24	·5		·29			20
21			·35		·46		·10						21
22		·5	·2		1·55	·65	·37	·29			·8	·5	22
23			·20		·4		·20	·39					23
24	·40		·2		·1		·36	·11				·15	24
25						·72		·2		·4	·18		25
26	·10	·16					·19	·88		·84	·3	·25	26
27			·2		·1	·17	·23			·53	·1	·5	27
28					·9		·17	·23	·6	·15	·70		28
29			·3			·3		·2	·51	·4	·7	·3	29
30	·7		·9		·65				·9	·3			30
31					·25		·25	·21					31
Total	3·91	1·19	2·34	·20	428 4·28	4·21	4·22	4·64	1·23	2·20	1·87	1·56	YEAR'S TOTAL 31·85 31·85
Rain Days.	18	15	19	2	16	18	15	24	8	12	14	14	175 days

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hillthorpe near Pontefract
in the County of York (W. Riding)
by Mr. Frank Hatchard

Lat. 53·38½ Long. 1·16·
Time of Observation 9 oc
Nearest Railway Station Ackworth
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·5	·14					·2		·3		1
2		·5	·7								·3	·2	2
3	·1		·6		·33		·3		·1	·75		·32	3
4	·48				·11	·4	·6		·5	·6	·12	·20	4
5			·7			·30	·7		·4	·38			5
6		·15	·5		·38		·30			·42			6
7		·8			·5	·8				·67			7
8		·2			·36	·11		·3		·12	·13		8
9		·15		·2	·4			·1			·5		9
10	·2			·5			·5			·3	·28		10
11	·80			·40	·2					·4	·14		11
12						·1					·12		12
13			·2	·3				·3	·12		·6		13
14	·5	·12					·2			·8	·7		14
15	·12	·3	·37	·30					·2		·12		15
16			·8					·1	·2		·4		16
17		·4	·11	·4					1·80		·1		17
18	·3		·24	·5			·4				·6	·1	18
19	·8		·13	·3					·3				19
20	·9		·14	·5					·1	·5	·5		20
21		·2			·16		·13				·4		21
22	·13		·30						·9				22
23	·10				·1	·6		·52	·10		·1		23
24	·11			·1		·3		·10				·1	24
25						·1		·3	·8			·1	25
26			·12	·3	·20				·2	·20	·8	·15	26
27		·1		·30		·6						·4	27
28	·28		·19	·42						·1		·7	28
29	·1		·25	·46	·5			·28				·42	29
30	·26									·40	·4	·3	30
31	·4				·22								31
Total	2·61	·67	2·25	2·33	1·93	·70	·70	1·01	2·41	3·21	1·48	1·28	YEAR'S TOTAL 20·58
Rain Days.	16	10	16	15	12	9	8	8	14	13	19	11	151

W.7,000, XI. 13

Ex MCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Hillthorpe 5 miles S. of Pontefract
in the County of York. West Riding 7
by Mrs Frank Hatchard

Lat. .... Long. ....
Time of Observation 8·30 a.m.
Nearest Railway Station Ackworth 2 miles
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·60	·15		·7	·2	·30	1
2							·47	·16			·21	·5	2
3					·7		·5				·5	·36	3
4	·12		·4	·12	·2						·22	·24	4
5	·7		·18	·3	·3	·3	·1	·4			·19	·23	5
6				·10	·12		·4	·1			·2	·2	6
7			·26	·2	·1						·5		7
8	·10		·2		·7	·38		·10	·2				8
9	·24			·12	·1	·86		·15	·4				9
10	·25	·8		·6					·5				10
11		·15	·22	·3		·5			·7		·47	·30	11
12		·3	·12						·17			·32	12
13		·2	·11							·1	·20	·17	13
14	·4	·5	·7				·3		·2	·11	·19	·28	14
15		·3	·9							·6	·21	·5	15
16	·2		·2				·27		·19				16
17	·4	·10	·1				·11		·21			·2	17
18			·7			·60						·28	18
19							·4				·5	·12	19
20		·6	·8							·2			20
21		·43	·2			·51		·4		·4	·3	·5	21
22					·15	·6	·3	·3		·8			22
23			·3	·1	·56	·3	·4				·1	·2	23
24			·6	·1	·20			·30			·19		24
25	·2		·1					·14		·60	·3	·25	25
26			·16				·2	·92		·25	·7	·26	26
27	·3									·2		·65	27
28		·3								·8	·21	·14	28
29			·12							·46	·1		29
30		✕			·2			·2		·6	·3	·7	30
31	·4	✕		✕		✕	·25		✕	·18	✕	·1	31
Total	·97	·98	1·69	·50	1·26	2·52	2·96	2·06	·77	1·24	2·46	4·19	YEAR'S TOTAL 21·60
Rain Days.	11	10	19	9	11	8	13	12	8	14	20	22	157

W. 8,000. X. 14.

3363

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at Hillthorpe Pontefract
in the County of W. R. York
by J M Hatchard

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·10			·21			·7			·1	·4	1
2		·8	·9			·7	·16	·40		·4	·8		2
3	·70		·1	·12			·17	·8			·5	·58	3
4	·18				·2		·70					1·18	4
5	·7	·28	·1		·7			·1		·1	·3	·49	5
6	·3	·32	·9	·6			·46	·4				·11	6
7	·32	·23	·2	·4			·13	·55				·10	7
8		·8		·3			·7	·5			·4	·1	8
9								·17		·2	·2	·60	9
10	·18		·1					·3				·3	10
11	·2		·2	·28	·50		·3	·1			·23	·35	11
12	·2			·1	·16		·5			·3	1·20		12
13		·58											13
14		·1			·1		·1	·10				·15	14
15	·35							·1		·5	·34	·11	15
16		·12			·7		1·25			·3			16
17		·10					·28	·1					17
18		·6	·20								·4		18
19		·1					·4	·1					19
20												·43	20
21	·6			·5			·9	·2				·13	21
22	·1		·9				·10					·12	22
23	·2	·6	·8				·30		·2	·10			23
24			·11	·3		·2			·63			·15	24
25						·2	·7		·2	·6		·14	25
26		·17				·12	·3					·38	26
27		·10						·36		·43		·15	27
28		·12	·1			·21		·1		·8		·1	28
29					·19	·3				·2	·13	·68	29
30	·10	✕		·8				·26					30
31	3	✕		✕		✕			✕	·12	✕	·20	31
Total	2·21	2·42	·74	·70	1·23	·47	3·94	2·19	·67	·99	2·17	6·14	YEAR'S TOTAL 23·87
Rain Days.	15	16	12	9	8	6	17	18	3	12	11	22	149

W. 8,000. X. 15.

3286

FORM A.
BRITISH RAINFALL
4 JAN

REGISTER OF RAINFALL IN 1916

Kept at Hillthorpe
in the County of York (West Riding)
by Mr Frank Hatchard

Lat. Long.
Time of Observation 8 a. m
Nearest Railway Station Ackworth (Midland)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12					·15	·14				·11		1
2	·7	·5	·14						·11	·6			2
3		·18	·26	·11					·31	·25	·4		3
4		·20	·1	·1	·77	·16		·2	·61	·31	·37		4
5	·2				·5	·16				·20	·26		5
6	·2	·28	·2	·4	·24		·8				·28		6
7		·3	·26		·9		·24			·7	·2	·32	7
8		·1	·5			·1				·2	·2		8
9			·30		·45	·15			·12		4	·28	9
10	·4		·16	·5		·12			·6			·11	10
11	·1	·44	·3	·16	·2	·5			·1			4	11
12			·36	·4	·40	·1	·39						12
13		·4	·54		·4		·3	·35		·38			13
14		·15	28	·2	·9			·45			·1	·8	14
15		·8	·3				·14	·52					15
16		·10	·72	·2			·1	·3		·2			16
17	·3	·7	·23	·10			·4	·9	·11	·14			17
18		·32		·11		·3		·12	·12	·3	~~·94~~		18
19	·4	·1	·1	·20				·10	·4		·59	·21	19
20	·7		·22	·5			·2						20
21	·1		·36				·13					·13	21
22		2	·13			·4				·9			22
23		·6	·1	·3		·1					·11	·41	23
24		·40	·1	·5				·15				·12	24
25		·11			·5			·11		·8	·4		25
26		·10	·13								·1		26
27		·45	·2							·28			27
28		·25			·6					·2		·6	28
29		·23	·2			·18				·24		·22	29
30		✕			·2					·8			30
31		✕		✕		✕			✕	·27	✕	·10	31
Total	43	3,58	4·30	·99	2·28	1·07	1·22	1·94	1·49	2·54	2·84	2·08	YEAR'S TOTAL 2476
Rain Days.	10	22	24	14	12	12	10	10	9	17	14	12	166

W. 8,000, VIII. 16

3136

FORM A.
BRITISH RAINFALL.
3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at *Hillthorpe near Pontefract*

in the County of *York (West Riding)*

by *Mrs Frank Hatchard*

Lat. Long.

Time of Observation 8 a.m. to 8·30

Nearest Railway Station Ackworth, Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·2			·20		·1		·19	·22		·8	·5	1
2	·2			·20		·5		·20			·3		2
3						·4		·4			·1		3
4			·11					·2		·36	·1		4
5	·34		·8	·21						·12	·4		5
6						·6				·2	·4		6
7	·37					·6		·86		·59			7
8	·47			·10				·3		·76	·5		8
9	·34		·7	·4				·13		·5	·24		9
10	·19		·60	·11	·14			·6			·4		10
11	·7			·44				·10		·27			11
12	·4			·1	·22			·18		·20			12
13	·16			·1	·6			·30	·8	·3			13
14	·19			·6									14
15	·6			·1		·6	·12		·3			·10	15
16		·7		·11		·8	·1	·2				·6	16
17		·14		·12	·76		·2	·15	·9	·3		·51	17
18	·5			·6	·4	·34	·26	·24	·29			·14	18
19	·3	·9	·22		·70	·75							19
20	·6	·19	·2		·20			·5			·7		20
21	·1	·6	·2			·12		·9		·3			21
22			·5					·5	·3				22
23					·14	·10		·13	·2				23
24								·2		·35	·18	·1	24
25		·1	·6			·2		·7		·27	·5		25
26			·1			·26		·40	·5	·12	·2		26
27			·7			·12	·9	·49				·4	27
28			·14			·12		·10		·3		·6	28
29			·9				·3	·1		·18		·19	29
30		X	·9				·5	·5		·2			30
31	·4	X	·19	X		X		·3	X		X	·4	31
Total	2·46	·56	1·82	1·68	2·26	2·19	·58	4·01	·81	3·43	·86	1·20	YEAR'S TOTAL 21·86
Rain Days.	17	6	15	14	8	15	7	26	8	17	13	10	156

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

4 . 1 .

REGISTER OF RAINFALL IN 1918

Kept at Hillthorpe
in the County of York W. Riding
by Mr. Frank Hatchard

Lat. Long.
Time of Observation 8. a.m
Nearest Railway Station Ackworth. Mid Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·5					·8	·7	·19	·2	1
2		·25		·9				·8	·2	·1		·19	2
3		·2			·40			·26		·1	·22		3
4			·5		·44			·6	·23		·11	·36	4
5			·2		·29			·53	·3	·10			5
6		·40	·2	·30	·2	·18		·1	·4	·2		·1	6
7	·14	·2		·14		·5			·2	·13	·12		7
8							·18		·20	·6	·1		8
9		·38	·8	·31		·12			·48	·22	·1	·4	9
10	·9	·2		·3			·13		·25		·1		10
11	·11	·5		·2	·14		·4	·2	·4			·4	11
12	·1	·9		·2			·19	·24	·3			·5	12
13			·3	·9	·8				·4	·12			13
14	·11			·3		·2	·11		·60	·13		·8	14
15	·13					·1	·27		·88			·30	15
16						·5	·5		·21	·6		·11	16
17	·20				·2	·5	1·19		·7	·19		·18	17
18	·28		·5			·2	·6		·44			·7	18
19	·20		·8	·4		·3	·11		·4	·10		·76	19
20	·4	·33				·7	·20		·6	·13			20
21	·11	·3			·56	·4			·10	·26			21
22	·10				·1	·4	·15		·1			·37	22
23	·3				·40		·23					·1	23
24		·5					·2		·10				24
25						·38	·7	·24				·1	25
26							·68	·11	·10		·19	·47	26
27		·2				·4		·35	·28		·4	·8	27
28		·13	·35					·1	·2		·7	·1	28
29									·10		·1	·19	29
30		X	·40					·4	·4		·8	·9	30
31		X	·4	X		X		·2	X		X		31
Total	1,55	1·79	1·12	1·12	2·36	1·10	3·68	1·97	4·51	1·61	1·06	3·44	YEAR'S TOTAL 25·31
Rain Days.	13	13	10	11	10	14	16	13	27	15	12	21	175

W. 8,000, IX. 17.

2976

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1919.

Kept at Hillthorpe
in the County of York. West Riding
by Mr. Frank Hatchard

Lat. Long.
Time of Observation 8 a.m
Nearest Railway Station Ackworth. Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 3 in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27		·2		·25		·36		·19	·12	·4	·3	1
2	·20		·1				·24		·9		·6		2
×3 Nov 3	×81					·4	·36		·8		·26	·20	3
4	×·28		×·32		·4	·6		·9	·11		·9	·22	4
5	·7								·15		·2	·5	5
6	·1		·3		·11					·1		·9	6
7	× ·2		·21		·5								7
8				·5	·6			·1			·15		8
9											·12		9
10			·14	·3	·10						·3	·6	10
11			·88	·2	·15		·16				·2		11
12			·82	·5		·7	·13		·14	·3			12
13	·8			·4					·73	·19			13
14	·12			·30			·5	·5	·1		·4		14
15	·10	·21	·29	·17							·2	·76	15
16	·3	·83		·7							·11		16
17	·1	·33		·2		·7					·13		17
18			·7		·3		·2	·4	·1			·7	18
19	·2	·18	1·21				1·26	·48	·8		·13	·2	19
20	·37	·19	·2			·5	·74	·18	·7		·6	·5	20
21	·30	·29	·2			·4	·20		·2		·1	·25	21
22		·12						·2	·15			·26	22
23								·1		·70		·5	23
24				·12		·30				·68		·2	24
25	·3			·13	·6			·59		·1	·16	·23	25
26			·16					·39			·5	·34	26
27	·6			·35						·12	·7	·9	27
28	·2			·20				·97		·3		·29	28
29	·8			·2		·16		·3		1·24		·10	29
30	·1	✕		·11		·11				·8	·11	·15	30
31	·2	✕		✕		✕	·11		✕	·4	✕	·3	31
Total	2·91	2·15	4·20	1·68	·85	·90	3·63	2·86	1·83	3·25	1·68	3·36	Year's Total 29·30
Days with ·01 in. or more	21	7	14	15	9	9	11	12	13	12	20	21	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hillthorpe

in the County of York · West Riding

by Mrs Frank Hatchard

Lat. Long.

Time of Observation about 8.30. a. m.

Nearest Railway Station Ackworth Midland.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·9	·32	·8	·24			·12	·15	·2	1
2			·5	·22			·77		·19	·31		·15	2
3				·7	·4	·10	·71		·8	·15		·9	3
4				·7			·41	·51	·3	·78		·19	4
5			·2		·4		·7	·18	·2	·2		·2	5
6			·22	·5	·8		·9					·4	6
7			·8	·16	·2		·30						7
8	·7			·31	·2		·18	·8		·2	·1		8
9	·12	·5		·48				·6	·3	·2			9
10	·16	·20	·4	·9			·21	·5					10
11	·37			·15	·12	·11						·9	11
12			·5	·30	·4		·2	·8			·5		12
13	·4	·4		·16		·32						·10	13
14			·35	·13		·38	·5		·33	·5	·13	·1	14
15	·1	·10	·33	·4					·7	·20		·1	15
16							·64		·5				16
17			·1		·8		·4		·27				17
18	·6				·5	·5		·9					18
19	·1	1·01		·33	·3	·3		·5			·4		19
20	·2	·18		·22		·28	·5						20
21				·1			·50	·10					21
22				·25				·3			·1	·3	22
23			·17				·26			·2		·2	23
24	·1			·5								·41	24
25		·10	·9				·64				·1	·5	25
26	·10		·3	·2	·14		·15						26
27	·11	·2		·5	·23	·39					·29	·14	27
28	1·12		·12	·15	·4				·2		·20	·16	28
29	·8				·85	·3	·7				·12	·43	29
30	·19	✕			·7	·4			·13		·16	·15	30
31	·8	✕	·5	✕	·5	✕	·4		✕	·33	✕	·13	31
TOTAL	2·55	1·70	1·61	3·30	2·22	1·81	5.44	1·23	1·22	2·02	1·17	2·14	YEAR'S TOTAL 26·41
Days with ·01 in. or more	16	8	14	22	17	11	20	10	11	11	11	19	170
Days with ·04 in. or more	12	7	11	20	14	9	19	9	7	7	8	13	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ACKWORTH
NOSTE~~LL~~ PRIORY

1911, 1913
1915 - 1917

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Nostell … ground … in.

… and 4 ft. … in.

in the County of W … Level … ft.

… a M

by John … Head Gar… … Nostell

… ance 1 Direction S

IMPORTANT N… result entered to the previous day. If an … l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January … in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·03					1
2	Snow 39				·05							·01	2
3	·01	·01			·17			·01		·04	·07		3
4	·01		·07	·11					·09	·09	·21	·09	4
5	·02			·01				·12		·22	·14		5
6	·12		·03	·01				·09		·07	·27	·33	6
7	·02										03		7
8	06		·06						·02		·02	·23	8
9				·01		·07							9
10												·35	10
11	Snow 21	—			·03			·06			·44	03	11
12	Snow 14		·03		·03				·70		·10		12
13			·07		·10							·46	13
14	·01	·01	·01		·04		·02					·53	14
15		·05	·22	·03	·02					·08		·10	15
16		·05	·08	·01		·08	·03			·05	·10	·05	16
17			·02			·17					·13	·09	17
18		·14	·03	·02		·24				·02	·19	·05	18
19			·01			·12	·01		·35	44 ·04	·50		19
20	·01	·04		·07			·03	·87	·11			·19	20
21		·16	·03					·03		·28			21
22	·01	·03						·04		·35	·02	·03	22
23		·19	·01			·07		·03	·18	·		·15	23
24		·14	Snow ·03			2·10		·01		·00		·15	24
25		·20		·10		·04			·35	·04	·03	·20	25
26				·04	·08					·37	·51	·33	26
27		·09	·09	·18				·52	·24				27
28	·01	03	·03	·14		·01			·03		·08	·09	28
29			·01	·03		·05	·04		·16	·06		·01	29
30					·07	·17			·01	·16			30
31			·06		·01					·08			31
Total	1·02	1·14	·91	·76	·60	3·72	·13	1·84	2·24 2·74	2·15	2·84	3·47	TOTAL 20·82 20·82
No. of Rain Days.	13	13	19	13	10	11	5	11	11	16	16	20	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Nostell Priory Garden

in the County of W. Riding Yorks

by John Foster
Head Gardener to Rt Hon Lord St Oswald

Rain Gauge — Pattern	Funnel
Diameter of top	5 in.
Height of top above Ground	4 ft. in.
" " " Sea Level	ft.
Time of Observation	9 a m
Nearest Railway Station — Name	Nostell
Distance	1
Direction	S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·03					1
2	Snow 39				·05							·01	2
3	·01	·01			·17			·07		·04	·07		3
4	·01		·07	·11					·09	·09	·21	·09	4
5	·02			·01				·12		·22	·14		5
6	·12		·03	·01				·09		·07	·27	·33	6
7	·02										03		7
8	06		·06						·02		·02	·23	8
9				·01		·07							9
10												·35	10
11	Snow 21				·03			·06			·44	·03	11
12	Snow 14		·03		·03				·70		·10		12
13			·07		·10							·46	13
14	·01	·01	·01		·04		·02					·53	14
15		·05	·22	·03	·02					·08		·10	15
16		·05	·08	·01		·08	·03			·05	·10	·05	16
17			·02			·17					·13	·09	17
18		·14	·03	·02		·24				·02	·19	·05	18
19			·01			·12	·01		·35	14 ·04	·50		19
20	·01	·04		·07			·03	·87	·11			·19	20
21		·16	·03					·03		·28			21
22	·01	·03						·04		·35	·02	·03	22
23		·19	·01			·67		·03	·18	·		·15	23
24		·14	Snow ·03			2.10		·01		·00		·15	24
25		·20		·10		·04			·35	·04	·03	·20	25
26				·04	·08					·37	·51	·33	26
27		·09	·09	·18				·52	·24				27
28	·01	03	·03	·14		·01			·03		·08	·09	28
29			·01	·03		·05	·04		·16	·06		·01	29
30					·07	·17			·01	·16			30
31			·06		·01					·08			31
Total	1·02	1·14	·91	·76	·60	3·72	·13	1·84	2·24 ~~2·74~~	2·15	2·84	3·47	TOTAL for year ~~20·82~~ 20·82
No. of Rain Days.	13	13	19	13	10	11	5	11	11	16	16	20	158

W. 8,000, X. '11.

NOSTELL

Sept. cor. by aw. stats. 15.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at Nostell Priory Wakefield
in the County of Yorkshire W7
by Thos L. Allison

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Nostell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1; following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0·6	0·14	–	–	–	–	–	–	–	–	1
2	–	0·5	0·5	–	–	–	–	–	–	–	0·2	–	2
3	0·4	–	0·7	–	0·33	–	0·9	–	–	0·55	–	0·31	3
4	0·51	–	0·2	–	0·9	–	0·6	–	0·10	0·2	0·6	0·16	4
5	0·1	0·1	0·9	–	–	0·11	0·6	–	0·2	0·36	–	–	5
6	–	0·7	0·6	–	0·50	–	0·50	–	–	0·42	–	–	6
7	–	0·16	–	–	0·7	0·10	0·1	–	–	0·60	0·2	–	7
8	–		0·1	–	0·67	0·4	–	0·5	–	0·4	0·12	–	8
9	–	13 0·18	–	0·2	0·11	0·1	–	–	–	–	0·10	0·1	9
10	0·2	0·3	–	0·6	–	–	0·7	–	–	0·1	0·13	–	10
11	1·27	–	–	0·40	0·11	–	0·1	–	–	0·3	0·13	–	11
12	–	–	–	0·1	–	0·3	–	–	0·21	–	0·16	–	12
13	–	–	0·1	0·35	–	–	–	0·4	0·2	–	0·5	–	13
14	0·12	0·9	0·13	0·2	–	–	–	–	0·2	0·9	0·8	–	14
15	0·5	0·1	0·19	0·3	–	–	–	–	1·56	–	0·17	–	15
16	0·3	–	0·13	0·6	–	–	–	0·27	–	–	0·10	–	16
17	–	0·3	0·14	0·5	–	–	–	–	0·6	–	0·2	–	17
18	–		0·13	0·9	–	–	0·6	–	–	–	0·8	–	18
19	0·15		0·8	0·1	–	–	–	–	–	–	–	–	19
20	0·10		0·7	0·3	–	–	–	–	0·10	0·2	0·3	–	20
21	–		–	~~0·4~~	0·10	–	0·17	0·1	0·16	–	–	–	21
22	0·12		0·35	0·3	–	–	–	0·50	–	–	–	–	22
23	0·7		–	–	0·2	0·8	–	0·10	0·8	–	0·3	–	23
24	0·15		–	0·8	–	0·4	–	0·5	–	–	–	–	24
25	–		–	0·33	–	–	–	–	–	–	–	0·2	25
26	–		0·13	0·22	0·5	–	–	–	0·1	0·17	–	0·20	26
27	–		0·1	0·41	–	0·7	–	–	–	–	–	0·5	27
28	0·29		0·18	–	–	–	–	–	–	–	–	0·7	28
29	0·1		0·33		0·6	–	–	0·33	–	–	–	0·31	29
30	28		–		–	–	–	–	–	0·50	0·3	0·3	30
31	–		–		0·17		–	–		–		–	31
Total	3·22	0·58	2·24	2·35	2·28	0·48	1·03	1·35	2·34	2·81	1·33	1·16	YEAR'S TOTAL 21·17
Rain Days.	16	9	20	18 18	12	8	9	8	11	12	17	9	149

W.7,000, XI. 13

3364

FORM A.
BRITISH RAINFALL.

7. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Nostell Priory Gdns

in the County of Yorkshire

by Thos L Allison

Lat. ………… Long. …………
Time of Observation 9 a m
Nearest Railway Station Nostell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	15	15	-	.	21	-	.	8	-1	-	.	2	1
2	-	6	16	9	-	5	-21	66	-	5	-	-	2
3	-83	-	-	12	-	.	-21	6	-	2	4	90	3
4	-15	-	-	-	4	-	48	-	-	-	-	1-20	4
5	-6	32	-12	-	-	-	-	-1	-	-	-	48	5
6	-2	20	-18	14	-	-	48	-1	-	-	-	12	6
7	-33	15	-9	8	3	-	10	64	-	-	3	8	7
8	-	10	-	4	-	-	10	7	-	-	3	-	8
9	-	-	-	-	-	-	-	17	-	2	4	72	9
10	24	-	10	-	-	-	-	2	-	3	-	-	10
11	3	-	-	3	63	-	5	1	-	-	32	56	11
12	3	-	-	25	15	-	-	9	-	9	1-31	-	12
13	2	73	-	-	-	-	-	-	-	-	-	-	13
14	-	-	-	-	-	-	-	3	-	-	-	14	14
15	40	-	-	-	-	-	-	10	-	-	50	8	15
16	-	20	-	-	12	-	1-40	7	-	1	-	-	16
17	-	5	-	-	-	-	10	-	-	-	-	-	17
18	-	6	18	-	-	-	-	-	-	-	-	-	18
19	-	1	-	-	-	-	1	-1	-	-	-	-	19
20	-	-	-	-	-	-	12	.	-	-	-	42	20
21	6	2	-	-	-	-	-	2	-	-	-	15	21
22	.	-	11	7	-	-	16	-	-	-	-	7	22
23	6	10	8	-	-	-	20	-	-	14	-	-	23
24	.	-	13	4	-	-	-	-	84	-	-	18	24
25	-	-	-	5	-	8	-	-	-	1	-	19	25
26	-	23	-	-	-	11	6	-	-	-	-	42	26
27	-	12	-	-	-	1	17	-	-	48	-	12	27
28	-2	14	-	-	-	27	-	42	-	3	-	-	28
29	6		-	-	23	13	-	-	-	-	15	50	29
30	5	X	-	-	-	31	-	-	-	-	-	2	30
31	-	X	-	X	-	X	-	24	X	14	X	15	31
													YEAR'S TOTAL
Total	2-51	2-64	1-15	-91	1-41	-96	3-85	2-71	-85	1-02	2-42	6-52	26-95
Rain Days.	16	16	9	10	7	7	15	18	2	11	8	20	139

W. 8,000. X. 15.

3287

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Nostell Priory Gdns
in the County of Yorkshire WR
by Thos L Allison

Lat. Long.
Time of Observation 9-AM
Nearest Railway Station 1 mile Nostell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	23	-	23	-	-	11	16	-	-	-	13	-	1
2	11	3	22	-	-	-	-	-	12	12	-	-	2
3	-	15	-	14	-	-	-	-	1·10	22	6	-	3
4	1	25	-	-	76	11	-	-	78	15	32	-	4
5	2	5	-	-	5	15	-	-	-	21	34	-	5
6	5	32	23	4	34	-	11	-	-	-	30	-	6
7	-	2	6	-	18	-	4	-	-	8	-	35	7
8	-	-	45	-	-	-	-	-	-	4	4	13	8
9	1	-	11	8	49	-	-	-	23	-	3	12	9
10	-	-	-	10	-	34	-	-	-	-	-	10	10
11	-	54	50	3	-	6	-	-	3	-	-	6	11
12	-	-	46	-	31	-	33	2	-	-	-	-	12
13	-	3	21	-	6	-	2	26	-	33	-	-	13
14	-	15	5	-	10	-	-	20	-	2	-	8	14
15	-	12	63	9	-	-	9	25	-	-	-	-	15
16	-	12	45	18	-	-	-	50	-	-	-	-	16
17	-	7	-	-	-	-	4	3	7	17	-	-	17
18	2	41	-	26	-	-	-	32	15	5	1·10	-	18
19	2	4	29	2	-	-	-	(14)	2	-	52	20	19
20	6	-	32	1	-	-	-	-	-	-	-	-5	20
21	1	-	5	-	-	-	18	-	-	-	-	-	21
22	-	-	-	-	-	6	-	-	-	11	-	38	22
23	-	-	-	3	-	-	-	-	-	-	11	13	23
24	-	71	-	-	-	-	-	16	-	6	-	3	24
25	-	4	15	-	3	-	-	17	-	7	7	-	25
26	-	11	-	-	-	-	-	-	-	7	-	-	26
27	-	49	-	-	-	-	-	-	-	27	-	3	27
28	-	22	-	-	2	2	-	-	-	2	-	22	28
29	-	28	-	-	-	17	-	-	-	32	-	-	29
30	-	X	-	-	10	-	-	-	-	11	-	3	30
31	-	X	-	X	-	X	-	-	X	27	X	-	31
Total	·54	4·15	4·41	·93	2·44	1·2	·97	2·02	2·50	2·69	3·2	1·91	YEAR'S TOTAL 26·60
Rain Days.	10	20	16	11	11	8	8	10	8	19	11	14	146

W. 8,000, VIII. 16

Cnd fr month

3137

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14 JAN 1918

Kept at Forteell Priory Gardens
in the County of Yorkshire
by Thos L Allison

Lat. ______ Long. ______
Time of Observation 9 Am
Nearest Railway Station Forteell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	-	27	28	-	13	5	1
2	4	-	-	-	-	2	-	7	-	-	-	-	2
3	-	-	-	-	-	2	-	17	-	-	3	-	3
4	-	-	11	39	-	-	-	1	1	33	-	-	4
5	35	-	9	-	-	-	-	1	-	11	2	-	5
6	-	-	-	-	-	1	-	-	-	8	7	-	6
7	39	-	-	11	-	11	-	-	-	71	-	-	7
8	50	-	-	9	-	-	-	1.2	-	72	5	2	8
9	23	-	6	6	-	-	-	-	-	8	24	-	9
10	13	-	72	62	9	-	-	11	-	-	1	-	10
11	-	-	-	-	-	-	-	6	-	32	-	-	11
12	10	-	-	3	28	-	-	14	-	24	-	10	12
13	11	-	-	6	38	-	-	24	3	6	-	-	13
14	24	-	-	-	-	-	-	-	-	-	-	6	14
15	-	-	-	10	-	-	12	2	-	-	-	4	15
16	-	10	-	12	-	10	-	-	-	-	-	51	16
17	-	9	-	5	71	11	7	24	6	-	-	5	17
18	7	-	-	1	3	-	29	16	26	18	-	-	18
19	3	11	23	-	49	(36)	-	-	-	-	-	-	19
20	-	17	-	-	17	1.0	-	13	-	-	-	4	20
21	-	3	5	-	-	3	-	4	-	-	-	-	21
22	9	3	11	-	4	-	-	2	2	-	-	-	22
23	-	-	-	-	10	-	-	9	-	-	-	2	23
24	-	-	-	-	-	11	-	2	-	32	16	2	24
25	-	-	7	-	-	7	-	7	-	34	-	-	25
26	-	-	-	-	-	30	-	50	6	12	4	-	26
27	-	-	10	-	-	3	3	49	-	1	-	3	27
28	-	-	15	-	-	-	-	4	-	-	-	15	28
29	-	-	3	-	-	-	6	-	-	22	-	12	29
30	-	X	3	-	-	-	-	3	-	-	-	-	30
31	-	X	44	X	-	X	-	4	X	-	X	7	31
Total	2.28	0.53	2.19	1.64	2.29	2.27	0.57	3.99	0.72	3.84	0.75	1.28	YEAR'S TOTAL 22.35
Rain Days.	2.28 12	6	13	11	9	13	5	24	7	15	9	14	22.35 138

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

13 JAN 1914

REC

ALNE

YORKSHIRE

1913

Kept at Alne

in the County of Yor

by E. J. Weigh

und 1 ft. 0 in.

Level ft.

in.

IMPORTANT N result entered to the previous day. If an l rule, he is earnestly requested to add the r the space provided for it at the end of this paragraph. Full instructions of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	—	—	—	—	—	—	—	·02	·03	1
2	—	·09	·09	—	—	·09	—	—	—	—	·04	—	2
3	·03	—	·05	—	·24	—	—	—	—	·51	—	·04	3
4	·47	—	·01	—	—	·02	·12	—	·05	·01	·15	·41S	4
5	·13	·02	·03	·24	—	·09	·03	·02	—	·12	—	—	5
6	·02	·16	·11	—	·54	·09	·27	—	—	—	—	—	6
7	—	·30	·01	—	·5	—	—	—	—	·40	—	—	7
8	—	·02	—	—	·45	·25	—	·01	—	·09	·05	—	8
9	—	·05	·02	·03	·01	—	—	—	—	—	—	—	9
10	—	·09	—	—	—	—	—	—	—	—	—	—	10
11	·33S	·02	—	·56S	·03	—	—	—	—	—	·48	—	11
12	—	—	—	—	—	—	—	—	—	—	·04	—	12
13	—	—	—	—	—	—	—	·09	·17	—	·02	—	13
14	—	—	—	·03	—	—	—	—	—	·13	—	·03	14
15	·12	—	·25	·25	—	—	—	—	—	—	·44	—	15
16	·02	—	—	—	—	—	·01	—	—	—	·04	—	16
17	—	—	—	·04	—	·20	—	—	·28	—	·08	—	17
18	—	·06	·09	·11	—	—	·01	—	—	—	·02	—	18
19	—	·01	·02	—	·06	—	—	—	·35	·02	—	—	19
20	—	—	·02	·03	—	—	—	—	·02	·13	·12	—	20
21	·04S	·01	—	—	·12	—	·07	·22	—	—	—	—	21
22	·08S	—	—	—	·03	—	—	·24	·22	—	—	—	22
23	·06	—	·38	—	—	·05	·02	·03	—	—	—	—	23
24	·08	—	—	·05	—	·21	—	—	—	—	—	—	24
25	—	—	—	·02	—	—	—	—	·17	—	·02	·06	25
26	—	·02	—	·10	—	·06	—	—	—	·26	·19	·20	26
27	—	·01	—	·34	—	·06	—	—	—	—	—	—	27
28	·38	—	·04	·70	—	—	—	—	—	—	—	·34S	28
29	—	—	·10	·23	·06	—	—	·02	—	—	—	·28S	29
30	·21	—	·15	—	—	—	—	—	—	·56	—	—	30
31	·16	—	·30	—	·09	—	—	—	—	—	—	—	31
Total	2·13	·86	1·73	2·73	1·68	1·12	·53	·63	1·26	2·23	1·71	1·39	YEAR'S TOTAL 18·00
Rain Days.	14	13	17	14	11	10	7	7	7	10	14	8	132

W.7,000, XI. 13

REC

FORM A.
BRITISH RAINFALL
13 JAN 1914

Kept at Alne

in the County of Yorkshire

by E. J. Weighell

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Alne

Diameter of Rain Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	—	—	—	—	—	—	·02	·03*	1
2	—	·09	·09	—	—	·09	—	—	—	—	·04	—	2
3	·03	—	·05	—	·24	—	—	—	—	·51	—	·04	3
4	·47	—	·01	—	—	·02	·12	—	·05	·01	·15	·41S	4
5	·13	·02	·03	·24	—	·09	·03	·02	—	·12	—	—	5
6	·02	·16	·11	—	·54	·09	·27	—	—	—	—	—	6
7	—	·30	·01	—	·5	—	—	—	—	·40	—	—	7
8	—	·02	—	—	·45	·25	—	·01	—	·09	·05	—	8
9	—	·05	·02	·03	·01	—	—	—	—	—	—	—	9
10	—	·09	—	—	—	—	—	—	—	—	—	—	10
11	·33S	·02	—	·56S	·03	—	—	—	—	—	·48	—	11
12	—	—	—	—	—	—	—	—	—	—	·04	—	12
13	—	—	—	—	—	—	—	·09	·17	—	·02	—	13
14	—	—	—	·03	—	—	—	—	—	·13	—	·03	14
15	·12	—	·25	·25	—	—	—	—	—	—	·44	—	15
16	·02	—	—	—	—	—	·01	—	—	—	·04	—	16
17	—	—	—	·04	—	·20	—	—	·28	—	·08	—	17
18	—	·06	·09	·11	—	—	·01	—	—	—	·02	—	18
19	—	·01	·02	—	·06	—	—	—	·35	·02	—	—	19
20	—	—	·02	·03	—	—	—	—	·02	·13	·12	—	20
21	·04S	·01	—	—	·12	—	·07	·22	—	—	—	—	21
22	·08S	—	—	—	·03	—	—	·24	·22	—	—	—	22
23	·06	—	·38	—	—	·05	·02	·03	—	—	—	—	23
24	·08	—	—	·05	—	·21	—	—	—	—	—	—	24
25	—	—	—	·02	—	—	—	—	·17	—	·02	·06	25
26	—	·02	—	·10	—	·06	—	—	—	·26	·19	·20	26
27	—	·01	—	·34	—	·06	—	—	—	—	—	—	27
28	·38	—	·04	·70	—	—	—	—	—	—	—	·34S	28
29	—	—	·40	·23	·06	—	—	·02	—	—	—	·28S	29
30	·21	—	·15	—	—	—	—	—	—	·56	—	—	30
31	·16	—	·30	—	·09	—	—	—	—	—	—	—	31
Total	2·13	·86	1·73	2·73	1·68	1·12	·53	·63	1·26	2·23	1·71	1·39	YEAR'S TOTAL 18·00
Rain Days.	14	13	17	14	11	10	7	4	7	10	14	8	132

W.7,000, XI. 13

~~ADEL~~

LAWNS WOOD CEMETERY

1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REG

Kept at Lawns Wood C

5 in.

Ground 1 ft. — in.

in the County of WR York

Sea Level 475 ft.

m.

by S. Ralph

ame Leeds

Distance 4 mls. Direction S.

IMPORTANT NOTE.– the result entered to the previous day. If an Obser ersal rule, he is earnestly requested to add the reading r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.12				.01	.09			.01		1
2	.29				.17		.05					.13	2
3		.01		.02	.25					.03	.19	.12	3
4	.03		.15	Snow .32	.04			.04	.12	.11	.27		4
5	.01		.04	.06				.15		.12	.18	.26	5
6	.14		.03	.03				.15		.15	.29		6
7	.01										.07		7
8	.05		.15						.04	.02		.41	8
9				.01		.01						.05	9
10	.01	.04		.01								.45	10
11	.06				.02			.06	.03		.48	.06	11
12	Snow .20	.02	.03		.21	.03			1.02		.30		12
13			.09								.05	.38	13
14	.01	.01	.11		.33					.01	.01	.45	14
15		.06	.12	.02						.09	.02	.24	15
16		.25	.12			.07	.02			.06	.16	.12	16
17			.02			.62	.01				.20	.09	17
18		.25	.07			.03				.02	.09	.11	18
19				.04		.11	.01		.05	.16	.30	.08	19
20		.04		.18			.10	.74	.05	.01		.22	20
21		.24						.18	.03	.17		.04	21
22	.04	.09						.09		.45	.12	.01	22
23		.33				.47			.11			.21	23
24	.06	08	.03	.01		2.25				.28		.11	24
25		.33				.07	.11		.60			.17	25
26		.01		.07	.09		.03	.02		.63	.30	.30	26
27		.16	.06	.16				.35	.25	.01	.01	.15	27
28		.11	.03	.16		.04			.17				28
29			.01	.05		.11	10		.30	.07		.06	29
30					.05	.14		.03		.11			30
31			.02		.14					.09			31
Total	.91	2.03	1.20	1.14	1.30	3.95	.44	1.90	2.77	2.59	3.05	4.22	TOTAL for year 25.50
No. of Rain Days	12	16	17	14	9	12	9	11	12	19	18	23	172

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REG

Kept at Lawns Wood Cemetery, Adel. Nr Leeds

in the County of W.R. Yorkshire. 9

by S. Ralph Dyson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 475 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Leeds
Distance 4 mls Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12				·01	·09			·01		1
2	·29				·17		·05					·13	2
3		·01		·02	·25					·03	·19	·12	3
4	·03		·15	Snow ·32	·04			·04	·12	·11	·27		4
5	·01		·04	·06				·15		·12	·18	·26	5
6	·14		·03	·03				·15		·15	·29		6
7	·01										·07		7
8	·05		·15						·04	·02		·41	8
9				·01		·01						·05	9
10	·01	·04		·01								·45	10
11	·06				·02			·06	·03		·48	·06	11
12	Snow ·20	·02	·03		·21	·03			1·02		·30		12
13			·09								·05	·38	13
14	·01	·01	·11		·33					·01	·01	·45	14
15		·06	·12	·02						·09	·02	·24	15
16		·25	·12			·07	·02			·06	·16	·12	16
17			·02			·62	·01				·20	·09	17
18		·25	·07			·03				·02	·09	·11	18
19				·04		·11	·01		·05	·16	·30	·08	19
20		·04		·18			·10	·74	·05	·01		·22	20
21		·24						·18	·03	·17		·04	21
22	·04	·09						·09		·45	·12	·01	22
23		·33				·47			·11			·21	23
24	·06	08	·03	·01		2·25				·28		·11	24
25		·33				·07	·11		·60			·17	25
26		·01		·07	·09		·03	·02		·63	·30	·30	26
27		·16	·06	·16				·35	·25	·01	·01	·15	27
28		·11	·03	·16		·04			·17				28
29			·01	·05		·11	·10		·30	·07		·06	29
30					·05	·14		·03		·11			30
31			·02		·14					·09			31
Total	·91	2·03	1·20	1·14	1·30	3·95	·44	1·90	2·77	2·59	3·05	4·22	TOTAL for year 25·50
No. of Rain Days	12	16	17	14	9	12	9	11	12	19	18	23	172

9,000, IX. '10.

Exc 8d

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Lawns Wood, Adel Nr Leeds
in the County of Yorkshire W9
by S. Ralph Dyson.

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 475 ft.

Time of Observation 9-0 a.m.

Nearest Railway Station: Name Leeds
Distance 4 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Snow ·60	·10			·26	·49	·06	·07	·03		(Snow) ·34	1
2		Snow ·10	·08		·01	·19	·35		·01				2
3	·12		·02		·01	·46	~~·63~~	·63	·27			·07	3
4	·16	Snow ·10	·62	·10	·07	·68	~~·52~~	·52			·14		4
5	·15	Snow ·02	·02	·01	·30	·40	~~·02~~	·02			·01		5
6		·20	·02		·02		~~·43~~	·43		·01			6
7	Snow ·95	·07	·02	·02	·05	·02	~~·18~~	·18			·01	·02	7
8	" ·50	·21	·07	·02	·03	·03			·06		·01		8
9	·03	·24	·10	·18		·06			·20		·01		9
10	·08	·01	·01	·02	·02	·19		·18			·26		10
11	·12	·08									·14	·34	11
12	·05	·35				·15	·56				·02		12
13	·01	·02						·03			·19	·08	13
14	·14	·03	·55	·01		·15		·02		·11		·15	14
15	·10		·39		·67	·13						·17	15
16	(& Snow) 1·28		·25		·04	·13		·01		·06		·01	16
17	·09	·03	·22			·36	·05	·25			·01	·46	17
18	Snow ·17		·01					·10		·09		·01	18
19	~~·17~~ ·29	·26	·10			·03	·21	·41		·22	·03	·08	19
20	·18				·40	·05	·40	·01		·24		·01	20
21	·01		·55		·21		·05			·01		·02	21
22	Snow ·12	·16	·02		1·18	·35	·07	·50		·03		·02	22
23			·14				·26	·28			·09		23
24	Snow ·45		·01		·02	·14	·21	·22			·06	·13	24
25						·55		·05		·18	·54	·07	25
26		·14	·04				·36	1·01		1·24	·16	·26	26
27		·03	·11		·06	·42	·45	·03		·46		·24	27
28		·03				·03	·10	·57	·08	·26	(Snow) ·42		28
29		·06	·25			·08	·04	·02	·71	·05		·26	29
30	·07		·15		·33	·02	·03		·05	·03			30
31			·06		·18		1·27	·30				·01	31
Total	5·07	2·74	3·91	0·36	3·60	4·88	4·90	5·83	1·45	3·02	2·10	2·75	TOTAL for year 40·61
No. of Rain Days.	21.	20	25	7	17	23	16	23	8	15	16	20	211

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Lawns Wood Adel Leeds

in the County of Yorkshire W9

by A. Ralph Dyson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 475 ft.

Time of Observation 9·0 a.m.

Nearest Railway Station
Name Leeds.
Distance 4 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17	·17							·02	·01	1
2	·02	·06	·12	·03							·05	·06	2
3	·01	·03	·07		·53		·14		·01	·27		·40	3
4	·52	·02	·06			·05	·03		·05	·03	·11	·17	4
5	·06	·01	·20					·02	·06	·28			5
6	·02	·11	·14	·01	·51	·20	·43			·23	·03		6
7		·30			·10	·17				·62		·11	7
8	·01	·05			·69	·01		·12		·49	·13		8
9		·13	·08	·02	·33	·06	·02	·07			·14		9
10	Snow ·04	·01	·02	·08	·02		·02			·03	·25		10
11	Snow 1·00			(Snow) ·38	·06	·08	·01			·10	·07	·02	11
12				·16		·02		·04	·01		·06		12
13			·04	·01				·04	·20	·02	·05		13
14	Snow. ·08	·04	·13	·10						·10	·09		14
15	·14	·02	·32	·30					·15		·41		15
16			·01				·01	·16			·08		16
17		·05	·07	·07		·42			·42		·08		17
18	·02		·25	·21	·06		·07				·11	·02	18
19	·16		·12	·23					·04	·02			19
20	·18		·06							·09	·26		20
21			·09	·01	·23		·23	·03			·02		21
22	(Snow) ·25		·52					·34	·10				22
23	·07				·30	·19		·24	·13	·03	·03	·02	23
24	·23			·04		·21							24
25	(Snow) ·25			·02					·21	·01		·06	25
26			·17	·16		·01			·08	·11		·46	26
27			·02	·16		·07				·02		·18	27
28	·45		·18	·52					·01	·01		·50	28
29	·02		·42	·38				·23			·04	·31	29
30	·42		·03							·63	·02	·03	30
31			·04		·03								31
Total	3·95	·83	3·33	3·06	2·86	1·49	·96	1·29	1·47	3·09	2·05	2·35	TOTAL for year 26·73
No. of Rain Days.	20	12	24	20	11	12	9	10	13	18	20	14	183

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Lawns Wood, Adel, Leeds
in the County of Yorkshire WR
by S. Ralph Dyson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Leeds
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				1·55	·30		·03	·01	·21	1
2			·02				·23	·29		·03		·11	2
3			·09		·20			·11			·09	·47	3
4	·24		13	·25	·04	·01					·22	·50	4
5	Snow ·17		·27	·31		·03					·22	·22	5
6		·03	·05	·20	·18			·11			·18	·10	6
7	·02	·02	·28	·02	·06	·01					·04	·16	7
8	·14		·02		·05	·57	·26	·12	·05		~~·04~~	·03	8
9	·38	·06		·33		1·11		·04	·07		·03	·03	9
10	·10	·15		·04	·01				·03		·16		10
11		·24	·23		·01						·64	·57	11
12		·02	·08						·63		·11	·46	12
13		·16	·30	·01			·05		·03		·19	·25	13
14	·08	·21	·04				·13		·07	·09	(Snow) ·50		14
15		·05	·15						·02		·19	·04	15
16			·02				·85		·41				16
17	·13	·10	·10				·01		·25			·21	17
18		·02	·03									·10	18
19			·05				·07					·12	19
20	·01	·17	·04						·02	·07			20
21		·42	·01			·16	·16	·43		·11		·25	21
22		·02	·06		·18	·07		·03		·07	·10	·09	22
23			·04	·03	·24	·09	·01					·05	23
24			·52	·02	·03		·08	·27			·12		24
25	·01		·01					·26		·74	·02	·50	25
26			·17				·03	·02		·27	·08	·21	26
27	·05									·05	·26	·64	27
28	·01	·04	·16							·09	20	·17	28
29	·01		28	·01	·01					·57	12		29
30			·10	·01	·07			·11		·12	·20	·11	30
31	·25		·04				·57			26			31
Total	1·60	1·71	3·30	1·23	1·08	2·05	4·00	2·09	1·58	2·50	3·68	5·60	YEAR'S TOTAL 30.42
Rain Days.	14	15	28	11	12	8	13	12	10	13	21	24	181

W. 7,500, XI. ·12

cod for arith 27.IV.16 No 78

3481

FORM A. BRITISH RAINFALL.

4 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Lawns Wood Adel Leeds

in the County of Yorkshire 9

by S. Ralph Dyson

Lat. 53.50.40" Long. 1.36 W.

Time of Observation 9-0 a.m.

Nearest Railway Station Leeds

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	·24			·20		·06	·05	·15		·02	·07	1
2	·04	·20	·10	·16		·03	·17	·21	~~·05~~	·05		·01	2
3	·92		·01	·11			·28	·13			·02	·71	3
4	·14	·04			·08		·60	·02				·85	4
5	·12	·40	·10		·06			·03		·04		1·05	5
6	·11	·30	·25	·19			·46			·01		·19	6
7	·33	·43	·04	·27	·02		·14	·46				·10	7
8	·19	·09	·01	·12			·14	·12			·11		8
9	·02	·02		·01				·06		·05	·21	(snow) ·55	9
10	·32	·01						·16		·02		·04	10
11	·12	·02	·05	·01	1·23		·07	·10			·21	(snow) ·40	11
12	·06	·01		·20	·18		·16	·03		·20	1·25		12
13	·01	·68	·01				·02	·01	·05			·01	13
14	·04	·02			·12		·15	·10		·02		·12	14
15	·60						·02	·02	·01	·03	Snow ·42	·29	15
16		·33			·14		1·15	·45	·01	·02		·02	16
17		·22	·02				·05	·11	~~·01~~			·04	17
18		·10	·25					·04	·02	·03	·03	·01	18
19		·03			·02		·04	·02					19
20	·06	·03	·01				·03					·38	20
21	·11	·05		·03			·06			·01		·15	21
22			·11	·01								·05	22
23	·09	(snow) ·05	·05				·09			·22		·09	23
24			·13	·05		·02			·54	·02		·20	24
25												·23	25
26	·04	·11				·06	·37		·01			·53	26
27		·12				·01	·08			·43		·13	27
28		23	·04		·08	·15		·38		·11		·05	28
29					·17	·11				·19	·12	·60	29
30	·12	╳	·03			1·00					·03	·03	30
31	·08	╳		╳		╳	·02	·30	╳	·06	╳	·10	31
Total	3·66	3·78 3·73	1·21	1·16	2·30	1·38	4·16	2·80	0·79	1·51	2·42	7·00 7·00	YEAR'S TOTAL 32·12 32·12
Rain Days.	21	23	16	11	11	7	21	20	7	17	10	28	192

W. 8,000. X. 14.

Exd BJE

3404

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Lawns Wood Adel Leeds
in the County of Yorkshire WR
by L. Ralph Dyson

Lat. 53° 50' 40" Long. 1·36 W.
Time of Observation 9-0 a.m.
Nearest Railway Station Leeds
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·02	·21			·21	·17			·02	·10		1
2	·06	·04	·26			·02			·20	·12	·02	·02	2
3	·01	·09	·03	·03			·07		·77	·16	·09		3
4	·06	·33	·03	·02	·43	·41		·01	·45	·43	·30		4
5	·05	·10	·05		·07	·11				·32	·31		5
6	·15	·27	Snow ·27	·03	·33		·24		·01	·09	·51	·04	6
7	·05	·14	Snow ·11		·09		·12			·31	·03	·25	7
8	·01	·09	Snow ·37			·02				·03	·14	·08	8
9	·03		Snow ·10		·31	·19			·28		·06	·27	9
10	·06	·05	·04	·06		·20			·05	·15	·02	·08	10
11	·03	(Snow) ·42	·40	·12		·14	·03		·06	·10		·09	11
12	·04	·05	·77	·02	·29	·03	·43	·04	·02	·03		·05	12
13		·06	·14	·03			·20	·22		·87	·04	·12	13
14		·10	·05	·06	·25	·02	·02	·18	·02	·06	·02	·04	14
15		·21	·75	·01			·16	·15	·02	·02			15
16		·20	·27	·11			·03	·27		·02			16
17	·03	·11	·02	·23			·06	·02	·11	·19	·02		17
18	·01	·43	·01	·06		·01	·02	·31	·27	·06	1·08	Snow ·35	18
19	·14		·24	·40				·02	·03	·03	·52	Snow ·16	19
20	·16		·40	·06			·06	·02			·03	·04	20
21	·16	·02	·04	·09	·10		·02				·02		21
22			·01			·14				·12	·02	Snow ·12	22
23	·02	·03	·20	·06				·08			·10	Snow ·22	23
24		(Snow) ·27	·08	·03	·01	·45		·23		·04	·03	Snow ·09	24
25	·02		·18		·07	·01		·21		·07	·07	·07	25
26	·03	·10	·20		·02					·08			26
27		·34	·02				·03	·04	·02	·45			27
28		·41	·02		·20	·03			·02	·51	·02	·10	28
29		·25	·02			·12				·30			29
30		X				·03		·04		·50		·02	30
31		X		X	·02	X			X	·07	X	·24	31
Total	1·65	4·13	5·29	1·42	2·49	2·14	1·66	2·39	2·33	5·15	3·55	2·45	YEAR'S TOTAL 34·65
Rain Days.	20	24	29	17	13	~~15~~ 17	15	15	15	27	22	20	234

W. 8,000. X. 15.

3252

cnd for auth

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4. JAN 1918

Kept at Lawns Wood Adel, Leeds

in the County of Yorkshire

by S. Ralph Dyson

Lat. 53° 50' 40" Long. 1·36 W.

Time of Observation 9-0 a.m.

Nearest Railway Station Leeds.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			Snow ·25				·15	·30		·28	·14	1
2	·15			Snow ·24		·06		·08	·03		·03		2
3	·05	Snow ·07		Snow ·03		·06	·02	·07		·11	·07		3
4		Snow ·02	Snow ·10				·03	·05		·10	·03	·01	4
5	·38		Snow ·17	Snow ·38				·02	·02	·10	·06	·05	5
6	·02		Snow ·02			·03			·02	·16	·24	·02	6
7	R & Snow ·83		Snow ·02			·25		·03		·52	·02	·08	7
8	R. & Snow ·54			·11		·02		1·27	·04	·42	·15	·06	8
9	Snow ·09		Snow ·05	Snow ·13				·16		·06	·33	·02	9
10	R. & Snow ·43		·90	Snow ·40	·10			·14		·07	·02		10
11	·04	Snow ·02		rain & Snow ·35				·03		·28	·02	·02	11
12	05			·03	·30			·18	·02	·53		·14	12
13	Snow ·10			·05	·26	·03		·26	·13	·02		·14	13
14	Snow ·35		·03	·10				·30	·01		·01	·12	14
15	Snow ·08			·05			·16	·03	·11			·22	15
16	Snow ·05	·06		·13				·08		—	·02	·78	Snow 16
17	—	·05	·02	·15	·57		·07	·51	·03	·03		·35	17
18	Snow ·07		·02	·05	·10		·31	·07	·11				18
19	Snow ·15	·10	·17		·58	·15	·02	·01			·01		19
20	Snow ·11	·26	·05		·06	·19		·12	·10		·03	·02	20
21	Snow ·06	·05	Snow ·11		·02			·05		·04	·01		21
22		·02	Snow ·09		—	·03		·08	·02	·05	·04		22
23	Snow ·04	·07			·19	·11	·03	·16	·02	·02	·03	·02	23
24	Snow ·03	·02			·02	·08		·03		·57	·42		24
25		·03	·06					·06		·48	·05		25
26			·02				·01	·64	·06	·40	·05		26
27			·22			·20	·12	·42		·02	·06	·05	(·05) 27
28			·33			·02	·12	·06		·02	·07	·02	28
29	Snow ·03		·03		·02		·29	·02		·19	·35	·11	29
30	Snow ·05	X						·03		·12	·04	·05	30
31	Snow ·05	X	Snow ·60	X	·02	X	·02	·06	X	·03	X	·10	31
Total	3·78 ✓	·77 ✓	3·01 ✓	2·45 ✓	2·24 ✓	1·23 ✓	1·20 ✓	5·07 5.17	1·02 ✓	4·34 ✓	2·44 ✓	2·52 ✓	YEAR'S TOTAL 30·17
Rain Days.	24 ✓	12 ✓	19 ✓	15 ✓	12 ✓	13 ✓	12 ✓	30 ✓	15 ✓	23 ✓	25 ✓	21 ✓	221

W. 8,000, VIII. 16

233

W. M. L. and remarks

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Lawn Wood Adel Leeds

in the County of Yorkshire W

by L. Ralph Dyson

Lat. 53° 50′ 40″ Long. 1·36 W.

Time of Observation 9 a.m.

Nearest Railway Station Leeds

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 475 ft.

7. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·06		·02	·03				·15	·08	·20	·05	1
2		·17		·06				·02	·25	·03		·19	2
3		·04	·07		·48			·18		·03	·15	·03	3
4		·05	·06		·10			·28	·60	·07	·39	·38	4
5	·01		·08	·04	·25			·46	·06	·15	·03		5
6	·06	·42	·03	·20	·03	·18		·14	·03	·14		·07	6
7	snow ·20	·11		·41				·01	·20	·20	·18	·01	7
8		·10	snow ·19			·01	·22	·03	·21	·10	·05	·03	8
9	snow ·28	·60		·11		·05	·08		1·00	·33	·04	·04	9
10	·03	·17	·03	·02			·10		·13	·04	·07	·03	10
11	·22	·08	·13	·02	·11		·05	·02	·03			·07	11
12	·02	·17	·08	·02	·06	·01	·60		·03			·18	12
13		·04		·06	·48				·40	·10		·02	13
14	snow ·32			·01		·04	·12		·58	·10	·03	·17	14
15	snow ·30			·02		·02	·48		·95	·02	·01	·64	15
16	snow ·02		·01		·03	·13	·11	·04	·29	·01		·14	16
17	snow ·36			·02	·23	·05	·16	·04	·07	·31		·30	17
18	·37		·07			·11	·61	·02	·51	·02		·22	18
19	·25	·02	·10	·08		·03	·53	·08	·19	·16		snow ·79	19
20	·21	·50	·02	·06		·06	·11		·12	·04	·02		20
21	·19				·84	·09	·02		·17	·31			21
22	·04	·05		·02	·29	·05	·22	·02	·02	·03		·47	22
23	·04	·01			·43		·60		·04		·01	·05	23
24	[illegible]	·04			·02	·03	·09		·09	·01	·03	·02	24
25						·63	·15	·40	·06	·02			25
26		·02					·07	·04	·30	·01	·11	·07	26
27		·09	·05			·05	·02	·47	·78	·02	·18	·16	27
28		·31	·29			·01		·14	·09		·08	·70	28
29	·01							·02	·21			·25	29
30	·02	X	·34					·08	·02		·03	·22	30
31	·01	X	[illegible]	X		X			X		X		31
Total	3·01	3·05	1·66	1·17	3·38	1·55	4·34	2·52 ~~2·64~~	7·58	2·33	1·61	5·30 ~~5·24~~	YEAR'S TOTAL 37·50 ~~39·56~~
Rain Days.	21	20	16	16	14	17	19	19	29	~~24~~	17	26	238

W. 8,000, IX. 17.

3081

FORM A.
BRITISH RAINFALL.
JAN 26

REGISTER OF RAINFALL IN 1919

Kept at Lawns Wood Adel Leeds

in the County of Yorkshire.

by S. Ralph Dyson

Lat. 53°50′40″ Long 1·36 W.
Time of Observation 9-0 a.m.
Nearest Railway Station Leeds
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·03	·01		·32		·20		·50	·18	·07	·08	1
2	·25	·02	·15		·03		·17	·01	·03		·09	·03	2
3	Snow 1·30	·02			·07	·16	1·30		·02		·27	·22	3.
4	·10	·04	Snow ·40		·02	·07	·02	·11	·30		·07	·15	4
5	·11				·12				·02		·05	·18	5
6	·03		·14		·65					·02	·03	·14	6
7	·08		·17	·02	·18				·02		·03		7
8	·10		·01	·04	·03	·03		·03			·04		8
9	·21		·11	·01							·03		9
10			·10	·09	·08	·02				·01	·05	·23	10
11			1·00	·07	·40		·11		·02	·01	Snow ·02	·03	11
12			·51	·09		·25	·27		·10	·05	Snow ·30	·02	12
13	·19			·12		·02	·03	·04	·01	·39	·02	·05	13
14	·28	·02		·36			·08	·10		·07	Snow ·14	·09	14
15	·13	·16	·02	·15				·02			·01	·43	15
16	·03	·75		·13					·01		·20		16
17	·05	·10		·08		·04		·04			·20	·02	17
18			Snow ·29		·03		·04	·31	·03		·02	·23	18
19	·09	·30	Snow 1·45			·05	·72	·16	·08		·21	·02	19
20	·62	·10	·09			·03	·21	·05	·05		·14	·15	20
21	·16	·27				·12	·15		·01	·01	·02	·26	21
22	·02	·27	·02			·012		·03	·16		·03	·38	22
23			·03	·09		·05		·01		·88	·04	·13	23
24	03		·02	·12	·04	·20			·03	·42	·04	·50	24
25	·08	·07		·27	·03	·04		·53			·20		25
26	·02	·02	·31	·07		·02		·12	·05	·04	·08	·50	26
27	Snow ·24		·03	·28				—		·04	·11	·09	27
28	" ·02		·01	·08				·75		·17		·40	28
29	" ·09			·05		·24		·04		·88	·03	·09	29
30	·03	╳	·03	·11		·11		·02		·17	·23	·32	30
31	·05	╳		╳		╳	·10		╳	·05	╳	—	31
Total	4·79	2·17	4·90	2·23	1·97	1·47	3·40	2·37	1·44	3·39	2·77	4·74	YEAR'S TOTAL 35.64
Rain Days.	26	14	21	19	13	17	13	17	17	16	29	25	227

W, 6,500, VII. 18. W W C

2972

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lawns Wood, Adel, Leeds
in the County of Yorkshire
by S. Ralph Dyson

Lat. 53°50'40" Long. 1-36 W.
Time of Observation 9 a.m.
Nearest Railway Station Leeds
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	·14	·29	·59	·06	·51	·04	·03	·15	·10	·07	1
2		·02	·10	·35	·04		1·21		·25	·20		·35	2
3	·01	·04		·05	·09	·04	1·80	·05	·12	·13		·23	3
4	·05			·03	·15		·50	·93	·02	·65		·07	4
5		·03	·05	—	·09		·08	·12	04	·12		·07	5
6			·18	·09	·04		·04				·05	·09	6
7	·08	·02	·13	·03	·12		·38	·01		·02	·02	·03	7
8	·14	·08		·33	·10		·12	·26		·04	·06		8
9	·38	·30		·53			·02	·06	·02	·03			9
10	·54	·44	·03	·32			·46	·27		·01		·03	10
11	·41	·06	·05	·17	·20	·11	·02	·02	·01			Snow ·20	11
12	·12	·03	·15	·35	·02	·02	·05	·03	·02		·11	Snow ·11	12
13	·09	·13	·08	·10	·06	·58	—	—			·10	Snow ·18	13
14	·05	·05	rain & snow ·33	·15		·31	·05	—	·23	·36	·31	Snow ·05	14
15	·03	·18	& snow ·13	·16			·02	—	·03	1·31	·15		15
16	·03	·03	·03		·03		·65	—	·13		·14		16
17	·02	·02	·02		·18			·03	·17	·03	·02		17
18	·18			·10	·15	·08	·02	·09	·20		—		18
19	·03	Snow & rain ·70		·14	·07	·18		·07	·10		—		19
20	·08	·03		·34		·07	·11	·02			—	·03	20
21	·03	—		·11			·43	·12	·01		—	·08	21
22	·06	·03		·30		·05	·13	·02		·02	·03		22
23		·03	·01	·04			·16			·02		Snow ·40	23
24	·03	—	·46	·03			·12		·01			·10	24
25	·04	·04	·05	·04		·03	·67		·01		·03		25
26	·10	·06	·28	·12	·01		·23				·03	·02	26
27	·13	·06	·01	·08	·27	·60	·02			·02	·27	·07	27
28	Sleet & snow 1·50	·02	·23	·15	·18	·07	·02		·03		·04	·19	28
29	·16	·02	·16	·03	·83	·19	·08		·02		·19	·63	29
30	·29	X	·04	·03	·05	·16	·01		·20		·10	·35	30
31	·14	X	·10	X	·08	X			X	·39	X	·12	31
TOTAL	4·75	2·45	2·76	4·46	3·38	2·55	7·91	2·14	1·65	3·50	1·75	3·47	YEAR'S TOTAL 40·77
Days with ·01 in. or more	27	24	22	27	21	15	27	16	20	16	17	22	254

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4.04 19 12 17 22 18 13 20 10 9 9 12 18 179

AMPLEFORTH
COLL
YORKSHIRE

1912-14
1919-20

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGI

Kept at Ampleforth
in the County of York
by ~~Rev. R.C. H~~
Rev H de No

in.
und 1 ft. — in.
Level 351 ft.
me Gilling N.E.R.
stance 1¾ mile Direction S.E.

IMPORTANT NOTE.— … e result entered to the
previous day. If an Obser … al rule, he is earnestly
requested to add the reading … in the space provided
for it at the end of this … nt of rain,
the selection and placing … sh Rainfall
Organization are given in "Rules for Rainfall Observers," … plication to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·10	·06	·02	·02	·30	·09	·37	·13	·01	—	·14	1
2	—	—	·05	·01	·03	·29	·17	—	—	·21	—	—	2
3	·15	·11	·01	—	—	·85	—	·43	·18	·07	—	·20	3
4	·35	—	·44	—	·05	·54	—	·34	·06	—	·40	—	4
5	·05	—	·01	—	·27	·11	—	·46 ×	—	·01 ×	·01	—	5
6	·82	·24	—	—	—	·08	—	×	·01	·01 ×	—	—	6
7	·04	·09	·02	—	·09	—	—	·02	× ·50	—	·01	—	7
8	·24	·23	·19	—	—	·41 ×	·02	—	×	—	·24	·01	8
9	—	·07	·19	·06	—	×	—	·03	·04	—	·01	·01	9
10	—	·01	·01	·01	·05	·86	—	·03	·01	—	·12	·01	10
11	·30	·04	·01	—	—	—	—	·03	—	—	·27	·30	11
12	·09	·02	·15	—	—	·14 ×	·76	—	—	·01 ×	·91	—	12
13	·01	·05	·02	—	—	×	—	·04	—	·12	·22	·06	13
14	·21	—	·71	—	—	·20	—	·08	·02	—	—	·01	14
15	·05	·01	·39	—	·62	·23	—	—	—	·02	—	—	15
16	·32	—	·20	—	·12	·03	—	·02	—	·16	—	—	16
17	—	·01	·29	—	—	·38	·05	·10	—	·02	—	·03	17
18	·12	·01	—	—	—	—	·03	·14	—	·05	—	—	18
19	·21	·24 ×	·01	—	—	—	·15	·28	—	·19	·02	—	19
20	·31	×	—	—	·27	·09	·01	·06	—	·16	—	—	20
21	·01	—	·26	—	·13	—	·01	·01	—	·33	·01	—	21
22	·01	·14	—	—	·81	·60	—	·21	—	—	—	—	22
23	·03	·01	·14	—	·01	·03	·03	·54	—	·01	·16	—	23
24	·25	—	—	—	—	·08	·03	·04	—	—	—	·12	24
25	·05	—	·02	—	—	·66	—	·18	—	—	·08	·03	25
26	·02	·04	·04	—	—	·02	·16	·34	—	·88	·07	·25	26
27	—	—	·06	—	—	·21	·27	·01	—	·40	·06	·08	27
28	—	—	·01	·01	·10	·20	·07	·51	·01	·25	·21	—	28
29	—	·01	·04	—	—	—	·22	·02	·77	·07	—	·04	29
30	·15		·32 ×	—	·08	·05	·05	—	·19	·04	—	—	30
31	—		×		·13		·93	·43		·04		—	31
Total	3·77	1·43	3·65	·11	2·78	6·36	3·05	4·72	1·92	3·06	2·80	1·29	TOTAL for year 34·94
No. of Rain Days.	22	19	26	5	15	24	17	26	12	21	16	14	217

W. 8,000, X. '11. In Oct. days marked × are probably measurements of dew.

REGI

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Ampleforth Abbey.

in the County of Yorkshire N4

by ~~Rev. R.C. Heckett O.S.B.~~
Rev H de Normanville O.S.B: Bed.

RAIN GAUGE { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 351 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Gilling N.E.R.
Distance 1¾ miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·10	·06	·02	·02	·30	·09	·37	·13	·01	—	·14	1
2	—	—	·05	·01	·03	·29	·17	—	—	·21	—	—	2
3	·15	·11	·01	—	—	·85	—	·43	·18	·07	—	·20	3
4	·35	—	·44	—	·05	·54	—	·34	·06	—	·40	—	4
5	·05	—	·01	—	·27	·11	—	{·46} ×	—	·01 ×	·01	—	5
6	·82	·24	—	—	—	·08	—	×	·01	·01 ×	—	—	6
7	·04	·09	·02	—	·09	—	—	·02	× ·50}	—	·01	—	7
8	·24	·23	·19	—	—	·41} ×	·02	—	×	—	·24	·01	8
9	—	·07	·19	·06	—	×	—	·03	·04	—	·01	·01	9
10	—	·01	·01	·01	·05	·86	—	·03	·01	—	·12	·01	10
11	·30	·04	·01	—	—	—	—	·03	—	—	·27	·30	11
12	·09	·02	·15	—	—	·14} ×	·76	—	—	·01 ×	·91	—	12
13	·01	·05	·02	—	—	×	—	·04	—	·12	·22	·06	13
14	·21	—	·71	—	—	·20	—	·08	·02	—	—	·01	14
15	·05	·01	·39	—	·62	·23	—	—	—	·02	—	—	15
16	·32	—	·20	—	·12	·03	—	·02	—	·16	—	—	16
17	—	·01	·29	—	—	·38	·05	·10	—	·02	—	·03	17
18	·12	·01	—	—	—	—	·03	·14	—	·05	—	—	18
19	·21	{·24} ×	·01	—	—	—	·15	·28	—	·19	·02	—	19
20	·31	×	—	—	·27	·09	·01	·06	—	·16	—	—	20
21	·01	—	·26	—	·13	—	·01	·01	—	·33	·01	—	21
22	·01	·14	—	—	·81	·60	—	·21	—	—	—	—	22
23	·03	·01	·14	—	·01	·03	·03	·54	—	·01	·16	—	23
24	·25	—	—	—	—	·08	·03	·04	—	—	—	·12	24
25	·05	—	·02	—	—	·66	—	·18	—	—	·08	·03	25
26	·02	·04	·04	—	—	·02	·16	·34	—	·88	·07	·25	26
27	—	—	·06	—	—	·21	·27	·01	—	·40	·06	·08	27
28	—	—	·01	·01	·10	·20	·07	·51	·01	·25	·21	—	28
29	—	·01	·04	—	—	—	·22	·02	·77	·07	—	·04	29
30	·15		{·32} ×	—	·08	·05	·05	—	·19	·04	—	—	30
31	—		×		·13		·93	·43		·04		—	31
Total	3·77	1·43	3·65	·11	2·78	6·36	3·05	4·72	1·92	3·06	2·80	1·29	TOTAL for year
No. of Rain Days.	22	19	26	5	15	24	17	26	12	21	16	14	34·94 217

In Oct. days marked × are probably measurements of dew.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 19 13

Kept at Ampleforth Abbey, Yorks
in the County of Yorks N 4
by Rev Hilda Normanville

Lat. 54° 12′ 13″ Long. 1° 5′
Time of Observation 9 am
Nearest Railway Station Gilling NER
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 347 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·09	·35	—	—	—	—	—	—	·02	—	1
2	—	·05	·06	—	—	·13	—	—	—	·03	·05	—	2
3	·08	—	·01	—	·15	—	·04		·03	·35	—	—	3
4	·38	·01	·01	—	—	·06	·02		·06	·29	·17	·63	4
5	·25	·03	—	—	—	·15	—		·02	·19	·01	—	5
6	—	·01	·07	—	·39	·06	·24		—	—	—	—	6
7	—	·30	—	—	·07	·17	—		—	·78	—	·01	7
8	—	·02	—	·01	·55	·09	—		·04	·24	·09	—	8
9	—	·06	·02	·04	·21	—	—		—	—	·02	—	9
10	·85	·11	·03	—	·19	—	—		·01	·06	·43	—	10
11	·10	—	~~·01~~	·49	—	·03	—		—	—	·07	—	11
12	·03	·01	—	—	—	·01	—		·02	—	·08	—	12
13	·11	—	·01	·04	—	—	·02	·03	·20	·01	·13	—	13
14	·23	·10	·08	·01	—	—	·03	—	—	·17	—	·01	14
15	·01	—	·19	·34	—	—	—	—	—	—	·26	—	15
16	—	—	—	·01	—	—	·02	—	—	—	·05	—	16
17	—	·01	·08	·04	—	·12	—	—	·15	—	·01	—	17
18	—	—	·25	·10	—	·01	—	—	—	—	·02	·01	18
19	·17	—	·02	—	·10	—	—	—	—	—	—	—	19
20	·14	—	·05	·02	—	—	—	—	·02	·14	·15	—	20
21	—	·01	·03	—	·12	—	·02	·17	·03	—	—	—	21
22	·08	—	·29	—	·04	—	—	·30	·07	—	—	—	22
23	·12	—	—	—	—	·09	·01	·04	·08	—	·01	—	23
24	·05	—	—	·07	—	·50	—	—	~~·04~~	—	—	·06	24
25	—	·08	—	·05	—	—	—	—	·18	·01	·02	~~·19~~	25
26	—	·03	—	·10	—	—	—	—	~~·02~~	·24	·13	·19	·19 26
27	—	·07	·02	·48	—	·14	—	—	—	·01	·08	·06	·06 27
28	·37	—	·23	·40	—	—	—	—	—	·03	—	·13	28
29	·02		·31	·26	·07	—	—	·18	—	·04	·05	·24	29
30	·29		·06	—	·01	—	—	—	—	·46	—	·13	30
31	·04		—		·15		—	—		·01		—	31
Total	3·35	0·82	1·91	2·81	2·05	1·56	·40	·72	·93	3·06	1·91	1·47	YEAR'S TOTAL 20·99
Rain Days.	19	14	20	17	12	13	8	? 5	14	17	20	11	170

·82

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Ampleforth College, ~~Yorkshire~~

in the County of Yorkshire NR 4

by Rev H de Normanville OSB. BA

Lat. 54° 12' 13" Long. 1° 5'

Time of Observation 9 am

Nearest Railway Station Gilling NER

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 349 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	—	—	—	—	1·34	·40	—	—	—	·11	1
2	—	—	—	—	—	—	·81	·10	—	·02	·26	·09	2
3	—	—	·11	—	·30	—	·05	·	—	—	·29	·38	3
4	—	—	·03	·21	·17	—	—	·	—	—	·22	·42	4
5	—	—	·07	·06	·09	·03	·01	·	—	—	·30	·01	5
6	—	·05	—	·02	·11	·01	—	—	—	—	·06	·03	6
7	—	·03	·23	·02	·05	·55	—	—	—	—	·05	·13	7
8	·39	—	·06	·04	·20	·17	·03	·06	—	·03	—	·01	8
9	·43	·03	—	·17	·03	·61	—	·01	·04	—	·07	·04	9
10	·25	·10	—	·03	—	—	—	·	·05	—	·03	—	10
11	—	·36	·19	—	·25	—	—	·	·04	—	·20	·12	11
12	·02	·02	—	—	·02	—	—	·	·19	—	—	·60	12
13	·01	·07	·25	—	—	—	—	·	—	—	·17	·25	13
14	·03	·04	—	·01	—	—	·07	·	—	·01	·13	·15	14
15	·04	—	·10	—	—	—	·61	·	—	—	·52	·18	15
16	·05	—	·06	—	—	—	1·37	·	·49	—	·16	—	16
17	·05	—	—	—	—	—	—	·	·36	—	—	·14	17
18	·03	·08	·09	—	—	·01	—	·	·03	—	—	·29	18
19	·01	—	·02	—	·01	—	·28	·	·12	—	·09	·04	19
20	—	·09	·23	—	—	—	—	·	·02	·02	—	·01	20
21	—	·34	·07	—	—	·06	·02	·	—	·04	·05	—	21
22	·01	·01	·02	·02	·02	·03	·01	·05	—	·06	·01	·15	22
23	—	·02	·02	·03	·51	·72	—	·	—	—	·08	·07	23
24	·01	·01	·09	·08	·02	—	—	·14	—	—	·15	—	24
25	—	·05	·15	—	—	—	·05	·09	—	·67	·08	·35	25
26	—	—	·15	—	—	—	·04	·15	—	·46	·16	·08	26
27	·02	—	—	—	—	—	—	·	—	·01	·08	·62	27
28	·01	·05	—	—	·02	—	—	·	—	·13	·20	·07	28
29	—		·19	—	·01	—	—	·12	—	·25	·04	—	29
30	—		·06	—	·01	—	—	·03	—	·07	·07	·23	30
31	·06		·01		—		·41	·01		·36		—	31
Total	1·42	1·35	2·20	·69	1·82	2·19	5·10	1·16	1·34	2·13	3·47	4·57	YEAR'S TOTAL 27·44
Rain Days.	16	16	21	11	16	9	14	11	9	13	24	25	185

W. 7,500, XI. ·12

Ex. Cal. 4/2/20

3288

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ampleforth [M.O.]

in the County of Yorkshire

by Rev H. de Normanville O.S.B.

Lat. 54° 12' Long. 1° 5' W

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6·2	0·6	-	0·1	7·1	-	8·3	-	7·2	1·9	1·0	2·0	1
2	3·0	0·2	0·7	-	-	-	10·5	-	0·7	0·7	2·5	-	2
3	17·4	-	-	-	3·0	2·0	0·3	-	0·5	-	3·7	1·5	3
4	0·4	1·6	-	-	2·1	0·2	-	3·9	3·8	-	3·9	0·9	4
5	1·0	0·5	-	-	-	-	-	-	1·5	-	2·1	1·4	5
6	1·4	-	0·7	-	2·3	-	-	-	-	0·5	1·9	4·2	6
7	0·3	-	3·9	-	5·3	-	-	-	-	-	-	2·4	7
8	2·5	-	2·9	-	0·3	0·8	-	0·5	-	1·1	3·4	3·1	8
9	-	-	-	-	-	0·8	-	-	-	0·7	5·0	-	9
10	0·1	-	0·5	3·3	0·3	-	-	-	-	2·3	3·6	4·0	10
11	-	-	2·0	-	3·2	-	5·3	-	-	1·0	2·1	-	11
12	-	-	23·5	-	-	3·9	0·5	-	0·6	5·9	0·3	-	12
13	3·3	-	7·9	3·0	-	0·4	1·7	0·9	-	1·9	-	0·1	13
14	6·8	-	0·5	6·2	-	-	0·6	0·4	-	0·2	4·8	0·4	14
15	1·4	5·8	-	1·6	-	-	-	0·3	-	0·2	0·1	27·8	15
16	0·4	3·7	2·2	1·1	-	-	-	-	-	0·2	1·0	-	16
17	-	0·6	-	0·5	0·6	2·4	-	1·6	-	-	5·6	0·3	17
18	-	-	-	-	-	-	0·5	6·9	-	0·2	-	0·3	18
19	1·6	6·0	4·0	-	-	-	18·8	2·1	2·2	0·1	2·1	0·6	19
20	16·5	4·2	4·3	-	-	2·7	2·7	0·4	1·9	-	0·4	6·6	20
21	4·3	4·9	1·2	-	-	0·7	-	-	2·4	-	1·2	2·0	21
22	-	4·6	1·1	-	-	0·3	3·6	1·2	1·1	-	0·1	4·7	22
23	-	-	-	0·7	-	4·3	0·5	-	-	17·6	0·2	2·1	23
24	0·7	-	0·3	0·8	-	1·9	-	-	-	13·5	2·1	-	24
25	2·1	1·6	-	2·8	-	0·5	-	12·0	-	0·1	0·5	-	25
26	0·7	1·1	0·1	3·2	-	0·5	-	12·2	0·4	5·5	5·1	14·0	26
27	0·8	0·1	-	7·8	-	0·6	-	-	0·1	23·5	2·1	1·6	27
28	7·4	-	-	1·7	-	-	-	17·9	-	5·9	0·1	7·7	28
29	0·6		0·3	-	-	1·6	-	0·2	-	18·8	0·3	3·5	29
30	3·5		1·3	3·7	-	2·3	-	-	-	3·8	3·3	8·0	30
31	1·6		-		-		7·1	-		2·0		1·0	31
TOTAL	84·0	35·5	57·9	36·5	24·2	~~25·8~~ 25·9	60·4	60·5	22·4	107·6	58·5	100·2	YEAR'S TOTAL 673·6
Days with 0·2 mm. or more	23	13	17	13	9	17	13	14	11	21	24	23	198

675

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

W 1112 cordy MWR 3165

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(M.O)

Kept at Ampleforth
in the County of Yorkshire
by Rev. H. de Normanville, O.S.B.

Lat. 54° 12' N Long. 1° 5' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	1·3	7·7	13·0	0·2	23·5	0·2	-	3·5	-	0·5	1
2	-	-	0·8	0·6	-	-	12·6	1·2	4·3	4·9	-	9·3	2
3	-	0·4	-	0·1	-	-	3·8	3·5	3·9	8·3	-	4·2	3
4	0·6	-	-	-	0·2	-	13·4	20·6	0·7	31·7	-	3·7	4
5	-	0·2	0·5	-	3·8	-	4·5	0·3	0·2	0·3	-	0·8	5
6	-	-	3·7	4·5	2·5	-	2·4	-	-	0·2	0·1	1·7	6
7	0·2	0·4	0·7	0·3	0·1	-	5·9	-	-	-	-	0·3	7
8	0·2	0·2	-	7·5	1·5	-	6·3	-	-	0·3	0·3	-	8
9	4·8	0·2	-	12·6	-	-	1·9	4·5	0·5	0·2	-	-	9
10	14·0	0·1	0·7	5·6	-	-	5·3	2·6	-	-	-	-	10
11	7·7	0·5	1·0	4·8	2·2	-	-	-	-	0·1	-	5·5	11
12	2·5	-	0·2	7·3	0·2	0·4	0·2	-	-	0·2	0·3	7·4	12
13	2·0	0·1	4·4	3·0	-	-	-	-	-	0·1	2·0	3·1	13
14	-	2·5	10·4	5·5	-	-	2·2	-	7·2	0·4	(4·0)*	0·8	14
15	-	3·9	6·4	6·5	-	-	0·3	-	0·1	5·2	-	1·3	15
16	-	-	-	-	-	-	18·1	-	3·2	-	0·8	-	16
17	0·1	-	-	-	4·9	-	-	-	4·0	0·3	-	0·1	17
18	3·3	0·2	-	1·8	1·9	1·7	0·5	5·7	2·0	-	-	0·1	18
19	0·3	8·6	-	14·1	-	0·8	0·1	-	0·5	-	-	-	19
20	3·5	-	-	4·6	-	1·7	0·8	-	-	-	-	-	20
21	-	0·7	-	8·8	-	-	7·1	-	-	-	0·2	0·8	21
22	2·0	0·2	-	5·5	-	-	3·2	6·8	-	0·3	0·1	-	22
23	-	-	0·4	4·1	-	-	7·2	0·1	0·1	0·2	0·4	5·3	23
24	0·2	0·2	11·7	0·4	-	-	0·8	0·3	-	-	-	0·5	24
25	-	0·4	1·3	1·5	-	-	13·0	-	0·1	0·1	0·3	-	25
26	1·0	0·8	5·0	0·3	-	-	0·1	-	0·1	-	0·1	0·1	26
27	5·1	0·2	0·2	1·0	9·7	14·3	0·1	-	0·1	-	13·2	1·1	27
28	13·5	-	0·5	3·2	-	0·5	1·0	-	-	-	0·4	2·5	28
29	2·6	-	1·3	0·2	24·8	3·5	1·5	-	0·3	-	2·3	11·1	29
30	2·2	X	0·2	-	0·1	0·5	-	-	4·0	-	5·8	4·6	30
31	4·6	X	0·2	X	1·1	X	1·2	-	X	0·8	X	3·7	31 28·04
TOTAL	~~70·6~~ 70·4 ✓	19·8 ✓	50·9 ✓	111·5 ✓	66·0 ✓	23·6 ✓	137·3 ✓	45·8 ✓	31·3 ✓	57·1 ✓	~~27·3~~ 30·3 ✓	68·5 ✓	YEAR'S TOTAL ~~709·4~~ 712·2
Days with 0·2 mm. or more	19 ✓	16 ✓	20 ✓	24 ✓	12 ✓	9 ✓	24 ✓	10 ✓	12 ✓	15 ✓	12 ✓	20 ✓	193 ✓
	14	13	10	19	10	5	19	7	7	5	5	14	128

* Rain gauge blown over, some lost. 4·0 interpolated at 14.

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from Id 3202

ARDSLEY.

JAW. HILL FILTERS

YORKS

1911 – 1920

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

R 11.

Kept at Jaw Hill owden

in the County of WR Y 5 in.

ve Ground 1 ft. 0 in.

Sea Level 315 T ft.

by Wakefield a.m.

Name

Distance Direction

IMPORTANT NO d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th ement of rain, the selection and plac British Rainfall Organization are given i application to Dr. H. R. Mill, 62, ~~Camden Square, London, N.W.~~

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10								·01		1
2	·21				·03						·04	·03	2
3				·03	·11						·07		3
4			·09	·11				·09	·07	·15	·18	·04	4
5			·02					·11		·13	·14		5
6	·06		·06	·06				·09		·16	·29	·15	6
7											·01		7
8	·05		·07									·24	8
9				·03		·03						·03	9
10		·02										·38	10
11	·26								·04		·50	·12	11
12	·10		·01		·05				·70		·08	·03	12
13												·32	13
14			·09		·17							·43	14
15		·01	·04							·10		·15	15
16		·16				·04	·01			·04	·14	·02	16
17			·11			·14					·06	·07	17
18		·24	·05	·02		·05				·01	·13		18
19			·03			·30	·01		·07	·13	·36	·02	19
20				·04				·74	·36			·14	20
21		·27						·06		·15		·03	21
22	04	·04						·01		·07	·03		22
23		·19				·50			·13			·14	23
24		·12	·02			1·76				·09		·08	24
25		·22				·03	·02		·73	·08		·17	25
26				·05	·03		·01			·41	·34	·33	26
27		·07	·09	·17	·07			·35	·16				27
28		·04	·03	·06		·02			·05			·09	28
29				·05		·08	·05		·21	06		·02	29
30					·04	·26				·12			30
31					·04					·11			31
Total	·72	1·38	·81	·62	·54	3·21	·10	1·45	2·52	1·81	2·38	3·03	TOTAL for year. 18·57
No. of Rain Days.	6	11	14	10	8	11	5	7	10	15	15	22	134

W. 8,000, X. '11.

R 11.

FORM A2. BRITISH RAINFALL.
19 JAN 1912

Kept at Jaw Hill (Filtration Works)

in the County of WR York 8

by Wakefield Corporation

Rain Gauge
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 315 T ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10								·01		1
2	·21				·03						·04	·03	2
3				·03	·11						·07		3
4			·09	·11				·09	07	·15	·18	·04	4
5			·02					·11		·13	·14		5
6	·06		·06	·06				·09		·16	·29	·15	6
7											·01		7
8	·05		·07									·24	8
9				·03		·03						·03	9
10		·02										·38	10
11	·26								·04		·50	·12	11
12	·10		·01		·05				·70		·08	·03	12
13												·32	13
14			·09		·17							·43	14
15		·01	·04							·10		·15	15
16		·16				·04	·01			·04	·14	·02	16
17			·11			·14					·06	·07	17
18		·24	·05	·02		·05				·01	·13		18
19			·03			·30	·01		·07	·13	·36	·02	19
20				·04				·74	·36			·14	20
21		·27						·06		·15		·03	21
22	·04	·04						·01		·07	·03		22
23		·19				·50			·13			·14	23
24		·12	·02			1·76				·09		·08	24
25		·22				·03	·02		·73	·08		·17	25
26				·05	·03		·01			·41	·34	·33	26
27		·07	·09	·17	·07			·35	·16				27
28		·04	·03	·06		·02			·05			·09	28
29				·05		·08	·05		·21	·06		·02	29
30					·04	·26				·12			30
31					·04					·11			31
Total	·72	1·38	·81	·62	·54	3·21	·10	1·45	2·52	1·81	2·38	3·03	TOTAL for year 18·57
No. of Rain Days.	6	11	14	10	8	11	5	7	10	15	15	22	134

W. 8,000, X. '11.

made

REGISTER OF Ex ~~RAINFALL~~ IN 1912

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Jaw Hill, Kirkhamgate

in the County of York W 8

by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 315 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·04			·45	·12	·02	·15			·17	1
2							·40		·02			·05	2
3	·07				·02	·42		·86	·28			·01	3
4	·20		·26	·08		·37		·23			·06		4
5	·08	·02			·26	·28		·03					5
6	·75	·16	·16					·47					6
7						·01		·25	·03				7
8	·31	·18	·02	·02				·04	·07				8
9		·16	·02	·22				·01					9
10	·10					1·16		·13			·18		10
11	·10	·12									·13	·40	11
12	·02	·37				·06	1·10				·02	·01	12
13								·11		·09	·10	·01	13
14	·08		·49			·06		·02		·01		·07	14
15	·06	·07	·13		·52	·05		·01				·08	15
16	·74		·21		·07	·07		·02		·03		·04	16
17	·06		·09			·31	·02	·20				·26	17
18	·14		·04					·19		·01		·01	18
19	·30	·15	·09			·01	·23	·43		·31	·04		19
20	·18		·03		·32	·02	·34	·03		·18			20
21			·29		·35		·07						21
22		·05	·03		1·30	·16	·25	·53					22
23			·17				·43	·34				·13	23
24	·34		·02		·06	·02	·33	·21			·04	·02	24
25						·28					·32	·26	25
26		·10					·32	·96		1·34	·22	·08	26
27			·06			·28	·20	·04		·51			27
28						·03	·09	·34	·04	·13	·28	·02	28
29						·07			·52	·07			29
30	·09		·04		·49				·10	·06			30
31			·12		·20		·42	·20					31
Total	3·62	1·41	2·31	·32	3·59	4·11	4·32	5·67	1·21	2·74	1·39	1·62	YEAR'S TOTAL 32·31
Rain Days.	17	11	19	3	10	19	14	24	8	11	10	16	162

W. 7,500, XI. ·12

S. made ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

26 JAN 1914

Kept at Jaw Hill Ex Pl

in the County of York W8

by Wakefield Corporation

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 315 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·10									1
2		·05	09	·04							·07	·01	2
3	·06	·02	·08		34		·09			·63		·59	3
4	·49	·06				·01	·06		·05	·04	·15	·14	4
5	·02	·02	·14			·10	·04	·02	·08	·21			5
6		·04	·08		54		·38			·37			6
7		·14			·08	·13				·60	·02		7
8			·02		·54			·02		·23	·06		8
9		·17			33	·07	·01				·13		9
10	·06	·03		·06			·03			·03	·18		10
11	·58			·40	·05					·06	·06		11
12						·02		·02			·04		12
13	·04		·01						16	·05	·07		13
14	·05	06	·13	·03							·10		14
15	·09	·01	·19	·34					·01		·30		15
16			·22	·01				·05			·09		16
17		·03	·05	·07		·15			94		·01		17
18	·07		·18	·12			·06				·10		18
19	·09		·02	·05					·02				19
20	·13		·04	·09						·19	·05		20
21	·02	·01	·07		·06		·19	·10			·14		21
22	·13		·50					·37	·10				22
23	·04				·05	·13		·08	·16	·05	·02		23
24	·14					·07		·03					24
25				·02					·10	·01		·06	25
26			·14	·06					·06	·12		·34	26
27			·01	·12		·01						·08	27
28	·34		·16	·36								·09	28
29			·43	·41	·05			·50				·10	29
30	·26									·48	·02		30
31	·03		·03										31
Total	2·64	·65	2·59	2·28	2·04	·69	·86	1·19	1·68	3·07	1·61	1·41	YEAR'S TOTAL 20·71
Rain Days.	18	13	20	16	9	9	8	9	10	14	18	8	152

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

27 JAN 1915

Kept at Jaw Hill Filters

in the County of Yorks W R

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Alverthorpe, G.N.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 315 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·65	·59		·04	·01	·25	1
2			·01				·14	·40			·24	·05	2
3	·04		·01		·04			·08			·03	·39	3
4	·19		·08	·18	·06						·27	·29	4
5	·06		·27	·09	·03	·04		·01			·13	·21	5
6			·01	·25	·17						·07	·01	6
7	·02		·24		·06			·05			·02	·20	7
8	·15		·03		·05	·47	·32	·03	·06				8
9	·30	·02		·05	·02	·95		·01			·02		9
10	·13	·07	·01	·01					·08		·20	·02	10
11		·37	·15	·02	·01	·01			·02		·40	·36	11
12		·02	·09			·05			·22		·04	·37	12
13		·07	·15				·06		·06		·25	·17	13
14	·02	·10	·03				·04		·01	·07	·26	·47	14
15		·01	·14								·02	·01	15
16			·01				·58		·20				16
17	·03	·06	·09				·01		·20			·13	17
18	·01					·07						·17	18
19												·12	19
20		·10	·01						·06	·05			20
21	·01	·41				·19		·05		·07		·09	21
22					·38	·14	·04	·04		·04	·05	·02	22
23			·05	·02	·18	·03	·03					·04	23
24			·25				·07	·16			·10		24
25	·01							·38		·64		·41	25
26			·09					·01	·01	·27	·06	·16	26
27	·05									·06	·12	·83	27
28		·03	·01							·05	·07	·06	28
29			·14							·48	·04		29
30		X	·01		·01			·01		·10	·03	·06	30
31	·04	X	·04	X		X	·34		X	·23	X		31
													YEAR'S TOTAL
Total	1·06	1·26	1·92	·62	1·01	1·95	3·28	1·82	·92	2·10	2·43	4·89	23·26
Rain Days.	14	11	23	7	11	9	11	13	10	12	21	24	166

W. 8,000. X. 14.

3424

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
29 JAN 1916

Kept at Jaw Hill
in the County of York Sw8
by Wakefield Corporation

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·09			·21		·12	·32				·03	1
2	·02	·14	·11	·10			·12	·37		·02			2
3	·96						·47	·19				·67	3
4	·09				·08		·34	·03				1·07	4
5	·12	·26	·02					·03				·47	5
6	·02	·26	·15	·20			·44			·01		·20	6
7	·36	·25	·02	·01	·48		·19	·73				·13	7
8	·04	·07		·02			·16	·07			·06		8
9								·09		·01	·04	·49	9
10	·18							·02		·01			10
11			·06	·01	·65			·11			·34	·31	11
12	·04			·18	·18			·02		·13	1·22		12
13	·02	·76						·03					13
14	·01						·15	·03				·13	14
15	·40						·01	·35			·21	·12	15
16		·18			·15		·99	·18		·02			16
17		·10	·01				·07					·02	17
18		·13	·16								·01		18
19		·01					·07	·03					19
20	·03											·30	20
21	·04	·02		·02			·20					·12	21
22			·13				·01					·03	22
23	·04	·02	·08				·19			·17		·02	23
24			·14	·04					·44	·01		·17	24
25												·30	25
26		·15				·13	·22		·01			·60	26
27	·02	·16				·03	·08		·01	·53		·05	27
28		·12	·02			·52		·40		·07		·02	28
29		×			·20	·43					·09	·59	29
30	·08	×				·23						·01	30
31	·08	×		×		×	·02	·18	×	·13	×	·10	31
Total	2·69	2·72	·90	·58	1·95	1·34	3·85	3·18	·46	1·11	1·97	5·95	YEAR'S TOTAL 26·70
Rain Days.	19	16	11	8	7	5	18	18	3	11	7	23	146

W. 8,000. X. 15.

3348

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Jaw Hill Filters

in the County of York W R

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28		·23			·06	·14				·09		1
2	·05	·04	·22				·01		·19	·10			2
3		·08	·02	·02					·55	·18	·12		3
4	·03	·25		·02	·75	·27			·36	·32	·35		4
5	·04	·01			·07	·13				·18	·31		5
6	·13	·36	·09		·28		·25			·02	·23	·03	6
7	·01	·07	·05		·06		·10			·15		·26	7
8		·07	·38			·05				·02	·10	·12	8
9	·01		·04		·34	·02			·38		·07	·23	9
10	·03	·05	·01	·08		·42				·01		·10	10
11		·43	·53	·20	·02	·05	·01		·05			·13	11
12	·04	·01	·60	·05	·34		·48	·06				·01	12
13		·07	·20	·02			·01	·34		·66	·03	·05	13
14		·10	·03		·15			·27		·03	·01	·04	14
15		·31	·76				·10	·38					15
16		·15	·28	·11			·03	·06					16
17	·01	·12		·13			·02		·15	·20			17
18		·34		·01		·02		·08	·25	·05	1·02	·11	18
19	·07	·01	·22	·23				·09	·02	·01	·41	·04	19
20	·04	·01	·31	·01							·02	·04	20
21	·11	·01	·01	·06	·02								21
22		·03				·10				·12		·14	22
23		·02	·06	·01				·07		·02	·10	·30	23
24		·32				·04		·18		·05			24
25	·02	·10	·18		·09			·17		·05	·09	·01	25
26		·09	·02							·06			26
27		·38			·03			·03		·39			27
28		·27	·03		·01	·04				·26		·04	28
29		·24				·16				·25		·20	29
30		X			·40	·01		·04		·26		·02	30
31		X		X		X	·01		X	·18	X	·04	31
Total	·87	3·94	4·27	·95	2·56	1·37	1·16	1·77	1·95	3·57	2·95	1·91	YEAR'S TOTAL 27·27
Rain Days.	14	27	21	13	13	13	11	12	8	23	14	19	188

W. 8,000, VIII. 16

3 march

319

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
5 FEB 1918

Kept at Jaw Hill Filters.
in the County of York
by Wakefield Corporation.

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·08		·01		·13	·10		·19	·13	1
2	·08			·10		·08					·01		2
3	·01	·01		·10		·07		·04		·05	·10		3
4			06					·02		·12	·01		4
5	·34		·12	·22				·04		·09	·05		5
6						·02				·20	·07		6
7	·43					·26		·05		·44		·02	7
8	·42							·97		·43	·07	·05	8
9	·01		·03							·08	·29		9
10	·18		·73	·20	·07			·08		·04	·01		10
11	·04			·26						·21			11
12	·04				·35			·13		·34		·08	12
13	·10			·03	·46			·31	·08	·03		·05	13
14	·11							82				·12	14
15	·03			·12			·14	·01	02		·01	·06	15
16		·11	·01	·06			·01	·09				·56	16
17		·08	·01	·13	·72	·05	·12	·22				·14	17
18	·10		·02	·03	·03		·35	·14	·11				18
19	·05	·18	·24		·46	·29					·02		19
20	·02	·24	·01		·33	·31		·22	·04				20
21	·02	·03	·06		·02			·06		·02			21
22			·03					·11	·02	·02			22
23		·03			·12	·02	·04	·07		·01	·06	·01	23
24						·10		20		·52	·24	·03	24
25		·01	·05					·07		·20	·02		25
26						·10		·49		·21	·04		26
27			·05			·26	·07	·50		·01	·06	·02	27
28			·18			·02	·15	·09		·02		·12	28
29			·03				·18			·19	16	·17	29
30	·02		·17					·02		·12	·02	·01	30
31			·24					·04				07	31
Total	2·01	69	2·04	1·33	2·56	1·59	1·06	4·92	·37	3·35	1·43	1·64	YEAR'S TOTAL 22·99
Rain Days.	18	8	17	11	9	13	8	25	6	21	18	16	170

W. 8,000, IX. 17.

175

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
5.2.19

Kept at Jaw Hill. Filters
in the County of York W
by Wakefield Corporation

Lat. ______ Long. ______
Time of Observation 9 am.
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·11	·02		·03				·11	·08	·15	·01	1
2		·14		·01				·01	·05	·01		·12	2
3		·01	·03		·76			·36		·04	·13	·03	3
4			·04					·04	·28	·02	·20	·42	4
5			·03	·13	·32			·37	·02	·11			5
6		·61	·02	·28	·02	·12		·12	·01	·07		·02	6
7	·04	·05		·19				·01	·26	·20	·10		7
8		·04	·17				·13		·32	·10	·04		8
9	·11	·57		·20		·09	·06		·88	·27	·04	·05	9
10	·06	·05		·01			·08		·36		·05	·04	10
11	·19	·09	·10	·01	·14		·15		·13			·06	11
12	·03	·10		·02			·36		·02			·10	12
13				·04					·14	·14			13
14	·10			·01	·01	·01	·10		·60	·02		·20	14
15	·05			·03		·03	·44		1·32			·31	15
16	·01					·04	·09		·22	·01		·20	16
17	·26				·04	·04	·55	·02		·24		·16	17
18	·35		·05			·06	·25		·46	·01		·10	18
19	·17		·06	·05		·02	·31	·01	·25	·16		1·14	19
20	·06	·49		·09		·08	·12		·08	·03			20
21	·10	·08			·36	·05			·16	·26			21
22	·01	·01			·40	·11	·46		·05			·50	22
23					·29		·19					·02	23
24						·09		·07	·05		·06		24
25						·86	·20	·18	·09				25
26							·37	·03	·16		·07	·02	26
27		·04	·01			·01		·42	·42		·06	·12	27
28		·22	·30			·01		·36	·02		·07	·64	28
29		X							·07			·19	29
30		X	·31					·04			·03	·18	30
31		X	·06	X		X		·14	X		X	·01	31
Total	1·56	2·61	1·20	1·07	2·37	1·62	3·86	2·18	6·53	1·77	1·00	4·64	YEAR'S TOTAL 30·41
Rain Days.	15	15	13	13	10	15	16	15	26	17	12	23	190

W. 6,500, VII. 18. w w c

B made

Sox. Y86

3030

3 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Jaw Hill Filters
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36				·29		·20		·20	·16	·04	·06	1
2	·27	·01	·08		·04		·14				·05		2
3	·69				·06	·19	·17		·02		·34	·20	3
4	·32		·27			·01		·07	·06		·07	·29	4
5	·05				·08						·06	·08	5
6	·02		·11		·61		·02				·03		6
7	·04		·28		·07								7
8	·08			·03		·03					·02		8
9	·12		·05								·02		9
10			·10	·06	·23						·01	·09	10
11			·99	·09	·06		·12					·02	11
12			·44	·11		·01	·04		·07	·01	·10		12
13	·15		·01	·11					·09	·44	·02	·01	13
14	·21			·22				·05				·02	14
15	·07	·19	·04	·10				·02			·11	·29	15
16	·11	·94		·10							·14		16
17	·01	·13		·04		·01					·20	·03	17
18			·10		·05		·05	·46	·07			·20	18
19	·04	·28	·78			·04	1·16	·13	·05		·17		19
20	·73	·10	·02			·02	30 ·13	·04	·02		·09	·18	20
21	·12	·25	·01			·06	·20		·03			·24	21
22		·21	·01					·03	·12			·34	22
23				·03		·02				·78		·11	23
24			·01	·10		·03	·01	·02		·32	·08	·36	24
25	·05	·03		·23	·04	·09		·49		·01	·09		25
26		·03	·17	·04		·02		·29				·35	26
27	·06			·28				·04				·07	27
28				·05				·64		·16		·28	28
29	·08			·03		·01				·84		·16	29
30	·01	×	·02	·08		·09				·05	·20	·11	30
31	·01	×		×		×	·05		×	·03	×		31
TOTAL	3·60	2·17	3·49	1·70	1·53	·63	2·46 2·29	2·28	·73	2·80	1·84	3·49	YEAR'S TOTAL 73 26·55
Days with ·01 in. or more	22	10	18	17	10	14	12	12	10	10	19	21	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

and for months

2917

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2 FEB 1921

Kept at Jaw Hill.
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 am daily
Nearest Railway Station Alverthorpe G. N. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.05	.19	.36	.03	.31	.02	.03	.11	.11	.04	1
2			.03	.13	.02		.08		.22	.17		.18	2
3		.05		.07	.06	.01	1.38		.06	.08		.10	3
4	.01			.04	.09		.43	.73	.02	.46	.02		4
5			.01		.03		.05	.10		.08			5
6			.05	.02	.12		.02					.04	6
7	.07		.42	.01	.02		.61						7
8	.04	.06		.38	.01		.23	.04		.01			8
9	.22	.29		.48			.06	.06		.02			9
10	.22	.52		.22			.34	.22					10
11	.38		.03	.20	.19	.10	.01	.11	.01			.11	11
12	.14		.13	.26		.03		.06				.08	12
13	.11	.01	.04	.02		.49						.07	13
14			.38	.04		.22			.27	.20	.34	.01	14
15		.09	.05	.07						.40			15
16		.02			.09		.62		.04		.11		16
17					.05			.02	.15	.02			17
18	.09			.05	.06		.01						18
19	.03	1.09		.04	.04	.26		.06	.02				19
20				.17		.08	.10						20
21				.08			.44	.02				.09	21
22				.30		.01	.21					.07	22
23							.30				.02	.24	23
24			.19	.02			.05					.11	24
25		.05	.10				.82						25
26	.08	.04	.13	.05	.08		.01					.04	26
27	.06				.50	.48					.30	.08	27
28	.88		.10	.05	.18				.04			.08	28
29	.07		.25		1.01	.04	.01		.12		.10	.65	29
30	.20			.10		.04					.10	.33	30
31	.13		.08							.34			31
Total	273	2.22	2.04	2.99	2.91	1.79	609	1.44	.98	1.89	1.10	2.32	Year's Total 25.50 28.50
Days with ·01 in. or more	16	10	16	23	17	12	21	11	11	11	8	17	173
Days with ·04 in. or more	14	8	13	19	13	8	16	8	7	8	6	16	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

REC

FORM A2. BRITISH RAINFALL.

19 JAN 1912

ARDSLEY RES. No 1

1911 -16 - 1918 - 1920.

Kept at Ardsley (

in the County of WR Yor

by Wakefield C

den

in.

ound 1 ft. 2 in.

a Level 395 ft.

me

stance Direction

IMPORTANT NOTE.

previous day. If an Obser

requested to add the readin

for it at the end of this

the selection and placing

Organization are given in "

Dr. H. R. Mill, 62, Camde

e result entered to the

al rule, he is earnestly

in the space provided

nt of rain,

sh Rainfall

plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·12				·01	·07			·02		1
2	·18				·04						·06	·03	2
3					·12						·07		3
4	·01			·09				·08	·09	·20	·20	·05	4
5			·09	·02				·12		·14	·12		5
6	·08		·01	·06				·10		·19	·30	·16	6
7			·06	·02							·02		7
8	·06		·02						·02	·02		·23	8
9			·09	·03		·03						·03	9
10		·03										·35	10
11	·15							·01	·03		·52	·09	11
12	·08				·07				·67		·13	·01	12
13			·07			·01					·02	·32	13
14		·02	·02		·20							·42	14
15		·04	·03	·04						·10	·02	·19	15
16	·02	·16	·06			·03	·03			·05	·09	·04	16
17			·05			·15					·13	·05	17
18		·24	·04			·07				·02	·13	·02	18
19			·02	·01		·16	·02		·06	·13	·31	·03	19
20		·01		·06			·02	·82	·29			·17	20
21		·25	·01					·11		·15	·01	·04	21
22	·04	·08				·02	·01	·04		·12	·04	·01	22
23		·23				·53		·03	·18			·16	23
24	·08	·12	·03	·02		1·85		·01		·11		·09	24
25	·03	·24		·01		·03	·05		·65	·11		·17	25
26				·06	·04					·44	·32	·33	26
27		·09	·08	·15	·01			·30	·20		·02		27
28		·06	·04	·09		·04			·06		·04	·12	28
29			·01	·05		·12	·06		·28	·08	·01	·03	29
30					·08	·30				·20			30
31			·03		·05					·09			31
Total	·73	1·57	·88	·71	·61	3·34	·20	1·69	2·53	2·15	2·58	3·14	TOTAL for year 20·13
No. of Rain Days.	10	13	19	14	8	13	7	11	11	16	21	24	167

W. 8,000, X. '11.

S. made

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Kept at Ardsley Reservoir

in the County of WR York 8

by Wakefield Corporation

Rain Gauge:
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 395 ft.

Time of Observation 9 am.

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12				·01	·07			·02		1
2	·18				·04						·06	·03	2
3					·12						·07		3
4	·01			·09				·08	·09	·20	·20	·05	4
5			·09	·02				·12		·14	·12		5
6	·08		·01	·06				·10		·19	·30	·16	6
7			·06	·02							·02		7
8	·06		·02						·02	·02		·23	8
9			·09	·03		·03						·03	9
10		·03										·35	10
11	·15							·01	·03		·52	·09	11
12	·08				·07				·67		·13	·01	12
13			·07			·01					·02	·32	13
14		·02	·02		·20							·42	14
15		·04	·03	·04						·10	·02	·19	15
16	·02	·16	·06			·03	·03			·05	·09	·04	16
17			·05			·15					·13	·05	17
18		·24	·04			·07				·02	·13	·02	18
19			·02	·01		·16	·02		·06	·13	·31	·03	19
20		·01		·06			·02	·82	·29			·17	20
21		·25	·01					·11		·15	·01	·04	21
22	·04	·08				·02	·01	·04		·12	·04	·01	22
23		·23				·53		·03	·18			·16	23
24	·08	·12	·03	·02		1·85		·01		·11		·09	24
25	·03	·24		·01		·03	·05		·65	·11		·17	25
26				·06	·04					·44	·32	·33	26
27		·09	·08	·15	·01			·30	·20		·02		27
28		·06	·04	·09		·04			·06		·04	·12	28
29			·01	·05		·12	·06		·28	·08	·01	·03	29
30					·08	·30				·20			30
31			·03		·05					·09			31
Total	·73	1·57	·88	·71	·61	3·34	·20	1·69	2·53	2·15	2·58	3·14	TOTAL for year 20·13
No. of Rain Days.	10	13	19	14	8	13	7	11	11	16	21	24	167

W. 8,000, X. '11.

[illegible]

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Ardsley Reservoir

in the County of York W 8

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 395 ⊼ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·06			·37	·09	·04	·12			·15	1
2			·02			·09	·41		·03			·04	2
3	·08	·01			·02	·44		·90	·36			·03	3
4	·14		·28	·11	·10	·37		·24			09		4
5	·16	·01	·17		·21	·36		·05					5
6	·63	·19	·02			·01		·60					6
7		·03	·03		·02	·03		·38	·05			·01	7
8	·31	·17	·03	·04	·02		·01	·02	·09				8
9	·08	·22		·20				·01			02	·02	9
10	·02			·02		·81		·11			·23		10
11	·20	·11						·01			·12	·41	11
12	·03	·34				·14	*1·12				·02	·03	12
13	·02	·02						·17		·10	·11	·07	13
14	·10		·47	01		·09		·03		·01		·09	14
15	·08	·06	·18		·53	06		·02				·11	15
16	·78		·25		·03	·14		·02		·04		·03	16
17	·04	·01	·10			·32	·04	·22				·26	17
18	·13		·05			·01		·18		03		·02	18
19	·29	·15	·06				·21	·38		·37	·05		19
20	·21		·04		·35	·05	·32	·04		·16			20
21			·29		·30		·05					·01	21
22		·08	·02		1·28	·16	·27	·41				·05	22
23		·01	·18		·02		·47	·50			·04		23
24	·35				·06	·04	·25	·22			·02	·12	24
25						·26					·43	·02	25
26		·11	·02				·24	·89		1·32	·21	·28	26
27			·05			·32	·25	·04		·54	·01	·06	27
28						·03	·08	·36	·02	·14	·19	·02	28
29		·03	·04			·05	·01	·01	·43	·08		·05	29
30	·06		·13		·47		·01		·13	·05			30
31			·03		·21		·53	·22					31
Total	3·71	1·58	2·52	·38	3·62	4·15	4·36	6·07	1·23	2·84	1·54	1·88	YEAR'S TOTAL 33·88
Rain Days.	19	17	22	5	14	21	17	26	8	11	13	21	194

W. 7,500, XI. ·12

* Violent thunderstorm.

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Ardsley Reservoir - No. 1.
in the County of York W8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 395 ⊼ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·03	·12							·02		1
2		·05	·04	·05		·02					·07	·02	2
3	·10	·05	·09		38		·07		·02	·58	·01	·58	3
4	·46	·06				·01	·11		·08	·03	·16	·18	4
5	·02	·02	·15			·16	·07	·03	·08	·21			5
6		·07	·10		·55		·40			·40	·01		6
7		·18			·08	·14				·66	·02		7
8	·01	·02			·60			·03		·44	·07		8
9		·16	·04	·02	·30	·10	·02	·05			·09	·02	9
10	·03	·02	·02	·08	·01		·05			·04	·24		10
11	·46			·46	·03					·07	·07		11
12						·03					·09		12
13	·02		·02	·03			·01	·02	·17	·01	·08		13
14	·05	·06	·12	·04						·06	·11		14
15	·09	·01	·36	·39					·04		·38		15
16	·01		·16	·02				·12	·03		·05		16
17		·03	·06	·08		·18	·01		·82		·02		17
18	·08		·17	·14			·07				·13	·02	18
19	·09		·05	·07					·02		·03		19
20	·12		·06	·13						·20	·07		20
21	·02	·01	·07		·09		·20	·08			·13		21
22	·15		·48					·39	·10				22
23	·06		·02		·06	·14		·09	·18	·05	·03		23
24	·17			·02		·07							24
25				·03					·10	·01	·02	·07	25
26			·13	·08					·06	·12		·35	26
27			·03	·15		·02						·10	27
28	·34		·17	·40					·01	·01		·09	28
29	·02		·38	·37	·05			·47				·09	29
30	·26									·48	·03	·01	30
31	·05		·04										31
Total	2·61	·75	2·79	2·68	2·15	·87	1·01	1·28	1·71	3·37	1·93	1·53	YEAR'S TOTAL 22·68
Rain Days.	21	14	23	19	10	10	10	9	13	16	23	11	179

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
27 JAN 1915

Kept at Ardsley Reservoir, No. 1
in the County of York WR 8 E4 R
by Wakefield Corporation

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Ardsley, G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01						1·71	·59		·02	·01	·30	1
2			·02				·16	·44			·23	·07	2
3	·07		·04		·05			·08			·04	·45	3
4	·26		·10	·13	·14						·16	·35	4
5	·10		·27	·17	·02	·05		·03			·22	·32	5
6			·01	·22	·17			·02			·10	·03	6
7	·02		·24	·06	·09	·01		·02			·03	·21	7
8	·18		·01		·05	·45	·25	·03	·06				8
9	·29	·02		·07	·01	·90		·06	·02		·02		9
10	·13	·07	·01	·03	·01				·07		·21	·02	10
11		·38	·19	·02					·05		·50	·33	11
12		·02	·07			·02			·24		·03	·37	12
13		·07	·21	·01					·02	·01	·29	·14	13
14	·03	·13	·01				·14	·02	·01	·04	·20	·45	14
15		·04	·21						·02	·03	·04	·02	15
16			·02				·60		·20				16
17	·06	·07	·07				·04		·29			·10	17
18		·01	·04			·07						·28	18
19							·03				·04	·12	19
20	·01	·10	·03						·04	·06			20
21		·45				·22		·36		·06	·03	·10	21
22					·19	·21	·02	·06		·05		·01	22
23			·09	·03	·27	·08	·04					·04	23
24			·31	·02			·07	·17			·09		24
25	·01							·40		·71	·01	·40	25
26	·01		·11					·02	·01	·20	·06	·14	26
27	·06									·09	·09	·84	27
28	·02	·03	·02							·04	·12	·06	28
29			·17							·46	·06		29
30		×	·03		·04			·01		·09	·03	·06	30
31	·08	×	·08	×		×	·35		×	·22	×		31
Total	1·34	1·39	2·36	·76	1·04	2·01	3·41	2·31	1·03	2·08	2·61	5·21	YEAR'S TOTAL 25·55
Rain Days.	16	12	24	10	11	9	11	15	12	14	23	24	181

W. 8,000. X. 14.

Inspected

3422

FORM A.
BRITISH RAINFALL.

29 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Ardsley Reservoir, Nr

in the County of York W8 excd 95

by Wakefield Corporation.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	12	·01		·18		15	·20				·03	1
2	·05	15	·12	·12		·02	19	·30		·02			2
3	·84			·06			·32	·18			·02	·68	3
4	·11	·02			·09		·49	·03				1·01	4
5	·12	·22	·04					·05				·49	5
6	·04	·23	·16	·20			·41			·04		·28	6
7	·36	·34	·02	·01	·54		·18	·66				·18	7
8	·06	·07		·03			·19	·06			·05		8
9	·03	·01						·14		·02	·06	·44	9
10	·24		·07					·02		·07		·03	10
11	·02			·01	·60			·12			·27	·47	11
12	·04			·16	·17		·05	·02		·13	1·02		12
13	·05	·69						·03					13
14	·02	·01					·10	·02				·09	14
15	·52							·05	·01		·23	·16	15
16		·20			·13		·98	·24		·02			16
17		·16	·02				·11					·04	17
18		·13	·15					·01	·02		·03		18
19		·01		·01			·05	·04					19
20	·04						·01					·30	20
21	·07	·02		·03			·20					·13	21
22			·15				·02			·02		·03	22
23	·06	·02	·08				·15		·01	·13		·02	23
24			·11	·04					·47	·01		·18	24
25						·03				·01		·29	25
26	·03	·14				·11	·21		·04			·61	26
27		·17					·14			·51		·05	27
28		·15	·02		·04	·33		·37		·09		·02	28
29					·20	·70					·10	·52	29
30	·09			·01		·40						·01	30
31	·08						·02	·22		·10		·10	31
Total	3·02	2·86	·95	·68	1·95	1·59	3·97	2·76	·55	1·17	1·78	6·16	YEAR'S TOTAL 27·44
Rain Days.	21	19	12	11	18	6	19	19	5	13	8	24	165

W. 8,000. X. 15.

3346

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

30. JAN 17

Kept at Ardsley Reservoir, No. 1
in the County of York WR
by Wakefield Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33		·20			·13	·13				·13		1
2	·07	·04	·19						·13	·13	·01		2
3		·08	·01	·02					·63	·19	·12		3
4	·04	·28		·01	72	27			·41	·40	·32		4
5	04	·01			·11	·12				·26	·29		5
6	·15	·36	·05	·05	·28		·21			·03	·25	·03	6
7	·02	·08	·03		·06		·14			·16	·01	·25	7
8		·07	·23			·04				·02	·07	·06	8
9	·01		·05		·32	·02	·01		·26		·08	·29	9
10	·02	·04	·01	·07		·46				·03		·16	10
11		·43	·51	·18	·04	·04	·02		·04			·15	11
12	·05	·03	·61	·05	·36	·01	·44	·06				·02	12
13		·07	·20	·02	·01		·02	·30		·69	·03	·04	13
14		·18	·05	·04	·17			·20		·03	·01	·05	14
15		·34	·82				·10	·36		·01			15
16		·14	·30	·08			·05	·06		·01			16
17	·02	·12	·01	·13			·03		·15	·19			17
18		·41		·03		·01		·06	·26	·04	1·12	·10	18
19	·09		·23	·25				·06	·02	·01	·47	·10	19
20	·04	·02	·29	·03			·05				·03	·03	20
21	·13	·01	·02	·10	10		·02						21
22		·04				·12				·12		·12	22
23		·02	·09	·03				·07		·01	·08	·25	23
24		·17				·04		·21				·13	24
25	·01	·10	·16		10			·18		·10	·09	·02	25
26		·06	·04			·04				·06			26
27		·30	·01		·04			·02		·39			27
28		·27	·04		·02	·02				·29		·07	28
29		·27				·13				·27		·22	29
30					·17	·02		·05		·25		·02	30
31					·01		·03			·16		·08	31
Total	1·02	3·94	4·15	1·09	2·51	1·47	1·25	1·63	1·90	3·85	3·11	2·19	YEAR'S TOTAL 28·11
Rain Days.	14	26	23	15	15	15	13	12	8	24	16	20	201

W. 8,000, VIII. 16

Ex 87

173

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

5. 2. 19

Kept at Ardsley No 1
in the County of York W
by Wakefield. Corporation

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·10	·02		·03				·10	·08	·17	·01	1
2		·16		·01				·01	·04	·01		·14	2
3		·01	·04		·69			·35		·05	·13	·02	3
4			·03					·06	·26	·01	·22	·43	4
5			·03	·14	·40			·36	·03	·11			5
6		·61	·02	·27	·02	·14		·13	·01	·09		·02	6
7	·02	·06		·19				·01	·25	·16	·11		7
8		·04	·18				·11		·27	·11	·04		8
9	·04	·53		·20		·07	·05		·96	·27	·04	·06	9
10	·06	·04		·01			·08		·32		·06	·03	10
11	·17	·07	·10	·01	·13		·14		·14			·07	11
12	·03	·10	·11	·03			·27		·02			·11	12
13				·04	·13				·14	·15			13
14	·09			·01	·01		·09		·75	·03		·19	14
15	·06			·02		·03	·44		1·15			·34	15
16	·01					·05	·09		·23	·01		·18	16
17	·25				·03	·05	·73	·02		·24		·15	17
18	·35		·04			·07	·17		·53	·01		·12	18
19	·18		·06	·05		·02	·33	·01	·29	·15		·86	19
20	·05	·48		·09		·07	·08		·10	·05			20
21	·10	·10			·37	·06			·15	·31			21
22	·02	·01			·31	·10	·41		·05			·58	22
23	·02				·30		·21					·02	23
24						·12		·08	·05		·07		24
25						·81	·21	·12	·05				25
26							·39	·07	·20		·09	·02	26
27		·05	·01			·01		·46	·44		·06	·14	27
28		·16	·22			·01		·29	·02		·07	·60	28
29		X							·09			·17	29
30		X	·34					·03			·04	·22	30
31		X	·06	X		X		·02	X		X	·01	31
Total	1·47	2·52	1·26	1·07	2·42	1·61	3·80	2·02	6·64	1·84	1·10	4·49	YEAR'S TOTAL 30·24
Rain Days.	16	15	14	13	11	14	16	15	26	17	12	23	192

W, 6,500, VII. 18. w w c

3028

8 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ardsley Reservoir, No. 1
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36				·28		·19		·25	·16	·04	·07	1
2	·24	·01	·09		·03		·13				·03		2
3	·70				·04	·17	·49		·02		·28	·21	3
4	·32		·27			·04		·09	·08		·07	·27	4
5	·09				·07						·03	·09	5
6	·02		·09		·59		·01				·03	·05	6
7	·04		·29		·09								7
8	·09			·03		·04					·02		8
9	·12		·05								·02		9
10			·12	·06	·23						·02	·11	10
11			1·01	·06	·07		·10					·02	11
12			·48	·08		·02	·03		·08		·10		12
13	·15		·02	·08					·05	·38		·01	13
14	·19			·29				·05			·02	·03	14
15	·07	·19	·03	·11				·01			·09	·30	15
16	·12	·85		·11							·14		16
17	·01	·14		·05		·02					·30	·02	17
18			·10		·03		·05	·48	·03			·13	18
19	·04	·24	·85			·03	1·22	·09	·05		·16		19
20	·70	·13	·02			·02	·35	·09	·02		·09	·14	20
21	·15	·25	·02			·07	·17		·03			·22	21
22		·19	·01					·06	·11		·04	·32	22
23				·04		·04				·73	·01	·13	23
24			·01	·12		·04	·03			·42	·03	·33	24
25	·05	·02		·26	·04	·05		·56			·09		25
26		·04	·22	·05		·03		·30			·05	·35	26
27	·06			·21						·02	·02	·08	27
28				·10				·76		·15		·27	28
29	·06			·03		·01		·02		·85		·14	29
30	·01		·02	·09		·09				·07	·12	·12	30
31	·01						·03			·03			31
TOTAL	3·60	2·06	3·70	1·77	1·47	·67	2·80	2·51	·72	2·81	1·80	3·41	YEAR'S TOTAL 27·32
Days with ·01 in. or more	22	10	18	17	10	14	12	11	10	9	23	22	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Ardsley No. 1

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Ardsley G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 395 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06	.19	.45	.04	.41	.02	.01	.12	.15	.05	1
2			.06	.16	.02		.09		.22	.15		.16	2
3		.06		.05	.08	.04	1.13		.07	.11		.13	3
4	.03			.03	.12		.43	.84	.01	.51	.01	.02	4
5		.02	.03		.03		.04	.12	.01	.07			5
6			.08	.02	.11		.03					.06	6
7	.08		.05	.02	.02		.67						7
8	.05	.04		.35	.03		.15	.07		.02	.02		8
9	.23	.25		.52			.06	.06		.02			9
10	.23	.39	.02	.20			.42	.24					10
11	.33		.02	.21	.17	.08		.10	.01			.09	11
12	.15		.11	.28		.02		.06			.02	.08	12
13	.11	.02	.06	.05		.36						.11	13
14		.01	.30	.06		.26	.01		.23	.17	.20	.03	14
15		.08	.05	.06						.49	.05		15
16			.03		.09		.64		.07		.05		16
17	.04				.07			.01	.16	.02			17
18	.08			.06	.04	.01	.02	.01	.01				18
19	.03	.99		.03	.05	.18		.07	.03				19
20	.01			.16		.06	.09						20
21				.13			.46	.05				.05	21
22	.01			.29		.01	.22					.05	22
23				.01			.35				.03	.32	23
24			.22	.02			.07					.11	24
25		.05	.08				.90						25
26	.06	.05	.12	.05	.11		.02					.05	26
27	.07			.02	.52	.50					.34	.10	27
28	.79		.10	.04	.16							.12	28
29	.05		.23		1.05	.02	.03		.04		.11	.70	29
30	.21	X	.03	.07		.06					.10	.28	30
31	.11	X	.07	X	.01	X			X	.35	X	.08	31
TOTAL	2.67	1.96	1.72	3.08	3.13	1.64	6.24	1.65	.87	2.03	1.08	2.59	YEAR'S TOTAL 28.66
Days with ·01 in. or more	19	11	19	25	18	13	21	12	12	11	11	19	191
Days with ·04 in. or more	15	8	14	18	13	9	16	9	6	8	7	17	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

RE 3247

ARDSLEY RES, ~~LOWER~~ No 2

1913 - 20

FORM A.
BRITISH RAINFALL.

26 JAN 1914

Kept at Ardsley R … m.

in the County of Yo … 5 in.

by Wakefield … ove Ground 1 ft. 2 in.

Sea Level 326 ft.

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the … ear in the space provided for it at the end of … ement of rain, the selection and placing of rain gauges and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·03	·11							·02		1
2		·05	·04	·05		·02					·07	·02	2
3	·10	·05	·09		·38		·09		·02	·54	·01	·59	3
4	·45	·06				·01	·10		·08	·02	·16	·17	4
5	·02	·02	·15			·12	·07	·04	·08	·26			5
6		·07	·10		·56		·40			·40	·01		6
7		·18			·08	·14				·67	·02		7
8	·01	·02			·55			·03		·45	·07		8
9		·16	·04	·02	·31	·10	·02	·05			·12	·02	9
10	·03	·02	·02	·08	·01		·05			·04	·20		10
11	·67			·45	·03					·06	·07		11
12						·03					·09		12
13	·02		·02	·03			·01	·02 ~~·03~~	·15	·01	·08		13
14	·05	·06	·13	·04						·06	·11		14
15	·08	·01	·33	·39					·04		·30		15
16	·01		·15	·02				·09	·03		·12		16
17		·03	·06	·08		·29	·01		·84		·03		17
18	·08		·17	·14			·07				·12	·02	18
19	·09		·05	·06					·02		·03		19
20	·12		·06	·12						·16	·07		20
21	·02	·01	·07		·07		·20	·07			·13		21
22	·14		·54					·39	·10				22
23	·06		·02		·06	·14		·09	·18	·04	·03		23
24	·17			·02		·07							24
25				·03					·10	·01	·02	·08	25
26			·14	·08					·06	·12		·33	26
27			·02	·15		·02						·10	27
28	·35		·17	·40					·01	·01		·14	28
29	·02		·38	·37	·05			·55				·09	29
30	·26									·48	·03	·01	30
31	·05		·04										31
Total	2·80 ✓	·75 ✓	2·82 ✓	2·64 ✓	2·10	·94 ✓	1·02 ✓	1·33 ✓	1·71 ✓	3·33	1·91 ✓	1·57 ✓	YEAR'S TOTAL 22·92 ✓
Rain Days.	21	14	23	19	10	10	10	9	13	16	23	11	179

W. 7,500, XI. 12 This gauge will probably be removed at the end of 1914. ✓

S. mets

RE

FORM A.
BRITISH RAINFALL.

26 JAN 1914

Kept at Ardsley Reservoir - No. 2 4 R

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·03	·11							·02		1
2		·05	·04	·05		·02					·07	02	2
3	·10	·05	·09		·38		·09		02	·54	·01	·59	3
4	·45	·06				·01	·10		·08	·02	·16	·17	4
5	·02	·02	·15			·12	·07	·04	·08	·26			5
6		·07	·10		56		·40			·40	·01		6
7		·18			·08	·14				·67	·02		7
8	·01	·02			·55			·03		·45	·07		8
9		·16	·04	·02	·31	·10	·02	·05			·12	·02	9
10	·03	·02	02	·08	·01		·05			·04	·20		10
11	·67			·45	·03					·06	·07		11
12						·03					·09		12
13	02		·02	·03			·01	·02 ~~·03~~	·15	·01	·08		13
14	·05	·06	·13	·04						·06	·11		14
15	·08	·01	33	·39					·04		·30		15
16	·01		·15	·02				09	·03		·12		16
17		·03	·06	·08		·29	·01		·84		·03		17
18	08		·17	·14			·07				·12	·02	18
19	·09		05	·06					·02		·03		19
20	·12		·06	·12						16	·07		20
21	·02	·01	·07		·07		·20	07			·13		21
22	·14		·54					·39	·10				22
23	·06		·02		·06	·14		·09	·18	·04	·03		23
24	·17			·02		07							24
25				·03					·10	·01	·02	·08	25
26			·14	·08					·06	·12		·33	26
27			·02	·15		·02						·10	27
28	·35		17	·40					·01	01		·14	28
29	·02		·38	·37	·05			·55				09	29
30	·26									·48	·03	·01	30
31	·05		·04										31
													YEAR'S TOTAL
Total	2·80	·75	2·82	2·64	2·10	·94	1·02	1·33	1·71	3·33	1·91	1·57	22·92
Rain Days.	21	14	23	19	10	10	10	9	13	16	23	11	179

W. 7,500, XI. 12

This gauge will probably be removed at the end of 1914.

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 27 JAN 1915

Kept at Ardsley Reservoir, No. 2
in the County of York W R 8 9 24 R
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ardsley, G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01						1·89	·63		·02	·01	·29	1
2			·02				·15	·41			·23	·07	2
3	·06		·04		·05			·08			·04	·44	3
4	·27		·11	·13	·14						·22	·34	4
5	·10		·27	·16	·02	·05		·03			·16	·33	5
6			·01	·27	·17			·02			·09	·03	6
7	·02		·24	·01	·09	·01		·03			·03	·21	7
8	·18		·01		·05	·52	·20	·02	·06				8
9	·31	·02		·06	·01	·87		·06	·02		·02		9
10	·12	·07	·01	·03	·01				·07		·22	·02	10
11		·38	·17	·02					·05		·48	·37	11
12		·02	·09			·02			·22		·05	·36	12
13		·07	·18	·01			·04		·04	·01	·29	·16	13
14	·03	·13	·01				·09	·02	·01	·03	·23	·47	14
15		·04	·21						·02	·03	·07	·02	15
16			·02				·60		·20				16
17	·06	·07	·09				·04		·26			·14	17
18		·01	·01			·07						·24	18
19							·03				·04	·12	19
20	·01	·09	·02						·04	·07			20
21		·43				·21		·35		·07	·03	·09	21
22					·29	·21	·02	·06		·04		·01	22
23			·08	·03	·18	·08	·04					·04	23
24			·29	·02			·08	·16			·10		24
25	·01							·38		·70	·01	·37	25
26	·01		·10					·02	·01	·21	·06	·14	26
27	·06									·08	·12	·84	27
28	·02	·03	·02							·04	·09	·08	28
29			·17							·53	·06		29
30		×	·03		·04			·01		·09	·03	·06	30
31	·08	×	·07	×		×	·35		×	·22	×		31
Total	1·35 ✓	1·36 ✓	2·27 ✓	·74 ✓	1·05 ✓	2·04 ✓	3·53 ✓	2·28 ✓	1·00 ✓	2·14 ✓	2·68 ✓	5·24 ✓	YEAR'S TOTAL 25·68 ✓
Rain Days.	16	12	24	10	11	9	12	15	12	14	23	24	182 ✓

W. 8,000. X. 14.

3423

FORM A.
BRITISH RAINFALL.

29 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Ardsley Reservoir, No 2

in the County of York W8

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·11	·01		17		·22	·33				·03	1
2	02	·14	·12	·12		·02	·13	·34		·02			2
3	·95			·06			·17	·18			·02	·68	3
4	·11	·02			·08		·63	·03				1·04	4
5	·12	·25	·04					·04				·50	5
6	04	·20	17	·20			·41			·04		·26	6
7	·38	·34	02	·01	·55		·20	·67				·17	7
8	·06	·07		·03			·17	·09			·05		8
9	·03	·01						·08		·02	·06	·45	9
10	·24		·07					·02		·06		·03	10
11	·02			·01	·66			·12			·33	·49	11
12	·04			·18	·18		·05	·02		·13	1·11		12
13	05	·82						·03					13
14	·02	·01					·10	·01				·10	14
15	·52							10	·01		·24	·17	15
16		·21			·13		·98	·25		·02			16
17		·14	·02				·07					·03	17
18		·13	17					·01	·02		·03		18
19		·01		·01			·05	·03					19
20	·04						·01					·30	20
21	·08	·02		·03			·20					·12	21
22			·15				·02			·02		·03	22
23	·06	·02	·08				·17		·01	·13		·02	23
24			·12	·05					·47	·01		·18	24
25						·05				·01		·29	25
26	·03	·14				09	·21		·03			·58	26
27		·18					·16			·51		·09	27
28		·18	·02		·06	·46		·38		·07		·02	28
29		X			·19	·57					·10	·57	29
30	09	X		·01		·32						·01	30
31	·08	X		X		X	·02	·21	X	·10	X	·10	31
Total	3·13	3·00	·99	·71	2·02	1·51	3·97	2·94	·54	1·14	1·94	6·26	YEAR'S TOTAL 28.15
Rain Days.	21	19	12	11	8	6	19	19	5	13	8	24	165

W. 8,000. X. 15.

3341

FORM A.
BRITISH RAINFALL.
7. FEB 1917

Exd HW

REGISTER OF RAINFALL IN 1916.

Kept at Ardsley Reservoir No. 2.
in the County of York WR
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31		·20			·13	·13				·12		1
2	·07	·04	·21						·13	·15	·01		2
3		·10	·01	·02					·64	·19	·12		3
4	·04	·27		·01	·72	·28			·40	·40	·31		4
5	·04	·01			·11	·13				·26	·33		5
6	·16	·38	·09	·05	·28		·23			·03	·23	·03	6
7	·02	·08	·03		·06		·11			·18	·01	·27	7
8		·07	·33			·04				·04	·07	·14	8
9	·01		·05		·34	·02	·01		·27		·07	·23	9
10	·02	·05	·01	·07		·56				·03		·17	10
11		·44	·50	·19	·04	·04	·02		·04			·13	11
12	·05	·03	·66	·05	·37	·01	·44	·06				·02	12
13		·08	·21	·02	·01		·02	·30		·70	·03	·05	13
14		·17	·05	·04	·17			·23		·04	·01	·05	14
15		·33	·85				·09	·34		·01			15
16		·17	·29	·08			·05	·07		·01			16
17	·02	·11	·01	·15			·03		·20	·19			17
18		·40		·03		·01		·06	·25	·04	1·11	·10	18
19	·09		·23	·25				·06	·01	·01	·50	·08	19
20	·04	·02	·31	·03			·06				·03	·03	20
21	·13	·01	·02	·10	·07		·01						21
22		·04				·12				·11		·12	22
23		·02	·09	·02				·07		·01	·09	·25	23
24		·35				·04		·21				·13	24
25	·01	·12	·20		·10			·18		·09	·09	·02	25
26		·09	·04			·03				·07			26
27		·32	·01		·09			·02		·41			27
28		·29	·06		·02	·02				·30		·07	28
29		·25				·13				·26		·23	29
30		X			·16	·02		·04		·26		·02	30
31		X		X	·01	X	·03		X	·18	X	·08	31
Total	1·01	4·24	4·46	1·11	2·55	1·58	1·23	1·64	1·94	3·97	3·13	2·22	YEAR'S TOTAL 29·08
Rain Days.	14	26	23	15	15	15	13	12	8	24	16	20	201

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
5 FEB 1918

REGISTER OF RAINFALL IN 1917.

Kept at Ardsley Reservoir, No. 2

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·10		·02		·12	·11		·20	·12	1
2	·09			·06		·09		·06			·01		2
3	·02	·01		·09		·07		·03		·05	·09		3
4			·08	·01						·13	·01		4
5	·35		·14	·22				·04		·07	·04		5
6						·01				·19	·09		6
7	·37					·25		·06		·54		·03	7
8	·40			·12				·92		·48	·08	·05	8
9	·04		·02	·03				·04		·09	·32		9
10	·21		·73	·15	·06			·07		·04	·01		10
11	·04			·45				·03		·27			11
12	·04			·02	·37			·11		·34		·07	12
13	·13			·03	·47			·31	·11	·03		·05	13
14	·15			·08				·74				·14	14
15	·06			·02			·23	·01	·02		·01	·05	15
16		·09	·01	·07			·01	·09				·54	16
17		·06	·01	·14	·74	·04	·10	·25	·02			·17	17
18	·11		·02	·03	·05		·41	·13	·11				18
19	·08	·14	·27		·53	·26				·01	·01		19
20	·03	·20	·02		·27	·29		·16	·08				20
21	·02	·05	·06		·02	·01		·05		·02			21
22			·03			·01		·15	·06	·02			22
23	·01	·04			·10	·07	·02	·08		·01	·07	·01	23
24						·06		·15		·57	·23	·02	24
25		·01	·05					·07		·23	·03		25
26						·12		·53	·03	·22	·03		26
27			·05			·25	·05	·53		·01	·07	·03	27
28			·23			·03	·13	·06		·02		·11	28
29			·04				·18			·20	·15	·15	29
30	·02	X	·14					·03		·08	·03	·01	30
31		X	·25	X		X		·05	X		X	·08	31
Total	2·18	·60	2·15	1·62	2·61	1·58	1·13	4·87	·54	3·62	1·48	1·63	YEAR'S TOTAL 24·01
Rain Days.	19	8	17	16	9	15	8	27	8	22	18	16	183

W. 8,000, IX. 17.

B. Made

174

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

5. 2. 19

Kept at Ardsley No. 2
in the County of York W
by Wakefield Corporation

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·10	·02		·03				·12	·08	·16	·01	1
2		·16		·01				·01	·04	·01		·14	2
3		·01	·04		·74			·35		·05	·12	·02	3
4			·03					·06	·27	·01	·22	·39	4
5			·03	·14	·33			·35	·03	·12			5
6		·63	·02	·27	·02	·14		·14	·01	·08		·02	6
7	·03	·04		·19				·01	·24	·19	·11		7
8		·04	·19				·12		·31	·12	·04		8
9	·10	·55		·22		·07	·06		·91	·28	·04	·05	9
10	·06	·04		·01			·07		·33		·06	·05	10
11	·20	·07	·11	·01	·13		·14		·14			·06	11
12	·03	·10	·09	·02			·39		·02			·12	12
13				·04	·13				·15	·12			13
14	·11			·01	·01		·09		·59	·03		·19	14
15	·06			·02		·03	·46		1·30			·33	15
16	·01					·05	·10		·21	·01		·21	16
17	·27				·03	·04	·66	·02		·25		·15	17
18	·34		·04			·07	·16		·51	·01		·12	18
19	·19		·07	·06		·02	·33	·01	·30	·15		1·18	19
20	·05	·48		·09		·07	·11		·09	·04			20
21	·09	·10			·38	·06			·15	·28			21
22	·02	·01			·39	·10	·41		·04			·49	22
23	·02				·28		·21					·02	23
24						·10		·08	·05		·05		24
25						·83	·22	·19	·08				25
26							·35	·02	·18		·08	·02	26
27		·05	·03			·01		·45	·46		·06	·13	27
28		·20	·29			·01		·36	·02		·07	·68	28
29		✕							·08			·18	29
30		✕	·33					·03			·04	·21	30
31		✕	·05	✕		✕		·02	✕		✕	·01	31
Total	1·60	2·58	1·32	1·09	2·47	1·60	3·88	2·10	6·63	1·83	1·05	4·78	YEAR'S TOTAL 30·93
Rain Days	16	15	14	13	11	14	16	15	26	17	12	23	192

[illegible] 3029

18 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ardsley Reservoir, No. 2

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39				·29		·20		·24	·16	·04	·07	1
2	·25	·01	·09		·06		·14				·03		2
3	·71				·03	·21	·45		·02		·33	·22	3
4	·31		·24			·01		·09	·08		·04	·29	4
5	·07				·10						·03	·09	5
6	·02		·10		·61		·01				·03	·05	6
7	·04		·27		·07								7
8	·09			·03		·04					·02		8
9	·12		·06								·02		9
10			·10	·05	·24						·02	·09	10
11			1·02	·09	·07		·10					·02	11
12			·51	·11		·02	·03		·09		·12		12
13	·14		·02	·12					·05	·37		·01	13
14	·19			·24				·05			·02	·02	14
15	·07	·19	·03	·11				·01			·12	·29	15
16	·12	·91		·10							·16		16
17	·01	·13		·05		·02					·23	·02	17
18			·12		·03		·05	·50	·03			·16	18
19	·04	·28	·87			·03	1·19	·11	·06		·17		19
20	·71	·10	·05			·02	·31	·05	·02		·09	·13	20
21	·13	·26	·01			·07	·18		·02			·28	21
22		·20	·01					·05	·11		·04	·33	22
23				·04		·04				·72	·01	·12	23
24			·01	·11		·04	·03			·38	·04	·37	24
25	·05	·02		·25	·04	·06		·57			·09		25
26		·03	·20	·05		·03		·29			·06	·36	26
27	·06			·30						·02	·02	·07	27
28				·05				·77		·12		·29	28
29	·07			·03		·01		·02		·81		·13	29
30	·01	X	·02	·08		·09				·07	·12	·13	30
31	·01	X		X		X	·03		X	·03	X		31
TOTAL	3·61	2·13	3·76	1·81	1·54	·69	2·72	2·51	·72	2·68	1·85	3·54	YEAR'S TOTAL 27·56
Days with ·01 in. or more	22	10	18	17	10	14	12	11	10	9	23	22	148

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2 FEB 1921

516

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ardsley (No. 2).

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 am. daily

Nearest Railway Station Ardsley G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07	·19	·40	·05	·39	·02	·01	·11	·12	·05	1
2			·05	·15	·02		·11		·22	·15		·16	2
3		·06		·05	·09	·03	1·11		·07	·11		·14	3
4	·03			·03	·11		·38	·83	·01	·50	·01	·02	4
5		·01	·03		·03		·05	·12	·01	·07			5
6			·08	·02	·12		·02				–	·06	6
7	·09		·12	·02	·03		·62						7
8	·06	·04		·36	·02		·15	·07		·02	·02		8
9	·26	·31		·51			·06	·06		·02			9
10	·21	·43	·02	·21			·41	·22					10
11	·39		·02	·22	·17	·08		·08	·01			·10	11
12	·17		·13	·28		·03		·06			·02	·08	12
13	·11	·03	·06	·03		·46						·10	13
14		·01	·37	·06		·17	·01		·26	·20	·24	·03	14
15		·09	·05	·07						·46	·03		15
16			·03		·11		·64		·05		·06		16
17	·03				·05			·01	·16	·02			17
18	·08			·06	·06	·01	·02	·01	·01				18
19	·03	1·02		·03	·04	·18		·07	·03				19
20	·01			·16		·04	·10						20
21				·11			·46	·05				·06	21
22	·01			·29		·01	·25					·06	22
23				·01			·34				·03	·32	23
24			·22	·02			·07					·11	24
25		·04	·08				·89						25
26	·07	·06	·12	·05	·11		·02					·05	26
27	·07			·02	·54	·48					·27	·10	27
28	·94		·10	·04	·17							·12	28
29	·05		·25		1·07	02	·03		·04		·11	·70	29
30	·20	×	·02	·09		·07					·10	·26	30
31	·14	×	·07	×	·01	×			×	·35	×	·08	31
TOTAL	2·95	2·10	1·89	3·08	3·15	1·63	6·13	1·60	·88	2·01	1·01	2·60	YEAR'S TOTAL 29·03
Days with ·01 in. or more	19	11	19	25	18	13	21	12	12	11	11	19	191
Days with ·04 in. or more	14	8	14	18	13	8	16	9	6	8	6	17	136.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl

RE

3445

ARKENGARTHDALE.

1918 – 20

1927 M

FORM A.
BRITISH RAINFALL.
22.1.19

Kept at School Ho

in the County of Yor

by S. Gott.

in Gauge .... in.

ove Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT ... d the result entered to the previous day. If a ... iversal rule, he is earnestly requested to add the ... ear in the space provided for it at the end of this paragraph. Full instructions ... rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.34			.11	1
2			.26						.10	.02			2
3											.10		3
4		.14	.08	.12	.24			.05	.25	.85	.35		4
5				.20	.13			1.75		.73	.80	.25	5
6		14	.11	.30	.42			.08		.90		.24	6
7		.84	.05	.15		.01	.06		.13	.77	.35	.19	7
8		.007					.25	.20	.45	.13		.18	8
9		.76	.21						.64	.53		.23	9
10		.87		.09			.06		.60	.12		.24	10
11		1.20	.03				.06					.23	11
12		.015					.14		.08			.18	12
13		.21							.40	.22			13
14	1.58	.006					.17		.28			.15	14
15	.53			.20			.66		1.49			.18	15
16	30			.23		.29	.18	.25	.73			.21	16
17						.075	.67		.17	.76		.22	17
18	.78						.48	.12	.21	.27		.19	18
19	.74		.20				.52		.29	.25			19
20		.006		.10		.02	.21			.03			20
21		57	.09							.11		.24	21
22	.50	.55			.30	.27	.08		.96			.23	22
23					.22		.09		.25				23
24	.11						.59				.07		24
25		.06					.05	.95	.20				25
26							.51	.06	.73			.23	26
27							.01	.45	.45			.24	27
28		.27						.05	.12		.20	.28	28
29			.10						.20		.10	.21	29
30		X	.50						.02		.05		30
31		X	.03	X		X		.13	X		X	.23	31
Total	4.54	5.644	1.66	1.39	1.31	.665	4.79	4.09	9.09	5.69	2.02	4.46	YEAR'S TOTAL 45.349
Rain Days.	(15)	15	11	8	5	5	18	11	23	14	8	21	(154)

W. 8,000, IX. 17.

82

RE

Kept at School House Arkengarthdale

in the County of Yorkshire NR

by S. Gott.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A. BRITISH RAINFALL.
22.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·34			·11	1
2			·26						·10	·02			2
3											·10		3
4		·14	·08	·12	·24			·05	·25	·85	·35		4
5				·20	·13			1·75		·73	·80	·25	5
6		·14	·11	·30	·42			·08		·90		·24	6
7		·84	·05	·15		·01	·06		·13	·77	·35	·19	7
8		·007					·25	·20	·45	·13		·18	8
9		·76	·21						·64	·53		·23	9
10		·87		·09			·06		·60	·12		·24	10
11		1·20	·03				·06					·23	11
12		·015					·14		·08			·18	12
13		·21							·40	·22			13
14	1·58	·006					·17		·28			·15	14
15	·53			·20			·66		1·49			·18	15
16	·30			·23		·29	·18	·25	·73			·21	16
17						·075	·67		·17	·76		·22	17
18	·78						·48	·12	·21	·27		·19	18
19	·74		·20				·52		·29	·25			19
20		·006		·10		·02	·21			·03			20
21		·57	·09							·11		·24	21
22	·50	·55			·30	·27	·08		·96			·23	22
23					·22		·09		·25				23
24	·11						·59				·07		24
25		·06					·05	·95	·20				25
26							·51	·06	·73			·23	26
27							·01	·45	·45			·24	27
28		·27						·05	·12		·20	·28	28
29			·10						·20		·10	·21	29
30		X	·50						·02		·05		30
31		X	·03	X		X		·13	X		X	·23	31
Total	4·54	5·644	1·66	1·39	1·31	·665	4·79	4·09	9·09	5·69	2·02	4·46	YEAR'S TOTAL 45·349
Rain Days.	(15)	15	11	8	5	5	18	11	23	14	8	21	(154)

W. 8,000, IX. 17.

84

3279
377

FORM A.
BRITISH RAINFALL.

23 APR 20

REGISTER OF RAINFALL IN 1919

Kept at Arkengarthdale
in the County of N. R. York
by W. M. Christy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·10	·12				·42		·29		·30	·19	1
2	·53		·24						·08	·15	·30	·18	2
3	·47		·10		·25		·50	·02				·14	3
4			·05		·38		·66				·17	·51	4
5			·10		·10		·40				·12	·51	5
6	·92				·12	·17					·14	·23	6
7	·08				·40				·07		·06	·10	7
8	·22				·04			·04			·10		8
9	1·72		·38		·24	·07			·20		·15		9
10			·27	·08							·25		10
11		·20	·54	·18								·64	11
12		·04	·50				·15		·25	·27		·03	12
13		·13	·45				·10	·08					13
14	·45		·60	·50			·11				·68		14
15	·48	·40	·06	·40								·16	15
16	·24	·07	·10	·10						·11		·51	16
17		·13									·50		17
18		·25		·25				·42				·07	18
19		·10						·25	·13		·20	·29	19
20	·36	·27				·11		·12			·60		20
21													21
22		·30		·15				·21				·45	22
23		·19				·16				1·30		·12	23
24		·24							·37		·75		24
25	·27	·50		·19		·30		1·10	·40	·65	·60		25
26		·30	·90			·12		·10			·22		26
27	·22		·72					·92		·03	·28	·53	27
28				·31			·25		·20	·30	·19	·57	28
29	·23					·19				·52			29
30		X		(·01)		·50	·10	·20	·15	2·33		·49	30
31	·15	X	·10	X		X			X	·50	X	·56	31
Total	6·75	3·22	5·23	2·17	1·53	1·62	2·69	3·46	2·14	6·16	5·61	6·28	YEAR'S TOTAL 46·86
Rain Days.	15	15	16	(9)	7	8	9	11	10	10	18	19	148

W. 6,500, VII. 18. W W C

Conf WD

3156

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

15 JAN 1921

Kept at Arkengarthdale
in the County of York
by Samuel Gott

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Richmond
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 940 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .25

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.31							.05	.11		.19	1
2			.18		.75		.5						2
3	.2	.21			.42		1.5	.05	.14	.2		.7	3
4	.03				.37		1.6	.15		.55		.75	4
5				.6			.42	.81		1.23		.35	5
6	.1		.09		.05		.08	~~.03~~		.26			6
7	.2	.14			.2			.03				.1	7
8	.3		.16		.23		.36						8
9	.5	.12		1.2			.41	.01					9
10	.3	.66		.37	.3		.12	.41					10
11	.5	.86		.6			.09	.12				+✓	11
12	1.1	.07	.32	.5	.25		.2				.1	+✓	12
13	.27	.34	.2	.49	.11	.15	.12				.8	+✓	13
14	.3		.5	.37	.1					.14	1.25	– 1.05	14
15	.03		.1	.38			.19				.36		15
16		.37	.2	.5			.8				.47		16
17			.2	.14	.1		5 .41		.76				17
18	.3				.15			.15		.09			18
19	.25				1.12		.06	.18	.11				19
20					.1	.3							20
21	.19			.49					.23			.29	21
22	.03						.3	.13	.16			.32	22
23	.25			.2			.2	.08					23
24						.099						.16	24
25							.3						25
26	.24		.24	.11		.06	.69					.15	26
27	.08	.19	1.35	.23			.21				.05	.2	27
28	.33		.2	.13	.13	.7	.07				.15	.24	28
29	.22		.13	.18		.09					.	.84	29
30	.26	╳	.14			.11	.14		.007		.18	.51	30
31	.21	╳		╳	.531	╳			╳		╳		31
TOTAL	.31 ~~6.19~~ 6.50	~~3.27~~ 2.96	4.01	6.49	4.91	1.509	8.27	.05 ~~2.12~~ 2.17	.11 ~~1.457~~ 1.517	~~2.58~~ 2.47	.19 ~~3.36~~ 3.55	.25 ~~5.65~~ 5.91	YEAR'S TOTAL 50.266 ~~50.017~~
Days with .01 in. or more	~~23~~ 24	9 ~~10~~	14	16	16	7	22	12 ~~11~~	7	6 ~~7~~	9 ~~8~~	18	151 ~~155~~ 158
Days with .04 in. or more	21 ~~20~~	9 ~~10~~	14	16	16	7	22	10 ~~10~~ 9	6 ~~7~~	6 ~~7~~	9 ~~8~~	15	~~150~~ 151 ~~149~~

Snow

~~Total = 50.017~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

RE

ARNCLIFFE VICARAGE

YORKSHIRE

1911 - 1918

FORM A2.
BRITISH RAINFALL.
19 JAN 1912
1/20

Kept at Arncliffe

in the County of

by Rev W. A.

2 ft. 6 in.

vel 734 ft.

e Direction

IMPORTANT NOT result entered to the previous day. If an O rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			1.73		.02		.13				.52	.08	1
2	.50		.01		.46		.19	.03		.10	.38	.37	2
3	.06		1.08		1.28			.01			.64		3
4	.02	.01	.13	.25	.22		.01	.12	.04	.13	.65	.83	4
5	.37		.07	.06	.04			.64	.04		.20	.31	5
6	.41		.10	.08				.62			.75	.80	6
7	.31		.01	.01				.95			.52		7
8	.22		.47							.03	.30	.60	8
9												.90	9
10	.39	.11	.13									.95	10
11	.17		.18						.27		.25	.41	11
12	.15	.01	.27		.08	.05			1.25		.67		12
13		.06	.02		.82	.05					.35	.73	13
14	.05	1.45	.13		.10				.01	.03	.78	.43	14
15		.77	.13	.11							.80	.55	15
16	.05	1.28	.15	.10		.27	.03				.37	.52	16
17	.15	.06	.05		.02	.84	.03				.40	.27	17
18		1.91	.33	.04		.20	.04			.15	.05	.55	18
19		.16	.02	.26		.05	.19		.42			.47	19
20		.25		.63		.02	.30		.16	.02		.18	20
21	.02	2.05		.34		.04	.12	.30		.38			21
22	.20	.27		.13		.05		.50		.25			22
23	.09	1.07		.03	.76	.52			.43	.45		.73	23
24	.56	.29	.03	.64		1.16					.62	.35	24
25	.20	.76	.01	.38		.02		.09	.75	.43	.48	.50	25
26	.06	.08		.39	.02			.01		1.43	.85	.27	26
27	.15	.66	.06	.60		.02		.34	.29			.10	27
28	.02	.62		.20		.88		.42	.24			.35	28
29						.62	.01	.03	1.06	1.92		.50	29
30				(.38)	.02	.05	.02	.16		.89	.09		30
31					.06					.36		.01	31
Total	4.15	11.87	5.11	4.63	3.90	4.84	1.07	4.22	4.96	6.57 6.57	9.67 9.67	11.76	TOTAL for year 7[illegible]5
No. of Rain Days	21	19	21	18	13	16	11	14	12	14	20	25	204

9,000, IX. '10.

DL ✓

1/20

FORM A2.
BRITISH RAINFALL
19 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Arncliffe Vicarage

in the County of Yorkshire W. R.

by Rev W. A. Shuffrey

10

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 734 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			1.73		.02		.13				.52	.08	1
2	.50		.01		.46		.19	.03		.10	.38	.37	2
3	.06		1.08		1.28			.01			.64		3
4	.02	.01	.13	.25	.22		.01	.12	.04	.13	.65	.83	4
5	.37		.07	.06	.04			.64	.04		.20	.31	5
6	.41		.10	.08				.62			.75	.80	6
7	.31		.01	.01				.95			.52		7
8	.22		.47							.03	.30	.60	8
9												.90	9
10	.39	.11	.13									.95	10
11	.17		.18						.27		.25	.41	11
12	.15	.01	.27		.08	.05			1.25		.67		12
13		.06	.02		.82	.05					.35	.73	13
14	.05	1.45	.13		.10				.01	.03	.78	.43	14
15		.77	.13	.11							.80	.55	15
16	.05	1.28	.15	.10		.27	.03				.37	.52	16
17	.15	.06	.05		.02	.84	.03				.40	.27	17
18		1.91	.33	.04		.20	.04			.15	.05	.55	18
19		.16	.02	.26		.05	.19		.42			.47	19
20		.25		.63		.02	.30		.16	.02		.18	20
21	.02	2.05		.34		.04	.12	.30		.38			21
22	.20	.27		.13		.05		.50		.25			22
23	.09	1.07		.03	.76	.52			.43	.45		.73	23
24	.56	.29	.03	.64		1.16					.62	.35	24
25	.20	.76	.01	.38		.02		.09	.75	.43	.48	.50	25
26	.06	.08		.39	.02			.01		1.43	.85	.27	26
27	.15	.66	.06	.60		.02		.34	.29			.10	27
28	.02	.62		.20		.88		.42	.24			.35	28
29						.62	.01	.03	1.06	1.92		.50	29
30				(.38)	.02	.05	.02	.16		.89	.09		30
31					.06					.36		.01	31
Total	4.15	11.87	5.11	4.63	3.90	4.84	1.07	4.22	4.96	6.57 6.57	9.67 9.63	11.76	TOTAL for year 72.75
No. of Rain Days	21	19	21	18	13	16	11	14	12	14	20	25	204

9,000, IX. '10.

8h ✓✓ ondayB. 18·III·13 1/19

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Arncliffe Vicarage

in the County of Yorkshire, W. R. 10

by W Shuffrey {old g. Jan–June (defective) / new g. July–Dec

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level 732 ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·87		·10	·12	·57	·30	·28	·05			1
2	·13	·27	·95		·29	·16	·15		·03				2
3	·27					·75		·33	1·36			·19	3
4	·59		1·95	·77	·05	·47		·77	·36		1·12	·04	4
5	·18			·08	·50	·54		·15	·01	·09	·01		5
6	·18	·39	·05		·05	·07		·33					6
7		·15		·14	·10		·09	·13	·14		·36	·08	7
8	·77	·41	·39		·09	·23			·07				8
9	·30	·30		·82		·22					·18	·15	9
10	·33	·14			·01	·93					·52	·04	10
11	·24		·50		·11		·05	·20				·77	11
12	·26	·17	·30			·14	·75				·11	·99	12
13	·03		·02			·37		·03		·20	·24	1·06	13
14	·58		·60			·33		·03				·66	14
15	·25	·08	·10		·57	·32				·06		·20	15
16	·43		·80		·05	·13		·10		·30		·25	16
17	·10	·17	·58			·73		·51			·09	·51	17
18	·08	·03	·04			·47		·05		·76		·19	18
19	·11	·25	·32			·11	·11	·13		·39	·23	·01	19
20	·37				·88	·07	·01	·14		·72		·15	20
21					·30	·02		·07		·03		·05	21
22		·59			·51	·25		·44			·45		22
23			·24			·11	·39				·56	·02	23
24			·16		·01	·31	·04	·08			·43	·23	24
25	·15					·94	·12	·15			·64	·19	25
26		·39	·41			·08	·35	·18		1·60	·82	·44	26
27		·27	·65			1·03	·46			·30	·02	·53	27
28		·15	·02			·08	·82	·95	·09	·60	·20	·15	28
29		·06	·40				·70	·32	·46	·40		·64	29
30			1·98		·11		·10		·05	·02		·08	30
31			·30		·08		1·03	·41				·22	31
Total	5·37 5·37	3·82	11·63	1·81	3·81	8·98	5·74	5·80	2·85	5·52	5·98	7·84	TOTAL for year 69·15
No. of Rain Days	20	16	22	4	17	26	16	22	10	14	16	25	208

9,000, IX. '10.

JL

cwd for arith 13.IV.14

REGISTER OF RAINFALL IN 1913

22 JAN 1914

FORM A.
BRITISH RAINFALL.

Kept at Arncliffe Vicarage

in the County of Yorkshire, W.R. 10

by Rev. W. A. Shuffrey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 732 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.25	.04	.49	.15							.44	.01	1
2	.14	.41	1.69	.02		.28					.38	.31	2
3	.42	.53	.40		.56				.02		.14	.18	3
4	.46	.20	.11		.02	.02				.12	.28	.44	4
5	.48	.21	.11		.05	.04		.02		.03			5
6	.25	.60	.67		.52		.28			.06	.02		6
7	.04	1.23	.04		.24	.15				.54	.01	.08	7
8		.22	.10		.05	.03		.01			.23	.35	8
9		.44	1.02			1.20		.20			.19	.18	9
10	.02	.14	.77	.27			.04				.40	.01	10
11	.47			.37		.15				.12	.24	.22	11
12			.02				.02	.01	.36		.19	.01	12
13			.72	.06			.02		.22		.26		13
14	.06		.40	.40					.02	.45	.31	.01	14
15	.12		.64	1.33					.01		.99	.16	15
16			.08	.05			.10				.57	.06	16
17	.02	.02	.01	.37		.06	.25				.45		17
18	.27		.87	.84	.01	.04	.01				.52		18
19	.04		.16	.65	.16	.06			.03	.13	.78		19
20	.46		.25	.18	.05				.06	.21	1.43		20
21	.03		.15		.27		.18	.76			.01		21
22	.59		.53		.29	.01		.40	.11				22
23	.62		.25		.07	.29		.27	.31		.14	.03	23
24	1.19			.10		.34					.10	.17	24
25				.09					.64	.01	.25	1.14	25
26			.18	1.20					.29	.18		.79	26
27		.03		.74						.27	.01	.24	27
28	.67	.01	.31	.63	.02	.02				.03	.08	.13	28
29	.02		.31	.31	.02			.39		.07	.32	.04	29
30	1.61		.05		.27						.03		30
31	.30		.10		.12								31
Total	8.53	4.08	10.43	7.76	2.72	2.69	.90	2.06	2.07	2.22	8.77	4.56 4.56	YEAR'S TOTAL 56.79
Rain Days.	23	13	27	18	16	14	8	8	11	13	27	20	198

W. 7,500, XI. 12

88/

1/19

FORM A.
BRITISH RAINFALL.

21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Arncliffe Vicarage

in the County of W. R. Yorkshire 10

by Rev. Canon W. A. Shuffrey

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 732 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.04	.09			.01	.68	.33		.03	.02	.40	1
2	.08	.06	.04				.20	.72		.11	.46	.30	2
3	.10		.31		1.04			.12			.06	1.40	3
4	1.01		.39	.55							.07	1.30	4
5	.17		1.20	.35		.02	.01				.33	.12	5
6		.04	.09	.41	.22			.15		.03	.12	.24	6
7	.17	.05	.32	.13	.06	.01		.09			.06	.30	7
8	.72	.02	.21	.03	.70	.56	.02	.57			.37	.26	8
9	.52	.15		.51		1.35		.14	.06		.64	.04	9
10	.01	.55			.01				.14		.94		10
11		.22	.43		.05		.04		.17		.84	.68	11
12		.54	.08		.05		.17		.45		.96	.77	12
13		.62	.39				.04		.18	.02	.67	.25	13
14	.16	1.04	.28				.11		.25			.33	14
15	.01	.04	.74						.19		.74		15
16	.17	.23	.03				1.15		1.24		.01	.04	16
17	.14	.27	.21				.14		.33			1.05	17
18	.05	.78	.02			.11	.03			.25		.08	18
19		.11	.33				.16					.09	19
20		.45	.09		.09				.03	.01		.04	20
21		.46			.05	.10	.01	.01		.08	.06	.05	21
22		.66	.04	.04	.33	.36		.11		.09		.02	22
23		.29	.13		.19	.30	.04					.03	23
24	.46		.14		.08	.07	.11	.20			.11		24
25	.20		.08				.02	.39		1.04		.72	25
26	.04	.05	.06					.02		.22	.68	.56	26
27	.02	.03							.04	.20	.70	.93	27
28	.26	.24	.56		.02	.01		.01		.03	.71		28
29	.28		.13		.03			.17		.67	.98		29
30	.21		1.23	.01	—			—		.21	.77	.42	30
31	.90		.08		.01		.80			.08			31
Total	5.68	6.94	7.70	2.03	2.93	2.90	3.73	3.03	3.08	3.07	10.30	10.42	YEAR'S TOTAL 61 81
Rain Days.	21	23	27	8	15	11	17	14	11	15	22	25	209

W.7,000, XI. 13

DL

Cnd for Mill 18.2.16

3576

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Arncliffe Vicarage
in the County of Yorkshire 10
by Rev W. W. Shuffrey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·92	·74	·05		·14			·31	·11		·07	·02	1
2		·59	·30	·47		·09	·33	·10	·02	·01			2
3	·72	·11	·16	·46			·35	·17			·04	·75	3
4		·55	·11		·04	·09	·01	·01				·39	4
5	·48	·30	·28		·02	·04		·03				1·75	5
6	·78	·27	·13	·56			·86	·02			·01	·42	6
7	·64	1·20	·02	·29			1·06	·37				·26	7
8	·23	·36	·04	·32			·06	·15			1·09		8
9		·09						·05		·03	·37	·61	9
10	·90		·02	·03				·29		·03		·65	10
11	·24		·01		·65		·09	·40		·01	·09		11
12	·16	·05		·06	·02		·66	·02		·21	1·55		12
13	·50	·67		·05			·06	·57				·05	13
14	·65	·02		·03	·08		·15	·20	·01			·32	14
15	2·13			·01			·02	·03	·06		·22	·45	15
16		1·25			·08		·40	·65	·04			·02	16
17		·77	·02	·02								·01	17
18		·91		·04			·03			·03			18
19	·03	·11	·04	·69	·05		·42			·03			19
20	·76	·05	·02	·02	·07		·61					·29	20
21	·09	·08		·03			·21					·07	21
22			·06				·02					·36	22
23	·05	·04	·07				·12		·05			·45	23
24			·10	·06			·01		·50	·11	·03	·66	24
25							·01		·13	·01		·06	25
26	·01	·87				·04	·06					·74	26
27		·65				·02	·09			·70		·63	27
28		·39	·05		·12	·20	·05	·24		·07			28
29					·24	·01			·01		·35	·26	29
30	·19			·31		·35	·02				·01	·15	30
31	·24						·03	·41		·10		·52	31
Total	9·72	10·07	1·48 1~~7~~8	3·45	1·51	·84	5·73	4·02	·93	1·34	3·83	9·89	YEAR'S TOTAL 52·81 52·81 28
Rain Days.	19	22	17	17	11	8	25	18	9	12	11	24	193

W. 8,000. X. 14.

Dl

[illegible]

3470

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

30 JAN 1917

Kept at Arncliffe

in the County of W. R. York

by W. A. Shuffrey.

Rev. A. B. W. Chaplin

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·35	·03	·05			·22	·51	·04			·10		1
2	·14	·30	·15			·21			·24	·23	·30		2
3		·31		·01		·05	·17		2·32	·25	·20		3
4	·22	·23		·01	·71	·92	·11		·21	1·16	·31		4
5	·14	·86			·08	·09				1·63	·60		5
6	·95	·70	·25	·02	·40	·09	·13			·52	·75	·15	6
7	·05	·32	·28		·14	·15	1·16			·95	·32	·09	7
8		·11	·36			·05	·07			·15	·43	·25	8
9	·05		·15		·27	·24	·13			·01	·38		9
10	·47	·04	·01	·24		·18	·21			1·40	·39		10
11	·09	·37	·61	·65	·05	·07	·33		·23	·18	·02	·15	11
12	·44	·34	·19	·22	·30	·02	·50	·13		·56	·02		12
13		·52	·10	·20			·24	·59		1·06			13
14	·12	·22		·14	·46			·67	·01	·50			14
15	·15	·90	·44	·04			·08	1·42		·13			15
16	·02	·45		·65			·10	·55	·02				16
17	·28	·12		·95			·01	·42	1·10	·24			17
18	·01	·39		·12			·04			·22	1·00		18
19	·49		·14	·25							·24	·44	19
20	·92		·44	·03			·02	·06	·03		·12		20
21	·76			·03									21
22		·06		·08		·16				·51	·25		22
23	·15	·15	·28	·15						·21	·24		23
24	·04	·10	·03	·03		·51		·14		·15	·40		24
25	·10	·10	·40		·12			·75		·03		·03	25
26	·26	·20	·34				1·12	·16		·05	·04	·51	26
27		·20	·16					·01		·20		·55	27
28	·12	·35	·01							·76	·20	·57	28
29	·08	·23	·09				·01			·47	·07	·60	29
30	·14	✕				·31	·01			1·11		·70	30
31		✕		✕	·46	✕		·07	✕	·80	✕	·05	31
Total	7·54	7·60	4·48	3·82	2·99	3·27	4·95 4·95	5·01	4·16	13·48 13·49	6·38 6·38	4·09	YEAR'S TOTAL 67·71 67·77
Rain Days.	25	25	20	18	10	15	19	13	8	26	21	12	212

W. 8,000. X. 15.

DL 337

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Arncliffe

in the County of W. R. York

by M. W. Chaplin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·90			1·00		·19		·25	·78				1
2	·06			·05		·30		·07	·12				2
3	·40	·23				·67							3
4	·05	·02	·05					·02					4
5	·50		·08	·34									5
6						·12							6
7	·15		·05			·06		·05					7
8					·28	·04		1·22	·16				8
9					·06			·64					9
10	·79		·51	·75				·22					10
11	·40	·07						·36					11
12		·01	·04		·26	·30		·02					12
13	·09					·04		·20					13
14	·81			·75				·26	1·38				14
15				·30			·30	·65	·43				15
16		·01				·63		·45	·17				16
17	·30	·13	·23		·24			1·05	·18				17
18	·10		·22		·30		·83	·19					18
19		·33	·37		·35	·22		·21	·37				19
20	·23	·28	·07			·25		·12	·65				20
21		·05	·04		·03	·06		·03					21
22			·02		·42			·05	·40				22
23		·06						·75	·40				23
24								·95	·70				24
25		·08						·02	·32				25
26	·58			·22		·31		·98					26
27						·17	·65	·36					27
28			·66					·16					28
29			·03				·32	·02					29
30		X	·02					·01					30
31		X	·30	X		X		·18	X		X		31
Total	5·36	1·27	2·69	3·41	1·94	3·36	2·10	9·49	6·06	7·12	8·00	4·82	YEAR'S TOTAL 55·62
Rain Days.	14	11	15	7	8	14	4	28	13	–	–	–	

W. 8,000, VIII. 16

8L

1/301
18

FORM A.
BRITISH RAINFALL.

22.1.19

REGISTER OF RAINFALL IN 1918

Kept at Arncliffe Vicarage

in the County of W. R. York

by J. N. B. Chaplin

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	8·40	6·75	–										YEAR'S TOTAL
Rain Days.													

W. 8,000, VIII. 16

ASKRIGG —
WORTON
YORKSHIRE

1920

FORM A.
BRITISH RAINFALL

5 JAN 1921

RE

Kept at WORTON in

"W.

in the County of YOR

e 5 in.

by the Rev. W.M. Atkins

und 1 ft. — in.

Level 700 ft.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. ~~—~~ Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

From 16th July

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1								3·2	0·3	1·4	—	1·3	1
2								5·6	4·7	2·9	—	16·8	2
3								7·0	1·3	19·5	—	1·6	3
4								15·8	—	25·0	—	8·5	4
5								0·4	—	6·6	—	0·6	5
6								—	—	—	—	1·7	6
7								—	—	—	0·2	—	7
8								0·5	—	—	0·3	—	8
9								1·2	0·4	—	—	0·4	9
10						—		3·3	—	—	—	0·5	10
11								—	—	—	—	7·0	11
12								—	—	—	5·9	8·9	12
13								—	—	—	9·4	8·3	13
14								—	2·2	1·6	27·6	1·2	14
15								—	—	9·6	4·7	—	15
16							12·9	—	25·2	—	5·1	—	16
17							—	5·7	4·0	4·2	—	—	17
18							2·0	1·1	—	—	0·5	—	18
19							0·3	2·0	—	—	—	—	19
20							—	—	5·1	—	—	5·6	20
21			—				8·1	2·6	0·7	—	—	5·5	21
22							7·6	0·8	—	—	—	—	22
23							4·5	—	—	—	—	2·9	23
24							0·3	—	—	—	—	4·2	24
25							12·3	0·8	—	—	—	0·4	25
26							1·8	—	—	—	0·8	0·2	26
27							0·2	—	—	—	4·5	1·4	27
28							0·2	—	—	—	0·2	3·6	28
29							1·4	—	—	—	4·6	23·2	29
30		X			—		—	—	3·2	—	3·8	6·6	30
31		X		X		X	0·4	—	X	12·0	X	3·4	31
Total							52·0	50·0	47·1	82·8	67·6	113·8	YEAR'S TOTAL ~~413·3~~
Rain Days.							13	14	10	9	13	23	~~82~~
							{record for 16 days only}	10	7	9	8	18	{from 16th July only.

W, 6,500, VII. 18. W W C

FORM A.
BRITISH RAINFALL.

5 JAN 1921

RE

Kept at WORTON in Wensleydale
in the County of YORK (North Riding)
by the Rev. W. M. Atkinson

Lat. 54° 18′ 17″ Long. 2° 4′ 8″ W.
Time of Observation 9 a.m.
Nearest Railway Station Askrigg
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1								3.2	0.3	1.4	–	1.3	1
2								5.6	4.7	2.9	–	16.8	2
3								7.0	1.3	19.5	–	1.6	3
4								15.8	–	25.0	–	8.5	4
5								0.4	–	6.6	–	0.6	5
6								–	–	–	–	1.7	6
7								–	–	–	0.2	–	7
8								0.5	–	–	0.3	–	8
9								1.2	0.4	–	–	0.4	9
10								3.3	–	–	–	0.5	10
11								–	–	–	–	7.0	11
12								–	–	–	5.9	8.9	12
13								–	–	–	9.4	8.3	13
14								–	2.2	1.6	27.6	1.2	14
15								–	–	9.6	4.7	–	15
16							12.9	–	25.2	–	5.1	–	16
17							–	5.7	4.0	4.2	–	–	17
18							2.0	1.1	–	–	0.5	–	18
19							0.3	2.0	–	–	–	–	19
20							–	–	5.1	–	–	5.6	20
21							8.1	2.6	0.7	–	–	5.5	21
22							7.6	0.8	–	–	–	–	22
23							~~4.5~~	–	–	–	–	2.9	23
24							0.3	–	–	–	–	4.2	24
25							12.3	0.8	–	–	–	0.4	25
26							1.8	–	–	–	0.8	0.2	26
27							0.2	–	–	–	4.5	1.4	27
28							0.2	–	–	–	0.2	3.6	28
29							1.4	–	–	–	4.6	23.2	29
30		✕					–	–	3.2	–	3.8	6.6	30
31		✕		✕		✕	0.4	–	✕	12.0	✕	3.4	31
Total							52.0	50.0	47.1	82.8	67.6	113.8	YEAR'S TOTAL ~~413.3~~
Rain Days.							13	14	10	9	13	23	~~82~~
							{record for 16 days only}	10	7	9	8	18	{from 16th July only.}

From 16th July

BADSWORTH GRANGE

1915 -

-REGI

FORM A.
BRITISH RAINFALL.

Kept at Badsw

in the County of Yor

by Miss Heywo

H & B. Rly 1½ miles

5 in.

d ft. 7½ in.

evel 350 ft.

IMPORTANT NOT esult entered to the previous day. If an O rule, he is earnestly requested to add the rea the space provided for it at the end of thi of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	13	09	—	—	27	—	01	04	—	—	02	—	1
2	07	10	13	20	—	—	16	44	—	07	01	—	2
3	65	02	—	06	—	—	21	08	—	—	03	64	3
4	19	—	—	—	—	—	75	—	—	—	—	1.10	4
5	05	35	04	—	—	—	—	—	—	—	—	49	5
6	03	24	12	—	—	—	44	01	—	—	—	06	6
7	34	21	—	12	—	—	12	57	—	—	05	14	7
8	—	12	—	—	—	—	08	09	—	—	07	—	8
9	02	—	05	08	—	—	—	13	—	—	04	—	9
10	19	—	—	—	—	—	—	02	—	02	—	48	10
11	—	—	05	—	48	—	05	—	—	—	36	—	11
12	04	—	—	28	17	—	—	—	—	04	1.17	—	12
13	—	60	—	—	—	—	—	—	—	—	—	35	13
14	—	—	—	—	—	—	—	30	—	—	—	14	14
15	35	—	—	—	—	—	—	01	—	—	—	09	15
16	—	16	—	—	—	—	1.50	—	—	09	—	02	16
17	—	06	—	—	—	—	06	—	—	—	—	—	17
18	—	07	—	—	—	—	—	—	—	—	31	—	18
19	—	02	—	—	—	—	04	01	—	—	—	—	19
20	—	—	09	—	—	—	—	—	—	—	—	41	20
21	—	—	—	—	—	—	01	—	—	—	—	18	21
22	09	—	13	—	—	—	19	—	—	—	—	07	22
23	03	—	09	—	—	—	25	—	02	11	—	—	23
24	—	05	15	—	—	—	—	—	63	—	—	15	24
25	—	—	—	10	—	—	—	—	—	06	—	17	25
26	02	16	—	—	—	17	—	—	—	—	—	35	26
27	—	16	—	—	—	02	07	—	—	35	—	09	27
28	—	14	—	—	—	18	—	37	—	02	—	01	28
29	—		—	—	24	04	—	—	—	—	14	60	29
30	12	×	—	—	—	—	—	—	—	—	—	—	30
31	02	×	—	×	—	×	—	25	×	16	×	23	31
Total	2.34	2.55	.85	.84	1.16	.41	3.94	2.32	.65	.92	2.20	5.77	YEAR'S TOTAL 23.95
Rain Days.	16	16	9	6	4	4	15	13	2	9	10	20	124

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

1 JAN 1916

Kept at Badsworth Grange

in the County of Yorkshire

by Miſs Heywood Jones

Lat. 53 2/3rd Long. 1 1/4

Time of Observation 9. a. m.

Nearest Railway Station Upton H & B. Rly 1 1/2 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 7 1/2 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	13	09	—	—	27	—	01	04	—	—	02	—	1
2	07	10	13	20	—	—	16	44	—	07	01	—	2
3	65	02	—	06	—	—	21	08	—	—	03	64	3
4	19	—	—	—	—	—	75	—	—	—	—	1.10	4
5	05	35	04	—	—	—	—	—	—	—	—	49	5
6	03	24	12	—	—	—	44	01	—	—	—	06	6
7	34	21	—	12	—	—	12	57	—	—	05	14	7
8	—	12	—	—	—	—	08	09	—	—	07	—	8
9	02	—	05	08	—	—	—	13	—	—	04	—	9
10	19	—	—	—	—	—	—	02	—	02	—	48	10
11	—	—	05	—	48	—	05	—	—	—	36	—	11
12	04	—	—	28	17	—	—	—	—	04	1.17	—	12
13	—	60	—	—	—	—	—	—	—	—	—	35	13
14	—	—	—	—	—	—	—	30	—	—	—	14	14
15	35	—	—	—	—	—	—	01	—	—	—	09	15
16	—	16	—	—	—	—	1.50	—	—	09	—	02	16
17	—	06	—	—	—	—	06	—	—	—	—	—	17
18	—	07	—	—	—	—	—	—	—	—	31	—	18
19	—	02	—	—	—	—	04	01	—	—	—	—	19
20	—	—	09	—	—	—	—	—	—	—	—	41	20
21	—	—	—	—	—	—	01	—	—	—	—	18	21
22	09	—	13	—	—	—	19	—	—	—	—	07	22
23	03	—	09	—	—	—	26	—	02	11	—	—	23
24	—	05	15	—	—	—	—	—	63	—	—	15	24
25	—	—	—	10	—	—	—	—	—	06	—	17	25
26	02	16	—	—	—	17	—	—	—	—	—	35	26
27	—	16	—	—	—	02	07	—	—	35	—	09	27
28	—	14	—	—	—	18	—	37	—	02	—	01	28
29	—		—	—	24	04	—	—	—	—	14	60	29
30	12	✕	—	—	—	—	—	—	—	—	—	—	30
31	02	✕	—	✕	—	✕	—	25	✕	16	✕	23	31
Total	2.34	2.55	.85	.84	1.16	.41	3.94	2.32	.65	.92	2.20	5.77	YEAR'S TOTAL 23.95
Rain Days.	16	16	9	6	4	4	15	13	2	9	10	20	124

W. 8,000. X. 15.

BADSWORTH

ROGERTHORPE MANOR

YORKSHIRE

1916- 1920

RE

FORM A. BRITISH RAINFALL.

26 SE

Kept at Rógerthorpe

in the County of York

by Lt Colonel W. J.

sworth G.N.R.

ge 8 in.

ound 1 ft. 1/4 in.

a Level 150 ft.

IMPORTANT N

result entered to the previous day. If an

al rule, he is earnestly requested to add the

n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	...	·24	...	...	...	...	...	...	...	·28	...	1
2	...	...	·15	...	...	·15	·14	...	...	...	·11	...	2
3	·07	·05	·25	...	...	...	...	...	·09	·05	...	...	3
4	...	·18	·01	·11	...	...	...	...	·32	·25	·07	...	4
5	·01	·22	...	·02	·72	·14	...	·01	1·11	·28	·32	...	5
6	·02	·02	...	...	·05	·17	...	...	...	·17	·25	...	6
7	·02	·25	·17	·04	·24	...	·07	...	...	...	·31	·02	7
8	·01	·02	·08	...	·05	...	·10	...	...	...	·02	·28	8
9	...	·01	·24	...	...	...	...	...	...	·01	·03	·08	9
10	...	...	·11	...	·45	·11	...	...	·14	...	·03	·21	10
11	...	...	·02	·06	...	·12	...	...	·03	...	·01	·12	11
12	·04	snow ·46	·33	·15	·02	·05	...	...	·02	...	...	·02	12
13	·01	...	·53	·05	·36	·01	·34	·01	...	...	...	·04	13
14	...	·03	·20	...	·05	...	·03	·28	...	·34	...	·03	14
15	...	·17	·03	·03	·08	...	...	·48	...	·03	·01	·01	15
16	...	·07	·68	...	...	...	·09	·35	...	...	...	...	16
17	...	·09	·23	·03	...	...	·04	·02	...	...	...	...	17
18	·04	·07	...	·12	...	...	·03	...	·11	·15	...	...	18
19	·01	·35	·01	·06	...	·03	...	·15	·12	·03	·98	...	19
20	·04	·01	·22	·19	...	...	...	·07	·04	·01	·56	snow ·19	20
21	·06	...	·25	·07	...	...	·01	...	...	...	...	·02	21
22	·01	...	·09	...	...	...	·33	...	...	...	...	·15	22
23	...	·04	·01	·01	...	·04	...	...	...	·09	·07	...	23
24	...	·02	·03	·02	...	·01	...	·01	...	·01	·10	·43	24
25	...	·41	...	·04	...	...	...	·15	...	...	...	·07	25
26	...	·07	·10	...	·06	...	...	·13	...	·08	·06	·05	26
27	...	·06	·02	...	...	...	...	...	...	·03	·02	...	27
28	...	·27	·01	...	...	...	...	...	...	·20	...	...	28
29	...	·21	·02	...	·08	·01	...	...	·01	·02	·01	·02	29
30	...	X	...	...	...	·17	...	...	...	·28	...	·21	30
31	·01	X	...	X	·04	X	...	...	X	·10	X	·01	31
Total	·61 ~~·35~~	3·08 ~~3·32~~	4·03 ~~3·79~~	1·00	2·20	1·01	1·18	1·66	1·99	~~2·41~~ 2·13	~~2·90~~ 3·18	1·96	YEAR'S TOTAL ~~23·77~~ 24·03
Rain Days.	14	22	25	15	12	12	10	11	10	18	18	18	185

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.

26 SE

Kept at Rögerthorpe Manor, Pontefract.
in the County of York. West Riding.
by Lt Colonel W. J. F. Ramsden

Lat. 53° 38′ 3″ Long. 1° 17′
Time of Observation 8 a.m.
Nearest Railway Station Hemsworth G.N.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1¼ in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	...	·24	...	...	...	...	...	...	...	·28	...	1
2	...	...	·15	...	...	·15	·14	...	...	...	·11	...	2
3	·07	·05	·25	...	...	...	...	...	·09	·05	...	...	3
4	...	·18	·01	·11	...	...	...	...	·32	·25	·07	...	4
5	·01	·22	...	·02	·72	·14	...	·01	1·11	·28	·32	...	5
6	·02	·02	...	...	·05	·17	...	...	...	·17	·25	...	6
7	·02	·25	·17	·04	·24	...	·07	...	...	...	·31	·02	7
8	·01	·02	·08	...	·05	...	·10	...	...	...	·02	·28	8
9	...	·01	·24	...	...	...	...	...	...	·01	·03	·08	9
10	...	...	·11	...	·45	·11	...	...	·14	...	·03	·21	10
11	...	...	·02	·06	...	·12	...	...	·03	...	·01	·12	11
12	·04	snow ·46	·33	·15	·02	·05	...	...	·02	...	...	·02	12
13	·01	...	·53	·05	·36	·01	·34	·01	...	...	...	·04	13
14	...	·03	·20	...	·05	...	·03	·28	...	·34	...	·03	14
15	...	·17	·03	·03	·08	...	...	·48	...	·03	·01	·01	15
16	...	·07	·68	...	...	...	·09	·35	...	...	...	...	16
17	...	·09	·23	·03	...	...	·04	·02	...	...	...	...	17
18	·04	·07	...	·12	...	...	·03	...	·11	·15	...	...	18
19	·01	·35	·01	·06	...	·03	...	·15	·12	·03	·98	...	19
20	·04	·01	·22	·19	...	...	...	·07	·04	·01	·56	snow ·19	20
21	·06	...	·25	·07	...	...	·01	...	...	...	...	·02	21
22	·01	...	·09	...	...	...	·33	...	...	...	...	·15	22
23	...	·04	·01	·01	...	·04	...	...	...	·09	·01	...	23
24	...	·02	·03	·02	...	·01	...	·01	...	·01	·10	·43	24
25	...	·41	...	·04	...	...	...	·15	...	...	...	·07	25
26	...	·07	·10	...	·06	...	...	·13	...	·08	·06	·05	26
27	...	·06	·02	...	...	...	...	...	...	·03	·02	...	27
28	...	·27	·01	...	...	...	...	...	...	·20	...	...	28
29	...	·21	·02	...	·08	·01	...	...	·01	·02	·01	·02	29
30	...	X	...	...	...	·17	...	...	...	·28	...	·21	30
31	·01	X	...	X	·04	X	...	...	X	·10	X	·01	31
Total	·61 ~~·35~~	3·08 ~~3·32~~	4·03 ~~3·79~~	1·00	2·20	1·01	1·18	1·66	1·99	~~2·41~~ 2·13	~~2·90~~ 3·18	1·96	YEAR'S TOTAL ~~23·77~~ 24·03
Rain Days.	14	22	25	15	12	12	10	11	10	18	18	18	185

W. 8,000, VIII. 16

W.G.W

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL
4 JAN 1918

Kept at Rogerthorpe Manor, Pontefract

in the County of York. W. Riding

by Lt Colonel W. J. F. Ramsden

Lat. 53·37·53 Long. 1·17·25

Time of Observation 8 a·m

Nearest Railway Station Upton. Hull & Barnsley

97

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1½ in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	—	·16	—	—	—	·18	·21	—	·09	·03	1
2	·03	—	—	·02	—	·03	—	·10	—	—	·02	—	2
3	~~·03~~	·01	—	—	—	·03	—	·19	—	—	·01	—	3
4	—	—	·13	—	—	—	·02	·03	—	·33	·02	—	4
5	·32	—	·09	·19	—	—	—	·02	—	·10	·03	—	5
6	~~·32~~	—	—	—	—	·03	—	—	—	·05	·03	—	6
7	·35	—	—	—	—	·04	—	—	—	·58	—	—	7
8	·49	—	—	·11	—	—	—	·79	—	·66	·07	—	8
9	·29	—	·02	Snow ·05	—	—	—	·03	—	·04	·29	—	9
10	(·17)	—	·57	Snow ·16	·11	—	—	·10	—	—	·02	—	10
11	—	—	—	·41	—	—	—	·09	—	·26	—	—	11
12	·05	—	·01	·02	·23	—	—	·09	—	·28	—	·03	12
13	·13	—	—	·01	·09	—	—	·17	·06	·04	—	—	13
14	Snow ·09	—	—	·06	—	—	—	·27	—	—	—	·06	14
15	Snow ·16	—	—	—	—	—	·10	·01	·02	·01	—	·05	15
16	·02	·05	—	·10	—	·07	·02	·02	—	—	—	Snow ·24	16
17	·01	·12	·02	·12	·82	·07	·01	·22	·10	·04	—	—	17
18	·08	—	—	·04	·03	—	·24	·08	·27	—	—	—	18
19	·04	·09	·19	·03	·53	·30	—	—	—	—	—	—	19
20	·07	·16	·02	—	·12	·68	—	·06	—	—	·02	—	20
21	·01	·05	·02	—	—	~~·68~~	—	·07	—	·02	—	—	21
22	—	—	·06	—	—	·03	—	·04	·03	—	—	—	22
23	·01	·01	—	—	·10	—	—	·16	·02	—	—	·01	23
24	—	—	—	—	—	·10	—	·03	—	—	·14	—	24
25	—	·02	·06	—	—	—	—	·07	—	·38	·04	—	25
26	—	—	·01	—	—	·01	—	·39	·05	·12	·01	—	26
27	—	—	·07	—	—	·28	·08	·55	—	—	—	·04	27
28	—	—	·16	—	—	·08	—	·38	—	—	—	·10	28
29	·01		·08	—	·02	—	·03	·01	—	·20	—	·15	29
30	·01	X	·06	—	—		·03	·07	—	·02	·01	—	30
31	·02	X	·30	X	—	X	·01	·04	X	—	X	·04	31
Total	2·38 ✓	·52 ✓	1·87 ✓	1·48 ✓	2·05 ✓	1·75 ✓	·54 ✓	4·26 ✓	·76 ✓	3·13 ✓	·80 ✓	·75	YEAR'S TOTAL 20·29 ✓
Rain Days.	21 ✓	9 ✓	17 ✓	14 ✓	9 ✓	13 ✓	9 ✓	28 ✓	8 ✓	16 ✓	14 ✓	10 ✓	168 ✓

W. 8,000, IX. 17.

115

923X

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. 1.

Kept at Rogerthorpe Manor, Pontefract

in the County of York. W. Riding.

by Lt Colonel W. J. F. Ramsden

Lat. 53° 37' 53" Long. 1° 17' 25"

Time of Observation 8 a.m

Nearest Railway Station Upton. Hull & Barnsley Ry

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	.05	.01	.02	...	...	...	...	.10	.06	.19	.03	1
2	.01	.17	.01	.13	...	...	...	.07	.03	.01	...	.19	2
3	...	.02	.03	...	.45	...	...	.25	...	.01	.21	...	3
4	.01	...	.02	...	.27	...	...	.08	.22	...	.13	.35	4
5	...	...	.01	...	.31	...	...	.56	.02	.09	.01	...	5
6	...	.38	...	.29	.01	.20	...	.02	.05	.02	...	.01	6
7	.15	...	...	.13	...	.03	...	...	.03	.14	.14	...	7
8	...	...	.10	...	...	...	.21	...	.24	.06	.04	.01	8
9	.03	.41	...	.27	...	.12	.01	...	.48	.26	.01	.03	9
10	.07	.02	...	.01	...	...	.12	...	.25	...	.01	.01	10
11	.11	.05	...	.03	.15	...	.05	...	.06	...	...	.03	11
12	...	.09	.01	.02	...	...	.37	.24	.06	...	...	.07	12
13	...	...	...	.14	.08	...	...	...	.07	.14	...	...	13
14	.13	...	...	.03	...	.01	.10	...	.56	.12	...	.16	14
15	.04	...	...	...	...	.04	.32	...	.83	...	.01	.22	15
16	...	...	.01	...	...	.04	.06	.01	.21	.04	...	.11	16
17	.16	...	...	...	.01	.02	1.34	...	.04	.20	...	.17	17
18	.32	...	.02	...	...	.03	.05	...	.46	...	...	.09	18
19	.15	.01	.08	.02	...	.05	.09	...	.04	.12	...	.81	19
20	.04	.30	...	...	...	.10	.22	...	.09	.12	.01	.06	20
21	.13	.02	...	...	.56	.03	.01	...	.10	.21	...	...	21
22	.07	...	...	...	.01	.03	.16	...	.02	...	.01	.32	22
23	.02	...	...	.02	.43	...	.34	...	.01	...	.02	.01	23
24	...	.03	...	...	...	...	.02	...	.11	...	.05	...	24
25	...	...	...	...	...	.50	.10	.23	.01	...	...	...	25
26	...	...	...	...	...	...	.45	.08	.10	.01	.09	.03	26
27	...	...	...	...	...	.04	...	.35	.26	...	.04	.06	27
28	...	.12	.31	...	...	...	...	...	.02	...	.09	.49	28
29	...	...	...	...	...	...	...	...	.11	...	.01	.15	29
30	.01	X	.29	...	...	...	...	.03	.03	...	.09	.13	30
31	...	X	.03	X	...	X		.01	X	...	X	...	31
Total	1.45	1.67	.93	1.11	2.28	1.24	4.02 ~~4.12~~	1.93	4.61	1.61 ~~1.80~~	1.16	3.54	YEARS TOTAL. 25.55 ~~25.72~~
Rain Days	16	13	13	12	10	14	18	12	29	16	18	23	194

W, 6,500, VII. 18. W W C

G+BR

7 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Rogerthorpe Manor Pontefract
in the County of York.
by Lt Colonel W. J. F. Ramsden

Lat 53.37'.53" Long 1.17'.25"
Time of Observation 8 a.m
Nearest Railway Station Upton Hull & Barnsley Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 1 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·01	·01	·02	·26	...	·34	...	·19	·13	·04	·09	1
2	·21	·01	·02	...	...	...	·23	...	·11	...	·05	·01	2
3	·12	...	...	...	...	·07	·36	...	·09	...	·24	·13	3
4	·48	...	·15	...	·04	·05	...	·09	·13	·01	·08	·32	4
5	·74	...	·16	...	·01	...	...	...	·17	...	·02	·08	5
6	·05	...	·04	...	·01	...	...	...	...	·01	...	·03	6
7	·03	...	·20	...	·12	...	...	...	...	...	·03	...	7
8	·08	...	...	·02	·10	...	...	·01	...	...	·15	...	8
9	·02	...	·02	...	·01	...	...	...	...	...	·14	...	9
10	·01	...	·16	·03	...	...	...	...	...	·02	·03	·07	10
11	...	...	·81	·03	·12	...	·14	...	...	·01	·02	·01	11
12	...	...	·93	·07	·12	·06	·19	...	·13	...	...	·01	12
13	·08	...	·01	·06	...	...	...	...	·71	·21	·01	·02	13
14	·14	...	...	·27	...	...	·03	·04	·01	...	...	·01	14
15	·08	·20	·02	·19	...	...	...	...	...	...	...	·73	15
16	·03	·94	·01	·05	...	...	...	...	...	...	·18	...	16
17	·01	·34	...	·03	...	·08	...	...	...	...	·12	·01	17
18	...	...	·02	...	...	...	·03	·04	...	·01	...	·12	18
19	·02	·24	1·22	...	·04	...	1·22	·54	·10	...	·13	·02	19
20	·35	·15	·02	...	...	·04	·58	·16	·08	...	·08	·09	20
21	·25	·28	·02	...	...	·08	·20	...	·02	...	·01	·27	21
22	...	·14	...	...	...	...	...	...	·16	·01	...	·27	22
23	...	...	...	·01	...	...	...	·01	...	·78	...	·07	23
24	·01	...	...	·13	...	·24	...	...	...	·51	·06	·28	24
25	·03	·01	...	·16	·04	...	...	·56	...	·01	·10	·05	25
26	...	...	·14	·03	·02	...	...	·33	...	·01	·04	·35	26
27	·01	...	...	·38	...	...	...	...	...	·09	·05	·10	27
28	·11	·01	...	·17	...	...	...	·87	...	·03	...	·27	28
29	·08		...	·02	...	·23	...	·03	...	1·13	...	·10	29
30	...		·01	·12	...	·14	...	...	...	·08	·12	·17	30
31	·02		·01		...		·04	...		·04		·02	31
TOTAL	3·21	2·33	3·98	1·79	·89	·99	3·36	2·68	1·90	3·09	1·70	3·63	YEAR'S TOTAL 29·55
Days with ·01 in. or more	24	11	20	18	12	9	11	11	12	17	21	27	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2809

8 JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rogerthorpe Manor
in the County of York.
by Lt Colonel W. J. F. Ramsden

Lat. 53°37′53″ Long. 1°17′25″
Time of Observation 9 a.m.
Nearest Railway Station Upton, Hull & Barnsley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 11

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~2·23~~	·17	...	·04	·07	·06	·04	·03	...	·18	·37	·16	1
2	...	...	...	·18	·33	·08	·25	·01	·01	·16	·15	·03	2
3	...	...	·04	·20	...	...	·42	...	·20	·36	...	·16	3
4	...	·01	...	·07	·04	·07	·78	·04	·06	·15	...	·15	4
5	·03	...	...	·08	·05	...	·38	·51	·03	·85	...	·14	5
6	...	·01	·02	...	·04	...	·06	·18	·01	·05	...	·02	6
7	...	...	·24	·04	·04	...	·10	...	...	...	...	·06	7
8	·01	·02	·10	·06	·02	...	·33	...	...	...	...	...	8
9	·05	·01	...	·32	·02	...	·13	·07	...	·02	...	...	9
10	·18	·01	·03	·49	...	...	·62	·03	·02	·02	...	...	10
11	·19	·23	·01	·12	...	...	·25	·12	...	...	...	...	11
12	·62	·03	·02	·17	·11	·08	...	...	...	...	...	...	12
13	·01	...	·04	·31	·01	...	·02	·08	...	...	·66	·07	13
14	·03	·03	·02	·24	...	·31	...	...	·02	·01	...	...	14
15	·01	·01	·21	·09	...	·38	·04	...	·34	·04	·28	·23	15
16	...	·10	·46	·07	...	...	...	...	·08	·10	·04	·02	16
17	...	...	...	...	...	...	·61	...	·07	...	·02	...	17
18	...	·01	·01	...	·07	...	·03	...	·32	...	...	·01	18
19	·04	...	...	·05	·04	·03	...	·09	·01	...	·01	...	19
20	·03	·96	...	·22	·03	·11	...	·07	...	...	...	...	20
21	·02	·23	...	·21	...	·22	·04	...	...	...	...	...	21
22	...	·01	...	·03	...	...	·53	·16	...	...	·01	·03	22
23	·01	...	·01	·27	...	...	·03	...	...	...	·01	·02	23
24	·01	...	...	...	...	...	·25	...	·01	·02	·01	·35	24
25	...	·01	·18	·04	...	...	·01	·01	...	...	...	·04	25
26	...	·09	·08	...	...	...	·64	...	·01	...	·01	...	26
27	·11	·01	·05	·02	·14	...	·17	...	...	...	...	·04	27
28	·16	·01	...	·07	·24	·38	...	...	·01	·62	·30	·14	28
29	·63	...	·14	·17	·05	·01	·03	...	·01	...	·15	·66	29
30	·53	✕	·12	...	1·07	·02	·04	...	...	·01	·13	·44	30
31	·14	✕	·03	✕	...	✕	...	...	✕	...	✕	·19	31
	·17		·04	·07	·06	·04	·03	–	·18	·37	·16	·11	
Total	~~2·23~~ 2·38	1·79	1·95	~~2·63~~ 3·59	2·39	1·73	5·17	1·37	1·39	2·18	1·34	~~2·30~~ 2·31	Year's Total 27·56 ~~27·59~~
Days with ·01 in. or more	~~19~~ 20	18	20	24	17	12	24	12	13	14	14	20	~~12~~ 212
Days with ·04 in. or more	~~9~~ 10	5	13	22	13	9	18	9	7	8	8	14	~~12~~ 135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BALDERSDALE

HURY RESERVOIR

1911 – 1920

REG

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Hury Rese

in the County of HR Yo

by The Tees Valley

rdon Gauge

in.

ound 1 ft. – in.

Level 866 ft. 3493

e Cotherstone

ance 4 miles Direction E

IMPORTANT NOTE.– e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading in the space provided for it at the end of this p of rain, the selection and placing Rainfall Organization are given in "R cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·54	–	–	–	·02	·14		–	·12	·03	1
2	·32	–	–	–	·09	–	·07	–	–	·09	·18	·19	2
3	–	–	·11	–	·57	–	–	·02	–	·03	·23	·03	3
4	·04	–	·15	·07	·12	–	–	·48	–	·02	·25	·10	4
5	SR ·09	–	·03	–	·03	–	–	·47	–	·18	·18	–	5
6	·16	–	·06	·06	–	–	–	·26	–	·03	·21	·55	6
7	–	–	–	–	–	–	–	·02	–	·04	·44	–	7
8	·10	–	·17	–	–	–	–	–	–	·02	·24	·16	8
9	–	–	–	–	–	–	–	–	–	–	–	·34	9
10	·08	–	·04	·02	–	–	–	–	·02	–	–	SR ·57	10
11	SR ·10	–	SR ·08	–	·02	–	–	–	·14	–	·24	·18	11
12	·04	–	·02	–	·07	·05	–	–	·83	–	·18	·02	12
13	–	·03	S ·03	–	·26	·02	–	–	·05	–	·13	·52	13
14	·03	·23	·06	–	·38	–	–	–	–	–	·06	·39	14
15	–	·33	SR ·15	·02	–	–	–	–	–	·02	·72	·08	15
16	–	·68	S ·17	·10	–	·10	–	–	–	·08	·09	·06	16
17	–	·03	S ·03	–	–	·58	–	–	–	·02	·34	·16	17
18	–	1·36	S ·14	·02	–	·06	–	–	–	·02	·07	·38	18
19	–	SR ·11	SR ·04	·20	–	·02	·03	–	·15	·27	·34	·24	19
20	–	·06	–	·14	–	–	·23	·12	·10	·02	·02	·24	20
21	–	·64	–	·10	–	·02	·11	·50	–	·20	·03	·07	21
22	·36	·34	–	·12	–	·06	–	–	–	–	·08	–	22
23	·02	·68	–	·05	·16	·40	–	–	·04	·08	–	·22	23
24	·02	·09	SR ·04	·08	–	1·02	–	·03	–	·20	–	·35	24
25	·05	SR ·42	–	·14	–	·06	–	–	·28	·17	–	·15	25
26	·02	–	–	·08	–	–	–	·08	–	·74	SR ·50	·22	26
27	·03	·28	S ·05	·13	–	–	–	·16	·23	·03	·17	–	27
28	–	·24	·02	·34	–	·05	–	·17	·04	–	–	·21	28
29	–	X	·02	·28	–	·17	·04	·09	·43	·67	–	·24	29
30	–	X	–	–	·04	·03	–	–	·03	·52	–	–	30
31	–	X	–	X	·08	X	–	–	X	·22	X	–	31
Total	1·46	5·52	1·95	1·95	1·82	2·64	·50	2·54	2·34	3·67	4·82	5·70	TOTAL for year 34·91
No. of Rain Days	15	15	20	17	11	14	6	13	12	22	22	25	192

7,000. X. '09.

REG

don Gauge

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Hury Reservoir

in the County of NR York 6

by The Tees Valley Water Board

Rain Gauge	Diameter of top	5 in.
	Height of top above Ground	1 ft. – in.
	" " " Sea Level	866 ft.

3493

Time of Observation

Nearest Railway Station
Name Cotherstone
Distance 4 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·54	–	–	–	·02	·14		–	·12	·03	1
2	S ·32	–	–	–	·09	–	·07	–	–	·09	·18	·19	2
3	–	–	·11	–	·57	–	–	·02	–	·03	·23	·03	3
4	·04	–	·15	·07	·12	–	–	·48	–	·02	·25	·10	4
5	S ·09	–	·03	–	·03	–	–	·47	–	·18	·18	–	5
6	SR ·16	–	·06	·06	–	–	–	·26	–	·03	·21	·55	6
7	–	–	–	–	–	–	–	·02	–	·04	·44	–	7
8	·10	–	·17	–	–	–	–	–	–	·02	·24	S ·16	8
9	–	–	–	–	–	–	–	–	–	–	–	·34	9
10	·08	–	·04	·02	–	–	–	–	·02	–	–	SR ·57	10
11	SR ·10	–	SR ·08	–	·02	–	–	–	·14	–	·24	·18	11
12	S ·04	–	S ·02	–	·07	·05	–	–	·83	–	·18	·02	12
13	–	·03	S ·03	–	·26	·02	–	–	·05	–	·13	·52	13
14	·03	·23	S ·06	–	·38	–	–	–	–	–	·06	·39	14
15	–	·33	SR ·15	·02	–	–	–	–	–	·02	·72	·08	15
16	–	·68	S ·17	·10	–	·10	–	–	–	·08	·09	·06	16
17	–	·03	S ·03	–	–	·58	–	–	–	·02	·34	·16	17
18	–	1·36	S ·14	·02	–	·06	–	–	–	·02	·07	·38	18
19	–	SR ·11	SR ·04	·20	–	·02	·03	–	·15	·27	·34	·24	19
20	–	·06	–	·14	–	–	·23	·12	·10	·02	·02	·24	20
21	–	·64	–	·10	–	·02	·11	·50	–	·20	S ·03	·07	21
22	·36	·34	–	·12	–	·06	–	–	–	–	·08	–	22
23	·02	·68	–	·05	·16	·40	–	–	·04	·08	–	·22	23
24	·02	·09	SR ·04	·08	–	1·02	–	·03	–	·20	–	·35	24
25	·05	SR ·42	–	·14	–	·06	–	–	·28	·17	–	S ·15	25
26	·02	–	–	·08	–	–	–	·08	–	·74	SR ·50	·22	26
27	·03	·28	SR ·05	·13	–	–	–	·16	·23	·03	S ·17	–	27
28	–	·24	·02	·34	–	·05	–	·17	·04	–	–	·21	28
29	–	X	·02	·28	–	·17	·04	·09	·43	·67	–	·24	29
30	–	X	–	–	·04	·03	–	–	·03	·52	–	–	30
31	–	X	–	X	·08	X	–	–	X	·22	X	–	31
Total	1·46	5·52	1·95	1·95	1·82	2·64	·50	2·54	2·34	3·67	4·82	5·70	TOTAL for year 34·91
No. of Rain Days	15	15	20	17	11	14	6	13	12	22	22	25	192

7,000. X. '09.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL

N6

3493

Kept at Hury Reservoir

in the County of York

by Tees Valley Water Board

RAIN GAUGE
Pattern Snowdon 5" Copper Gauge
Diameter of top 5" in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 866 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Cotherstone
Distance 4 M. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	S ·02	·17	—	·09	·50	·07	·32	·04	·05	—	S ·15	1
2	—	—	·27	—	·15	·35	·09	·05	—	·03	—	—	2
3	·11	S ·04	·18	—	—	·84	—	·75	·58	—	—	·08	3
4	·18	—	·46	·20	·06	·52	—	·58	·19	—	·42	·02	4
5	SR ·05	—	·02	—	·22	·12	—	·32	·02	—	—	—	5
6	S ·39	·22	—	—	—	—	—	·07	—	—	—	—	6
7	—	·12	·04	·08	·18	—	·04	·13	·14	—	·24	—	7
8	S ·32	·08	·07	·24	·02	·03	—	—	·52	—	·14	—	8
9	·11	·12	·17	S ·15	—	·24	—	—	—	—	·09	·03	9
10	·05	·03	·02	—	·05	·19	—	·06	—	—	·18	·05	10
11	·02	·21	—	—	—	—	·07	·10	—	—	SR ·16	·17	11
12	·10	·08	·02	—	—	·22	·24	—	—	—	·08	·55	12
13	·02	·02	—	—	—	—	—	·02	—	·09	·09	1·70	13
14	·09	—	—	—	—	·07	—	—	—	—	—	·34	14
15	·13	·02	·03	—	·50	·23	—	—	—	·08	—	SR ·64	15
16	SR ·34	—	·05	—	—	—	—	·15	—	·12	—	S ·12	16
17	—	·20	·25	—	·08	·41	·02	·21	—	—	·04	SR ·21	17
18	S ·03	·17	—	—	—	·14	—	·02	—	·17	·05	S ·04	18
19	·09	·44	·18	—	·05	—	·06	·21	—	·07	·03	—	19
20	·15	—	SR ·06	—	·63	·08	—	·10	—	·48	—	·02	20
21	·02	—	SR ·17	—	·05	—	·05	·03	—	—	—	·05	21
22	·05	·23	·03	—	·20	·08	—	·30	—	—	—	—	22
23	S ·04	—	·07	—	·03	·02	·22	·58	—	·06	·08	—	23
24	SR ·13	—	—	—	·13	—	·27	·17	—	—	·23	·25	24
25	SR ·06	—	·02	—	—	·84	·07	·32	—	—	·40	·08	25
26	—	·20	·19	—	—	·07	·12	·07	—	1·34	SR ·45	·30	26
27	—	·14	·14	—	—	·30	·60	·02	—	·18	—	·48	27
28	—	·09	SR ·05	—	—	·03	·70	·43	·06	·40	S ·09	·03	28
29	—	·05	SR ·55	—	—	·35	·52	·08	·64	·21	—	·25	29
30	SR ·03	X	·32	—	·05	—	·09	—	·43	·08	—	·03	30
31	—	X	SR ·07	X	·07	X	1·20	·22	X	—	X	·09	31
Total	2·51	2·48	3·60	·67	2·56	5·63	4·43	5·31	2·62	3·36	2·77	5·68	TOTAL for year 41·62
No. of Rain Days.	22	19	25	4	17	21	17	25	9	14	16	23	212

√

FORM A.
BRITISH RAINFALL
6 - JAN 1914
3493

REGISTER OF RAINFALL IN 1913

Kept at *Hury Reservoir*
in the County of *York* NG
by *Tees Valley Water Board*

Lat. ______ Long. ______
Time of Observation *9 a. m.*
Nearest Railway Station *Cotherstone*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *–* in.
" " " " Sea Level *866* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	S. ·02	·13	·10	–	–	–	–	·04	·06	·08	–	1
2	–	·15	·54	–	–	–	–	–	–	·12	·26	·10	2
3	·05	·26	·30	–	·36	–	·09	–	·07	–	·13	·46	3
4	·22	·15	·10	–	–	·14	·02	–	·02	·04	·04	·43	4
5	·56	·09	·15	–	–	·07	–	·04	–	·09	–	–	5
6	·03	·46	SR. ·45	–	·33	·02	·96	·04	–	·02	·05	–	6
7	–	·68	SR. ·12	–	·18	·12	·03	–	–	1·00	–	–	7
8	–	·06	·07	–	·52	·02	–	–	·03	·47	·08	·05	8
9	–	·11	·28	–	·20	·60	–	–	–	–	·04	·10	9
10	–	·06	·41	–	·40	·03	·02	–	–	–	·24	–	10
11	S ·36	–	·02	·37	·06	·24	–	–	–	·05	·10	·09	11
12	S ·13	–	–	–	–	·04	–	–	·70	–	·16	·05	12
13	–	–	·25	·02	–	–	–	–	·21	·02	·12	–	13
14	SR. ·18	–	SR. ·19	·10	–	–	·10	–	–	·18	·18	–	14
15	SR. ·04	–	SR. ·58	·50	–	–	–	·20	–	–	·56	·08	15
16	–	–	S ·08	·07	–	–	–	·02	–	–	·24	·03	16
17	–	–	S. ·03	·09	–	·04	·03	–	–	–	·15	–	17
18	·04	–	SR. ·60	·38	·02	·10	·04	–	–	–	·26	–	18
19	SR. ·16	–	·38	·27	·07	·02	–	–	·52	·02	·28	–	19
20	·43	–	·08	–	–	–	–	–	·10	·18	·53	–	20
21	·02	–	·12	–	·05	–	·09	·38	–	–	·03	–	21
22	SR. ·09	–	SR. ·75	–	·03	–	–	·13	·08	–	–	–	22
23	·18	–	·03	–	–	·26	–	·11	–	·02	·04	–	23
24	·50	–	–	–	–	·24	–	–	–	–	·05	–	24
25	–	–	–	·05	–	–	–	–	·25	–	–	·44	25
26	–	·04	·08	·63	–	–	–	–	1·43	·03	–	SR. ·87	26
27	–	·03	–	·52	·55	–	–	–	–	·31	–	·13	27
28	SR. ·25	–	·38	·26	·03	–	–	–	–	·02	–	SR. ·03	28
29	·02	X	·59	·26	·08	–	–	·18	–	–	·03	S ·08	29
30	SR. ·50	X	·02	–	·06	·05	–	–	–	·16	–	–	30
31	S ·04	X	·05	X	–	X	–	–	X	–	X	–	31
Total	3·80	2·11	6·78	3·62	2·94	1·99	1·38	1·10	5 3·48	2·79	3·65	2·94	YEAR'S TOTAL 36·55
Rain Days.	19	12	27	14	15	15	9	8	11	17	22	14	183

W.7,000, XI. 13

EXMC

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

5 - JAN 1915

3493

Kept at Hury Reservoir

in the County of York NR 6

by Tees Valley Water Board

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Cotherstone

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 866 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·18	SR ·13	·03	—	—	·11	·19	—	—	—	·21	1
2	—	·12	·04	·04	—	—	·30	·40	—	·05	·58	·30	2
3	·08	·14	·24	—	·12	—	—	·02	·03	—	·08	·96	3
4	·97	—	·13	·05	·26	·02	—	—	—	—	·08	·87	4
5	S ·08	—	·32	·26	·15	—	—	·02	—	—	·49	S ·15	5
6	—	~~[illegible]~~	·10	·40	·05	—	—	·15	—	—	—	·21	6
7	—	·08	S ·16	·08	·28	·08	—	·11	—	—	·03	·26	7
8	·09	·03	S ·15	·02	·38	·55	·18	·12	—	·03	·06	·30	8
9	·35	·08	—	·20	—	1·65	—	—	—	—	·34	·03	9
10	·05	·17	S ·02	·02	—	—	—	—	·03	—	·44	·02	10
11	—	·07	S ·08	·02	·15	·06	—	—	·22	—	·39	·20	11
12	—	·39	·08	—	—	—	·18	—	·16	—	·34	·96	12
13	S ·02	·12	·30	·06	—	—	·02	—	·04	·03	·26	·55	13
14	·05	·87	·13	—	—	—	·03	—	·10	·02	S ·12	·50	14
15	—	·14	·21	—	—	—	·05	—	·13	—	SR ·29	—	15
16	·04	·03	·03	—	—	—	·42	—	·67	—	—	·04	16
17	SR ·06	·09	·11	—	—	—	·10	—	·72	—	—	·50	17
18	—	·43	S ·03	—	—	·03	·02	—	·08	·08	—	—	18
19	—	·08	—	—	—	—	·05	—	·02	—	·04	S ·05	19
20	—	·20	SR ·14	—	·02	—	—	—	—	·03	—	—	20
21	—	H ·41	·02	—	·04	·12	—	—	—	·10	·10	—	21
22	—	·28	·13	—	·35	·05	—	·03	—	·08	·06	SR ·12	22
23	—	·05	·06	·10	·13	—	—	—	—	—	—	SR ·06	23
24	·10	—	·36	·04	·04	—	·10	·02	—	—	·07	—	24
25	·12	—	·10	·03	—	—	·07	·17	—	·34	·04	·18	25
26	·03	—	·12	—	—	—	·04	·04	—	·12	·18	·43	26
27	—	—	—	—	—	—	—	—	—	—	·40	S ·18	27
28	·04	·11	·06	—	·02	—	—	·05	—	·02	·82	—	28
29	·07	X	·05	—	—	—	—	·38	—	·50	·52	—	29
30	·12	X	·22	·02	—	—	—	·05	—	·12	·78	·28	30
31	·53	X	—	X	·05	X	·22	—	X	·25	X	—	31
Total	2·80	4·07	3·52	1·37	2·04	2·56	1·89	1·75	2·20	1·77	6·51	7·36	YEAR'S TOTAL 37·84
Rain Days.	17	21	27	15	14	8	15	14	11	14	23	23	202

W. 8,000. X. 14.

Feb 17 & 28 [illegible] · Aug 4 [illegible] [illegible] Est Lat. corrections not [illegible] [illegible] 8.21.23

3711

3493

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hury Reservoir

in the County of York NR

by The Tees Valley Water Board

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Cotherstone

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 866 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	S.R. ·23	·09	—	—	·15	—	·05	·24	·02	—	·06	·08	1
2	—	·32	S. ·23	·23	—	·02	·03	·28	·03	—	—	·03	2
3	S. ·35	·04	·04	·14	—	—	·21	·11	—	—	·05	S.R. ·49	3
4	·04	·03	·13	·15	·02	·07	—	·50	—	—	·02	S. ·45	4
5	·13	·26	·13	·02	·04	·04	—	·03	—	—	—	·43	5
6	·18	·47	·06	·16	—	—	·70	·02	—	·02	—	·23	6
7	·22	S. ·37	—	·17	·15	—	·33	·14	—	—	—	·16	7
8	·17	S.R. ·25	S. ·03	·15	·04	—	·02	·03	—	—	·47	—	8
9	—	·03	—	—	—	—	—	05 ~~·06~~	—	·05	·30	S. ·58	9
10	·37	—	—	·03	—	—	—	·02	—	·02	—	·31	10
11	·25	—	—	—	S.R. ·60	—	—	—	—	—	S. ·05	·07	11
12	·06	S. ·02	—	·04	·02	—	·03	—	—	·05	S. ·50	—	12
13	·22	S.R. ·18	—	—	—	—	—	·04	·03	·02	—	·04	13
14	·47	S. ·04	—	·07	·07	—	—	·04	—	—	—	·05	14
15	1·18	—	—	—	—	—	·11	66. ~~19~~	—	—	S. ·19	·20	15
16	—	S.R. ·23	—	—	—	—	·34	12. ~~[illegible]~~	—	—	—	—	16
17	—	39 ~~[illegible]~~	—	—	—	—	—	—	·04	—	—	·03	17
18	—	·14	S. ·03	—	—	—	—	·02	·10	·04	·02	—	18
19	·04	·10	S. ·04	·21	—	—	·17	—	—	·05	—	—	19
20	·08	—	·07	—	—	—	·21	—	—	·03	—	·34	20
21	·05	S. ·05	—	·07	—	—	·02	—	—	—	—	·12	21
22	—	—	·03	—	—	—	·22	—	—	·02	—	·14	22
23	·02	S. ·03	·05	—	—	—	—	—	—	·08	—	·22	23
24	—	—	S.R. ·14	·12	—	—	—	—	·57	·09	—	·28	24
25	—	—	—	—	—	·02	·03	—	·03	—	—	—	25
26	—	S.R. ·24	·02	—	—	·09	·03	—	—	—	—	·36	26
27	—	S.R. ·26	—	—	—	—	·41	—	—	·18	—	·46	27
28	—	S. 27 ~~[illegible]~~	·03	—	·45	—	·02	·38	—	—	—	·05	28
29	—	X	—	—	·11	—	—	—	·02	—	·12	·46	29
30	S. ·15	X	—	·02	—	·14	—	—	—	·02	—	·03	30
31	S.R. ·06	X	—	X	—	X	—	·52	X	·07	X	·37	31
Total	4·27	3·81 ~~[illegible]~~	1·03	1·58	1·65	·38	2·93	3·20 ~~[illegible]~~	·84	·74	1·78	5·98	YEAR'S TOTAL ~~26·40~~
Rain Days.	19	21	14	14	10	6	17	16	8	14	10	25	174

28·19

W. 8,000. X. 14.

3493

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916.

Kept at Hury, in the North Riding of
~~in~~ the County of York NR
by The Valley Water Board

Lat. Long.
Time of Observation
Nearest Railway Station Cotherstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 866 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
16 1	·85	—	SR ·08	—	—	·12	·44	·03	—	—	·20	—	1
2	·07	·08	s ·02	—	—	·04	—	—	·19	·13	·02	·02	2
3	·02	·16	—	—	—	·04	—	—	1·13	·19	·28	—	3
4	·24	·05	—	·02	·65	·18	·12	—	·16	·73	·26	—	4
5	·11	·52	s ·02	—	·47	·31	—	—	—	·49	·42	—	5
6	·92	SR ·40	s ·12	s ·06	·33	·05	·15	—	—	·09	·21	—	6
7	—	s ·12	s ·07	—	·25	·18	·60	—	—	·47	—	·17	7
8	—	s ·04	s ·18	·02	—	·08	—	—	—	·05	·13	—	8
9	·02	—	—	—	·07	·03	·09	—	—	—	·20	·42	9
10	·10	s ·03	s ·09	·14	—	·13	·21	—	—	·77	·02	s ·08	10
11	—	s ·23	s ·21	·48	·02	·03	·09	—	—	·09	·05	s ·16	11
12	·19	·20	s ·18	·24	·38	·04	·47	—	—	·12	—	·04	12
13	—	·08	s ·21	·08	—	—	·09	·16	—	·37	·02	SR ·05	13
14	·07	SR ·23	·08	SR ·14	·17	—	—	·34	—	·41	·04	·09	14
15	·10	·66	SR ·64	—	—	—	·03	·29	—	·03	—	—	15
16	—	s ·15	·45	·16	—	—	·07	—	—	—	—	·03	16
17	·09	s ·05	—	·34	—	—	—	·07	·20	·16	s ·03	s ·02	17
18	·03	SR ·52	·02	·08	—	·02	—	·19	·26	·09	SR ·89	s ·05	18
19	·39	—	·15	·19	—	—	—	·03	·02	—	SR ·98	s ·06	19
20	·15	—	·09	·09	—	—	·14	·09	—	—	·12	SR ·17	20
21	·36	—	s ·05	—	—	—	—	—	—	—	—	—	21
22	·08	s ·07	—	·02	—	·05	—	—	—	·16	·03	s ·02	22
23	·10	—	s ·10	·03	—	—	—	—	—	·08	·10	s ·15	23
24	—	—	s ·03	·02	—	·43	—	·28	—	·04	·31	·07	24
25	·02	s ·04	SR ·15	—	·15	·02	—	·67	—	·17	·14	SR ·04	25
26	·21	s ·07	s ·05	—	—	·10	·11	—	—	·04	—	—	26
27	—	s ·32	—	—	·03	—	—	—	·02	·57	—	·02	27
28	·05	s ·09	—	—	—	—	—	—	—	·28	·03	1·71	28
29	·02	SR ·32	—	—	·03	—	—	—	—	·18	·05	·16	29
30	·03	X	—	—	·02	—	·05	·03	—	·88	—	·18	30
31	—	X	—	X	·35	X	—	—	X	·34	X	·23	31
99 Total	4·22	4·43	2·99	2·11	2·92	1·85	2·66	2·18	1·98	6·93	4·53	3·94	YEAR'S TOTAL 40·74
Rain Days.	23	22	21	16	13	17	14	11	7	25	22	22	213

W. 8,000, VIII. 16

2493

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Hury Reservoir

in the County of York

by Tees Valley Water Board

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	—	—	·02	—	·11	·61	-	·14	·27	1
2	·57	—	—	S ·03	—	·03	—	·02	—	—	—	—	2
3	·10	S ·03	—	S ·15	—	·11	—	—	—	·24	·02	—	3
4	—	—	S ·05	—	—	—	—	—	—	—	—	—	4
5	S ·17	—	S ·09	S ·16	—	—	—	·02	—	·10	·20	—	5
6	—	—	—	—	—	·02	—	—	·02	S ·12	·37	·15	6
7	SR ·42	—	S ·02	—	—	·23	—	·52	—	·12	—	·24	7
8	S ·27	—	—	SR ·12	—	·04	—	1·19	—	·47	·11	S ·15	8
9	S ·04	—	—	—	—	—	—	·40	—	·05	·19	S ·10	9
10	SR ·15	—	S ·48	S ·21	·30	—	—	·04	—	·11	—	—	10
11	·02	S ·03	—	S ·02	·08	—	—	·36	—	·08	·02	—	11
12	—	—	—	—	·26	·03	—	·03	—	·10	—	·02	12
13	S ·08	—	—	·21	·25	—	—	·42	·31	·07	—	·17	13
14	S ·19	—	—	S ·34	·38	—	—	·25	—	—	—	SR ·17	14
15	S ·15	—	—	S ·06	·25	—	·03	·03	·02	·02	—	S ·11	15
16	S ·06	—	—	SR ·15	—	·03	—	·17	·08	·02	—	S ·17	16
17	—	·11	·03	SR ·16	·17	—	—	·84	·12	·03	—	S ·03	17
18	S ·04	—	·08	·02	·27	—	·34	·36	·08	—	—	—	18
19	S ·11	SR ·18	SR ·43	—	·18	·06	·02	·03	—	—	·02	·10	19
20	S ·15	·55	SR ·06	—	·02	·62	—	·15	·41	—	·14	·19	20
21	S ·02	·10	—	·03	—	—	—	·11	—	—	—	—	21
22	—	—	—	—	—	—	—	—	·04	·33	·03	—	22
23	S ·02	—	—	—	·13	·32	—	·26	—	·08	·32	—	23
24	—	·04	—	—	—	·02	·09	·38	—	·75	·72	—	24
25	—	—	·09	—	—	—	—	—	·02	SR ·19	—	—	25
26	—	—	—	—	—	—	·02	·62	·20	SR ·18	SR ·42	—	26
27	—	—	·02	—	·04	·04	·65	·54	—	S ·08	·11	·03	27
28	S ·04	—	·37	—	—	—	·02	·31	—	—	·08	·03	28
29	—		S ·13	—	·08	—	·03	·02	—	·44	—	—	29
30	S ·04		—	—	—	—	—	·04	—	·32	·05	·04	30
31	S ·03		S ·16		·06		—	—		—		·11	31
99 Total	2·70	1·04	2·01	1·66	2·47	1·57	1·20	7·22	1·91	3·90	2·94	2·08	YEAR'S TOTAL 30·70
Rain Days.	21	7	13	13	14	13	8	25	11	21	16	17	179

W. 8,000, IX. 17.

3493

95

FORM A. BRITISH RAINFALL

6.1.19

REGISTER OF RAINFALL IN 1918

Kept at Hury Reservoir

in the County of Yorks. N

by Tees Valley Water Board

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Cotherstone N.E.R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 866 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·07	S. ·03	·03	S.R ·09	—	—	—	·15	02	·42	·08	1
2	—	·02	—	·23	—	—	—	—	·16	—	—	·18	2
3	—	—	S.R ·02	—	·05	—	—	—	—	·13	—	·03	3
4	—	·05	·03	—	·25	—	—	05	—	34	·59	·04	4
5	—	·04	S.R. ·14	·08	·42	—	—	1·65	—	21	·05	·05	5
6	S.R ·07	·30	02	·14	—	·07	—	25	—	·31	—	·02	6
7	S ·02	·04	—	·15	—	—	·02	—	·44	·18	·40	—	7
8	S ·02	·14	S ·21	—	—	—	07	·10	·19	·18	S.R. ·24	—	8
9	S.R ·11	·93	—	·02	—	·02	—	—	·75	·12	·13	·03	9
10	—	·98	·04	·02	—	—	·09	—	·47	·02	15	—	10
11	S.R ·38	·06	—	—	19	—	03	—	02	—	—	07	11
12	—	·18	—	·02	—	—	·30	—	·05	—	—	·04	12
13	—	—	—	·13	·10	—	—	—	·25	·21	—	·05	13
14	S.R ·31	—	—	—	—	·29	·36	·05	·45	—	—	·03	14
15	—	—	—	·02	—	·07	·59	—	2·20	—	—	·77	15
16	S ·02	—	·02	—	—	·03	·46	·18	·50	—	—	·27	16
17	S ·32	—	—	—	20	·09	64	·07	·30	·19	—	S.R ·24	17
18	1·30	—	·08	—	—	—	·19	—	·12	·24	—	S.R ·17	18
19	S.R ·35	06	05	S ·07	—	—	·47	11	47	·31	—	S ·02	19
20	·34	·45	—	S ·18	04	·02	50	—	·08	—	—	—	20
21	28	·61	—	S.R ·02	—	·04	—	—	·38	06	—	—	21
22	·04	·09	—	—	·25	·09	·09	·02	·08	—	—	S.R 1·27	22
23	·03	·02	—	·02	·23	—	·57	—	·08	—	·04	S.R ·08	23
24	—	·03	—	—	—	—	·14	05	·05	·02	·04	—	24
25	—	·02	—	—	·16	02	07	67	·19	—	—	S ·02	25
26	·05	·43	—	—	—	—	13	·05	·44	—	—	·03	26
27	—	·28	·14	—	—	—	02	·38	·27	—	·04	·38	27
28	—	S ·06	·21	—	—	—	—	·05	·04	—	—	·51	28
29	—	X	—	—	—	—	—	—	·16	—	—	·44	29
30	—	X	·02	—	—	—	—	—	—	—	02	·20	30
31	—	X	·23	X	—	X	—	·10	X	—	X	—	31
99 Total	3·67	4·86	1·24	1·13	1·98	·74	4·74	3·78	8·29	2·54	2·12	5·02	YEAR'S TOTAL 40·11
Rain Days	16	21	14	14	11	10	18	15	25	15	11	24	194

3498

8 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hury

in the County of York

by J Harvey

Lat. Long.

Time of Observation 9.00 am

Nearest Railway Station Cotherston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 866 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	S ·03	·04	—	·15	—	30	·03	~~·34~~	·11	~~·44~~	·07	1
2	SR ·23	—	SR ·13	—	·10	—	·42	—	·12	—	·11	·09	2
3	S ·24	—	—	—	·28	·16	·27	—	—	—	·20	·48	3
4	S ·10	S ·09	S ·29	—	·13	—	·03	·11	—	—	SR ·20	·24	4
5	·02	S ·05	—	—	·02	—	—	—	—	—	·09	·27	5
6	SR ·05	—	·34	—	·46	—	—	—	—	·05	·03	·06	6
7	·10	—	SR ·26	—	·03	—	—	—	—	—	·04	—	7
8	·17	—	—	·07	·19	·03	—	—	—	—	·09	—	8
9	·57	—	·04	·03	—	—	—	—	—	—	S ·20	—	9
10	—	—	·60	·05	·07	—	—	—	—	·03	S ·02	·19	10
11	—	—	SR ·44	—	·03	—	—	—	·40	·02	—	·02	11
12	—	—	S ·16	·32	—	·05	·07	—	·11	·19	S ·31	—	12
13	·08	—	S ·02	·17	—	—	·07	·07	—	·11	—	—	13
14	·16	—	—	·13	—	—	·15	·02	—	—	S ·04	·03	14
15	·39	SR ·22	·05	·26	—	~~·02~~	—	—	—	·02	S ·12	·40	15
16	·15	·27	—	·02	—	·02	—	—	—	—	SR ·09	—	16
17	—	SR ·03	—	—	·02	—	—	·08	—	—	·42	—	17
18	—	—	S ·08	—	—	~~·07~~	—	·31	·04	—	·20	·27	18
19	—	SR ·27	S ·39	·02	—	·07	·08	·03	S ·03	—	·29	·03	19
20	·25	·30	S ·05	—	—	·06	·24	·03	·06	—	—	·11	20
21	·07	·26	S ·04	—	—	—	—	·05	·02	—	—	SR ·12	21
22	—	·28	—	—	—	·06	—	·05	·03	—	·09	SR ·12	22
23	·04	—	S ·03	·11	—	·05	—	·05	—	·85	·22	·10	23
24	—	—	—	·12	·06	·17	—	—	·15	·15	·67	SR ·06	24
25	·10	·02	—	·12	—	·04	—	1·21	·16	—	SR ·21	—	25
26	S ·03	SR ·08	·33	S ·05	—	·02	—	·09	·16	—	SR ·25	SR ·31	26
27	S ·04	—	SR ·02	S ·07	—	—	—	—	—	SR ·04	SR ·18	SR ·11	27
28	S ·02	—	—	SR ·10	—	—	—	·61	—	·29	—	·45	28
29	SR ·16		—	·02	—	·07	—	—	—	·93	—	·14	29
30	S ·02		S ·06	—	—	·15	—	—	—	·35	·17	·48	30
31	S ·03		—		—		·23	—		·14		·02	31
99 TOTAL	3·52	1·90	3·37	1·66	1·54	·95	1·86	2·74	1·62	3·28	4·24	4·17	YEAR'S TOTAL 30·85
Days with ·01 in. or more	23	12	19	16	12	13	10	14	12	14	23	23	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·21 in on Aug 25

3493

7 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at Hury Reservoir
in the County of Yorks
by The Tees Valley Water Board

Lat. 54° - 34′ Long. 2° - 3′
Time of Observation 9. AM.
Nearest Railway Station Cotherstone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 866 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	·09	·20	·63	–	·44	·04	–	·08	·16	·02	1
2	–	·11	–	·14	·17	–	·40	–	·15	·08	–	·35	2
3	S ·06	·25	·02	·13	·14	·05	·39	·18	·08	·50	–	·24	3
4	SR ·08	–	–	·07	–	–	·28	·34	–	1·06	–	·17	4
5	–	–	·09	·04	·12	–	·06	·02	–	·18	–	·02	5
6	–	–	·11	·07	·29	–	·02	–	–	–	–	·09	6
7	·71	·05	S ·02	·02	·03	–	·28	–	–	–	–	·03	7
8	·04	·08	–	SR ·22	·16	–	·19	–	–	–	·07	–	8
9	S ·21	1·26	–	SR ·44	–	–	·18	·16	·03	–	–	·02	9
10	1·04	·64	·04	·64	–	–	·08	·11	–	–	–	·02	10
11	·68	SR. ·04	S ·04	·17	·34	·06	·02	–	–	–	–	S ·24	11
12	·42	·17	SR ·29	·32	·10	·06	·08	–	–	–	·05	S ·33	12
13	SR ·38	·16	S ·11	·24	·03	·81	·02	–	–	–	·14	S ·14	13
14	·02	·07	S ·09	·28	–	–	·20	–	·04	·17	·34	SR ·04	14
15	–	·12	S ·18	·32	–	–	·03	–	–	·68	·12	S ·04	15
16	·04	–	·03	·02	·10	–	·23	–	·55	–	·28	S ·03	16
17	·19	–	·30	–	·17	–	–	·15	·09	·07	–	–	17
18	·30	·02	–	–	·84	·47	·06	–	–	–	–	–	18
19	S ·09	S ·25	–	·08	·15	·03	–	·08	–	–	–	–	19
20	·09	S ·03	–	·11	–	–	·06	–	·23	–	–	·03	20
21	·03	–	–	·10	–	–	·11	·09	·20	–	–	·22	21
22	·11	–	–	·13	–	·07	·38	·02	–	–	–	–	22
23	·02	–	–	–	–	–	·38	–	–	–	–	S ·07	23
24	·10	–	·72	·05	–	–	·10	–	–	–	–	·16	24
25	–	·08	·22	·03	–	–	·40	–	–	–	–	·07	25
26	SR ·07	·07	SR ·67	·27	–	–	·03	–	–	–	–	·03	26
27	SR ·21	–	·29	SR ·09	·16	·79	·05	–	–	–	·13	·02	27
28	S ·07	·05	·48	·04	–	·04	·03	–	–	–	–	·31	28
29	SR ·18	·03	·06	–	·71	·02	·15	–	·02	–	·13	·80	29
30	·22	╳	·04	–	·11	·04	–	–	·16	–	·12	·13	30
31	·30	╳	·07	╳	·03	╳	–	–	╳	·35	╳	·12	31
99 TOTAL	5·66	3·51	3·96	4·22	4·28	2·44	4·65	1·19	1·55	3·17	1·54	3·74	YEAR'S TOTAL 39·94
Days with ·01 in. or more	25	19	21	25	18	11	27	10	10	9	10	26	211
Days with ·04 in. or more	22	15	18	22	15	9	21	8	8	9	10	17	17~~8~~4

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

283

FORM A. BRITISH RAINFALL.

1·19

REG

BARDSEY
PUMPING STN.
YORKSHIRE
1918 - 1920

Kept at Bardse

in the County of York

by M. C.

Mins R.

sey

5 in.

d 2 ft. 6 in.

evel 250 ft.

IMPORTANT NOT … esult entered to the previous day. If an Ob … rule, he is earnestly requested to add the rea … the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·12	·04	·04	·01	–	–	–	·08	·07	·17	·05	1
2	–	·15	–	·04	–	–	–	·02	·20	–	–	·26	2
3	–	·07	·05	–	·54	–	–	·15	–	–		·02	3
4	–	·02	·06	–	·10	–	–	·42	·61	·04	·35	·36	4
5	–	–	·05	–	·30	–	–	·85	–	·17	·01	·01	5
6	–	·32	·02	·28	·01	·23	–	·12	·02	·07	–	·04	6
7	·03	·08	–	·06	–	–	–	–	·32	·09	·16	–	7
8	–	·03	·12		–	–	·25	·04	·22	·06	·05	–	8
9	·02	·35	–	·20	–	·08	·06	–	1·06	·19	·02	·03	9
10	–	·07	–	·01	–	–	·12	–	·08	·01	·01	·01	10
11	·21	·07	–	–	·15	–	·02	–	·04	–	–	·03	11
12	–	·11	·21	·08		–	·32	–	·02	–	–	·05	12
13	–	·01	–	·10	·35	–	–	–	·20	·09	–	–	13
14	·03	–	–	·03	–		·06	–	·70	·05	·01	·15	14
15	–	–	–	–	–	·03	·42	–	·96	–	–	·78	15
16	·13	–	–	–	·01	·05	·11	·02	·19	·09	–	·15	16
17	·25	–	–	–	·47	·04	·73	–	–	·22	–	·29	17
18	·40	–	·05	–	–	·04	·63	–	·47	–	–	·15	18
19		–	·03	·04	–	–	·37	·04	·13	·17	–	·82	19
20	·37	·43	–	–	–	·10	·58	–	·09	·02	–	–	20
21	·20	·11	–	–	·44	·04	–	–	·15	·32	–	–	21
22	–	–	–	–	·16	·09	·14	–	–	–	–	·38	22
23	·11	–	–	–	·34	–	·29	–	·02	–	–	–	23
24	–	·01	–	–	–	–	·05	–	·10	–	–	–	24
25	–	–	–	–	–	·15	·05	·26	·08	–	–	·01	25
26	–	–	–	–	–	–	·22	·02	·36	–	·10	·04	26
27	–	·05	·01	–	·01	·03	·01	·45	·62	–	·11	·14	27
28	–	·18	·26	–	–	–	–	·03	·05	–	·07	·61	28
29	–		–	–	–	–	–	–	·19	–	–	·30	29
30	–		·31	·01	–	–	–	–	–	–	·01	·16	30
31	–		·15		–		–	·02		–		·01	31
Total	1·80	2·18	1·36	·89	2·89	·88	4·43	2·44	6·96	1·66	1·07	4·85	YEAR'S TOTAL 31·41
Rain Days.	12	17	13	12	14	12	18	13	25	15	13	24	188

W. 8,000, IX. 17.

283

REG

FORM A. BRITISH RAINFALL.

Mini No. 1. 19

Kept at Bardsey
in the County of Yorkshire W.
by M. C. Wood.

Time of Observation 9 a.m.
Nearest Railway Station Bardsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6′ in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·12	·04	·04	·01	—	—	—	·08	·07	·17	·05	1
2	—	·15	—	·04	—	—	—	·02	·20	—	—	·26	2
3	—	·07	·05	—	·54	—	—	·15	—	—	}	·02	3
4	—	·02	·06	—	·10	—	—	·42	·61	·04	·35)	·36	4
5	—	—	·05	—	·30	—	—	·85	—	·17	·01	·01	5
6	—	·32	·02	·28	·01	·23	—	·12	·02	·07	—	·04	6
7	·03	·08	—	·06	—	—	—	—	·32	·09	·16	—	7
8	—	·03	·12	}	—	—	·25	·04	·22	·06	·05	—	8
9	·02	·35	—	·20)	—	·08	·06	—	1·06	·19	·02	·03	9
10	—	·07	—	·01	—	—	·12	—	·08	·01	·01	·01	10
11	·21	·07	—	—	·15	—	·02	—	·04	—	—	·03	11
12	—	·11	·21	·08	}	—	·32	—	·02	—	—	·05	12
13	—	·01	—	·10	·35)	—	—	—	·20	·09	—	—	13
14	·03	—	—	·03	—	}	·06	—	·70	·05	·01	·15	14
15	—	—	—	—	—	·03)	·42	—	·96	—	—	·78	15
16	·13	—	—	—	·01	·05	·11	·02	·19	·09	—	·15	16
17	·25	—	—	—	·47	·04	·73	—	—	·22	—	·29	17
18	·40	—	·05	—	—	·04	·63	—	·47	—	—	·15	18
19	}	—	·03	·04	—	—	·37	·04	·13	·17	—	·82	19
20	·37)	·43	—	—	—	·10	·58	—	·09	·02	—	—	20
21	·20	·11	—	—	·44	·04	—	—	·15	·32	—	—	21
22	—	—	—	—	·16	·09	·14	—	—	—	—	·38	22
23	·11	—	—	—	·34	—	·29	—	·02	—	—	—	23
24	—	·01	—	—	—	—	·05	—	·10	—	—	—	24
25	—	—	—	—	—	·15	·05	·26	·08	—	—	·01	25
26	—	—	—	—	—	—	·22	·02	·36	—	·10	·04	26
27	—	·05	·01	—	·01	·03	·01	·45	·62	—	·11	·14	27
28	—	·18	·26	—	—	—	—	·03	·05	—	·07	·61	28
29	—		—	—	—	—	—	—	·19	—	—	·30	29
30	—	X	·31	·01	—	—	—	—	—	—	·01	·16	30
31	—	X	·15	X	—	X	—	·02	X	—	X	·01	31
Total	1·80	2·18	1·36	·89	2·89	·88	4·43	2·44	6·96	1·66	1·07	4·85	YEAR'S TOTAL 31·41
Rain Days.	12	17	13	12	14	12	18	13	25	15	13	24	188

W. 8,000, IX. 17.

3116

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at Waterworks Bardsey
in the County of Yorkshire
by M. C. Wood

Lat. 53.51.45 N. Long. 1°.28'.W
Time of Observation 9. am
Nearest Railway Station Bardsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·58	–	–	–	·42	–	·23	–	·42	·19	·05	·11	1
2	·21	–	·12	–	–	–	·12	–	·03	–	·04	–	2
3	·36	–	–	–	·06	·03	·93	–	–	–	·21	·22	3
4	·07	·04	·36	–	–	·17	–	·09	·25	–	N.M.	·12	4
5	·05	–	–	–	·03	–	–	–	–	–	·20	·22	5
6	–	–	·04	–	·44	–	–	–	–	–	·03	·10	6
7	·04	–	·23	–	·14	–	–	–	–	–	–	–	7
8	·08	–	–	·02	·07	·02	–	·01	–	–	·21	–	8
9	·12	–	·10	–	–	–	–	–	–	–	·03	–	9
10	–	–	·14	·02	·01	–	–	–	–	·02	·06	·27	10
11	–	–	·98	·03	·09	–	·13	–	–	·02	·03	·03	11
12	–	–	·58	·08	–	·19	·11	–	·12	·25	·03	·01	12
13	·12	–	–	·12	–	–	–	·02	·01	·45	–	·05	13
14	·22	–	–	·20	–	–	·05	·10	–	·01	·08	·03	14
15	·10	·17	·02	·18	–	–	–	–	–	–	·02	·59	15
16	·02	·84	–	·04	–	–	–	–	–	–	·19	–	16
17	–	·08	–	·07	–	·07	–	·05	–	–	·22	–	17
18	–	–	·15	–	·01	–	·05	·29	·03	–	–	·19	18
19	·04	·32	1·18	·02	–	·02	·79	·14	·09	–	·23	·05	19
20	·65	·12	·04	–	–	–	·26	–	.07	–	·10	·29	20
21	·18	·26	–	–	–	N.M	·12	–	·02	–	–	·22	21
22	–	·15	–	–	–	·11	–	–	·20	–	·02	·30	22
23	–	–	–	–	–	·01	–	–	–	1·10	·03	·04	23
24	·02	–	–	·13	·03	·36	–	–	–	·41	·02	·47	24
25	·04	·05	–	·20	·01	·04	–	·51	–	·01	·18	–	25
26	–	–	·31	N.M	–	·03	–	·05	·05	·09	·12	·65	26
27	·20	–	–	·31	–	–	–	–	–	·11	–	·04	27
28	–	–	–	·10	–	–	–	·82	–	·15	–	·39	28
29	·09	–	–	·03	–	·12	–	·05	–	·83	–	·09	29
30	·01		–	·18	–	·15	–	–	–	·02	·31	·23	30
31	·03		–		–		·10	–		·04		–	31
Total	3·23	2·03	4·25	1·73	1·31	1·32	2·89	2·13	1·29	3·70	2·41	4·71	YEAR'S TOTAL 31·00
Rain Days.	21	9	13	17	11	14	11	11	11	15	23	23	179

W, 6,500, VII. 18. w w c

Ex ML

5001

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Waterworks Bardsey
in the County of Yorkshire
by M. C. Wood.

Lat. 53° 51' 45" Long. 1° 28' W.
Time of Observation 9 am.
Nearest Railway Station Bardsey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	N.M.	·32	·49	·04	·61	·06	–	·10	·10	·04	1
2	–	–	·20	·19	·02	–	·52	–	·15	·18	·01	·31	2
3	–	–	–	·05	·04	–	1·77	·15	·11	·12	–	·22	3
4	–	–	–	·01	·05	–	·31	·80	·02	·62	–	·17	4
5	–	–	·03	~~·11~~	·06	–	·06	–	–	·06	–	·03	5
6	–	–	·11	·12	·14	–	·02	–	–	–	·01	·08	6
7	·08	–	·10	·01	·03	–	·45	–	–	–	–	·01	7
8	·10	·05	–	·35	·10	–	·10	·29	–	·03	·07	–	8
9	N.M.	·27	·02	·53	–	–	–	·07	–	·02	–	–	9
10	·88	·39	·02	·28	–	–	·45	·13	–	–	–	–	10
11	·38	·02	·04	·17	·16	·08	–	–	–	–	–	·14	11
12	·10	–	·15	·33	·01	·02	·01	–	–	·01	·10	·10	12
13	·09	·05	·09	·04	–	·44	–	–	–	–	·07	·19	13
14	·05	·06	·46	·16	–	·18	·02	–	·25	·24	·29	–	14
15	–	·17	·17	·10	–	–	·03	–	–	·20	·12	·04	15
16	–	–	·01	–	·05	–	·68	–	·14	–	·08	–	16
17	·02	–	–	–	·18	–	–	–	·18	·04	–	–	17
18	·18	–	–	·10	·13	·04	–	·10	·12	–	–	–	18
19	–	·61	–	·13	·02	·16	–	·16	·05	–	–	–	19
20	·03	–	–	·35	–	·02	·10	–	–	–	–	N–M	20
21	–	–	–	·03	–	–	·34	·21	·01	–	–	·03	21
22	·04	–	–	·30	–	–	·10	–	–	–	·01	·03	22
23	–	–	·01	–	–	–	·47	–	–	·01	–	·31	23
24	·04	–	·42	·04	–	–	·07	–	–	·01	–	·10	24
25	·03	·05	·12	·04	–	–	·69	–	–	–	·01	–	25
26	N.M	·03	·25	·10	–	–	·12	–	–	–	–	–	26
27	·26	·03	–	N.M	·37	·57	–	–	–	–	·25	·07	27
28	·89	–	·10	·17	·08	·03	–	–	–	–	·02	·13	28
29	·14	–	·20	·02	·77	·10	·02	–	–	–	·12	·54	29
30	·29		·04	–	–	·09	–	–	·14	–	·12	·24	30
31	·16		·08		·17		–	–		·39		·10	31
TOTAL	3·76	1·73	2·62	3·94	2·87	1·77	6·94	1·97	1·17	2·03	1·38	2·88	YEAR'S TOTAL 33·06
Days with ·01 in. or more	20	11	21	25	18	12	21	9	10	14	15	21	197
	11	8	16	21	14	9	16	9	8	9	10	16	153

(44,283). Wt.21,058—218. 7500. 10/19. Gp.132. A.&E.W.

REGIS 3174

BARNSLEY, BURNTWOOD HALL

1912 – 80

1920

FORM A.
BRITISH RAINFALL.
14 JUL 1913

Kept at Burntwood ... rm

in the County of Yorksh ... nthorpe 2½ miles ... in.

by I. Dymon ... ound ... ft. 9 in.

... Level 370 ft.

IMPORTANT NOTE ... result entered to the previous day. If an Obs ... al rule, he is earnestly requested to add the readi ... n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		.05	15	03		.52	03	.05	–			93	1
2			04			.08	62	–	03			12	2
3	.10		~~88~~			.48	–	–	26			05	3
4	11		48		.11	.68	–	.60	–		30	–	4
5	09		04		.11	.22	–	.53	–		03		5
6	1.16	07	07		.09	.02	–	.46	–				6
7		10			.03	05	–	.29	–				7
8	.23	34	07		–	–	–	.02	21		–	03	8
9	.34	15	23		–	–	–	.09				01	9
10	.02	02	02	19	–	.82	–	.17				05	10
11	.08	04			~~4~~	–	–	–			02	50	11
12	.04	37	04		~~11~~	.32	.65	–			20		12
13		03			–	–	–	–			08		13
14	.14				–	–	–	.07			63		14
15	.09	05	31		.58	–	–	–			15		15
16	.66		.16		.22	.28	–	09		09			16
17	.03	03	.09		–	.30	.06	22		–		12	17
18	.42		.17		–	–	.04	01		–		19	18
19	.60	15	07		–	–	.84	94		08			19
20		02			.35	–	.18	09		09	03		20
21			26		.74	–	.53	–		27	02		21
22		07	09		1.14	.02	.08	50		–	–		22
23	02		25		03	.45	.25	35			06	04	23
24	12				02	–	.27	26				25	24
25	24				–	.36	–	08					25
26		20			–	–	.39	1.04		1.06	25	26	26
27			04		–	.22	.34	–		60	16	09	27
28					–	.02	24	30		13	04		28
29			03		–	.20	.03	03	52	67	68		29
30	02		06		.74		–	–	18	03			30
31					.60		62	11					31
													YEAR'S TOTAL
Total	4.51	1.69	264	.22	4.76	504	5.17	630	120	239	205	264	38.61
Rain Days.	19	15	20	2	13	17	16	22	5	9	14	13	165

W. 7,500, XI. 12

REGIS

FORM A.
BRITISH RAINFALL.

4 JUL 1913

Kept at Burntwood Hall

in the County of Yorkshire West Riding

by I. Dymond

7

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Moorthorpe 2½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05	15	.03		.52	03	.05	–			93	1
2			04			.08	62	–	03			12	2
3	.10		~~48~~			.48	–	–	26			05	3
4	11		48		.11	.68	–	.60	–		30	–	4
5	09		04		.11	.22	–	.53	–		03		5
6	1.16	07	07		.09	.02	–	.46	–				6
7		10			.03	05	–	.29	–				7
8	.23	34	07		–	–	–	.02	21			03	8
9	.34	15	23		–	–	–	.09				01	9
10	.02	02	02	19	–	.82	–	.17	–			05	10
11	.08	04			~~–~~	–	–	–			02	50	11
12	.04	37	04		~~–~~	.32	.65	–			20	–	12
13		03			–	–	–	–			08		13
14	.14				–	–	–	.07			63		14
15	.09	05	31		.58	–	–	–			15		15
16	.66		.16		.22	.28	–	09		09			16
17	.03	03	.09		–	.30	.06	22		–		12	17
18	.42		.17		–	–	.04	01		–		19	18
19	.60	15	07		–	–	.84	94		08			19
20		02			.35	–	.18	09		09	03		20
21			26		.74	–	.53	–		27	02		21
22		07	09		1.14	.02	.08	50		–	–		22
23	02		25		03	.45	.25	35			06	04	23
24	12				02	–	.27	26				25	24
25	24				–	.36	–	08					25
26		20			–	–	.39	1.04		1.06	25	26	26
27			04		–	.22	.34	–		60	16	09	27
28					–	.02	24	30		13	04		28
29			03		–	.20	.03	03	52	67	68		29
30	02		06		.74		–	–	18	03			30
31					.60		62	11					31
Total	4.51	1.69	264	·22	4.76	504	5.17	630	120	239	205	264	YEAR'S TOTAL 38.61
Rain Days.	19	15	20	2	13	17	16	22	5	9	14	13	165

W. 7,500, XI. ·12

Ca. by surr. stats – obs. agrees. 29.V.14.

written 29.4.14

FORM A.
BRITISH RAINFALL.

6- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Burntwood Hall

in the County of Yorkshire (West Riding)

by John Dymond

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Frickley (Mid & N.E.) 2½ miles

3 mi E of Cudworth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 378 ft.

Feughside Inn
nr Banchory NB
May 3rd 1914

C.S/9

Dear Sir

Your letter dated April 29th has been forwarded on to me from Burntwood Hall with reference to the rainfall recorded on January 11th 1913. This was in the form of snow and I remember questioning my gardener at the time as to the accuracy of this

5.V.14

Date	J												Date
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10	1.20	.16		.12	15			.04			.17		10
11	~~3.05~~	.02		.64	.35					.06	.17		11
12				.03							.20	.02	12
13		.10											13
14	.10		.21						.10	.13	.06		14
15	.10		.20	.05					.09		.14		15
16	.04		.03	.34				.29			.23		16
17			.22	.04					3.17		.04		17
18			.21	.05							.07		18
19	.09			.03							.03	.02	19
20	.20		.36							.06	.05		20
21	.19				.15		.21		.03		.08		21
22	.19		49					.67	.17				22
23	.12								.13	.06			23
24	.17					.04		.10		.01	.02		24
25				.04					.04				25
26				.11						.15		.02	26
27		02	.16	.32								.30	27
28	.31		.18	.60		.05				.22			28
29			34	46	.02			.36				.15	29
30	34									.48	.02	.11	30
31	~~34~~				.32								31
Total	3.81 ~~5.66~~	.66	3.49	2.94	266	.38	1.19	1.46	3.89	334	1.89	1.01	YEAR'S TOTAL ~~27.57~~ 25.72
Rain Days.	15	8	15	14	10	4	6	5	9	13	20	10	129

W. 7,500, XI. 12

A.
FALL.

Kept a
miles

in the

by
in.
ft.

the
previ
stly
reque
ded
for it
ing.
the s
Orga
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				.11					.08				1
2		.07	.08								.07	.03	2
3	.04		.06		.40		.11			53	.04		3
4	.75		.10		.07				.03			.19	4
5	.03						.20			.40	.14	.16	5
6		.04					.60			.58	.02		6
7		.18	.12		68		.04			.69	.02		7
8		.07	03		.10	.22	.03			.15	.13	.01	8
9					.52	.07					.16		9
10	1.20	.16		.12	15			.04			.17		10
11	~~3.05~~	.02		.64	.35					.06	.17		11
12				.03							.20	.02	12
13		.10											13
14	.10		.21						.10	.13	.06		14
15	.10		.20	.05					.09		.14		15
16	.04		.03	34				.29			.23		16
17			.22	.04					3.17		.04		17
18			.21	.05							.07		18
19	.09			.03							.03	.02	19
20	.20		.36							.06	.08		20
21	.19				.15		.21		.03		.08		21
22	.19		49					.67	.17				22
23	.12								.13	.06			23
24	.11					.04		.10		.01	.02		24
25				.04					.09				25
26				.11						.15		.02	26
27		02	.16	.32								.30	27
28	.31		.18	.60		.05				.22			28
29			34	46	.02			.36				.15	29
30	34									.48	.02	.11	30
31	~~34~~				.32								31
Total	3.81 ~~5.66~~	.66	3.49	2.94	266	.38	1.19	1.46	3.89	334	189	101	YEAR'S TOTAL ~~2457~~ 25.72
Rain Days.	15	8	15	14	10	4	6	5	9	13	20	10	129

W. 7,500, XI. 12

Ex ML

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 11 JAN 1915

Kept at Burntwood Hall

in the County of Yorkshire (West Riding)

by John Dymond 7

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01				1.47	.09		.04	.02	.31	1
2	.01						.87	.15		.01	.35	.10	2
3							.07	.03			.03	.40	3
4	.10		.08	.10	.02						.37	.24	4
5	.11		.13	.04	.08	.02	.02				.10	.28	5
6			.01	.15			.15				.02	.04	6
7		.02	.23	.02	.15			.04			.05	.02	7
8	.07		.01		.05	.46		.06	.07			.06	8
9	.30		.02	.04	.05	.89		.21	.02				9
10	.22	.11		.03	.01				.05		.02	.02	10
11		.20	.20	.02		.10					.45	.35	11
12		.06	.14		.03	.02			.31			.43	12
13		.05	.11								.15	.24	13
14	.05	.06	.04				.04		.02	.15		.32	14
15		.04	.08		.01					.04	.44	.03	15
16	.07		.01				.39		.16		.01		16
17	.05	.11	.07				.04		.15			.07	17
18			.05									.24	18
19			.06				.01				.09	.15	19
20	.01	.17	.12							.06			20
21		.41	.02			.17		.11		.10	.02	.11	21
22			.02			.04	.04	.09		.12		.02	22
23			.03		.12	.08	.02					.01	23
24	.01		.27		.42		.03	.16			.21		24
25			.01		.31			.14		.70	.05	.33	25
26			.09					.30		.27	.10	.23	26
27	.05									.03	.14	.67	27
28		.03	.01							.10	.05	.16	28
29	.01		.13							.55	.03		29
30		X	.01		.01			.02		.10	.07	.14	30
31	.06	X		X		X	.24		X	.15	X	.02	31
Total	1.12	1.26	1.96	.40	1.26	1.78	3.39	1.40	.78	2.42	2.80	4.99	YEAR'S TOTAL 23.56
Rain Days.	14	11	26	7	12	8	13	12	7	14	21	26	171

W. 8,000. X. 14.

cards run stats 27.IV.16

3356

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
28 FEB 1916

Kept at Burntwood Hall

in the County of Yorkshire (W Riding)

by I. Dymond

Lat. 53 34 Long. 1·21 W

Time of Observation 9 a m

Nearest Railway Station Moorthorpe 2½ m

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 348 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	06	–	–	21	04	04	11	20	–	–	07	1
2	04	09	14	07	–	–	10	34	09	–	02	–	2
3	77	01	02	12	–	–	25	28	–	(·01)	07	60	3
4	23	01	–	–	05	–	71	–	–	–	–	1.11	4
5	04	25	01	–	–	–	–	03	–	–	02	57	5
6	03	23	21	10	–	–	55	07	–	–	–	09	6
7	36	23	04	04	–	–	13	66	–	05	~~02~~	08	7
8	05	14	02	07	–	–	10	09	–	–	04	–	8
9	02	02	–	–	–	–	–	14	–	–	04	48	9
10	14	–	07	–	–	–	–	03	02	08	04	04	10
11	02	–	04	02	66	–	12	–	–	10	–	46	11
12	04	–	–	19	18	–	04	–	–	01	40	–	12
13	–	·74	–	–	–	–	–	–	–	–	1.50	–	13
14	–	02	–	–	04	–	02	02	–	02	–	15	14
15	42	–	–	–	–	–	04	03	–	01	34	18	15
16	–	24	–	–	12	–	1.45	01	–	–	–	01	16
17	–	14	–	–	–	–	22	18	–	08	–	–	17
18	–	06	03	–	–	–	–	01	–	–	03	–	18
19	–	02	–	–	–	–	04	–	–	01	–	–	19
20	–	–	–	–	–	–	01	–	–	02	–	36	20
21	07	–	–	06	–	–	18	02	–	–	–	13	21
22	02	–	15	–	–	–	13	–	–	–	–	03	22
23	04	09	13	–	–	–	47	–	–	20	–	62	23
24	–	–	18	05	–	02	–	–	–	–	–	17	24
25	–	–	–	04	–	03	–	–	02	–	–	13	25
26	02	27	–	–	–	14	11	–	79	03	–	46	26
27	–	12	–	–	–	–	03	–	04	–	–	26	27
28	–	22	02	–	–	47	–	–	01	45	–	02	28
29	–		–	–	30	13	–	40	–	07	18	53	29
30	05	X	–	03	–	04	–	–	–	02	–	–	30
31	07	X	–	X	–	X	01	20	X	30	X	26	31
Total	2.57	2.96	1.06	·79	1.56	·87	4.75	2.62	1.17	1.46	2.66	6 15	YEAR'S TOTAL 28 62
Rain Days.	19	19	13	11	7	7	21	17	7	16	11	23	171

W. 8,000. X. 15.

3279

FORM A.
BRITISH RAINFALL.

19 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Burntwood Hall

in the County of Yorkshire (W Riding) W.R.

by I. Dymond

Lat. 53.34 Long. 1.21 W

Time of Observation 9 a.m.

Nearest Railway Station Moorthorpe 2½ E.N.E.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 378 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24		17			13	14				10		1
2	08	04	30						10	11			2
3		30	04	07			24		60	24	11		3
4		24		04	84	15		02	17	14	33		4
5	05				13					17	26		5
6	04	33	24	05	26	01	16			03	34	02	6
7	05		11							06	02	32	7
8		05	58		54		10				03	12	8
9			09			02			25		02	15	9
10			06	07		29						13	10
11		47	39	14	03	08			04			13	11
12	02		53	04	46	02	28	01		02	02		12
13		02	18	01	02		11	40		19		06	13
14		21	05	09	11			25		06	01	03	14
15		14	72		28		16	29					15
16		12	29	06			07	03		06			16
17	03	10		11			08	02	13	15			17
18		38	02	05		04		33	15	04	1·00		18
19	05	02	25	21				11	04		70		19
20	18		32	07			05						20
21	07		11	04			21					38	21
22		02		03		05				11	02		22
23		06	04	07				35		02	14		23
24		47		02		01		15				60	24
25		07	11	10	05					12	06		25
26	02	05	07							08	02		26
27		37	02		11	11				26			27
28	01	31	03			31			02	03			28
29		30			05	06		01		32			29
30										16		24	30
31										26			31
Total	·84	4·09	4·72	1·27	2·68	1·28	1·60	1·97	1·50	2·63	3·18	2·18	YEAR'S TOTAL 28·14
Rain Days.	12	21	23	18	12	13	11	12	9	21	16	11	179

W. 8,000. X. 15.

296

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

18 JAN 20

Kept at Burntwood Hall nr Barnsley
in the County of Yorkshire W Riding
by J. Dymond

Lat. 53.24 Long. 1.21 W
Time of Observation 9 a.m
Nearest Railway Station Moorthorpe Junc (NER)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .. in.
" " " " Sea Level 378 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	29	02	01		20		36		16	11	03	09	1
2	16		02				26		03		08		2
3	67				03	09	51		09		31	10	3
4	26		32		01	07		15	16		05	15	4
5	05				04				18		05	15	5
6	01		03		21					.01	01	05	6
7	02		22	02	04								7
8	11										11		8
9	04		03								08		9
10			10	03	17					02	04	08	10
11	03		1.09	03	12		18			03			11
12	—		.81	06		01	20		17			01	12
13	08			08		02			95	17		03	13
14	15	02		25			01	05	03		05		14
15	08	18	02	11							03	63	15
16	01	.85	01	05							17		16
17.	02	37		04		10		01			09	01	17
18			22				03	23				16	18
19	03	21	88			01	1.49	45	06		14	01	19
20	48	11	02			03	50	12	05		08	06	20
21	19	30	04			19	23					16	21
22		20							14			31	22
23			01	02		08		02		98	01	07	23
24	02			16	02	08	02	04		42	04	14	24
25	03			10	09			49			04	04	25
26		01	14	04				32		02	05	36	26
27	11			40						04	05	06	27
28	04			09				97		03		23	28
29	08			03		20				1.30		10	29
30	04			11		15				11	14	17	30
31	01		01				04			03		07	31
													YEAR'S TOTAL
Total	3.01	2.27	3.98	1.62	.93	95	3.83	2.85	2.02	3.27	1.65	3.24	29.62
Rain Days.	25	10	18	17	10	11	12	11	11	13	21	24	183

2525

W, 6,500, VII. 18. W W C

FORM A.
BRITISH RAINFALL.

REGISTER (19*15*.

3171

BARNSLEY - JORDAN HILL
1915, ~~1921-1930~~

M
1914

Kept at *Barnsley (Jordan* Long.
tion *9 a.m.*
in the County of *York. West* Station *3171*
n Gauge *8* in.
by *J Henry Taylor, M.Inst.C.E., Ba* *7805* of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *460.* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·09	·34	.	·16	.	·05	·01	.	.	.	·06	1
2	·05	·13	.	·16	.	.	·06	·51	.	·07	·03	.	2
3	·80	.	·09	·06	.	.	·25	·16	·04	.	.	·75	3
4	·08	·34	.	.	·07	.	·68	·07	.	.	.	1·22	4
5	·05	.	.	·10	·05	.	.	·03	.	·05	.	·54	5
6	·07	·25	.	·06	.	.	·48	·02	.	.	.	·13	6
7	·42	·28	·10	.	.	.	·06	·65	.	.	·01	·12	7
8	·11	·21	·04	·10	.	.	·05	·13	.	.	·03	·13	8
9	·02	.	·01	.	.	.	.	·07	.	·06	·07	s ·68	9
10	·29	.	.	.	.	.	.	.	.	·01	·35	·11	10
11	·03	·01	·05	.	·74	.	·05	·10	.	.	1·23	s ·40	11
12	·02	.	·03	·16	·17	.	.	·01	.	.	.	.	12
13	.	s. R. ·63	.	.	.	.	·01	.	.	·06	.	.	13
14	·02	.	.	.	.	.	·02	·31	.	.	.	·20	14
15	·64	.	.	.	.	.	.	·19	.	.	s ·28	·11	15
16	.	·28	.	.	·31	.	1·25	·14	.	·03	.	.	16
17	.	·10	·01	.	.	.	·05	.	.	.	.	.	17
18	.	{ ·08	s ·16	.	.	.	.	.	.	.	.	.	18
19	.		.	.	.	.	·07	.	.	.	.	.	19
20	.	.	.	·01	.	.	·02	.	.	.	.	·28	20
21	·04	.	.	.	.	.	·16	.	.	.	.	·09	21
22	.	.	·15	·11	.	.	·13	.	.	.	.	.	22
23	·05	.	.	.	.	.	·24	.	.	·26	.	.	23
24	.	s ·03	·10	·05	.	.	.	.	·63	·01	.	·21	24
25	.	.	·16	.	.	·09	.	.	·03	.	.	·10	25
26	.	.	.	.	.	.	·10	.	·01	.	.	·44	26
27	.	·31	.	.	.	·06	.	.	.	·40	.	·21	27
28	.	s R ·25	.	·03	.	·48	.	.	.	·08	.	·02	28
29	·07		.	.	·13	·22	.	·52	.	.	·12	·75	29
30	.		.	.	.	·22	.	.	.	.	.	·02	30
31	·06		.		.		·01	·14		·26		·20	31
Total	3·06	2·99	1·24	·84	1·63	1·07	3·74	3·06	·71	1·29	2·12	6·77	YEAR'S TOTAL 28·52
R	18	14	12	10	7	5	19	16	4	11	8	22	146

XI. 12

REGISTER 1915.

FORM A.
BRITISH RAINFALL.

3171

Kept at Barnsley (Jordan Hill)
in the County of York. West. Riding
by J. Henry Taylor M. Inst. C. E., Barnsley

Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 460. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·09	·34	-	·16	.	·05	·01	.	.	.	·06	1
2	·05	·13	.	·16	.	.	·06	·51	.	·07	·03	.	2
3	·80	.	·09	·06	.	.	·25	·16	·04	.	.	·75	3
4	·08	·34	.	.	·07	.	·68	·07	.	.	.	1·22	4
5	·05	.	.	·10	·05	.	.	·03	.	·05	.	·54	5
6	·07	·25	.	·06	.	.	·48	·02	.	.	.	·13	6
7	·42	·28	·10	.	.	.	·06	·65	.	.	·01	·12	7
8	·11	·21	·04	·10	.	.	·05	·13	.	.	·03	·13	8
9	·02	.	·01	.	.	.	.	·07	.	·06	·07	s ·68	9
10	·29	.	.	.	.	.	.	.	.	·01	·35	·11	10
11	·03	·01	·05	.	·74	.	·05	·10	.	.	1·23	s ·40	11
12	·02	.	·03	·16	·17	.	.	·01	.	.	.	.	12
13	.	S. R. ·63	.	.	.	.	·01	.	.	·06	.	.	13
14	·02	.	.	.	.	.	·02	·31	.	.	.	·20	14
15	·64	.	.	.	.	.	.	·19	.	.	s ·28	·11	15
16	.	·28	.	.	·31	.	1·25	·14	.	·03	.	.	16
17	.	·10	·01	.	.	.	·05	.	.	.	.	.	17
18	.	{ ·08	s ·16	.	.	.	.	.	.	.	.	.	18
19	.		.	.	.	.	·07	.	.	.	.	.	19
20	.	.	.	·01	.	.	·02	.	.	.	.	·28	20
21	·04	.	.	.	.	.	·16	.	.	.	.	·09	21
22	.	.	·15	·11	.	.	·13	.	.	.	.	.	22
23	·05	.	.	.	.	.	·24	.	.	·26	.	.	23
24	.	s ·03	·10	·05	.	.	.	.	·63	·01	.	·21	24
25	.	.	·16	.	.	·09	.	.	·03	.	.	·10	25
26	.	.	.	.	.	.	·10	.	·01	.	.	·44	26
27	.	·31	.	.	.	·06	.	.	.	·40	.	·21	27
28	.	S. R. ·25	.	·03	.	·48	.	.	.	·08	.	·02	28
29	·07		.	.	·13	·22	.	·52	.	.	·12	·75	29
30	.		.	.	.	·22	.	.	.	.	.	·02	30
31	·06		.		.		·01	·14		·26		·20	31
Total	3·06	2·99	1·24	·84	1·63	1·07	3·74	3·06	·71	1·29	2·12	6·77	YEAR'S TOTAL 28·52
R	18	14	12	10	7	5	19	16	4	11	8	22	146

XI. 12

BATLEY

~~CORPORATION~~ ~~DEPOT~~

WOODWELL DEPOT

1911-17, 1919-20

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

RE

...mbra's 7 No 13

Kept at Corporation ... 1 ft. 0 in.

in the County of York ... l 301·49 ft.

by Oscar J. Kirby ... arlinghow

...55M. Direction North.

IMPORTANT NOTE ... ult entered to the previous day. If an Obs... le, he is earnestly requested to add the readi... the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	0·20	·	·	·	0·02	0·10	·		0·02	·	1
2	0·20	·	·	·	0·04	·	·	·	·	·	0·06	0·04	2
3	0·02	·	·	0·02	0·18	·	·	·	·	0·02	0·14	0·02	3
4	·	·	0·10	0·06	·	·	·	0·02	0·08	0·28	0·30	0·04	4
5	0·02	·	·	0·14	·	·	·	0·14	·	0·10	0·20	·	5
6	0·10	·	0·02	0·08	·	·	·	0·12	·	0·20	0·42	0·16	6
7	·	·	0·02	·	·	·	·	·	·	·	0·04	·	7
8	0·06	·	0·10	·	·	·	·	·	0·02	0·04	·	0·30	8
9	·	·	·	·	·	·	·	·	·	·	·	0·02	9
10	0·02	0·04	·	·	·	·	·	0·04	·	·	·	0·40	10
11	0·14	·	·	·	·	·	·	0·04	0·02	·	0·54	0·20	11
12	0·04	·	0·06	·	0·04	·	·	·	0·86	·	0·20	0·02	12
13	·	·	0·04	·	0·02	·	·	·	·	·	0·04	0·30	13
14	0·02	·	0·08	·	0·72	·	·	·	·	·	·	0·34	14
15	·	0·06	0·04	0·06	·	·	·	·	·	0·10	0·02	0·32	15
16	·	0·34	0·04	·	·	0·06	·	·	·	0·04	0·10	0·08	16
17	·	·	0·06	·	·	0·30	·	·	·	·	0·14	0·04	17
18	·	0·38	0·06	·	·	0·08	·	·	·	0·02	0·18	0·04	18
19	·	·	0·02	0·04	·	0·02	0·04	·	0·06	0·10	0·38	0·02	19
20	·	0·02	·	0·04	·	·	0·02	1·04	0·16	0·04	·	0·16	20
21	·	0·30	·	·	·	·	·	0·12	·	0·10	0·02	0·06	21
22	0·06	0·08	·	·	·	0·02	0·02	0·02	·	0·20	0·04	0·02	22
23	·	0·38	0·02	0·02	·	0·36	·	·	0·16	0·02	·	0·12	23
24	0·06	0·20	0·02	0·02	·	1·78	·	0·02	·	0·16	·	0·16	24
25	0·02	0·28	·	0·02	·	0·08	0·08	·	0·56	0·08	·	0·24	25
26	·	·	·	0·08	0·06	·	0·02	·	·	0·50	0·34	0·32	26
27	·	0·10	0·08	0·28	·	·	·	0·34	0·22	·	0·06	0·04	27
28	·	0·10	0·02	0·08	·	0·04	·	0·04	0·10	·	0·04	0·16	28
29	·		0·02	0·04	·	0·14	0·04	·	0·20	0·12		0·04	29
30	·		·	0·04	0·04	0·24	·	·	·	0·22			30
31	·		0·02		0·02		·	·	·	0·20			31
Total	0·76	2·28	1·02	1·02	1·12	3·12	0·24	2·04	2·44	2·54	3·28	3·66	TOTAL for year 23·52
No. of Rain Days	12	12	19	15	8	11	7	12	11	19	20	26	172

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at Corporation Depôt Woodwell.

in the County of York. WR 8

by Oscar J. Kirby A.M.I.C.E.

Rain Gauge
Pattern Negretti & Zambra's No 13.
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 301·49 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Carlinghow
Distance ·55 M. Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	0·20	·	·	·	0·02	0·10	·	·	0·02	·	1
2	0·20	·	·	·	0·04	·	·	·	·	·	0·06	0·04	2
3	0·02	·	·	0·02	0·18	·	·	·	·	0·02	0·14	0·02	3
4	·	·	0·10	0·06	·	·	·	0·02	0·08	0·28	0·30	0·04	4
5	0·02	·	·	0·14	·	·	·	0·14	·	0·10	0·20	·	5
6	0·10	·	0·02	0·08	·	·	·	0·12	·	0·20	0·42	0·16	6
7	·	·	0·02	·	·	·	·	·	·	·	0·04	·	7
8	0·06	·	0·10	·	·	·	·	·	0·02	0·04	·	0·30	8
9	·	·	·	·	·	·	·	·	·	·	·	0·02	9
10	0·02	0·04	·	·	·	·	·	0·04	·	·	·	0·40	10
11	0·14	·	·	·	·	·	·	0·04	0·02	·	0·54	0·20	11
12	0·04	·	0·06	·	0·04	·	·	·	0·86	·	0·20	0·02	12
13	·	·	0·04	·	0·02	·	·	·	·	·	0·04	0·30	13
14	0·02	·	0·08	·	0·72	·	·	·	·	·	·	0·34	14
15	·	0·06	0·04	0·06	·	·	·	·	·	0·10	0·02	0·32	15
16	·	0·34	0·04	·	·	0·06	·	·	·	0·04	0·10	0·08	16
17	·	·	0·06	·	·	0·30	·	·	·	·	0·14	0·04	17
18	·	0·38	0·06	·	·	0·08	·	·	·	0·02	0·18	0·04	18
19	·	·	0·02	0·04	·	0·02	0·04	·	0·06	0·10	0·38	0·02	19
20	·	0·02	·	0·04	·	·	0·02	1·04	0·16	0·04	·	0·16	20
21	·	0·30	·	·	·	·	·	0·12	·	0·10	0·02	0·06	21
22	0·06	0·08	·	·	·	0·02	0·02	0·02	·	0·20	0·04	0·02	22
23	·	0·38	0·02	0·02	·	0·36		·	0·16	0·02	·	0·12	23
24	0·06	0·20	0·02	0·02	·	1·78	·	0·02	·	0·16	·	0·16	24
25	0·02	0·28	·	0·02	·	0·08	0·08	·	0·56	0·08	·	0·24	25
26	·	·	·	0·08	0·06	·	0·02	·	·	0·50	0·34	0·32	26
27	·	0·10	0·08	0·28	·	·	·	0·34	0·22	·	0·06	0·04	27
28	·	0·10	0·02	0·08	·	0·04	·	0·04	0·10	·	0·04	0·16	28
29	·		0·02	0·04	·	0·14	0·04	·	0·20	0·12		0·04	29
30	·		·	0·04	0·04	0·24	·	·	·	0·22			30
31	·		0·02		0·02		·	·	·	0·20			31
Total	0·76.	2·28.	1·02	1·02.	1·12.	3·12.	0·24	2·04	2·44	2·54	3·28	3·66	TOTAL for year 23·52 ✓
No. of Rain Days	12.	12.	19.	15.	8	11	7.	12	11	19.	20.	26.	172 ✓

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
3-JAN 1913

Kept at Corporation Depot Woodwell Batley.

in the County of York. W. 8

by Oscar J. Kirby Assoc M. Inst C. E

Rain Gauge
Pattern Negretti & Zambra. No 313
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 301·49 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Carlinghow
Distance 0·55 m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	0·16	·	·	0·46	0·40	0·06	0·12	·	·	0·20	1
2	·	0·12	0·02	·	·	0·12	0·44	·	0·12	·	·	0·04	2
3	0·12	0·04	0·02	·	0·02	0·56	0·02	0·56	0·40	·	·	0·02	3
4	0·12	·	0·36	0·20	0·06	0·34	·	0·70	0·02	·	0·06	·	4
5	0·22	·	0·02	0·02	0·26	0·34	·	0·02	0·02	·	0·02	·	5
6	0·82	0·14	0·06	·	·	0·06	·	0·40	·	·	·	·	6
7	·	0·02	0·02	·	0·02	·	·	0·28	0·02	·	·	·	7
8	0·14	0·12	0·06	0·08	·	0·02	·	0·04	0·08	·	·	·	8
9	0·38	0·14	0·06	0·26	0·02	0·02	·	0·02	·	·	·	0·02	9
10	0·02	0·02	·	0·04	·	1·06	·	0·04	·	·	0·34	·	10
11	0·12	0·10	·	·	·	·	·	0·04	·	·	0·08	0·50	11
12	0·04	0·40	·	·	·	0·20	1·00	·	·	·	·	0·06	12
13	0·02	0·02	·	·	·	0·02	·	0·16	·	0·08	0·12	0·16	13
14	0·06	·	0·52	·	·	0·08	·	0·02	·	·	·	0·16	14
15	0·10	0·04	0·18	·	0·64	0·04	·	0·02	·	·	·	0·18	15
16	0·78	·	0·20	·	0·14	0·18	·	·	·	0·04	·	0·06	16
17	0·10	0·02	0·08	·	·	0·34	0·02	0·30	·	·	0·02	0·28	17
18	0·46	·	0·04	·	·	0·02	·	0·04	·	0·04	·	0·02	18
19	0·20	0·16	0·12	·	·	0·02	0·28	0·22	·	0·48	0·04	·	19
20	0·24	·	0·06	·	0·44	0·06	0·20	0·10	·	0·24	·	·	20
21	·	·	0·34	·	0·20	·	0·20	0·40	·	·	·	·	21
22	·	0·06	0·04	·	1·18	0·34	0·24	·	·	·	·	0·06	22
23	·	·	0·20	·	0·08	·	0·26	0·48	·	·	0·04	·	23
24	0·36	·	0·02	·	0·10	0·02	0·22	0·20	·	·	0·02	0·12	24
25	·	·	0·02	·	·	0·22	·	0·02	·	·	0·60	0·04	25
26	·	0·12	0·04	·	·	0·02	0·20	0·72	·	1·34	0·40	0·20	26
27	·		0·08	·	·	0·44	0·18	0·08	·	0·54	0·02	0·10	27
28	·		·	·	·	0·12	0·14	0·34	·	0·14	0·14	·	28
29	·		0·14	·	·	0·02	0·02	0·04	0·56	0·04	0·16	0·10	29
30	0·10		0·08	·	0·30	0·02	0·02	0·02	0·06	0·06		·	30
31			0·02	·	0·14		0·74	0·20				·	31
Total	4·40	1·52	2·96	0·60	3·60	5·14	4·58	5·52	1·40	3·00.	2·06	2·32	TOTAL for year 37·10
No. of Rain Days.	19	15	26	5	14	26	17	27	9	10.	14	18.	200.

W. 8,000, X. '11.

Exe 8L

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.
2- JAN 1914

Kept at Batley (Corporation Depôt) Woodwell.
in the County of York (West Riding) 8
by Oscar J Kirby Assoc. M. Inst. C. E.

Lat. 53°42'46" Long. 1°38'28" W.
Time of Observation 9 A.M.
Nearest Railway Station Carlinghow
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 301·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·02	·	·14	·	·	·	·	·	·	·02	·	1
2	·	·08	·10	·02	·	·04	·	·	·	·	·10	·04	2
3	·04	·04	·14	·	·40	·	·02	·	·02	·40	·	·72	3
4	·46	·04	·02	·	·	·	·14	·	·04	·	·12	·24	4
5	·04	·02	·20	·	·	·28	·10	·	·08	·24	·	·	5
6	·	·08	·10	·	·60	·	·24	·	·	·36	·	·	6
7	·	·26	·	·	·12	·14	·	·	·	·66	·02	·02	7
8	·	·02	·	·	·44	·04	·	·02	·	·34	·08	·	8
9	·	·20	·08	·	·22	·12	·04	·04	·	·	·08	·02	9
10	·	·	·04	·06	·	·	·02	·	·	·	·24	·	10
11	·66	·	·	·50	·	·02	·	·	·	·04	·06	·	11
12	·	·	·	·	·	·02	·	·	·02	·	·10	·	12
13	·	·	·06	·02	·	·	·	·02	·16	·	·10	·	13
14	·10	·08	·14	·08	·	·	·	·	·	·06	·16	·	14
15	·08	·02	·50	·34	·	·	·	·	·02	·	·32	·02	15
16	·	·	·08	·02	·	·	·	·16	·	·	·16	·	16
17	·	·04	·04	·04	·02	·02	·02	·	·98	·	·04	·	17
18	·12		·20	·14	·02	·02	·06	·	·	·	·16	·	18
19	·08		·06	·12	·	·	·	·	·02	·04	·04	·	19
20	·16		·08	·10	·	·	·	·	·	·02	·14	·	20
21	·02		·16	·	·06	·	·18	·06	·	·	·14	·	21
22	·16		·60	·	·	·	·	·40	·12	·	·	·	22
23	·06		·02	·	·10	·12	·	·14	·18	·02	·02	·	23
24	·16		·	·	·	·12	·	·02	·	·	·	·	24
25	·		·	·04	·	·	·	·	·14	·	·02	·06	25
26	·		·12	·10	·	·	·	·	·10	·14	·	·48	26
27	·		·04	·08	·	·	·	·	·	·04	·	·16	27
28	·36		·20	·26	·	·	·	:	·	·02	·	·24	28
29	·		·48	·40	·02	·	·	·40	·	·	·	·16	29
30	·36		·	·	·	·	·	·	·	·46	·04	·	30
31	·08		·04	·	·12	·	·	·	·	·	·	·	31
													YEAR'S TOTAL
Total	2·94	·90	3·50	2·46	2·12	0·94	0·82	1·26	1·88	2·84	2·16	2·16	23·98
Rain Days.	16	12	23	17	11	11	9	9	12	14	21	11	166

W.7,000, XI. 13

ExLMce

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Batley (Corporation depôt woodwell)

in the County of York WR 8

by Mr Oscar J Kirby.

Lat. 53°42′46″ Long. 1°38′28″W.

Time of Observation 9. A.M.

Nearest Railway Station Carlinghow

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 301·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·	·	·	1·02	·68	·	·02	·	·32	1
2	·	·	·	·	·	·	·08	·52	·	·	·24	·08	2
3	·06	·	·04	·	·06	·	·04	·10	·	·	·06	·48	3
4	·36	·	·20	·16	·12	·	·	·	·	·	·14	·42	4
5	·18	·	·36	·22	·02	·	·	·02	·	·	·28	·36	5
6	·	·	·04	·28	·20	·	·	·02	·	·	·10	·02	6
7	·02	·02	·20	·08	·14	·	·	·	·	·	·02	·12	7
8	·24	·	·06	·02	·06	·38	·34	·02	·08	·	·	·02	8
9	·28	·02	·	·04	·02	1·06	·	·12	·02	·	·02	·	9
10	·12	·06	·	·08	·02	·	·	·	·04	·	·24	·	10
11	·	·40	·10	·02	·	·	·	·	·08	·	·64	·38	11
12	·	·06	·06	·	·04	·	·02	·	·24	·	·02	·40	12
13	·	·10	·20	·02	·	·	·	·	·02	·	·46	·24	13
14	·06	·26	·06	·	·	·	·18	·	·06	·02	·	·52	14
15	·	·08	·26	·	·	·	·	·	·04	·02	·44	·02	15
16	·	·04	·02	·	·	·	·70	·	·24	·	·	·	16
17	·10	·06	·08	·	·	·	·02	·	·40	·	·	·12	17
18	·02	·02	·06	·	·	·02	·02	·	·	·	·	·24	18
19	·	·	·	·	·	·	·04	·	·	·	·02	·16	19
20	·	·10	·04	·	·	·	·	·	·	·	·	·	20
21	·	·54	·	·	-	·60	·	·08	·	·06	·	·08	21
22	·	·02	·02	·	0·16	·10	·02	·02	·	08	·02	·	22
23	·	·	·06	·02	·28	·04	·02	·	·	·	·	·08	23
24	·02	·	·38	·02	·	·	·14	·28	·	·	·10	·	24
25	·02	·	·	·	·	·	·02	·38	·	·90	·02	·44	25
26	·	·	·10	·	·	·	·	·06	·02	·26	·08	·10	26
27	·04	·	·	·	·	·	·	·	·	·10	·08	·90	27
28	·02	·02	·02	·	·	·	·	·	·	·	·18	·12	28
29	·		·16	·02	·02	·	·	·	·	·50	·10	·	29
30	·	✕	·02	·	·02	·	·	·02	·	·14	·12	·04	30
31	·16	✕	·12.	✕		✕	·46		✕	·28	✕	·	31
Total	1·70.	1·80	2·68.	·98.	1·16	2·20	3·12	2·32	1·24	2·38.	3·38	5·66	YEAR'S TOTAL 28·62
Rain Days.	15	15	24	12.	13	6	15.	13.	11	11	21.	23.	179.

W. 8,000. X. 14.

Vaxfor 1/V/16

certify Obsr. 3.V.16

3421

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Kept at Batley (Corporation Depôt) woodwell

in the County of York (West Riding) 8

by Oscar J Kirby Assoc M. Inst C.E.

Lat. 53°42'46" Long. 1°38'28" W.

Time of Observation 9 AM

Nearest Railway Station Carlinghow

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 301·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20	·10	-	-	20	-	·02	·10	·04	-	-	·02	1
2	-	·16	·14	·08	-	-	·18	·30	-	·02	-	-	2
3	1·00	-	-	08	-	-	·10	1·34	-	-	·02	·70	3
4	·04	-	-	-	·08	-	·74	·04	-	-	-	1·04	4
5	·12	22	08	-	-	-	-	·02	-	-	-	·46	5
6	·04	20	·16	·24	-	-	·52	-	-	·02	-	·34	6
7	·44	34	·02	·02	·20	-	·14	·80	-	-	-	·16	7
8	·08	·10	-	·06	-	-	·16	·14	-	-	·08	-	8
9	·02	-	-	-	-	-	-	·16	-	·02	·08	·62	9
10	·22	-	·08	-	-	-	-	·12	-	·02	-	·06	10
11	·02	-	·02	·02	·68	-	·02	·20	-	-	·28	·80	11
12	·02	-	-	·18	·16	-	·02	·02	-	·28	1·34	-	12
13	·16	72	-	-	-	-	-	·04	-	-	-	-	13
14	·04	02	-	-	-	-	·08	08	-	-	-	·08	14
15	·64	-	-	-	-	-	·04	·14	·02	-	·26	·14	15
16	-	18	-	·02	·14	-	·90	·4[illegible]	-	-	-	·02	16
17	-	·16	-	-	-	-	·14	-	-	-	-	·02	17
18	-	14	·08	-	-	-	-	·02	·02	·02	-	-	18
19	-	-	-	-	-	-	·08	-	-	-	-	-	19
20	·04	-	-	-	-	-	·04	-	-	-	-	·28	20
21	·10	·04	-	·04	-	-	·06	-	-	-	-	[illegible]	21
22	-	-	·16	-	-	-	·06	-	-	-	-	·04	22
23	06	·02	·06	-	-	-	·20	-	-	·20	-	·02	23
24	-	-	·10	·06	-	-	-	-	·32	·02	-	·18	24
25	-	-	02	-	-	-	-	-	-	-	-	·20	25
26	·02	·12	-	-	-	·12	·28	-	·02	-	-	·56	26
27	-	·22	-	-	-	-	·04	-	-	·44	-	·14	27
28	-	·26	-	-	·02	·56	-	30	-	·14	-	·02	28
29	-		-	-	·24	1·04	-	·02	-	·06	·04	·84	29
30	·10	X	-	-	-	·58	-	·16	-	·12		·02	30
31	·10	X	-	X		X			X		X	·20	31
Total	3·46	3·00	·92	·80	1·72	2·30	3·82	4·46	·42	1·36	2·10	7·04	YEAR'S TOTAL 31·40
Rain Days.	20.	16.	11	10.	8.	4.	20	19	5.	12.	7	25	157

W. 8,000. X. 15.

Ex DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Batley (Corporation depôt)

in the County of York WR

by Oscar J. Kirby

Lat. 53°42′46″ Long. 1°38′28″ N

Time of Observation 9 A.M.

Nearest Railway Station Carlinghow

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 301′·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·64		·18			·14	·20				·12		1
2	·06	·02	·20						·08	·12		·02	2
3	·02	·08							·30	·14	·12		3
4	·08	·38		·02	·76	·30			·64	·48	·22		4
5	·06	·06			·08	·20				·36	·38		5
6	·28	·44	·04	·02	·32		·22			·04	·34	·02	6
7	·04	·14	·12		·04		·14			·18		·26	7
8	·02	·08	·24			·02	·02			·04	·08	·12	8
9	·02		·08		·24	·04			·42		·12	·26	9
10	·06		·02	·08		·42			·02	·04		·04	10
11	·02	·54	·38	·18	·04	·10	·02		·06			·22	11
12	·04	·04	·72	·08	·40	·02	·38	·04		·02			12
13		·04	·20	·04	·02		·06	·32		·74		·06	13
14		·24	·02	·10	·20			·02		·10	·02	·08	14
15		·40	·62	·02			·08	·24					15
16		·16	·42	·06			·08	·50		·04			16
17	·02	·16		·16			·04		·20	·18			17
18		·46		·02				·04	·28	·06	·94	·02	18
19	·12	·02	·30	·22				·14	·04		·50		19
20	·06		·30	·02							·02	·20	20
21	·18		·04	·10	·06							·02	21
22		·06	·02	·02		·16	·08			·72			22
23	·02	·02	·02	·02				·12			·10	·32	23
24		·08	·02			·10		·14		·02		·10	24
25		·20	·24		·04	·02		·14		·08	·08	·02	25
26		·06	·04							·02	·02		26
27		·24						·02		·54			27
28		·30	·10		·16	·06				·38		·08	28
29		·32				·16			·02	·22		·28	29
30		X			·06					·42		·02	30
31		X		X	·02	X			X	·22	X	·08	31
Total	1·74	4·54	4·32	1·16	2·44	1·74	1·32	1·72	2·06	4·56	3·06	2·22	YEAR'S TOTAL 30·88
Rain Days.	17	24	22	16	14	13	11	11	10	23	14	19	194

3193

FORM
BRITISH RAINFALL
12. JAN. 1918

REGISTER OF RAINFALL IN 1917

Kept at Batley (Corporation depôt)

in the County of York.

by Oscar. J Kirby

Lat. 53°42′46″N Long. 1°38′28″W.

Time of Observation 9. A.M

Nearest Railway Station Carlinghow

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 301·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·20	·	·	·	·02	·22	·	·22	·10	1
2	·18	·	·	·10	·	·06	·	·04	·04	·	·02	·	2
3	·10	·02	·	·08	·	·04	·	·	·	·06	·08	·	3
4	·	·	·02	·	·	·	·	·	·	·16	·	·	4
5	·16	·	·10	·08	·	·	·	·08	·	·08	·08	·	5
6	·	·	·	·12	·	·02	·	·	·	·24	·18	·	6
7	·28	·	·	·	·	·26	·	·	·	·42	·	·02	7
8	·66	·	·	·08	·	·	·	·86	·	·48	·10	·02	8
9	·	·	·04	·	·	·	·	·02	·	·10	·30	·04	9
10	·16	·	·62	·04	·04	·	·	·08	·	·	·	·	10
11	·06	·	·	·08	·	·	·	·	·	·20	·	·	11
12	·02	·	·	·36	·26	·	·	·04	·	·28	·	·10	12
13	·14	·	·	·02	·34	·	·	·	·16	·02	·02	·06	13
14	·06	·	·	·08	·	·	·	·05	·	·	·	·14	14
15	·12	·	·	·06	·	·	·32	·	·04	·	·	·04	15
16	·04	·	·02	·10	·	·	·	·09	·	·	·	·50	16
17	·02	·02	·	·02	·62	·02	·08	·76	·02	·	·	10	17
18	·08	·	·02	·	·12	·	·40	·	·10	·	·	·	18
19	·04	·08	·24	·	·26	·20	·	·24	·	·	·	·	19
20	·04	·24	·	·	·16	·16	·	·04	·08	·	·02	·	20
21	·	·	·02	·	·02	·02	·	·06	·	·02	·	·	21
22	·	·	·02	·	·	·	·	·02	·10	·04	·	·	22
23	·02	·	·	·	·04	·08	·02	·16	·	·02	·02	·	23
24	·	·	·	·	·	·06	·	·16	·	·58	·30	·02	24
25	·	·	·	·	·	·	·	·04	·	·28	·02	·	25
26	·	·	·04	·	·	·22	·	·60	·02	·22	·04	·	26
27	·	·	·	·	·	·22	·08	·50		·02	·08	·04	27
28	·02	·	·22	·	·		·12	·18		·02	·16	·10	28
29	·02	·	·02	·	·		·18	·02		·20	·06	·18	29
30	·02	X	·28	·	·02			·04		·08	·	·	30
31		X	·08	X		X		·04	X		X	·08	31
Total	2·24	·36	1·74	1·42	1·88	1·36	1·20	4·14	·78	3·52	1·70	1·54	YEAR'S TOTAL 21·88
Rain Days.	20.	4	14.	14	10.	12	7	23	9	20.	16.	15.	164.

W. 8,000, IX. 17.

W Mo

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Batley Corporation Depot
in the County of York
by H. L. Hall Borough Engineer Batley

Lat. 53° 42' 45" Long. 1° 38' 30" W.
Time of Observation 9.0 a.m.
Nearest Railway Station Batley
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 301·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·10			·16		·06		·10	·10	·03	·03	1
2	·28	·14			·02		·09				·03	·05	2
3	·50	·03	·02		·02	·10	·22		·02		·17	·06	3
4	·68	·04	·02		·01	·02		·06	·09		·02	·15	4
5	·3·2	·05	·03		·07						·02	·01	5
6	·41	·09	·05		·35							·01	6
7	·02	·10	·17		·03							·02	7
8	·01	·02	·02	·01		·04		·02				·02	8
9		·03	·01	·04							·02	·03	9
10	·24	·05	·02	·02	·23						·01	·01	10
11	·10	·14	·69	·05	·10		·31						11
12		·17	·27	·05		·01	·03		·06				12
13	·14		·03	·10			·04	·01		·16			13
14	·10	·18		·02				·01				·02	14
15	·23	·03		·05				·01			·06	·12	15
16		·04		·01							·14	·	16
17	·14	·07			·01	·01		·01			·14		17
18	·20	·08	·01		·01			·22	·01			·02	18
19	·04	·12	·04			·01		·07	·02		·10	·08	19
20	·08	·13	·02			·02		·05	·02		·05	·15	20
21	·12	·09	·02			·07						·25	21
22	·03	·05						·01	·04		·02	·18	22
23	·14	·04		·04		·02				·32	·02	·09	23
24	·13	·05		·03	·02	·01				·18	·02	·10	24
25	·10	·10	·02	·10	·01	·02		·31			·02	·12	25
26	·22	-	·12	·06		·01		·12			·06	·14	26
27	·13	-	·01	·04								·10	27
28	·17	-	·02	·09				·34		·05			28
29	·10			·02	·					·39		·08	29
30	·03		·01	·03		·04	·03			·04	·07	·04	30
31	·02									·02			31
TOTAL	5·16	1·94	1·92	·73	1·04	·38	·78	1·24	·36	1·26	1·00	1·88	YEAR'S TOTAL 17·69
Days with ·01 in. or more	28	24	19 20	17	9 13	8 13	7	8 13	7 8	8	~~17~~ 18	~~28~~ 24	~~158~~ 193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

max daily fall 0·69 in on March 11

Ex PR

4 JAN 192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Corporation Yard

in the County of York

by H. Hall, Borough Engineer Surveyor

Lat. 3° 42' 45" Long. 1° 39' 30"

Time of Observation 9 am

Nearest Railway Station Batley

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 301·49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·03	·14	·20	·01	·17	·02	·03	·04	·07	·07	1
2	·03	. .	·01	·09	·03	·01	·04	–	·10	·09		·07	2
3	·02	·07	–	·02	·04	·01	·20	–	·02	·11		·14	3
4	·04	-	-	·02	·05		·41	·43	.	·20		·03	4
5	·05	.	·01	.	·03		·03	·05	.	·04		.	5
6	–	.	–	.	·07		·01	–	.	-	·01	·01	6
7	·06	.	·05	.	·06		·26	-	·02	-		·01	7
8	·07	·02	·01	·19	·01		·09	·06	.	-	·01		8
9	·09	·25	-	·15	–		·08	·03	·01	·03			9
10	·10	·32	-	·14	–		·10	·05	.	-			10
11	·24	-	·01	·15	·09	·09	·11	.		-			11
12	·10	–	·08	·13	–	·10	·01	·02	·07	-	·01		12
13	–	·02	.	·03	·01	·15		.	·06	–		·09	13
14	·01	·02	·21	·02	-	·13		.		·08	·14	·05	14
15	·03	.	·02	·07	·02			.		·22	·09	·02	15
16	. .	.	·03	. .	–		·05	.	·02	·01	·05	·01	16
17	. .	.	-	·02	·03		–	·01	·07	·01			17
18	·06	·03	-	–	·09		-	·01	·02	-			18
19	·03	·45	-	·10	·07	·10	·02	.	·02	-			19
20	. .	·09	-	. .		·03	·06	.		.		·02	20
21	. .	.	-	·10			·21	·10		-	·01	·03	21
22	·02	-	–	·01		·02	·21	·8		.		·02	22
23	. .	.	–	·01			·03	.		.		·19	23
24	. .	.	·10	-			·12	·01		.		–	24
25	·02	·01	·06	.			·20	–	·04	.		–	25
26	·03	·02	·07	·07	·02	·11	·01	–	.	.		–	26
27	·04	–	·09	·01	·19	·09	–	–		.		·07	27
28	·33	·02	–	·05	·08	·02	–		·01	.	·07	·04	28
29	·23		·10	·01	·30	·01	·02	-		.	·08	·26	29
30	·09	╳	–	·04	·25	·03	–	-	·08	.	·11	·12	30
31	·03	╳	·04	╳	·02	╳	–	-	╳	·24	╳	. .	31
Total	1·72	1·33	·92	1·57	1·66	·91	2·44	·87	·57	1·07	·65	1·25	Year's Total 14·96
Days with ·01 in. or more	22	13	16	22	20	15	22	12	14	11	11	18	196
Days with ·04 in. or more	13	5	9	13	12 ~~11~~	7	15	6	6	8	7	10	~~110~~ 111

bad

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Evidently read in eighths & sixteenths transposed

RE

FORM A2. BRITISH RAINFALL.

16 JUL 1912

BATLEY

STAINCLIFFE RES

YORKS

1911 –

Kept at Stainc

in the County of Yorks

by Mr J.C. Barrowcl

ge still in use

in.

Ground 1 ft. 0 in.

Sea Level 492 ft.

a m

Name Heckmondwike L.&D.

Distance 1 mile Direction W

IMPORTANT NOT the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ment of rain, the selection and placin itish Rainfall Organization are given in Rules for Rainfall Observers, application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·0625	·0625	·3125	·0625	·125	—	—	—	·1875	—	1
2	—	—	·25	—	—	—	—	·0625	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	·0625	·0625	3
4	·0625	—	—	—	·125	—	—	—	—	—	·125	—	4
5	—	—	—	—	—	—	—	—	·0625	·1875	·1875	—	5
6	—	—	—	·0625	—	—	—	·0625	—	·125	·125	—	6
7	—	—	—	·0625	—	—	—	·125	—	·125	·375	·1875	7
8	·0625	—	—	—	—	—	—	—	—	—	·0625	—	8
9	·0625	—	·0625	—	—	—	—	—	—	·0625	—	·125	9
10	—	—	—	—	—	—	—	—	—	—	—	·125	10
11	—	·0625	—	—	—	—	—	—	—	—	—	·5	11
12	—	—	—	—	—	—	—	—	—	—	·5625	·25	12
13	—	—	—	—	·0625	—	—	—	·875	—	·25	—	13
14	·0625	—	—	—	—	—	—	—	—	—	—	·3125	14
15	—	—	·0625	—	·8125	—	—	—	—	—	—	·3125	15
16	—	·0625	·0625	—	—	—	—	—	—	·1875	—	·375	16
17	—	·3125	—	—	—	—	—	—	—	·0625	·0625	—	17
18	—	—	·0625	—	—	·1875	—	—	—	—	·125	—	18
19	—	·3125	·0625	—	—	·125	—	—	—	—	·1875	·0625	19
20	—	—	—	—	—	—	—	—	—	·0625	·3125	—	20
21	—	—	—	·0625	—	—	—	1·0	·125	—	—	·1875	21
22	—	·25	·0625	—	—	·0625	—	·125	—	·0625	—	—	22
23	—	·125	—	—	—	—	—	—	—	·1875	—	—	23
24	—	·25	—	—	—	·1875	—	—	·125	—	—	·125	24
25	·0625	·125	—	—	—	1·75	—	—	—	·125	—	·0625	25
26	·0625	·1875	—	·0625	—	·0625	—	—	·5	—	—	·1875	26
27	—	—	—	·0625	—	—	—	—	—	·5	·3125	·25	27
28	—	·125	—	·1875	—	—	—	·25	·25	—	—	—	28
29	—	—	—	·0625	—	—	—	·0625	·0625	—	—	·125	29
30	—	—	·0625	—	—	·0625	—	—	·125	·125	—	—	30
31	—	—	—	—	—	—	—	—	—	·0625	—	—	31
Total	·375	·0625 1·8125	·0625 ·75	·3125 ·625	·0625 1·3125	·125 2·5	·125	1·6875	2·125	·1875 1·875	2·9375	3·25	TOTAL for year
No. of Rain Days.	6	10	9	8	4	8	~~1~~ 0	7	8	13	14	16	19·375? 104
W. 8,000, X.	·3750	1·8750	·7500	·8750	1·0625	2·5625	·0000	1·6875	2·1250	2·0625	2·7500	3·2500	19·375

Evidently read in eighths & sixteenths & transposed

FORM A2.
BRITISH RAINFALL.

16 JUL 1912

REGISTER OF RAINFALL IN 19

Kept at Staincliffe Reservoir.

in the County of Yorkshire (West Riding) 8

by Mr J.C. Barrowclough.

RAIN GAUGE
Pattern old gauge still in use
Diameter of top 7 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 492 ft.

Time of Observation 7 a m

Nearest Railway Station
Name Heckmondwike L.&Y.R.
Distance 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·0625	·0625	·3125	·0625	·125	—	—	—	·1875	—	1
2	—	—	·25	—	—	—	—	·0625	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	·0625	·0625	3
4	·0625	—	—	—	·125	—	—	—	—	—	·125	—	4
5	—	—	—	—	—	—	—	—	·0625	·1875	·1875	—	5
6	—	—	—	·0625	—	—	—	·0625	—	·125	·125	—	6
7	—	—	—	·0625	—	—	—	·125	—	·125	·375	·1875	7
8	·0625	—	—	—	—	—	—	—	—	—	·0625	—	8
9	·0625	—	·0625	—	—	—	—	—	—	·0625	—	·125	9
10	—	—	—	—	—	—	—	—	—	—	—	·125	10
11	—	·0625	—	—	—	—	—	—	—	—	—	·5	11
12	—	—	—	—	—	—	—	—	—	—	·5625	·25	12
13	—	—	—	—	·0625	—	—	—	·875	—	·25	—	13
14	·0625	—	—	—	—	—	—	—	—	—	—	3125	14
15	—	—	·0625	—	·8125	—	—	—	—	—	—	·3125	15
16	—	·0625	·0625	—	—	—	—	—	—	·1875	—	375	16
17	—	·3125	—	—	—	—	—	—	—	·0625	·0625	—	17
18	—	—	·0625	—	—	·1875	—	—	—	—	·125	—	18
19	—	·3125	·0625	—	—	·125	—	—	—	—	·1875	·0625	19
20	—	—	—	—	—	—	—	—	—	·0625	·3125	—	20
21	—	—	—	·0625	—	—	—	1-0	·125	—	—	·1875	21
22	—	·25	·0625	—	—	·0625	—	·125	—	·0625	—	—	22
23	—	·125	—	—	—	—	—	—	—	·1875	—	—	23
24	—	·25	—	—	—	·1875	—	—	·125	—	—	·125	24
25	·0625	·125	—	—	—	1·75	—	—	—	·125	—	·0625	25
26	·0625	·1875	—	·0625	—	·0625	—	—	·5	—	—	·1875	26
27	—	—	—	·0625	—	—	—	—	—	·5	·3125	·25	27
28	—	·125	—	·1875	—	—	—	·25	·25	—	—	—	28
29	—	—	—	·0625	—	—	—	·0625	·0625	—	—	·125	29
30	—	—	·0625	—	—	·0625	—	—	·125	·125	—	—	30
31	—	—	—	—	—	—	—	—	—	·0625	—	—	31
Total	·375	·0625 1·8125	·0625 ·75	·3125 ·625	·0625 1·3125	·125 2·5	·125	1·6875	2·125	·1875 1·875	2·9375	3·25	TOTAL for year
No. of Rain Days.	6	10	9	8	4	8	+0	7	8	14	13	16	19·375? 104
W. 8,000, X.	·3750	1·8750	·7500	·8750	1·0625	2·5625	·0000	1·6875	2·1250	2·0625	2·7500	3·2500	19·375

Ex.

Cor. for WD. 20.V.13.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

19 MAY 1913

Kept at Staincliffe Reservoir

in the County of York. (W. R.) W8

by J. C. Barrowclough.

Lat. 53°N. Long. 1°W.

Time of Observation

Nearest Railway Station Heckmondwike.

Diameter of Rain Gauge 7 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·0625		·1875		·7500	·1250	·0625			1
2			·0625			·4375	·25		·0625			·3125	2
3						·125	·375		·1875				3
4						·4375		·5625	·375				4
5	·125		·5	·125	·0625	·375		·9375			·0625		5
6	·25			·0625	·375	·25		·0625					6
7	·375	·125						·3125					7
8				·125				·125					8
9	·4375	·0625						·0625					9
10		·3125										·0625	10
11	·125		·0625			·875					·3125		11
12	·125	·1875									·0625	·4375	12
13		·4375				·1875	·875	·0625				·0625	13
14								·0625		·0625	·0625	·1875	14
15			·4375			·0625						·0625	15
16	·0625		·25										16
17	·375		·125		·625	·25						·0625	17
18			·125		·0625	·3125		·1875					18
19								·125				·0625	19
20	·875	·25					·25	·25			·0625		20
21	·375		·125		·3125	·0625	·25			·1875			21
22			·25		·125		·0625	·25				·0625	22
23		·0625			1.25	·25	·1875	·625					23
24			·1875		·125		·25	·25					24
25	·25						·25					·25	25
26						·125					·4375		26
27							·125			1.25	·3125	·25	27
28			·0625			·375		·75		·5		·0625	28
29						·25	·25			·125			29
30			·0625					·375	·4375	·0625		·1875	30
31					·3125					·0625			31
	–	–	·0625	–	·1875	–	·7500	·1250	·0625	–	–	–	YEAR'S TOTAL
Total	~~3.375~~	~~1.4375~~	~~2.25~~	~~·3750~~	~~3.2500~~	~~4.5625~~	~~3.1250~~	~~5.7500~~	~~1.1875~~	~~2.3125~~	~~1.3125~~	~~2.0625~~	31.0"
Rain Days.	11	7	13	~~4~~ 3	~~9~~ 10	~~16~~ 15	12	17	5	8	7	13	~~120~~
	3.3750	1.4375	2.3125	·3125	3.4375	4.3750	3.8750	5.1250	1.1250	2.2500	1.3125	2.0625	31.0000

W. 7,500, XI. 12

Cnd for W.D 11.11.14

REGISTER OF RAINFALL IN 19*13*.

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at *Staincliffe Reservoir*
in the County of *Yorks. W. R.* 8
by *Mr. J. C. Barrowclough*

Lat. *53°42'28" N.* Long. *1°39'12" W.*
Time of Observation *7 a. m.*
Nearest Railway Station *Heckmondwike*
Diameter of Rain Gauge *7* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" " " " Sea Level *492* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·0625							1
2				·1875							·125		2
3		·0625	·0625									·0625	3
4			·1875		·5					·3125	·125	·0625	4
5	·25									·0625		·5	5
6			·125			·125	·0625		·0625	·1875			6
7		·0625	·0625		·5		·1875			·375			7
8		·25			·0625	·125				·75	·0625		8
9		·0625			·4375					·25	·0625		9
10		·125	·0625		·25	·0625					·125	·0625	10
11											·125		11
12	·125			·125							·125		12
13				·25							·0625		13
14									·125		·0625		14
15	·125	·0625	·0625	·0625							·375		15
16			·5625	·25							·125		16
17			·125	·0625									17
18				·125					1·0				18
19	·125		·0625	·125				·125			·0625		19
20	·1875			·125									20
21	·1875										·125		21
22	·0625		·125				·125				·0625		22
23	·1875		·5625					·3125	·0625				23
24					·0625	·125		·0625	·25				24
25						·0625		·0625					25
26									·1875	·125		·1875	26
27			·125	·125					·0625			·25	27
28				·0625								·125	28
29	·4375		·25	·1875									29
30			·5	·25				·25		·375		·125	30
31	·3125		·0625									·125	31
Total	2.0	·6250	2·9375	1.9375	·0625 ~~1·8125~~ 1·875	~~·5625~~ ·500	·3750	·8125	1.7500	2·4375	1.6250	1.5000	YEAR'S TOTAL 18.3750
Rain Days.	10	6	15	13	6	6	3	5	7	8	14	9	102

2.00

W.7,000, XI. 13

OLD GAUGE.

FORM A.
BRITISH RAINFALL.
4 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Staincliffe Reservoir

in the County of York. W. R. 8

by J. C. Barrowclough Esq. Waterworks Engineer

Lat. 53°42′28″ Long. 1°39′12″ W.

Time of Observation 9 a.m.

Nearest Railway Station Heckmondwike

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.0625		.0625				.25			.3125	.125	1
2							.875	.5625				.25	2
3							.0625	.5			.1875	.0625	3
4					.0625			.0625			.125	.4375	4
5	.3125		.125	.125	.125						.125	.25	5
6	.125		.3125	.25							.375	.25	6
7				.3125	.125						.0625		7
8			.1875		.0625							.125	8
9	.25				.0625	.375	.1875						9
10	.25			.0625		1.0625		.0625					10
11	.1875	.0625											11
12		.375	.0625						.0625		.75	.25	12
13		.0625							.25			.625	13
14		.0625	.3125								.3125	.1875	14
15		.25					.0625					.5625	15
16		.0625	.25								.25		16
17							.5625		.1875				17
18	.0625	.1875							.3125			.125	18
19			.0625									.25	19
20												.125	20
21		.125											21
22		.5				.5625		.0625		.0625		.0625	22
23					.0625	.0625							23
24					.375	.0625						.0625	24
25			.5625				.0625	.25			.0625		25
26								.4375		.8125		.375	26
27								.0625		.3125	.0625	.0625	27
28										.0625		.6875	28
29	.0625		.0625								.375	.3125	29
30			.125							.5			30
31										.125		.0625	31
	.0625		.0625				.25			.3125	.1250		YEAR'S TOTAL
Total	~~1.25~~ 00 1.3125	1.75 00 1.6875	2.0625 2.1250	.8125 .7500	.875 0	2.125 0	~~1.8125~~ 2.0625	2.25 00 2.0000	.8125	~~1.875~~ 2.1875	3.0 00 2.8125	5.25 00 5.125	23.875
Rain Days.	7	10	10	5	4	5	6	9	4	6	12	21	102

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. 13

Price 2d.

written 12/10/15

E.R.D.

end in W.D. 10.IV.15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 FEB 1915

Kept at Staincliffe Reservoir

in the County of York. W. R. 8

by Mr. J. C. Barrowclough. Waterworks Engineer

Lat. 53°42'28" Long. 1°39'12"

Time of Observation 7 a.m.

Nearest Railway Station Heckmondwike

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15	·03	·12				·35			·26	·08	1
2			·01				·96	·61		·01		·34	2
3			·01				·1	·55			·23	·07	3
4	·04		·02		·07		·02	·1			·09	·48	4
5	·32		·17	·18	·15	·01					·14	·34	5
6	·11		·34	·19	·02						·31	·33	6
7			·04	·22	·16						·09	·03	7
8	·01	·01	·27	·11	·11						·02	·15	8
9	·26		·01		·06	·4	·28	·03	·1			·01	9
10	·26	·03		·06	·03	1·09		·11			·03		10
11	·18	·06		·07					·04		·03		11
12		·36	·11	·01	·02				·08		·72	·34	12
13		·05	·02				·02		·24		·03	·45	13
14		·08	·22						·01		·36	·24	14
15	·04	·25	·06				·13		·05	·03		·53	15
16		·07	·23						·04	·01	·35	·05	16
17			·02				·65		·21				17
18	·09	·08	·01				·01		·33			·1	18
19			·11			·01	·01					·24	19
20							·03					·15	20
21	·02	·1	·01										21
22		·56				·69		·13		·07	·05	·07	22
23					·09	·11		·03		·10		·01	23
24			·04	·01	·34	·04	·01					·06	24
25			·47	·02			·1	·23		·01	·09		25
26	·03		·01					·36		·88		·43	26
27	·01		·08					·04		·3	·09	·13	27
28	·02									·09	·02	·46	28
29	·02		·04								·22	·13	29
30			·15	·03	·01					·5	·08		30
31			·02					·01		·15		·18	31
Total	·15 ~~1·41~~ 1·56	·03 ~~1·80~~ 1·68	·12 ~~2·50~~ 2·59	– ~~1·02~~ ·90	– 1·06	– 2·35	·35 ~~2·32~~ 2·67	– 2·58 2·23	– 1·10	·26 ~~2·15~~ 2·41	·08 ~~3·21~~ 3·03	– 5·80 5·72	YEAR'S TOTAL 27·30
Rain Days.	~~14~~ 15	12	25	~~11~~ 10	11	7	~~12~~ 13	~~12~~ 11	9	~~11~~ 12	19	~~25~~ 24	168

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3420

FORM A.
BRITISH RAINFALL.
14. JUN 19

REGISTER OF RAINFALL IN 19*15*

Kept at Staincliffe Reservoirs. Batley

in the County of York W.R.

by J. Barrowclough

Lat. 53°-42'-28". N. Long. 1°-39-12. W.

Time of Observation 9 AM & entered to previous day

Nearest Railway Station Heckmondwike L.N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·10	·19					·09	·03		·15		1
2	·17	·11			·19		·22	·28		·01		·04	2
3	·04	·15	·15	·08			·11	1·18				·59	3
4	·83			·10	·09		·69	·02			·03	1·03	4
5	·04				·01			·02				·45	5
6	·11	·21	·07				·47			·09		·35	6
7	·04	·23	·15	·22	·11		·14	·78				·13	7
8	·35	·34		·02			·19	·10				·03	8
9	·10	·11		·03				·11		·02	·06		9
10	·01							·10		·03	·08	·73	10
11	·21		·05		·62		·01	·29					11
12	·03		·03		·19		·03			·32	·20		12
13	·02			·13				·07			1·36	·23	13
14	·13	·68					·09	·07				·05	14
15	·04						·04	·24				·20	15
16	·63				·16		·79	·50					16
17		·17					·17						17
18		·14	·01						·03	·03	·22		18
19		·12					·04			·02			19
20		·01	·29				·02					·30	20
21	·04						·09			·02		·06	21
22	·08	·04		·02			·04					·05	22
23			·15				·17						23
24	·07		·08						·35	·18		·18	24
25			·10	·08		·01				·04		·18	25
26				·01		·15	·28		·03	·01		·60	26
27	·02	·16					·11					·11	27
28		·19				·93		·28		·44		·02	28
29		×			·15	·89		·07		·14		·86	29
30	·01	×				·44				·17	·10	·01	30
31	·09	×		×		×		·16	×		×	·16	31
Total	3·06	2·76	1·27	·69	1·52	2·42	3·70	4·36	·44	1·52	2·20	6·36	YEAR'S TOTAL 30·30
Rain Days.	21	15	11	9	8	5	19	17	4	14	8	22	153

W. 8,000. X. 15.

33.44

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Staincliffe Reservoir Batley
in the County of W. R of York.
by J. C. Barrowclough

Lat. 53°-42'-28" N Long. 1°-39'-12" W
Time of Observation 9 A.M. and entered to prev day.
Nearest Railway Station Heckmondwike L.N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62		·18			·15	·18				·12		1
2	·08	·04	·16			·01	·01		·13	·12	·01	·01	2
3		·04		·02					·31		·14		3
4	·08	·39		·01	·63	·26			·29	·62	·25		4
5	·08	·01			·10	·14				·34	·38		5
6	·22	·34		·02	·31	·01	·21			·04	·36	·03	6
7	·08	·04			·05		·19			·11		·25	7
8					·01					·03	·09		8
9	·02	·10			·25	·08	·01		·39		·20	·39	9
10	·04			·10		·44	·01		·03	·09	·01		10
11		·52	·44	·13	·04	·80	·02		·06			·24	11
12	·05	·03	·53	·09	·35	·20	·33			·01		·02	12
13		·03	·21		·01		·01	·20		·45	·01	·10	13
14		·22	·03	·13	·22			·13		·10	·02	·05	14
15		·38	·58				·12	·20		·01			15
16		·16	·54	·08			·08	·25		·03			16
17	·03	·12		·15			·05	·02	·15	·20			17
18		·39	·01	·01			·01	·05	·31	·10	·44		18
19	·12	·04	·18	·20				·12	·03	·01	·49		19
20	·06		·31	·04			·01				·04		20
21	·18		·06	·05			·08				·01		21
22		·04		·02	·06	·15				·11	·01		22
23		·02		·03				·12		·01	·10		23
24			·02			·11		·15					24
25	·01				·08			·14		·15	·09	·64	25
26			·21			·01				·01			26
27	·01							·04		·51			27
28		·45	·12		·05	·04			·01	·38		·08	28
29		·49				·15				·25		·22	29
30		X			·13	·01		·01		·38		·06	30
31		X		X		X			X	·22	X	·09	31
Total	1·68	4·18	3·88	1·11	2·32	2·65	1·32	1·43	1·41	4·62	3·10	2·21	YEAR'S TOTAL 30·21
Rain Days.	15	20	15	15	14	15	15	12	10	24	18	13	186

W. 8,000, VIII. 16

319

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

Kept at Staincliffe Reservoir Batley

in the County of W R of York

by J. C. Barrowclough

Lat. 53°-42'-28" N Long. 1°-39'-12" W.

Time of Observation 9 AM & entered to previous day

Nearest Railway Station Heckmondwike L.Y.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02					.02		.10	.24		.20	.14	1
2	.14					.04		.05			.03		2
3	.02					.04				.09	.10		3
4								.02		.20		.01	4
5	.25							.12		.09	.04	.02	5
6						.03		.01		.09	.14	.09	6
7	.24			.61		.32		.01		.62	.01		7
8	.59			.13				.94		.51	.09		8
9	.11			.04				.06		.10	.28		9
10			1.02		.08			.10		.03	.01	.09	10
11	.09							.01		.18	.01	.06	11
12	.16			.42	.33			.16		.30		.13	12
13				.05	.45			.25	.13	.04		.06	13
14		.04	.04	.12				.16				.36	14
15				.03			.33		.02			.16	15
16		.09		.10			.09	.05					16
17		.08	.03	.09	.63	.04	.44	.55	.02				17
18	.35		.01	.04	.06			.14	.10				18
19	.12	.16	.31		.26	.21			.01		.02		19
20		.26	.01		.13	.16		.06	.06		.02		20
21		.09			.12	.02		.08		.04			21
22			.05					.03	.05	.02	.01		22
23		.06			.11	.06	.01	.18		.05			23
24		.01	.02			.11		.21		.46	.35		24
25		.01	.06					.04		.24			25
26						.21		.59		.20	.06		26
27						.25	.08	.56		.02	.08	.05	27
28			.25			.02	.14	.25		.03	.01	.01	28
29			.06		.03		.21	.01		.21	.15	.25	29
30		X	.21					.03		.11	.03	.02	30
31		X		X		X		.01	X		X	.06	31
Total	2.15	.83	2.04	1.63	2.20	1.56	1.33	4.81	.66	3.66	1.40	1.51	YEAR'S TOTAL 24.11
Rain Days.	11	9	12	10	10	14	4	28	8	21	19	15	164

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Staincliffe Reservoir, Batley
in the County of W R of York
by J. C. Barrowclough

Lat. 53°-42'-28" Long. 1°-39'-12" W.
Time of Observation 9 a.m. entered to previous day
Nearest Railway Station Heckmondwike L. N. W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	·02	·01	·04				·14	·01	·18	·01	1
2		·14	·01						·04	·02	·03	·11	2
3			·03		·59			·29		·05	·11	·01	3
4	—	·01	·01		·02			·04	·22	·03	·23	·44	4
5	—		·04	·08	·31			·28	·09	·15		·02	5
6	·02	·46	·02	·22		·13		·18	·03	·10		·03	6
7		·04	·01	·08		—			·25	·25	·13		7
8		·09	·16				·14		·31	·13	·03		8
9	·10	·63		·15		·06			·94	·31	·02	·09	9
10	·05	·10		·05			·13		·33	·01	·04	·02	10
11	·25	·08	·01	·06	·10		·11		·18			·09	11
12		·10	·11	·02	·01		·22		·05			·14	12
13	·01	·01		·12	·30				·05	·03			13
14	·10	·01		·54	·01	·02	·09		·68	·10		·16	14
15	·11			·03		·03	·52		1·46			·32	15
16						·03	·04		·22	·03		·31	16
17	·23				·20	·04	·83			·24		·20	17
18	·30		·04			·08	·45		·45	·02		·14	18
19	·25		·14	·11		·03	·44	·03	·33	·14		·94	19
20	·05	·49		·08		·04	·41		·10	·04			20
21	·12	·14			·40	·05			·14	·19			21
22	·02	·01			·45	·11	·26		·01		·02	·45	22
23	·01				·54	·01	·34				·01	·02	23
24									·03		·05		24
25						·64	·03	·36					25
26		·01					·13	·09	·23		·06	·03	26
27		·06	·02				·03	·40	·44	·01	·10	·13	27
28		·19	·31					·42	·05		·11	·61	28
29									·11		·02	·14	29
30		X	·24					·04	·01		·03	·18	30
31		X	·08	X		X		·03	X		X		31
Total	1·64	2·96	1·31	1·01	2·94	1·33	4·23	2·16	6·98	1·86	1·20	4·68	YEAR'S TOTAL 32·33
Rain Days.	15	18	16	12	12	13	16	11	26	19	16	23	194

W, 6,500. VII. 18. w w c

Form B.1. 3027

METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

To be filled and returned to

THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1

Copies of this form will be supplied with pleasure.

RAINFALL IN 1919

NOTE.—Records taken in millimetres should not be entered on this form.

At Staincliffe Reservoir, Batley

In the County of W.R. of York

PLEASE FILL IN.

Rain Gauge
- Diameter of Funnel 5 in.
- Height of Top
  - *Above Ground* 1 ft 0 in
  - *Above Sea Level* 492 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches	Inches	Date.	
JAN.	3·77	·70	20	21
FEB.	1·93	·73	16	9
MAR.	3·64	·93	11	18
APR.	1·32	·25	14	15
MAY	2·16	·95	6	11
JUNE	·72	·15	21	12
JULY	2·39	·82	19	11
AUG.	2·44	·73	28	10
SEPT.	·67	·18	1	10
OCT.	2·44	·78	29	9
NOV.	1·81	·27	17	22
DEC.	3·64	·45	24	23
Total	26·93	✓ 184		171

Signed ....

Titles ....

[*Please fill in the other side also.*

2914

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Staincliffe Reservoir Batley

in the County of W R of York

by J. C. Barrowclough

Lat. 53° 42′ 28″ Long. 1° 39′ 12″ W.

Time of Observation 9 A.M. & entered to previous day

Nearest Railway Station Heckmondwike L.N.W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·04	·24	·49	·07	·34	·01	·06	·09	·27	·03	1
2	—	—	·05	·19	·03	—	·09	—	·19	·28	—	·18	2
3	—	·05	—	·03	·11	—	1·14	—	·04	·13	—	·26	3
4	—	—	—	·03	·09	—	·29	·79	—	·37	—	—	4
5	—	—	·02	—	·03	—	·03	·10	—	·11	—	—	5
6	—	—	·05	·02	·15	—	·05	—	—	—	—	·07	6
7	·14	—	·05	·05	·05	—	·57	—	—	—	—	—	7
8	·05	·04	—	·32	·04	—	·21	·08	—	—	·04	—	8
9	·17	·32	—	·43	—	—	·14	·14	—	·01	—	—	9
10	·45	·77	—	·31	—	—	·39	·03	—	—	—	—	10
11	·24	—	—	·16	·20	·25	—	—	—	—	—	·17	11
12	·23	·01	·17	·28	—	·03	—	·06	—	—	·01	—	12
13	·09	·02	·06	·06	—	·39	—	—	—	—	—	—	13
14	—	·01	·16	·04	·01	·31	—	—	·20	·19	·18	—	14
15	—	·08	·12	·17	—	—	—	—	·03	·48	·10	—	15
16	—	—	·02	—	·01	—	·67	—	·05	—	·08	—	16
17	·02	—	—	—	·13	—	—	·01	·10	·02	—	—	17
18	·05	·02	—	·02	·17	—	·01	·02	·05	—	—	—	18
19	·03	·63	—	·03	·02	·14	[illegible]	·09	·01	—	—	—	19
20	·01	·36	—	·14	—	·12	·09	—	—	—	—	·02	20
21	—	—	—	—	—	—	·46	·07	—	—	—	·06	21
22	·01	—	—	·20	—	·02	·26	·27	—	—	·01	·12	22
23	—	·01	—	—	—	—	·38	—	—	—	—	·30	23
24	·02	·01	·23	·02	—	—	·05	—	—	—	—	·09	24
25	—	·03	·05	—	—	—	·85	—	—	—	—	—	25
26	·04	·05	·17	·08	—	—	·02	—	—	—	—	—	26
27	·06	—	·01	·03	·37	·52	—	—	—	—	·30	·08	27
28	·58	·01	·20	·08	·17	—	—	—	—	—	—	·11	28
29	·05	—	·18	—	1·16	·06	·04	—	·01	—	·13	·67	29
30	·08		·03	·05	—	·02	—	—	·35	—	·08	·23	30
31	·29		·08		—		—	—		·44		·15	31
Total	2·61	2·42	1·69	2·98	3·23	1·93	6·02	1·67	1·09	2·12	1·20	2·54	**Year's Total** 29·50
Days with ·01 in. or more	19	16	18	23	17	11	20	12	11	10	10	15	182
Days with ·04 in. or more	14	8	14	16	~~13~~ 12	8	17	8	8	8	8	13	~~135~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

W Dew

BEDALE
BŪRNESTON

YORKSHIRE

1911 = 19

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at B 6 in.

Ground 1 ft.

in the County of N Sea Level 110 ft.

a m

by Rev Name Sinderby N.E.R.

Distance 3m Direction S

IMPORTANT NOTE.—Rain should be measured the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	–	–	–	–	–	–	–	–	·03	1
2	–	–	–	–	–	–	–	·07	–	·10	·01	–	2
3	·15	–	–	–	·21	–	·08	–	–	–	·04	·10	3
4	·03	–	·09	–	·20	–	–	–	·02	·10	·06	–	4
5	–	–	·10	·22	·01	–	–	·13	–	·11	·21	·17	5
6	·10	–	·03	·01	·05	–	–	·52	–	·03	·03	–	6
7	·17	–	·04	·01	–	–	–	·16	–	·04	·12	·47	7
8	–	–	·01	–	–	–	–	–	–	–	·06	·56	8
9	–	–	·14	–	–	·04	–	–	·04	·02	·03	–	9
10	–	–	–	–	–	–	–	–	–	–	–	·10	10
11	·02	·04	–	·01	–	–	–	–	–	–	–	·49	11
12	·21	–	–	–	–	–	–	–	–	–	·25	–	12
13	·10	–	·04	–	·06	·07	–	–	·73	–	·23	·02	13
14	–	–	·22	–	–	–	–	–	–	–	·04	·45	14
15	–	·01	·28	–	1·29	–	·01	–	–	–	·01	·53	15
16	–	–	·17	–	–	–	–	–	–	–	·19	·13	16
17	–	·01	·16	·02	–	·03	·11	–	–	–	·27	·06	17
18	–	–	·01	–	·02	·18	·02	–	–	–	·02	·09	18
19	–	·13	·03	·02	–	·07	–	–	–	–	·35	·23	19
20	–	·02	·01	–	–	·33	·02	–	·12	·07	·68	·16	20
21	–	·10	–	·23	–	–	·03	·36	·01	·01	·02	·07	21
22	–	·15	–	–	–	–	–	·59	–	·13	·14	–	22
23	·15	·05	–	–	–	–	–	·04	–	·02	·03	–	23
24	·02	·16	–	–	–	× ·49	–	–	·17	–	–	·18	24
25	–	–	–	–	–	·89	·02	–	–	·13	–	·09	25
26	–	·06	–	–	–	·18	·01	–	·42	·07		·11	26
27	–	–	–	·02	·06	–	–	·03	·03	·69	·19	·11	27
28	–	·03	·01	·03	–	–	–	·26	–	·02	–	·01	28
29	–		–	·20	–	·02	–	–	–	–	–	·18	29
30	–		–	·28	–	–	·02	–	·45	·27	–	·01	30
31	–	·02	·01	–	·16	–	–	–	–	·25	– ·03	(·02)	31
Total	·95	~~·76~~ ·78	1·37 1·35	·85	2·06	2·30	·32	2·16	1·99	2·15	~~2·98~~ 3·01	4·35 4·34	TOTAL for year 22·26
No. of Rain Days	9	~~11~~ 12	~~17~~ 16	11	9	~~11~~ 10	9	9	9	16	~~21~~ 22	23	155

9,000, IX. '10.

× Possibly a mistake. A leaf got on gauge. More measured in neighbourhood.

W Dew 2

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

Kept at Burneston

in the County of NR York 2

by Rev Canon Hartley

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 110 ft.

Time of Observation 10 a.m.

Nearest Railway Station: Name Sinderby N.E.R.
Distance 3m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (·02)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	—	—	—	—	—	—	—	—	·03	1
2	—	—	—	—	—	—	—	·07	—	·10	·01	—	2
3	·15	—	—	—	·21	—	·08	—	—	—	·04	·10	3
4	·03	—	·09	—	·20	—	—	—	·02	·10	·06	—	4
5	—	—	·10	·22	·01	—	—	·13	—	·11	·21	·17	5
6	·10	—	·03	·01	·05	—	—	·52	—	·03	·03	—	6
7	·17	—	·04	·01	—	—	—	·16	—	·04	·12	·47	7
8	—	—	·01	—	—	—	—	—	—	—	·06	·56	8
9	—	—	·14	—	—	·04	—	—	·04	·02	·03	—	9
10	—	—	—	—	—	—	—	—	—	—	—	·10	10
11	·02	·04	—	·01	—	—	—	—	—	—	—	·49	11
12	·21	—	—	—	—	—	—	—	—	—	·25	—	12
13	·10	—	·04	—	·06	·07	—	—	·73	—	·23	·02	13
14	—	—	·22	—	—	—	—	—	—	—	·04	·45	14
15	—	·01	·28	—	1·29	—	·01	—	—	—	·01	·53	15
16	—	—	·17	—	—	—	—	—	—	—	·19	·13	16
17	—	·01	·16	·02	—	·03	·11	—	—	—	·27	·06	17
18	—	—	·01	—	·02	·18	·02	—	—	—	·02	·09	18
19	—	·13	·03	·02	—	·07	—	—	—	—	·35	·23	19
20	—	·02	·01	—	—	·33	·02	—	·12	·07	·68	·16	20
21	—	·10	—	·23	—	—	·03	·36	·01	·01	·02	·07	21
22	—	·15	—	—	—	—	—	·59	—	·13	·14	—	22
23	·15	·05	—	—	—	—	—	·04	—	·02	·03	—	23
24	·02	·16	—	—	—	× ·49	—	—	·17	—	—	·18	24
25	—	—	—	—	—	·89	·02	—	—	·13	—	·09	25
26	—	·06	—	—	—	·18	·01	—	·42	·07		·11	26
27	—	—	—	·02	·06	—	—	·03	·03	·69	·19	·11	27
28	—	·03	·01	·03	—	—	—	·26	—	·02	—	·01	28
29	—		—	·20	—	·02	—	—	—	—	—	·18	29
30	—		—	·28	—	—	·02	—	·45	·27	—	·01	30
31	—	·02	·01	—	·16	—	—	—		·25	— ·03	(·02)	31
Total	·95	~~·76~~ ·78	~~1·39~~ 1·35	·85	2·06	2·30	·32	2·16	1·99	2·15	~~2·98~~ 3·01	~~4·35~~ 4·34	TOTAL for year 22·26
No. of Rain Days	9	~~11~~ 12	~~17~~ 16	11	9	~~11~~ 10	9	9	9	16	~~21~~ 22	23	155

9,000, IX. '10.

× Possibly a mistake. A leaf got on gauge. More measured in neighbourhood.

Cod for W.P. 18.III.13

Loc 7.6.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

2 JAN 1913

Kept at Burneston

in the County of York N2

by Canon J. J. Hartley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 110 ft. above

Time of Observation 10 a.m.

Nearest Railway Station
Name Sinderby N.E.R.
Distance 3 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·05	·03	–	·02	·01	·55	·38	·44	–	–	1
2	–	·13	·18	–	–	·50	·34	·18	·16	·04	–	·13	2
3	·01	–	·05	–	–	·46	·39	·01	·04	·02	–	–	3
4	·13	·07	–	–	–	·79	·01	·50	·15	·01	–	·12	4
5	·29	–	·77	–	·04	·75	–	·20	·05	–	·06	–	5
6	–	–	–	–	·21	·15	–	·03	·01	–	–	–	6
7	·44	·19	–	–	–	·01	–	·39	–	–	–	–	7
8	–	·13	–	–	·04	·12	–	·05	·09	–	·03	·02	8
9	·42	·13	·11	–	–	·08	–	–	·20	–	·19	–	9
10	–	·05	·09	·03	–	·15	–	–	·01	–	–	–	10
11	·08	–	·02	–	–	·29	–	–	·02	–	·09	–	11
12	·04	–	–	–	–	·01	–	–	–	–	·29	·10	12
13	·05	·07	–	–	–	·06	·25	–	–	–	·20	·03	13
14	–	·04	–	–	–	·03	–	–	–	·08	·17	·01	14
15	·12	–	·30	–	–	·11	–	–	–	–	·01	·04	15
16	·16	·02	·28	–	·53	·18	–	–	–	–	–	·05	16
17	·62	–	·07	–	·01	·02	–	·01	–	·03	–	–	17
18	–	·06	·21	–	–	·21	·02	·17	–	–	–	·04	18
19	·15	·02	–	–	–	·01	–	·23	–	–	–	·01	19
20	·14	·26	·02	–	–	·07	·20	·02	–	·04	·01	–	20
21	·14	·01	–	–	·65	·06	·17	–	–	·11	·02	–	21
22	·08	–	·30	–	·07	·01	–	·39	–	·06	·01	–	22
23	~~·23~~	·08	·01	–	·83	·76	–	·21	–	–	–	–	23
24	–	–	·13	–	·02	·01	·42	·09	–	·01	·08	–	24
25	·20	–	–	–	·01	·16	·11	·13	–	–	·14	·25	25
26	·08	–	·01	–	–	·62	·03	·09	–	–	·18	·01	26
27	·06	·07	–	–	–	·01	·22	·08	–	1·00	·09	·29	27
28	–	–	–	–	–	·34	·26	·61	–	·21	–	·14	28
29	–	–	·02	–	–	·04	·60	·03	–	·36	·09	–	29
30	–	–	·18	–	–	·41	·25	–	·57	·05		·08	30
31	·07	–	·07	–	·22		–			·06		–	31
		·05	·03		·02	·01	·55	·38	·44			(–)	
Total	~~3·20~~ 3·20	~~1·33~~ 1·38	~~2·87~~ 2·85	~~·06~~ ·03	~~2·63~~ 2·65	~~6·44~~ 6·43	~~3·28~~ 3·82	~~3·92~~ 3·75	~~1·68~~ 1·74	~~2·52~~ 2·08	~~1·66~~ 1·66	~~1·32~~ 1·32	TOTAL for year 30·91
No. of Rain Days.	19	~~15~~ 16	19	~~2~~ 1	~~11~~ 12	30	15	20	11	~~15~~ 14	16	15	188

W. 8,000, X. '11.

cwd for W.D. 13.IV.14 Ex DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Burneston Vicarage
Bedale
in the County of York - N R 2
by Canon J. S. Hartley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 130 ft.

Time of Observation 10. a m

Nearest Railway Station
Name Sinderby
Distance 3 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·03	–	·01	–	·07	–	–	–	–	–	–	1
2	·05	–	·07	·19	–	–	–	–	·01	–	·07	–	2
3	–	·04	·17	·01	–	·04	–	–	–	–	·05	–	3
4	–	–	·02	–	·30	–	·17	–	·01	·09	–	–	4
5	·35	·02	·01	–	·02	·02	·01	–	–	·09	·12	·57	5
6	·31	·05	·06	–	–	·05	–	·10	–	·21	–	–	6
7	·01	·14	·30	–	·41	·07	·39	–	–	–	·01	–	7
8	–	·48	–	–	·08	·15	–	–	–	1·02	–	–	8
9	·01	·01	–	–	·50	·04	–	·11	–	·33	·11	–	9
10	–	·04	–	·03	·16	·08	–	·15	–	–	·11	–	10
11	–	·09	·02	–	·02	–	–	–	–	~~[illegible]~~	·20	–	11
12	·97	–	–	·40	·15	–	–	–	–	·03	·10	–	12
13	·10	–	–	–	–	–	–	·08	·08	–	·21	–	13
14	·06	–	–	·04	–	–	–	–	·25	–	·02	–	14
15	·07	·11	·24	·05	–	–	·04	–	–	·08	–	–	15
16	·27	–	·35	·27	–	–	–	·03	–	–	·11	–	16
17	–	–	·01	–	–	–	·01	–	–	–	·02	–	17
18	–	·01	·10	·02	–	·24	–	–	·14	–	·09	·01	18
19	–	–	·40	·14	–	·03	–	–	–	–	·04	–	19
20	·23	–	·06	–	·03	–	–	–	·13	·06	–	–	20
21	·09	–	·07	·05	–	–	–	·06	·78	·14	·25	–	21
22	·06	–	·03	·01	·04	–	·14	·13	–	–	–	–	22
23	·08	–	·50	–	·03	–	–	·32	·09	–	–	–	23
24	·07	–	–	–	–	·05	–	·04	·09	·01	·05	–	24
25	·12	–	–	·01	–	·21	–	–	–	–	–	–	25
26	–	–	–	·04	–	–	–	–	·41	·03	–	–	26
27	–	·02	·03	·47	–	–	–	–	·10	·12	·11	·27	27
28	–	·01	·02	·28	–	·11	–	–	–	·02	–	·16	28
29	·39	–	·19	1·00	–	–	–	·21	–	·02	–	·40	29
30	·02	–	·28	·40	·08	–	–	–	–	–	·04	·20	30
31	·40 ·43	–	– ·01	–	·30 ·07	–		–		·29	–	·07	31
Total	~~3·66~~	~~1·05~~	~~2·93~~	~~3·42~~	~~2·12~~	~~1·16~~	·76	1·23	2·09	2·54	1·71	1·68	TOTAL for year 24·35
No. of Rain Days.	3·69 ~~19~~ 20	1·02 ~~13~~ 12	2·94 ~~20~~ 21	3·41 ~~18~~ 17	2·19 ~~13~~ 14	1·98 ~~13~~ 12	6	10	11	15	18	7	163

W. 8,000, X. '11.

cor for W D 12·IV·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Burneston Vicarage . Bedale
in the County of York - N.R. 2
by Canon J. T. Hartley

Lat. .... Long. ....
Time of Observation 10 . a m
Nearest Railway Station Sinderby . 3 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ..... in.
" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·24	·01	-	-	·01	-	·30	·02	-	·18	·12	1
2	-	-	-	-	-	-	·82	·12	-	-	-	·18	2
3	-	-	-	-	-	-	·58	·18	-	·04	·28	·17	3
4	-	-	-	-	·22	-	-	·01	-	-	·03	·52	4
5	·01	-	·03	·12	·06	·01	-	-	-	-	·15	·53	5
6	-	-	·04	·13	·03	·02	·01	-	-	-	·12	·05	6
7	-	·02	-	·05	·06	-	-	-	-	·01	·05	·14	7
8	-	·03	·25	-	·04	·26	-	·04	-	-	·07	·19	8
9	·04	-	·01	-	·04	·21	·05	·03	·03	-	-	·06	9
10	·38	·08	-	·08	-	·53	-		-	-	·05	·02	10
11	·10	·22	-	-	-	-	-	-	·11	-	·20	-	11
12	-	·07	·12	-	·02	-	-	-	-	-	·04	·14	12
13	-	·07	·06	-	-	-	·01	-	·05	-	·11	·18	13
14	·02	·13	·12	-	-	-	·04	-	-	-	·10	·21	14
15	·03	·29	-	-		-	·05	-	-	·02	·22	·20	15
16	·03	·03	·09	-	-	-	·03	-	-	-	·42	·01	16
17	·05	-	·02	-		-	1·20	-	·74	-	-	-	17
18	·02	·10	·08	-		-	·04	-	·23	-	-	·05	18
19	-	·02	·01	-	-	·65	-	-	-	-	·03	·14	19
20	-	-	-	[illegible]	·04	-	·01	-	·03	-	·07	·07	20
21	-	·12	·12	-	-	·01	-	-	-	·01	-	-	21
22	-	·37	-	-	-	·77	·09	-	-	·13	·01	·04	22
23	-	·01	-	-	·23	·12	-	-	-	·03	-	·08	23
24	-	-	-	-	·20	·26	-	-	-		-	·10	24
25	·01	-	·06		·13	·01	-	·17	-		·20	-	25
26	·01	-	·07	-	-	-	-	·11	-	·75	-	·50	26
27	-	-	·04	-	-	-	·15	-	-	·23	·08	·28	27
28	·04	-	-	-	-	-	-	-	-	·03	·18	·40	28
29	-	-	·02	-	·03	-	-	·02	-	·03	·04	·13	29
30	-	-	·09	-	·03	-	-	·13	-	·17	·05	-	30
31	-	-	·08	-		-	-	·11	-	·08		·23	31
Total	·24 ~~·74~~ ·98	·01 ~~1·80~~ 1·57	~~1·32~~ 1·31	~~·38~~ ·38	·01 ~~1·13~~ 1·14	~~2·86~~ 2·85	·30 ~~3·08~~ 3·38	·02 ~~1·22~~ ·94	~~1·21~~ 1·19	·18 ~~1·53~~ 1·71	·12 ~~2·08~~ ~~2·62~~	·01 ~~4·74~~ 4·63	YEAR'S TOTAL ~~22·69~~ 22·70
Rain Days.	~~12~~ 13	15	~~19~~ 18	4	~~13~~ 14	~~12~~ 11	~~13~~ 14	11	~~7~~ 6	~~12~~ 13	22	26	166

W.7,000, XI. 13

corrected for W.D. 3.1.16

3653

FORM A. BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Brompton

in the County of York. N.R.

by Canon J. T. Hartley

Lat. Long.

Time of Observation 10 a m

Nearest Railway Station Sinderby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·16

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·08	·06	–	·03	–	·60	·06	·36	–	·02	·02	1
2	·40	·18	–	–	·08	–	·15	–	·13	–	·10	·17	2
3	·02	·12	·21	·17	–	·02	·08	1·38	–	–	·01	–	3
4	·68	–	·03	·11	–	–	·32	·11	·01	–	·02	·58	4
5	·15	·02		–	·05	–	·14	·90	–	·03	–	1·05	5
6	·11	·23		–	·04	–	–	·02	–	·03	·02	·91	6
7	·13	·23	·07	·12	–	–	·91	–	·02	–	–	·03	7
8	·18	·59	·03	–	–		·16	·25	–	–	–	·05	8
9	·14	·06	·01	–	–		·03	·06	–	[illegible]	·07	–	9
10	·02	·02	–	–	–		·13	·11	–	·01	–	·59	10
11	·13	–	·12	–	–		–	·76	–	–	–	·07	11
12	–	·05	·01	–	·63		–	·02	–	–	·08	–	12
13	·09	–	–	·15	·02		·11	–	–	·13	·52	–	13
14	–	·11	–	–	–		·02	·31	–	–	–	–	14
15	·05	·05	–	–	·08		·13	–	–	–	–	·10	15
16	·30	·04	–	·03	–		–	·39	–	·16	·35	·15	16
17	–	·53	–	–	·03		·70	·04	–	·01	–	–	17
18	·02	·32	·05	–	–		·02	–	–	–	–	·13	18
19	–	·09	·13	–	–		–	–	·03	·08	·03	·08	19
20	–	–	·02	–	–		·10	–	–	·02	–	–	20
21	–	–	–	–	–		–	–	–	·03	–	·37	21
22	·11	·04	–	·02	–		–	·01	–	–	–	·13	22
23	–	–	·06	–	–		·03	–	–	–	–	·10	23
24	·14	·21	·04	–			·17	–	·01	·02	–	–	24
25	–	–	·08	·08			·03	–	·61	·03	–	·21	25
26	–	–	–	–		·07	–	–	·01	–	–	·04	26
27	–	·16	–	–		·18	·16	–		–	–	·60	27
28	–	·22	·04	–			·29	–		·41	–	·11	28
29	·03	✕	·06	–	·27		–	·36		·07	–	·05	29
30	·01	✕	–	–	·18	·05	–	·01		–	·24	·34	30
31	·14	✕	–	✕	–	✕	11	–	✕	–	✕	·06	31
	·08	·06	–	·03	–	·60	·06	·36	–	·02	·02	·16	YEAR'S TOTAL
Total	~~2·86~~ 2·93	~~3·35~~ 3·33	~~1·02~~ ·96	~~·68~~ ·71	~~1·41~~ 1·38	~~·32~~ ·92	~~4·39~~ 3·85	~~4·79~~ 5·09	~~1·18~~ ·82	~~1·03~~ 1·05	~~1·46~~ 1·46	~~5·94~~ 6·08	~~28·43~~ 28·58
Rain Days.	20	20	~~16~~ 15	~~7~~ 8	~~10~~ 9	~~4~~ 5	~~21~~ 20	16	~~8~~ 7	~~13~~ 14	11	23	169

W. 8,000. X. 14.

and for WD 679 L

3587

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Burniston Vicarage
in the County of York. N.R.
by Canon J. T. Hartley

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Scalby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level About 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	–	·20	–	–	–	–	–	–	–	·16	–	1
2	·39	·06	·10	–	–	·05	·16	–	–	–	·02	–	2
3	·03	·03	·34	–	–	·03	–	–	·37	·08	·02	·02	3
4	–	·23	·07	·08	–	–	·27	·02	1·49	·14	·28	–	4
5	–	·29	–	·01	·60	·26	·01	–	·07	·10	·28	–	5
6	·01	·07	·05	–	·40	·38	–	–	–	·35	·16	–	6
7	–	·17	·13	·10	·45	–	·20	–	–	·03	·30	–	7
8	–	·09	·12	·02	·12	·07	·16	–	–	·07	–	·19	8
9	–	·03	·09	–	·15	·02	–	–	–	·02	–	–	9
10	–	–	·04	–	·12	·18	–	–	·04	–	·02	·20	10
11	·05	–	·01	–	–	·07	–	–	–	·04	–	·03	11
12	–	·37	·03	·03	·01	·08	·11	–	·01	·03	–	·14	12
13	–	–	·31	–	·40	·03	·53	–	–	·59	–	·04	13
14	–	–	·27	–	·02	–	·21	·30	–	–	·06	·14	14
15	–	·04	·02	–	·03	·02		·14	–	·07	–	·03	15
16	–	·22	·60	–	–	–	·05	·33	–	·04	–	–	16
17	–	·06	·15	·07	–	–	·12	·04	–	–	–	·12	17
18	·01	·02	–	·08	–	–	·01	·05	·13	·15	·02	–	18
19	–	·25	·01	·09	–	–	·01	·01	·13	·04	·57	·26	19
20	·09	–	·11	·23	–	–	–	·01	–	–	·28	–	20
21	–	–	·17	·03	–	–	·15	·05	–	–	·04	·07	21
22	–	–	·02	·14	·03	–	–	–	–	–	–	–	22
23	–	·15	–	·01	–	·11	–	–	–	·10	–	–	23
24	–	·02	·15	·05	–	–	–	–	–	–	·14	·21	24
25	–	·02	–	·01	[illegible]	·20	–	·22	–	·08	·02	·04	25
26	–	·03	·13	–	·08	–	–	·33	–	·08	–	–	26
27	·05	·02	·02	–	·02	·06	–	·01	–	·05	–	–	27
28		·20	·03	–	–	–	–	·04	·02	·27	–	–	28
29		·04	–	·04	·03	–	–	·03	–	·03	·02	·15	29
30		×			·12	·10	–	–	–	·16	–	–	30
31		×		×		×	·01	–	×	·36	×	–	31
Total	~~·79~~	~~2·41~~ ·20	~~3·17~~	·99	2·58	1·66	2·00	1·58	2·26	~~2·88~~ 16	~~2·39~~	~~1·64~~ ·06	YEAR'S TOTAL ~~24·35~~
Rain Days.	·63 ~~8~~ 7	2·61 ~~24~~ 22	2·97 ~~24~~ 23	15	15	15	14	14	8	3·04 ~~22~~ 23	2·23 ~~16~~ 15	1·70 ~~14~~ 15	24·25 186

W. 8,000. X. 15.

cnd for WD

3437

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Burneston

in the County of York

by Canon J. T. Hartley

Lat. Long.
Time of Observation 10 a m
Nearest Railway Station Sinderby, N E R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·08	–	·34	·16	·01	–	·06	·02	–	–	–	1
2	–	–	–	·08	–	·35	–	·86	·21	–	·12	·03	2
3	·02	–	–	·06		·01	–	·23	·04	–	–	–	3
4	–	–	–	–		–	–	·10	·01	·01	·03	–	4
5	–	–	·13	–		–	–	–	–	·11	–	–	5
6	·14	–	·06	·24		–	–	–	–	–	·06	–	6
7	–	–	–	–		·12	–	–	–	·35	·07	–	7
8	·72	–	·10	–		·12	–	·23	–	·05	–	·06	8
9	·53	–	–	·10		–	–	1·87	–	·16	·06	·07	9
10	·06	–	–	·05		–	–	·53	–	·05	·05	–	10
11	·21	–	·74	·18	·06	–	–	·17	–	·08	·04	–	11
12	·03	·02	–	·04		–	–	·03	–	·11	·01	–	12
13	·05	–	–	–	·19	–	–	·21	·06	·66	–	·10	13
14	·13	–	–	·05		·94	–	·28	–	·05	–	·05	14
15	·20	–	–	·23		–	–	·05	–	–	–	·01	15
16	·06	–	–	·05		–	·07	1·85	–	·02	–	·13	16
17	·17	·04	–	·18		–	–	·04	–	–	–	·40	17
18	·05	–	–	·16	·30	–	–	·53	–	–	–	·20	18
19	–	–	–	·07	·14	–	·25	·31	·02	–	–	–	19
20	·06	·17	·07		·13	·09		–	–	–	–	·12	20
21	·04	·29	·03			·18		·08	·02	–	·12	–	21
22	·04	·10	·22			–		·03	–	·02	–	–	22
23	·03	–	·25			·10		·05	–	–	–	–	23
24	·05	·05	–		·18	–	·03	·11	–	·03	·03	–	24
25	–	–	–			·02	·06	·01	–	·31	·14	–	25
26	–	·02	–			–	·08	·03	–	·23	–	–	26
27	–		·07			·27		·53	·02	·14	·03	–	27
28	–		·13			·36	·25	·60	–		–	·11	28
29	–	✕	·08			·01	·05	·09	–		–	–	29
30	–	✕	·01				·14	·01	–	·28	–	–	30
31	·08	✕		✕		✕		–	✕	·02	✕	–	31
Total	~~2·73~~ 2·75	·08 ~~·77~~ ·69	·34 ~~1·89~~ 2·23	·18 ~~1·83~~ 1·65	·01 ~~1·16~~ 1·01	~~2·58~~ 2·57	·06 ~~·93~~ ·99	·02 ~~8·91~~ 8·87	~~·40~~ ·38	~~2·68~~ 2·68	~~·76~~ ·76	·04 ~~1·28~~ 1·32	YEAR'S TOTAL ~~25·12~~ 25·90
Rain Days.	20	8	~~13~~ 12	14	7	~~13~~ 12	9	26	4	18	12	12	157

W. 8,000, VIII. 16

37

FORM A.
BRITISH RAINFALL.

8. 1.

REGISTER OF RAINFALL IN 1918

Kept at Burneston nr Bedale
in the County of York. N.R.
by Canon Hartley

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Sinderby. N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .09

Date	Jan.	Feb.	March.	April. .10	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	–	.10	.02	–	–	–	–	.02	.01	.02	.07	1
2	–	.06	.11	–	.02	–	–	–	.20	.12	.21	–	2
3	–	.10	–	–	–	–	–	–	.13	–	–	.09	3
4	–	.04	.03	–	.30	–	–	–	–	.03	.06	–	4
5	–	–	–	–	.25	–	–	.29	.22	.03	.27	.06	5
6	–	–	–	~~.22~~	.54	–	–	.69	.01	.13	.03	–	6
7	–	.32	–	.23	–	.21	–	.07	.08	.24	–	.05	7
8	–	–	–	.22	–	–	–	–	.12	.09	.27	–	8
9	.03	.02	.15	–	–	–	.05	.02	.04	.05	.03	–	9
10	–	.39	–	.15	–	.05	–	–	1.00	.17	.10	.03	10
11	–	.12	.03	–	–	–	.26	–	.06	–	.02	–	11
12	.09	.11	.02	.02	.13	–	.35	.03	.04	–	–	.04	12
13	–	–	.01	–	.02	–	.33	–	.06	.02	–	–	13
14	–	–	–	.09	.05	–	–	–	.22	.19	–	–	14
15	.13	–	–	.08	–	–	.09	–	.60	.02	–	.17	15
16		–	–	–	–	–	.45	–	1.13	–	–	.82	16
17	.05	–	–	–	.03	.34	.04	.02	.19	.07	–	.10	17
18	.24	–	–	–	.12	.11	.42	.04	.01	.41	–	.30	18
19	.67	–	.02	–	–	–	.09	–	.35	.07	–	.03	19
20	.29	–	.11	.18	–	.13	.46	.14	.07	.19	–	.07	20
21	.13	.53	–	.07	–	.07	.33	–	.06	.02	–	–	21
22	.23	.03	–	–	.07	.02	–	–	.15	.12	–	–	22
23	.02	–	–	.06	.04	.04	.03	–	.01	–	–	.22	23
24	.01	–	–	–	.35	–	.77	–	.15	–	.03	–	24
25	–	–	–	–	[illegible]	.02	.15	–	.13	.02	.02	–	25
26	–	–	–	–	.03	.01	.02	.22	.06	–	–		26
27	–	–	–	–	–		.37	.01	.28	–	.08	.05	27
28	–	.02	.03	–	–		.01	.55	.06	–	.13	.05	28
29	–		.13	–	–		–	.03	.01	–	.05	.55	29
30	–	X	–	–	–		–		.29	–	–	.10	30
31	–	X	.13	X	–	X	–		X	–	X	.31	31
Total	~~1.93~~ 1.89	.10 ~~1.74~~ 1.84	.10 ~~.87~~ .87	~~1.22~~ 1.12	1.95	1.00	4.22	.02 ~~2.47~~ 2.13	.01 ~~5.76~~ 5.74	.02 ~~2.00~~ 2.01	.07 ~~1.32~~ 1.37	.09 ~~3.11~~ 3.13	YEAR'S TOTAL ~~27.22~~ 27.27
Rain Days.	17	12	12	16	13	10	17	13	29	19	14	18	178

W. 8,000, IX. 17.

3263

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Burneston & Knaresborough

in the County of Yorks. N.R.

by Canon Hartley

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station Sinderby, N.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May. Knaresborough	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·09	·02	–	–	·22	–	·15	·04	–	·11	·04	·12	1
2	·14	–	·02	–	·03	–	·25	–	·26	–	·02	·05	2
3	·26	–	·02	–	·25	·07	·22	–	·02	–	·08	–	3
4	·70	–	–	–	–	–	·58	–	–	–	·18	·21	4
5	·13	·05	·39	–	·12	–	·06	·12	·23	–	·05	–	5
6	·11	–	–	–	–	–	–	–	–	–	·07	·13	6
7	·02	–	·11	–	·41	–	–	–	–	–	·03	·02	7
8	–	–	·11	–	–	–	–	–	–	–	–	–	8
9	·12	–	–	–	·06	·03	–	·04	–	–	·26	–	9
10	·14	–	·04	–	·04	·04	–	–	–	–	·04	–	10
11	–	–	·04	·06	·25	–	–	–	–	·03	·07	·11	11
12	–	–	·73	–	–	–	·17	–	–	·06	·02	–	12
13	–	–	·20	·01	–	·06	–	–	·11	·08	·05	–	13
14	·08	–	·03	·21	–	–	·03	·08	–	·28	–	–	14
15	·19	–	–	·30	–	–	·07	·04	–	·04	·18	·08	15
16	·03	·23	·09	·27	–	–	–	–	–	–	–	·61	16
17	·02	·12	–	·01	–	–	–	–	–	–	·21	–	17
18	–	·07	–	·05	–	·05	–	·04	–	–	·21	–	18
19	–	–	·09	–	–	–	·02	·20	–	–	–	·18	19
20	·04	·26	·68	–	–	·04	·76	·08	·08	–	·23	·06	20
21	·41	·11	–	–	–	·04	·20	–	·03	–	–	·27	21
22	·12	·18	–	–	–	·03	–	·01	–	–	–	·18	22
23	–	·28	·03	–	–	·02	–	·08	·17	–	·03	·26	23
24	–	–	·03	·08	–	–	–	–	–	1·00	·02	·06	24
25	–	–	–	·03	·04	·20	–	–	·04	·35	–	·10	25
26	·04	·02	–	·04	·04	·07	–	·51	·02	–	·08	–	26
27	–	·16	·13	·01	–	·02	–	·08	·03	·17	·13	·48	27
28	·15	–	–	·25	–	–	–	–		·18	·02	·01	28
29	·02	–	–	–	–	–	–	·10		·25		·31	29
30	·10	X	–	·13	–	–	–	·05		·57		·14	30
31	·01	X	·02	X	–	X	–	–	X	·04	X	·27	31
Total	·02 ~~2·92~~ 2·85	~~1·50~~ 1·48	2·76	(·22) ~~1·45~~ 1·67	~~1·46~~ 1·24	·15 ~~·67~~ ·82	·04 ~~2·51~~ 2·40	~~1·47~~ 1·43	·11 ~~·99~~ 1·10	·04 ~~3·76~~ 3·09	·12 ~~2·22~~ 2·10	3·65	YEAR'S TOTAL ~~24·56~~
Rain Days.	21	~~11~~ 10	17	~~13~~ 14	~~10~~ 9	~~12~~ 13	11	~~14~~ 13	~~10~~ 11	13	21	~~20~~ 19	~~173~~

W. 8,000, IX. 17.

S. made

Jan 1 - Feb 1 cml for W.D. Crd ha aults 18.III.13

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

BEDALE
LEEMING GARTH
YORKSHIRE
1912 - 1914

Kept at Leeming Gar
in the County of
by Capt. L. A. G. L

in.
round 2 ft. in.
ea Level ft.
m.
ame Leeming Bar. N.E.R.
istance ¼ mile Direction East

IMPORTANT [illegible] he result entered to the previous day. If an [illegible] sal rule, he is earnestly requested to add the [illegible] in the space provided for it at the end of [illegible] instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·24	—	—	·60	·27	·33	·22	·6	—	·15	1
2	—	·38	·9	—	—	·48	·37	—	·5	—	—	—	2
3	—	—	—	—	—	1·00	—	·70	·19	—	—	·11	3
4	·12	—	·71	—	—	·80	—	·21	—	—	·12	—	4
5	·22	—	—	—	·24	·20	—	·2	—	—	—	—	5
6	—	·13	—	—	—	—	—	·29	—	—	—	—	6
7	·52	·5	—	—	·8	—	—	·5	·10	—	·3	·2	7
8	—	·17	·8	—	—	·5	—	—	·16	—	·16	—	8
Snow 9	·38	—	·10	—	—	·16	—	—	—	—	—	—	9
10	—	—	—	—	—	·28	—	—	—	—	·6	—	10
11	—	—	—	—	—	—	—	·16	—	—	·24	—	11
12	·9	·17	—	—	—	·5	·49	—	—	—	·25	·9	12
13	·4	—	—	—	—	—	—	—	—	·7	·26	·1	13
14	—	—	·28	—	—	·8	—	—	—	—	—	·4	14
15	·11	·5	·17	—	·51	—	—	—	—	·2	—	—	15
16	·15	—	·7	—	—	·9	—	—	—	—	—	—	16
17	·50	·9	·18	—	—	·17	—	·17	—	—	—	—	17
18	—	—	—	—	—	—	—	—	—	·2	·2	—	18
Snow 19	·15	—	—	—	—	·15	·31	·34	—	·11	—	—	19
20	·16	·19	—	—	·62	·6	·17	—	—	·6	—	—	20
21	·9	—	·22	—	—	—	·7	—	—	—	—	—	21
22	—	·5	—	—	·78	·61	—	·32	—	—	—	—	22
23	—	—	·11	—	—	—	·35	·28	—	·2	·17	—	23
24	—	—	—	—	—	—	—	·10	—	—	·7	·27	24
25	·20	—	—	—	—	·85	—	·10	—	—	·11	—	25
26	·23	·7	—	—	—	—	·34	·10	—	·88	·12	·55	26
27	·11	—	—	—	—	·35	·35	·3	—	·20	—	·9	27
28	—	—	—	—	—	·28	·21	·44	—	·31	·10	—	28
29	—	—	·15	—	—	·29	·25	—	·52	·4	—	·8	29
30	—		·3	—	·16	—	—	—	·46	—	—	—	30
31	—		·8	—	·8		·49	·26		—		—	31
Total	3·07	1·35 ✓	2·51	·00	2·47	6·55	3·67	3·90	1·70	1·79	1·71	~~1·41~~ 1·41	TOTAL for year 30·83
No. of Rain Days.	15	10	14	0	7	19	12	17	7	11	13		

W. 8,000, X. '11.

135 days 30·83.

S. made

Jan 1 [illegible] and for W.D.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Leeming Park - Bedale

in the County of Yorkshire N 2

by Capt. E. A. G. Lascelles

Rain Gauge	Pattern
	Diameter of top 5 in.
	Height of top above Ground 2 ft. in.
	,, ,, ,, Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Leeming Bar. N.E.R.
Distance ¼ mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·24	—	—	·60	·27	·33	·22	·6	—	·15	1
2	—	·38	·9	—	—	·48	·37	—	·5	—	—	—	2
3	—	—	—	—	—	1·00	—	·70	·19	—	—	·11	3
4	·12	—	·71	—	—	·80	—	·21	—	—	·12	—	4
5	·22	—	—	—	·24	·20	—	·2	—	—	—	—	5
6	—	·13	—	—	—	—	—	·29	—	—	—	—	6
7	·52	·5	—	—	·8	—	—	·5	·10	—	·3	·2	7
8	—	·17	·8	—	—	·5	—	—	·16	—	·16	—	8
Snow 9	·38	—	·10	—	—	·16	—	—	—	—	—	—	9
10	—	—	—	—	—	·28	—	—	—	—	·6	—	10
11	—	—	—	—	—	—	—	·16	—	—	·24	—	11
12	·9	·17	—	—	—	·5	·49	—	—	—	·25	·9	12
13	·4	—	—	—	—	—	—	—	—	·7	·26	·1	13
14	—	—	·28	—	—	·8	—	—	—	—	—	·4	14
15	·11	·5	·17	—	·51	—	—	—	—	·2	—	—	15
16	·15	—	·7	—	—	·9	—	—	—	—	—	—	16
17	·50	·9	·18	—	—	·17	—	·17	—	—	—	—	17
18	—	—	—	—	—	—	—	—	—	·2	·2	—	18
Snow 19	·15	—	—	—	—	·15	·31	·34	—	·11	—	—	19
20	·16	·19	—	—	·62	·6	·17	—	—	·6	—	—	20
21	·9	—	·22	—	—	—	·7	—	—	—	—	—	21
22	—	·5	—	—	·78	·61	—	·32	—	—	—	—	22
23	—	—	·11	—	—	—	·35	·28	—	·2	·17	—	23
24	—	—	—	—	—	—	—	·10	—	—	·7	·27	24
25	·20	—	—	—	—	·85	—	·10	—	—	·11	—	25
26	·23	·7	—	—	—	—	·34	·10	—	·88	·12	·55	26
27	·11	—	—	—	—	·35	·35	·3	—	·20	—	·9	27
28	—	—	—	—	—	·28	·21	·44	—	·31	·10	—	28
29	—	—	·15	—	—	·29	·25	—	·52	·4	—	·8	29
30	—		·3	—	·16	—	—	—	·46	—	—	—	30
31	—		·8	—	·8		·49	·26		—		—	31
Total	3·07 ✓	1·35 ✓	2·51	·00	2·47.	6·55	3·67	3·90	1·70	1·79	1·71	~~1·44~~ 1·41	TOTAL for year
No. of Rain Days.	15	10	14	0	7	19	12	17	7	11	13		30·83.

W. 8,000, X. '11.

135 days 30·83.

S. made ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 2 - JAN 1914

Kept at Leeming Garth - Bedale

in the County of Yorkshire N 2

by Capt. David Lascelles.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Leeming Bar. N.E.R.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 18 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·4	·0	·17	·23	·0	·0	·0	·0	·0	·0	·5	·0	1
2	·0	·1	·11	·0	·0	·0	·0	·0	·0	·0	·3	·0	2
3	·4	·0	·0	·0	·32	·0	·15	·0	·0	·0	·0	·0	3
4	·29	·1	·0	·0	·0	·4	·3	·0	·0	1·96	·0	·63 (snow)	4
5	·35	·0	·10	·0	·0	·2	·0	·5	·0	·18	·0	·0	5
6	·0	·22	·27	·0	48	·14	·43	·0	·0	·0	·6	·0	6
7	·0	·38	·0	·0	·5	·10	·0	·0	·0	1·00	·0	·0	7
8	·0	·0	·0	·0	·49	·0	·0	·0	·0	·0	·10	·0	8
9	·0	·7	·0	·0	·26	·10	·0	·13	·0	·13	·0	·0	9
10	·0	·15	·3	·0	·0	·0	·0	·0	·0	·0	·26	·0	10
11	·0	·0	·0	·43 (snow)	·0	·0	·0	·0	·0	·0	·7	·0	11
12	1·05 (snow)	·0	·0	·0	·0	·0	·0	·0	·0	·0	·19	·0	12
13	·0	·0	·0	·0	·0	·0	·0	·0	·22	·0	·0	·0	13
14	·11	·0	·0	·6	·0	·0	·0	·0	·21	·4	·0	·0	14
15	·18	·0	·42	·25	·0	·0	·6	·0	·0	·0	·16	·0	15
16	·0	·0	·2	·0	·0	·0	·0	·0	·0	·0	·2	·0	16
17	·0	·0	·16	·0	·0	·17	·0	·0	·11	·0	·0	·0	17
18	·0	·0	·36	·12	·0	·0	·0	·0	·2	·0	·10	·0	18
19	·21	·0	·6	·0	·2	·0	·0	·0	·14	·6	·0	·0	19
20	·14	·0	·5	·0	·0	·0	·0	·0	·9	·14	·30	·0	20
21	·10	·0	·0	·0	·0	·0	·11	·28	·0	·0	·0	·0	21
22	·7	·0	·57	·0	·0	·0	·0	·33	·0	·0	·0	·0	22
23	·6	·0	·0	·0	·0	·5	·0	·2	·4	·0	·5	·0	23
24	·19	·0	·0	·0	·0	·19	·0	·0	·0	·0	·0	·0	24
25	·0	·0	·0	·0	·0	·0	·0	·0	·55	·0	·0	·0	25
26	·0	·0	·3	·44	·0	·0	·0	·0	·13	·15	·10	·17	26
27	·0	·0	·0	·36	·0	·10	·0	·0	·0	·0	·0	·12	27
28	·30	·0	·18	·81	·0	·0	·0	·0	·0	·0	·0	·50 (snow)	28
29	·3		·30	·39	·9	·0	·0	·20	·0	·3	·10	·63 (snow)	29
30	·35		·0	·0	·28	·0	·0	·0	·0	·25	·0	·7 (snow)	30
31	·4		·0		·5		·0	·0		·0		·0	31
Total	3·55	·84	2·83	3·09	2·04	·91	·78	1·01	1·51	3·94	1·59	2·12.	YEAR'S TOTAL 24.21
Rain Days.	17	6	15	9	9	9	5	6	9	10	14	6	115

W.7,000, XI. 13

Spmade

Cnd 12.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 JAN 1915

Kept at Leeming Garth Bedale
in the County of Yorkshire
by

WNP 21

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Leeming Bar N.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·0	·0	·0	·3	·52	·10	·0	·0	·0	·15	1
2	·0	·0	·0	·0	·0	·0	·54	·26	·0	·0	·30	·9	2
3	·0	·0	·0	·0	·22	·0	·0	·0	·0	·0	·5	·49	3
4	·0	·0	·4	·11	·8	·0	·0	·0	·0	·0	·18	·33	4
5	·0	·3	·5	·10	·2	·0	·0	·0	·0	·3	·18	·9	5
6	·0	·0	·0	·10	·4	·0	·0	·0	·0	·0	·3	·12	6
7	·0	·0	·25	·0	·4	·14	·0	·0	·0	·0	·5	·10	7
8	·7	·0	·0	·3	·0	·38	·15	·7	(·04)	·0	·0	·5	8
9	·28	·4	·0	·0	·0	·74	·0	·0	·0	·0	·10	·0	9
10	·12	·26	·0	·0	·0	·0	·0	·0	·18	·0	·3	·0	10
11	·0	·5	snow ·14.	·0	·10	·0	·0	·0	·0	·0	·14	·8	11
12	·0	·0	·5	·0	·0	·0	·0	·0	·4	·0	·0	·17	12
13	·0	·16	·15	·0	·0	·0	·0	·0	·0	·0	·15	·19	13
14	·8	·22	·0	·0	·0	·0	·7	·0	·0	·0	·0	·20	14
15	·3	·2	·8	·0	·0	·0	·0	·0	·0	·0	snow ·61	·0	15
16	·10	·0	·5	·0	·0	·0	·95	·0	·43	·0	·0	·0	16
17	·5	·10	·5	·0	·0	·0	·7	·0	·40	·0	·0	·4	17
18	·0	·3	·2	·0	·0	·12	·0	·0	·0	·0	·0	·0	18
19	·0	·0	·2	·0	·0	·0	·0	·0	·3	·0	·9	·14	19
20	·0	·9	·4	·0	·0	·7	·0	·0	·0	·0	·0	·0	20
21	·0	·34	·0	·0	·0	·53	·4	·0	·0	·5	·0	·0	21
22	·0	·1	·0	·0	·35	·28	·0	·5	·0	·3	·0	(14)	22
23	·0	·0	·0	·0	·35	·18	·0	·0	·0	·0	·0	·8	23
24	·0	·0	·7	·0	·0	·0	·0	·14	·0	·0	·11	·0	24
25	·0	·0	·13	·0	·0	·0	·0	·12	·0	·47	·0	·32	25
26	·0	·0	·6	·0	·0	·0	·10	·0	·0	·24	·10	·30	26
27	·4	·0	·0	·0	·0	·0	·0	·0	·0	·4	·10	·41	27
28	·0	·0	·0	·0	·4	·0	·0	·2	·0	·0	·3	·0	28
29	·0		·7	·0	·0	·0	·0	·21	·0	·28	·4	·0	29
30	·0	X	·3	·0	·0	·0	·0	·7	·0	·8	·12	·31	30
31	·18	X	·0	X	·0	X	·28	·0	X	·21	X	·0	31
Total	95 ✓	1·35 ✓	1·30 ✓	·34 ✓	1·24 ✓	2·47 ✓	2·72 ✓	1·04 ✓	1·12 ✓	1·43 ✓	2·41 ✓	3·77 ✓	YEAR'S TOTAL 20·14 ✓
Rain Days.	9	12	17 ✓	4	9	9	9	9	5	9	18	20	~~[illegible]~~

W. 8,000. X. 14.

The driest year since 1905 which was 17·48.

and for WD

3142

JUN 1921

FORM A. 1. METEOROLOGI NIZATION.

REG

Kept at Bedale P

in the County of

by

Gauge in.

e Ground ft. in.

Sea Level ft.

BEDALE

PARK HOUSE

1920

IMPORTANT NOTE.— ntered to the previous day.
If an Observer prefers not to sted to add
the reading at 9 a.m. on 1st t the end of
this paragraph. Full instructi rain gauges,
and particulars as to the Br l Observers,"
sent post-free on application 62, Camden
Square, London, N.W. 1.

Jan. 1, following.

Reco

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		40		50		80	70			70	170	130	1
2			150	340	740		500	10		70			2
3				210	40		260		100	100		400	3
4	80			280	40		340	80	110			170	4
5	30			20	50		515	450	70	1.310		160	5
6		130	20		10		160	5		50			6
7			70	20	20		20					50	7
8	90	5	40				520					20	8
9				160	60		210	40					9
10	210	210		530			30	205		30			10
11	800	130	30	620	170		140	70					11
12	310	30	150	160	10		10						12
13	120		160	220		60	20				15	290	13
14		15	20	160							70	110	14
15	70	105	390	160			60		100	220	490	170	15
16		80		190	30				10	1.610	55		16
17							450		150		150		17
18	10	~~10~~			90	15	35	10	40		~~55~~		18
19	150	10		80	310	15	15	20	80				19
20	30	400		210		50	390	45					20
21		20		210			20		110		15		21
22	20			80			190	70					22
23				130			20					20	23
24						10	640		10			230	24
25	50	40	400				90			10	20	50	25
26	30	20		10			10				5		26
27	30		400				30						27
28	600		270	40	310	390	15				200	35	28
29	220			160								120	29
30	210		170		1in. 140				25		90	650	30
31	110		50									230	31
	·040		·050		·080	·070			·070	·170	·130	·110	
TOTAL	3·170	1·135	2·320	4·040	3in·200	·620	4·750	1in·005	·895	3·470	1·160	2·825	YEAR'S TOTAL
	3·21	1·10	2·37	3·99	3·10	·61	4·68	1·00	·88	3·57	1·64	2·81	~~28·350~~ 28·46 10
Days with ·01 in. or more	20	19	15	24	18	7	25	11	12	9	11	16	175
Days with ·04 in. or more	14	6	12	18	10	4	14	7	9	7	7	13	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

and for WD

3142

JUN

Form A. 1. METEOROLOG NIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at [illegible]

in the County of Yorks.

by [illegible] Greenwood

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		40		50		80	70			70	170	130	1
2			150	340	740		500	10		70			2
3				210	40		260		100	100		400	3
4	80			280	40		340	80	110			170	4
5	30			20	50		515	450	70	1.310		160	5
6		130	20		10		160	5		50			6
7			70	20	20		20					50	7
8	90	5	40				520					20	8
9				160	60		210	40					9
10	210	210		530			30	205		30			10
11	800	130	30	620	170		140	70					11
12	310	30	150	160	10		10						12
13	120		160	220		60	20				15	290	13
14		15	20	160							70	110	14
15	70	105	390	160			50		100	220	490	170	15
16		80		190	30				10	1.610	55		16
17							450		150		150		17
18	10	~~10~~			90	15	35	10	40		~~55~~		18
19	150	10		80	310	15	15	20	80				19
20	30	400		210		50	390	45					20
21		20		210			20		110		15		21
22	20			80			190	70			"		22
23				130			20					90	23
24						10	640		10			230	24
25	50	40	400				90			10	20	50	25
26	30	20		10			10				5		26
27	30		400				30						27
28	600		270	40	310	390	15				200	35	28
29	220			160								120	29
30	210	╳	170		1 in. 140				25		90	650	30
31	110	╳	50	╳		╳			╳		╳	230	31
	·040		·030		·080	·070			·070	·170	·130	·110	
Total	3.170	1.135	2.320	4.040	3 in. 020	·620	4.450	1 in. 005	·895	3.470	1.160	2.825	Year's Total
	3·21	1·10	2·37	3·99	3·10	·61	4·68	1·00	·88	3·57	1·14	2·81	~~28·355~~ 28·46
Days with ·01 in. or more	20	19	15	21	18	7	25	11	12	9	11	16	175
Days with ·04 in. or more	14	6	12	18	11	4	14	7	9	7	7	13	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROL ZATION.

R

~~BENTHAM~~

FELSTEAD

YORKSHIRE

1920

14 JAN 1921

Kept at FELSTEAD

in the County of YO

by A. W. WILSO

nthan

ge 5 in.

ound 1 ft. – in.

Level 315 ft.

IMPORTANT NOT l to the previous day.

If an Observer prefers no to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						–	'23	'01	–	'04	–	'09	1
2						–	'55	'01	'42	'27	–		2
3						–	'24	'28	'25	'75	–	'67	3
4						–	'38	'55	'03	'40	–	'01	4
5						–	'22	'11	'02	'12	–	–	5
6						–	'01	–	–	–	'03	'03	6
7						–	'70	–	–	–	'02	–	7
8						–	'08	'16	–	–	'11	–	8
9						–	'08	–	'04	–	'05	'03	9
10						–	'03	'01	–	–	–	'01	10
11						–	–	–	–	–	–	'02	11
12						'11	'23	–	'08	–	'17		12
13						'02	–	–	–	–	'30		13
14						'20	'05	–	'20	'22	'34		14
15						'35	–	–	–	'01	'14	'20	15
16						–	'23	–	'35	–	'14	–	16
17						–	'08	'37	'10	–	'01	–	17
18						'21	–	'01	'01	–	–	–	18
19						'02	'12	–	'01	–	–	–	19
20						–	'12	–	'02	–	–	'06	20
21						–	'32	–	'08	–	–	'20	21
22						–	'55	'05	–	–	–	~~'46~~	22
23						–	'12	–	–	–	–	'26	23
24						–	'13	–	–	–	–	'20	24
25						'01	'44	–	–	–	–	'01	25
26						–	–	–	–	–	'01	~~'22~~	26
27						'73	'01	–	–	–	'12	'22	27
28						'23	'02	–	–	–	–	'05	28
29						'23	'66	–	–	–	'11	'24	29
30						'05	–	–	'14	–	'34	36	30
31							'12	'09		'07		'10	31
TOTAL						2·16	5·72	1·65	~~1·74~~ 1·78	~~1·85~~ 1·88	1·89	2·86	YEAR'S TOTAL ~~49·48~~
Days with ·01 in. or more						11	25	11	13	8	14	~~18~~	~~207~~
Days with ·04 in. or more						8	21	7	9	7	10		

LAST SEVEN MONTHS BENTHAM RECORD

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROL ZATION.

14 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at FELSTEAD – BENTHAM
in the County of YORK. W. RIDING
by A. W. WILSON

Lat.......... Long..........
Time of Observation 9 AM
Nearest Railway Station Bentham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						–	·23	·01	–	·04	–	·09	1
2						–	·55	·01	·42	·27	–	} ·67	2
3						–	·24	·28	·25	·75	–		3
4						–	·38	·55	·03	·40	–	·01	4
5						–	·22	·11	·02	·12	–	–	5
6						–	·01	–	–	–	·03	·03	6
7						–	·70	–	–	–	·02	–	7
8						–	·08	·16	–	–	·11	–	8
9						–	·08	–	·04	–	·05	·03	9
10						–	·03	·01	–	–	–	·01	10
11						–	—	–	–	–	–	·02	11
12						·11	·23	–	·08	–	·17	} ·20	12
13						·02	–	–	–	–	·30		13
14						·20	·05	–	·20	·22	·34		14
15						·35	–		–	·01	·14		15
16						–	·23	–	·35	–	·14	–	16
17						–	·08	·37	·10	–	·01	–	17
18						·21	–	·01	·01	–	–	–	18
19						·02	·12	–	·01	–	–	–	19
20						–	·12	–	·02	–	–	·06	20
21						–	·32	–	·08	–	–	·20	21
22						–	·55	·05	–	–	–	~~·16~~	22
23						–	·12	–	–	–	–	·16	23
24						–	·03	–	–	–	–	·20	24
25						·01	·44	–	–	–	–	·01	25
26						–	–	–	–	–	·01	[illegible]	26
27						·73	·01	–	–	–	·12	·22	27
28						·23	·02	–	–	–	–	·05	28
29						·23	·66	–	–	–	·11	·17	29
30		╳				·05	–	–	·14	–	·34	·36	30
31		╳		╳		╳	·12	·09	╳	·07	╳	·10	31
TOTAL						2·16	5·72	1·65	~~1·74~~ 1·78	~~1·83~~ 1·88	1·89	2·86	YEAR'S TOTAL ~~49·48~~
Days with ·01 in. or more						11	25	11	13	8	14	~~18~~	~~20~~
Days with ·04 in. or more						8	21	7	9	7	18		

LAST SEVEN MONTHS BENTHAM RECORD

18

FORM A.
BRITISH RAINFALL.

10 1 19

REGIS

Kept at East Riding Asy

in the County of Yorkshi

by E. J. Minchin

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in
THE DIRECTOR, British Rai

—

BEVERLEY

E. RIDING. MENTAL HOSPITAL

YORKS

1918.

27·20 W
m.
unley 2 m. E.
Gauge 5 in.
Ground 1 ft. — in.
Sea Level 175 ft.

the result entered to the
ersal rule, he is earnestly
in the space provided
ent of rain,
tish Rainfall
pplication to
W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0·14	—	—	—	—	0·12	0·02	0·19	0·08	1
2	0·05	0·26	—	0·18	—	—	—	—	0·07	—	—	0·31	2
3	—	0·05	0·02	—	0·15	—	—	1·32	—	0·01	0·40	0·01	3
4	—	0·03	0·04	—	0·13	—	—	0·05	0·28	0·02	0·20	0·31	4
5	—	—	0·01	—	0·25	—	—	0·88	—	0·09	—	0·02	5
6	Snow	0·36	—	0·88	0·01	0·03	—	0·11	—	—	Frost —	0·03	6
7	Snow 0·12	0·07	—	0·10	—	0·13	—	—	0·02	0·10	Frost 0·09	0·01	7
8	—	—	0·02	—	—	—	0·45	0·06	0·02	0·03	0·02	0·01	8
9	0·07	Lightning 0·36	—	0·02	—	0·09	—	—	Thunder 0·62	0·48	—	0·08	9
10	—	0·06	—	0·01	—	—	0·11	—	0·11	0·01	0·02	0·13	10
11	0·14	0·04	—	0·02	0·50	—	0·05	—	0·03	—	—	0·05	11
12	0·01	0·10	—	0·02	0·05	—	0·37	0·01	Thunder 0·06	0·04	—	0·03	12
13	—	0·02	—	0·05	0·10	—	—	—	0·06	0·01	—	—	13
14	0·15	—	—	Snow 0·05	—	0·03	0·09	—	0·47	0·04	—	0·05	14
15	0·07	—	—	Snow —	0·01	Thunder —	0·15	—	0·90	—	—	0·41	15
16	—	—	—	Snow 0·02	—	—	0·08	—	0·32	—	—	0·10	16
17	0·20	—	—	Snow —	Hail-lightning 0·69	0·03	0·78	0·02	0·02	0·08	—	0·35	17
18	0·15	—	0·01	Snow 0·19	—	—	0·07	0·02	0·34	—	—	0·06	18
19	0·23	—	0·02	0·24	—	—	0·02	—	0·04	0·13	—	0·07	19
20	0·05	0·14	—	0·04	—	0·02	0·12	—	0·06	0·02	—	—	20
21	0·05	—	—	—	0·10	—	0·02	—	0·17	0·10	0·01	—	21
22	0·05	—	—	0·01	0·02	0·12	0·02	—	0·05	0·03	0·03	0·46	22
23	0·08	—	—	—	Lightning 0·38	—	0·16	—	—	—	—	—	23
24	—	0·02	—	—	Lightning 0·00	—	0·20	—	0·10	—	0·04	0·01	24
25	—	—	—	—	—	0·01	0·18	0·27	—	—	0·03	0·02	25
26	—	—	—	—	—	—	0·02	0·06	0·27	—	0·16	0·05	26
27	—	Snow 0·04	0·05	—	—	—	0·07	0·33	0·20	—	0·10	0·07	27
28	—	0·12	0·25	—	—	—	—	0·01	—	—	0·08	0·23	28
29	—	—	0·01	—	—	—	—	—	0·13	—	0·03	—	29
30	—	✕	0·42	—	—	—	—	—	0·08	—	—	0·35	30
31	0·01	✕	0·14	✕	—	✕	—	0·06	✕	—	✕	0·05	31
Total	1·43	1·67	0·99	1·97	2·39	0·46	2·96	3·20	4·54	1·21	1·40	3·35	YEAR'S TOTAL 2697 ~~[illegible]~~
Rain Days.	15 / 0·23 19th	14 / 0·36 6th 9th	31 / 0·42 30th	15 / 0·88 6th	12 / 0·69 17th	8 / 0·13 7th	18 / 0·78 17th	12 / 1·32 3rd	24 / ·90 15th	16 / 0·48 9th	14 / ·40 3rd	26 / ·46 22nd	185

W. 6,500, VII. 18. w w o

18

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10 1 19

Kept at East Riding Asylum, Beverley E. Yorks
in the County of Yorkshire E
by E. J. Minchin

Lat. 53°·49′·57″ N Long. 0·27·20 W
Time of Observation 9 a.m.
Nearest Railway Station Beverley 2 m. E.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0·14	—	—	—	—	0·12	0·02	0·19	0·08	1
2	0·05	0·26	—	0·18	—	—	—	—	0·07	—	—	0·31	2
3	—	0·05	0·02	—	0·15	—	—	1·32	—	0·01	0·40	0·01	3
4	—	0·03	0·04	—	0·13	—	—	0·05	0·28	0·02	0·20	0·31	4
5	—	—	0·01	—	0·25	—	—	0·88	—	0·09	—	0·02	5
6	Snow	0·36	—	0·88	0·01	0·03	—	0·11	—	—	frost —	0·03	6
7	Snow 0·12	0·07	—	0·10	—	0·13	—	—	0·02	0·10	frost 0·09	0·01	7
8	—	—	0·02	—	—	—	0·45	0·06	0·02	0·03	0·02	0·01	8
9	0·07	Lightning 0·36	—	0·02	—	0·09	—	—	Thunder 0·62	0·48	—	0·08	9
10	—	0·06	—	0·01	—	—	0·11	—	0·11	0·01	0·02	0·13	10
11	0·14	0·04	—	0·02	0·50	—	0·05	—	0·03	—	frost —	0·05	11
12	0·01	0·10	—	0·02	0·05	—	0·37	0·01	Thunder 0·06	0·04	—	0·03	12
13	—	0·02	—	0·05	0·10	—	—	—	0·06	0·07	—	—	13
14	0·15	—	—	Snow 0·05	—	0·03	0·09	—	0·47	0·04	—	0·05	14
15	0·07	—	—	Snow —	0·01	Thunder —	0·15	—	0·90	—	—	0·41	15
16	—	—	—	Snow 0·02	—	—	0·08	—	0·32	—	—	0·10	16
17	0·20	—	—	Snow —	Hail - lightning 0·69	0·03	0·78	0·02	0·02	0·08	—	0·35	17
18	0·15	—	0·01	Snow 0·19	—	—	0·07	0·02	0·34	—	—	0·06	18
19	0·23	—	0·02	0·24	—	—	0·02	—	0·04	0·13	—	0·07	19
20	0·05	0·14	—	0·04	—	0·02	0·12	—	0·06	0·02	—	—	20
21	0·05	—	—	—	0·10	—	0·02	—	0·17	0·10	0·01	—	21
22	0·05	—	—	0·01	0·02	0·12	0·02	—	0·05	0·03	0·03	0·46	22
23	0·08	—	—	—	Lightning 0·38	—	0·16	—	—	—	—	—	23
24	—	0·02	—	—	Lightning 0·00	—	0·20	—	0·10	—	0·04	0·01	24
25	—	—	—	—	—	0·01	0·18	0·27	—	—	0·03	0·02	25
26	—	—	—	—	—	—	0·02	0·06	0·27	—	0·16	0·05	26
27	—	Snow 0·04	0·05	—	—	—	0·07	0·33	0·20	—	0·10	0·07	27
28	—	0·12	0·25	—	—	—	—	0·01	—	—	0·08	0·23	28
29	—	—	0·01	—	—	—	—	—	0·13	—	0·03	—	29
30	—	×	0·42	—	—	—	—	—	0·08	—	—	0·35	30
31	0·01	×	0·14	×	—	×	—	0·06	×	—	×	0·05	31
Total	1·43	1·67	0·99	1·97	2·39	0·46	2·96	3·20	4·54	1·21	1·40	3·35	YEAR'S TOTAL 25·97 ~~[illegible]~~
Rain Days.	15 / 0·23 19th	14 / 0·36 6th 9th	11 / 0·42 30th	15 / 0·88 6th	12 / 0·69 17th	8 / 0·13 7th	18 / 0·78 17th	12 / 1·32 3rd	24 / ·90 15th	16 / 0·48 9th	14 / ·40 3rd	26 / ·46 22nd	185

W. 6,500, VII. 18. W W O

R

Kept at Bilsda 7¾ w.

in the County of aleby N.E.R.

by The Revd. 5 in.

Ground 1 ft. — in.

Sea Level 638 ft.

BILSDALE PRIORY
—
YORKSHIRE
1914 - 1920

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

IMPORTANT e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.01	.16	1
2											.45	.27	2
3											.24	.51	3
4											.20	.75	4
5											.35	.02	5
6											.02	.10	6
7											.04	.25	7
8											.01	.08	8
9											.15	.05	9
10											.03	.06	10
11											.26	.32	11
12											—	1.06	12
13											.06	.36	13
14											.09	.14	14
15											.59 Sn	.38	15
16											.53 Sn	.03	16
17											.01	.14	17
18											.04	.25	18
19											.11	—	19
20											—	.01	20
21											.15	.04	21
22											.11	.18	22
23											.02	.25	23
24											.16	—	24
25											.07	.35 Sn	25
26											.17	.28	26
27											.13	.83 Sn	27
28											.08	.30 Sn	28
29											.05	—	29
30		X									.12	.39	30
31		X		X		X			X		X	—	2 none 31
Total											4.25	7.56	~~YEAR'S~~ TOTAL 11.81
Rain Days.											28	27	55

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Bilsdale Priory, Stokesley R.S.O.

in the County of York, N.R.

by The Rev. J. Powell Parry

Lat. 54°23¾' N. Long. 1°7¾' W.

Time of Observation 9 a.m.

Nearest Railway Station Ingleby N.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ~~635~~ 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.01	.16	1
2											.45	.27	2
3											.24	.51	3
4											.20	.75	4
5											.35	.02	5
6											.02	.10	6
7											.04	.25	7
8											.01	.08	8
9											.15	.05	9
10											.03	.06	10
11											.26	.32	11
12											—	1.06	12
13											.06	.36	13
14											.09	.14	14
15											.59 sn	.38	15
16											.53 sn	.03	16
17											.01	.14	17
18											.04	.25	18
19											.11	—	19
20											—	.01	20
21											.15	.04	21
22											.11	.18	22
23											.02	.25	23
24											.16	—	24
25											.07	.35 sn	25
26											.17	.28	26
27											.13	.83 sn	27
28											.08	.30 sn	28
29											.05	—	29
30		X									.12	.39	30
31		X		X		X			X		X	—	31
Total											4.25	7.56	2 months ~~YEAR'S~~ TOTAL 11.81
Rain Days.											28	27	55

W. 8,000. X. 14.

X-Mr cnd for pt. WD 2.V.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL 3 JAN 1916

Kept at Bilsdale Priory

in the County of York N R

by Rev. J. Powell Parry

Lat. 54°23¾' N. Long. 1°7½' W.

Time of Observation 9 am.

Nearest Railway Station Ingleby 5½ m

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·29

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	·24	·07	—	.18	—	·01	+	·34	.20	·06	.01	1
2	·01	·27	·21 sn	·18	—	—	·07	·35	.62	·02	·18	·21	2
3	.69	—	.13	.13	—	·09	.23	.33	.06	—	·19	·05	3
4	·17	—	·01	—	—	·02	·32	.14	—	—	·13	·39	4
5	·16	·08	·04	—	—	.01	—	·20	—	—	·42	·90 sn	5
6	.06	.50	.09	.21	—	—	·62	·01	—	·09	.10	·85 sn	6
7	.35	.70 sn	·01 sn	.01	—	—	.34	—	.10	·03	·01	·20	7
8	·13	.15	.10 sn	—	—	·01	.08	·04	—	—	—	.01	8
9	—	.07	—	—	—	—	—	·08	—	·02	·05	—	9
10	·42	—	·01	—	—	—	—	—	—	—	.01	·36	10
11	·09	·32	·03	.02	.62 sn	—	·01	·17	—	—	—	.15	11
12	·18	.06	—	·46	·07 sn	—	·46	·01	—	·02	·05	·09	12
13	—	·43 sn	—	—	.02 sn	—	.01	·03	—	.04	1·45 sn	·06	13
14	·01	·39 sn	—	—	·05	—	.01	—	—	—	—	·00	14
15	·41	·05	—	—	—	—	wm ·40	·02	—	—	—	·02	15
16	·01	.52	—	—	—	—	1·05	·26	—	.65	.01	·16	16
17	·30 sn	·33	·04	—	—	—	.88	·11	—	.13	·19	.02	17
18	—	.20	·31 sn	—	—	—	—	—	.07	·01	.20	·16	18
19	—	·04	·06 sn	—	—	—	·14	—	.02	·03	—	·07	19
20	·08	—	·01	—	—	—	·02	—	—	·13	—	—	20
21	·43 sn	·04 sn	—	·08	—	—	—	—	—	—	·07	.55	21
22	.09	—	·01	.00	—	—	·02	—	—	—	—	·15	22
23	·61	·15 sn	·01	·01	—	—	—	·03	—	—	·02	·16	23
24	.01	—	·21	·09	—	—	—	—	—	—	·07	·07	24
25	—	—	·01 sn	·00	—	·11	·13	—	.30	·08	·02	·18	25
26	·01 sn	·16	·14 sn	·01	—	.14	—	—	.10	·06	.21	—	26
27	—	·08	·05 sn	—	—	.21	·42	—	·05	·07	.10	.28	27
28	·05 sn	·05	·21 sn	—	—	·01	·06	—	—	·25	.09	.27	28
29	·05 sn	X	·01 sn	·00	·22	—	—	.67	—	.23	·01	.05	29
30	·13 sn	X	—	·18	·68	—	·56	—	·25	·01	·23	·72	30
31	·07 sn	X	—	X	—	X	—	·07	X	—	X	·03	31
Total	4.92	4.83	1·77	1·38	1.84	·60	5.84	·34 ~~2.52~~ 2·86	·20 ~~1.85~~ 1·71	·06 ~~2.07~~ 1·93	·01 ~~3.87~~ 3·82	·29 ~~6.17~~ 6·45	YEAR'S TOTAL 37,66 37·95
Rain Days.	25	21	22	11	7	8	21	~~16~~ 17	10	18	23	27	~~209~~ 210

W. 8,000 X. 15.

~~W~~ 8L

3618

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Bilsdale Priory

in the County of York NR

by Rev: J. Parry

Lat. 54° 23¾' N. Long. 1° 7½' W. Daylight save

Time of Observation 9 (or 10 New Time)

Nearest Railway Station Ingleby N.E.R. 1917

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following: X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.02	.30	—	—	.12	.18	—	—	—	.02	—	1
2	.29	.12	.38	—	—	.05	.02	—	.07	.07	.01	.02	2
3	.02	.15	.29	.12	—	.07	.27	.04	.77	.04	.22	—	3
4	—	.32	.07	.09	.47	.55	.01	—	.04	.67	.27	.07 sn	4
5	.06	.12	.63	—	.49	.17	—	—	.01	.55	.66	.03	5
6	.02	.37	.20	.01	.40	.10	.12	—	—	.08	.34	.01	6
7	.02	—	.34	sn .01	.04	.08	.05	—	—	.11	.01 dew	.17	7
8	—	—	.70	—	.07	.05	—	—	—	.02	.01 "	.01	8
9	—	—	.64	.04	.50	.07	.04	—	.01	—	—	.57	9
10	.06	.01	.04	—	.01	.17	—	—	.10	—	.01 dew	.09	10
11	.01	.50	.52	.37	.01	.24	.20	—	—	.07	—	.03	11
12	.02	.01	.20	.02	.35	.32	.60	.02	—	—	—	.24 sn	12
13	—	.02	.16	—	.08	.04	.19	.33	.09	.55	—	.30 "	13
14	—	.14	.02	.05	.20	.14	—	.23	—	.04	—	.26 "	14
15	.09	.19	.37	.06	.01	—	.06	.41	—	—	—	.09	15
16	—	.10	.16 hoak	.06	—	—	.07	.10	—	.05	—	.13	16
17	.06	—	.01 "	.27	.03	—	—	.17	.16	.13	.08 sn	.01	17
18	—	.22	—	.80	—	.03	.02	.07	.26	.17	1.17 "	.03 sn	18
19	.07	.01	.02 hoak	.27	—	—	—	.15	.22	.04	.93	.11	19
20	.04	—	.22	.05	—	—	.12	.23	—	—	.19	.09 "	20
21	.06	.12	.13	.02	—	—	.02	—	—	—	.01	.01 "	21
22	—	.14	.01	.02	.07	.08	—	—	—	.17	.01	.02	22
23	.02	.05	.06	—	—	.10	—	.30	.01 dew	.01	.13	.45 sn	23
24	—	.06	.07	.07	—	.49	—	.17	—	.07	—	.08 "	24
25	—	.22	.21	—	—	.01	—	.15	—	.16	.19	.04 "	25
26	.10	.43	.06	—	.02	.02	—	—	—	.02	.07 sn	—	26
27	—	.37	sn: .01	—	—	.03	.09	.07	.01 dew	.55	—	.01	27
28	—	.17	.02	—	—	—	—	.02	.01 "	.08	.03	.21	28
29	—	.31	—	—	—	.04	—	—	—	.23	—	.06	29
30	—	X	—	—	.04	.07	.05	—	.03	.37	—	—	30
31	—	X	—	X	.17	X	—	—	X	.39	X	.01	31
Total	1.23	4.17	5.84	2.33	2.96	3.04	2.11	2.46	1.79	4.64	4.36	3.17	YEAR'S TOTAL 38.10
Rain Days.	16	24	27	17	17	23	17	15	14	24	19	27	240

W. 8,000, VIII. 16

34-1

FORM A.
BRITISH RAINFALL.
1918

REGISTER OF RAINFALL IN 1917

Kept at Bilsdale Priory
in the County of York (N. Riding)
by Rev: J. Parry

Lat. 54°23¾'N Long. 1°7½' W
Time of Observation 9 a.m. (10 a.m. Summer time)
Nearest Railway Station Ingleby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following: [illegible]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.02 sn	—	.34 sn	—	.18	—	1.73	.30	—	—	.12	1
2	.05	—	—	.23 "	—	—	—	.57	.21	.01	—	—	2
3	—	—	—	.07 "	—	—	.02	.21	—	—	.01	—	3
4	—	—	.09 sn	.02	—	—	—	—	—	.08	.08	—	4
5	.04	—	.10 "	.41 sn	—	—	—	.01	—	.04	.06	—	5
6	—	—	—	—	—	.02	—	—	—	.22	.29	—	6
7	.67 sn	—	.03 sn	—	—	.03	—	—	—	.15	—	.10	7
8	.65 "	—	.03 "	.13 sn	—	—	—	1.11	.01	.40	.09	—	8
9	.17 "	—	.01 "	.05	—	—	—	.65	—	.25	.61	.07	9
10	.15 "	—	1.27	.23 sn	.09	—	—	.17	—	.19	.54	—	10
11	.17 "	—	—	.14 "	—	—	—	.25	—	.18	.01	.01	11
12	1.25 "	.13 sn	.02	.21 "	.12	—	—	.15	—	.56	—	.04	12
13	.46 "	—	—	.22 "	.14	—	—	.30	.16	.22	.02	.10	13
14	.47 "	[illegible]	—	.30 "	.42	—	.13	.18	—	.03	—	.00	14
15	.11 "	[illegible]	.07 sn	.09 "	.01	—	.20	.06	—	.02	—	.23	15
16	.33 "	[illegible]	—	.37 "	.06	—	—	.08	—	—	—	.41 sn	16
17	.08 "	.07 sn	.02	.12 "	—	.01	.02	.44	—	.04	—	.52 "	17
18	.05 "	[illegible]	.18 sn	.08	.10	—	.24	.18	.11	—	—	—	18
19	.30 "	.04	.20 "	—	.08	.20	—	.01	—	—	—	—	19
20	.13 "	.16	.20 "	.04	—	.47	—	.08	.02	—	.40	.11	20
21	.01 "	.15	.22 "	—	—	—	—	.05	—	—	—	.07 sn	21
22	— "	.01	.26 "	.01	—	.06	—	.02	—	.05	—	—	22
23	.02 "	.01	—	—	—	.09	—	.12	—	—	—	—	23
24	.01 "	.01	—	—	—	.02	.11	.18	—	.35	.13	—	24
25	—	.05	.09 sn	—	—	.14	—	.02	—	.06	—	.22 sn	25
26	—	—	.25 "	—	—	.16	—	1.07	.17	.17 sn	.28	.16 "	26
27	.02 sn	—	.07 "	—	—	.58	.27	.69	—	.03 "	.01	.10	27
28	.01 "	—	.13	—	—	.06	.22	.67	—	.07	—	—	28
29	.02 "	—	.02	—	—	—	.20	.01	—	.41	—	—	29
30	.07 "	X	.12	—	—	—	.18	—	—	.05	.02	.03	30
31	.19 "	X	.29 sn	X	.05	X	.26	.10	X	.10	X	.08	31
Total	5.43	.65	3.67	3.06	1.07	2.02	1.85	9.08	.98	3.68	2.55	2.37	YEAR'S TOTAL 36.41
Rain Days.	24	10	21	18	9	13	11	27	7	23	14	17	194

W. 8,000, IX. 17.

Esa 1/4 69

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Bilsdale Priory

in the County of York (North Riding)

by J. Parry

Lat. 54°23¾'N Long. 1°7½'W 7

Time of Observation 9 a.m. (Summer time 10 am)

Nearest Railway Station Ingleby (N.E.R.) Bilsdale

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·02	–	·01	–	–	–	–	·33	·06	·33	–	1
2	·04	·11	–	·07	–	–	–	·01	·08	·01	–	·24	2
3	·09	·02	·05	–	·11	–	–	·20	–	·11	·37	–	3
4	·02	·04	·04	–	·13	–	–	·03	·17	·10	·25	·15	4
5	–	–	·02	·04	·33	–	–	1·18	–	·14	·01	·02	5
6	·04	Sn: ·27	–	·62	–	·14	–	·18	·01	·20	–	–	6
7	·15	" ·04	–	·05	–	–	·03	–	·01	·11	·31	–	7
8	·04	" ·02	·07 Sn:	–	–	–	·37	·01	·10	·06	·01	–	8
9	–	·39	–	·03	–	·03	–	–	·56	·19	·04	·05	9
10	·07	–	–	·03	–	–	·14	–	·07	–	·06	–	10
11	·26	Sn ·04	·08	–	·20	–	·04	·02	·10	–	–	·08	11
12	·01	" ·17	·12	·01	–	–	·25	–	·07	·22	–	·02	12
13	–	–	–	·09	·11	–	·08	–	·14	·11	–	–	13
14	·10 Sn	–	–	·14	–	·02	–	–	·56	·04	·02	·11	14
15	·17	–	–	·10	–	·13	·30	–	·78	–	–	·60	15
16	–	–	–	–	–	·13	·37	·13	·24	–	–	·36	16
17	·18 Sn.	–	–	–	·53	·05	·35	·02	·02	·67	–	·37	17
18	·43	–	·11	·17 Sn:	–	·07	·19	–	·57	·07	–	·10	18
19	·27	·46	·13	·25 "	–	–	·28	·13	·11	·10	–	–	19
20	·18	·03	–	·10 "	–	·03	·90	–	·15	·33	–	–	20
21	·18	–	–	–	·56	·07	·02	–	·35	·15	–	–	21
22	·02	–	–	·01	·04	·03	·25	–	–	–	·01	·20	22
23	·13	–	–	–	·76	–	·25	–	–	–	·01	–	23
24	–	·11	·08	–	–	–	·23	·12	·34	·04	·04	·01	24
25	–	–	–	–	–	–	·19 (·10)	·19	·04	–	–	·18	25
26	–	–	–	–	·02	·07	·34	·06	·28	–	·05	·03	26
27	–	·05	·15	–	–	–	·01	·42	·27	–	·09	·20	27
28	–	·14	·35 Sn:	–	–	–	–	–	–	·02	·05	·42	28
29	–	·07	·11 "	·02	–	–	–	·01	·45	–	·01	·06	29
30	–	X	·20	·02	–	–	–	–	·27	·02	·15	·14	30
31	–	X	·13	X	–	X	–	·04	X	–	X	·13	31
Total	2·38	1·98	1·64	1·76	2·79	·77	4·50	2·75	6·01	2·75	1·81	3·47	YEAR'S TOTAL 32·61
Rain Days.	18	16	14	17	10	11	19	16	25	20	17	20	203

W. 8,000. X. 15.

G+RL

22 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Bilsdale Priory
in the County of York
by J. Marry.

Lat. 54° 23¾' N. Long. 1° 7½' W
Time of Observation 9 am (Summer Time 10 am)
Nearest Railway Station Ingleby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·03 sn	·01	·02	·28	–	·56	–	·24	·06	·36	·06	1
2	·12	·01 sn	·04	–	·02	–	·82	–	·01	–	·29	·01	2
3	·65 sn	–	·39 sn	·02	·09	·10	·28	·02	·02	–	·46	·20	3
4	·48 sn	·07 sn	–	–	·02	·07	·03	·19	·46	–	·18	·22	4
5	·47 sn	·02 sn	–	–	–	·03	·01	·01	·01	–	·11	·06	5
6	·04	–	·19	–	–	–	–	–	–	–	·22	·28	6
7	·04	–	·17	·03	·17	–	–	–	–	·20	–	·25 sn	7
8	·15	–	·01	·04	·05	–	–	·25	–	–	·17	–	8
9	·01	–	·10 sn	·01	–	–	–	–	–	·10	·42 sn	·10	9
10	–	–	–	·03	·02	–	–	–	–	·20	·28 sn	·19 sn	10
11	–	–	·83 sn	–	·14	–	·19	–	–	·03	·24 sn	·03	11
12	–	–	·75 sn	·14	–	·06	·02	–	·05	·50 sn	·05 sn	–	12
13	·13	–	·10 sn	·14	–	·19	·56	·13	·01	·29	·11 sn	·01	13
14	·22	–	·03 sn	·43	–	–	–	·25	–	–	·13 sn	·01	14
15	·10	·18	·28 sn	·21	–	–	–	–	–	·01	·12 sn	1·14	15
16	·02	·10	·02	·01	–	–	–	–	–	·01	·04 sn	·01	16
17	–	·08	–	·02	–	–	–	·15	[illegible]	–	·21	[illegible]	17
18	–	–	·01	–	–	–	·03	·40	–	–	·01	·05	18
19	·03	·07	·53	·03	–	·06	·57	·15	·28	–	·16	·03	19
20	·43 sn	·25	–	–	–	·05	·05	–	·02 sn	–	–	·22	20
21	·08 sn	·16	·14	–	–	·02	–	–	–	–	·03	·09	21
22	–	·12	·02 sn	–	–	–	·37	·05	·19	–	–	·11	22
23	–	·01	·09 sn	·09	–	·17	·06	–	–	·80 sn	·02	–	23
24	·03	·02	·03 sn	–	–	·08	–	–	·01	·73	·10	–	24
25	·05	·13	–	·11	·03	·06	–	·49	–	·03	·16	–	25
26	–	·30	·38 sn	–	–	·02	–	·54	·05	·27	·49 sn	·37 sn	26
27	·25 sn	·03	–	·68 sn	–	–	–	–	–	1·53 sn	·10 sn	·01	27
28	·09	–	·03 sn	·17	–	–	–	1·15	–	·83	·02 sn	·25	28
29	·23		–	·03	–	·13	·15	–	·02	1·22 sn	–	·18	29
30	·06		–	·23	–	·61	–	·04	–	·30 sn	·18	·26	30
31	·15		·14		–		·19	–		·34 sn		·23	31
TOTAL	4·10	1·58	4·29	2·44	·82	1·65	3·83	3·82	~~1·65~~ 1·37	8·00	4·66	4·37	YEAR'S TOTAL 40·93
Days with ·01 in. or more	23	16	22	19	9	14	15	14	13	18	26	25	214

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3180

FORM A.
BRITISH RAINFALL.

3 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Bilsdale Priory

in the County of York

by Rev: J. Parry.

Lat. 54° 23¼' N Long. 1° 7½' W

Time of Observation 9 am (Summer Time 10 am)

Nearest Railway Station Ingleby N.E.R. via York

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 638 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.14	.46	.43	.02	.34	.01	—	.50	—	—	1
2	—	.01	.12	.31	.04	—	.36	—	.23	.07	—	.35	2
3	—	.07	—	.25	—	.10	.98	.15	.10	.47	—	.23	3
4	.14	—	—	.05	.09	—	.83	.90	.02	1.08	—	.68	4
5	—	.01	.05	—	.12	—	.07	.20	.06	—	—	.04	5
6	—	—	.18	.20	.07	—	.34	—	—	.01	—	.10	6
7	—	—	.07	.03	.02	—	.19	—	—	—	—	.02	7
8	—	—	—	.24	.06	—	.09	.25	.02	—	—	—	8
9	.12	—	—	.35	—	—	.05	.25	—	—	—	—	9
10	.61	.18	.10	.16	—	—	.28	—	—	—	—	—	10
11	.30	—	.08	.07	.09	—	—	.01	—	—	—	.56 Sn	11
12	.14	—	—	.19	.03	—	.01	—	—	—	—	.37 Sn	12
13	.10	—	.16	.16	—	—	—	—	—	—	.07	.02	13
14	.02	.12	.43 Sn	.20	—	—	.16	—	.26	.03	.27	.03	14
15	—	.20	.36 Sn	.34	—	—	.02	—	.01	—	.08	—	15
16	—	—	.01	.20	.02	—	.55	—	.27	—	—	—	16
17	—	—	—	—	.15	—	—	.33	—	—	—	—	17
18	.31	.09	—	.15	.17	—	.09	.10	.09	—	—	.07	18
19	.01	.38	—	.31	—	.04	—	.14	—	—	—	—	19
20	.13	.09	—	.15	—	.05	.02	.01	—	—	—	.02	20
21	—	—	—	.19	—	—	.32	.57	.10	—	—	.07	21
22	.08	—	—	.20	—	—	.18	—	—	—	—	—	22
23	—	—	—	.13	—	—	.63	—	—	—	—	.16	23
24	—	—	.68	.03	—	—	.03	—	—	—	—	.04	24
25	—	.12	—	.02	—	.02	.63	—	—	—	.02	.01	25
26	.08	.04	.55	.02	—	.34	.01	—	—	—	—	—	26
27	.26	—	.03	.05	.14	.02	—	—	—	—	.31	.15	27
28	.82 Sn	—	.17	.05	.01	—	.05	—	.01	—	—	.03	28
29	—	—	.05	—	.74	.11	—	—	—	—	—	.41	29
30	.28	X	.01	.05	.07	.02	.10	—	.10	—	.42	.23	30
31	.11	X	—	X	.06	X	—	—	X	—	X	.24	31
Total	3.57	1.31	3.19	4.56	2.31	.72	6.33	2.92	1.27	2.16	1.17	3.83	YEAR'S TOTAL 33.28
Rain Days. ·01	16	11	17	27	17	9	24	12	12	6	6	21	138
·04	14	9	14	23	18	5	19	9	8	4	5	15	138

C.W. 3,000. X.1

BINGLEY

EAST MORTON

YORKSHIRE

1911

FORM A2.
BRITISH RAINFALL.

-9 JUL 1912

[illegible]ept at East

in the County of Yo

by J. R

pe

in.

nd ft. in.

Level ft.

e

ance Direction

IMPORTANT N result entered to the previous day. If an Observer prefers not to conform rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·36	·0	·0	0	·03	·03	·0	·0	·09	·0	1
2	~~21~~ 15	0	·0	·0	·07	0	01	·0	·0	·01	·04	·08	2
3	~~03~~ 01	0	·0	·0	·35	0	0	·0	·0	·01	·21	02	3
4	~~02~~ 06	0	·10	·01	·06	0	·0	08	·12	·02	·60	·36	4
5	~~07~~ 03	0	0	·03	0	0	·0	·23	·0	·06	·23	·04	5
6	~~34~~ 21	0	·02	·04	0	0	·0	·38	·0	·18	·32	·44	6
7	~~03~~ 01	0	·0	·0	·0	0	·0	0	·0	·0	09	·0	7
8	~~08~~ 18	0	·10	·0	·0	0	·0	0	·0	·0	·0	·59	8
9	0	0	·0	·0	0	0	0	0	·0	·0	·0	·12	9
10	~~17~~ 12	10	·02	·0	·0	0	0	0	·0	·0	·0	·55	10
11	~~10~~ 16	0	0	0	·0	0	·0	0	·0	·0	·42	·18	11
12	~~07~~ 02	0	·08	0	·06	0	·0	0	1·14	·0	·23	·0	12
13	0	0	·0	·0	·05	0	0	·0	0	·0	·07	·38	13
14	04	12	·09	·0	·04	0	·0	·0	·0	·0	0	·33	14
15	0	17	·08	·01	·0	·0	·0	·0	·0	·03	16	·25	15
16	0	59	·18	·0	·0	20	·01	0	0	·07	08	·12	16
17	~~07~~ 0	01	·06	·0	·02	33	·01	0	0	·0	·21	·06	17
18	0	39	·09	·0	0	10	·0	·0	·0	·01	·04	·05	18
19	0	0	·01	·01	0	01	·01	·02	·13	·09	·12	·10	19
20	0	04	·0	·21	0	0	·05	·46	·16	·04	·0	·21	20
21	0	50	·0	·01	0	0	0	·05	·01	·21	·0	·06	21
22	~~12~~ 09	15	·0	·0	0	01	0	·14	·0	·41	·08	·0	22
23	02	43	·0	·0	·05	63	0	0	·05	·06	·0	·12	23
24	14	08	·02	03	·0	2·08	·0	0	0	12	·0	·12	24
25	01	46	·0	·07	·0	·06	·15	~~08~~ 0	·58	·02	·0	·18	25
26	0	02	·0	·15	·06	·01	·0	·06	·0	·72	·27	·32	26
27	01	20	·03	22	0	0	·0	31	·25	0	·01	·02	27
28	0	24	·02	·16	·0	·09	0	0	·20	0	0	·18	28
29	0		·01	·16	·0	·33	·02	0	·22	·31	0	·06	29
30	0		·0	·0	·06	·09	0	0	0	·19	0	0	30
31	0		·01		·0		0	0		·16		0	31
Total	1·18	3·50	1·28	1·11	·82	3·94	·29	1·76	2·86	2·72	3·27	4·94	TOTAL for year 27·67
No. of Rain Days.	16	15	17	13	10	12	8	10	10	19	18	25	173

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

-9 JUL 1912

Kept at East Morton

in the County of York (W. Riding 9

by J. Rhodes
per Chas. Croft.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·36	·0	·0	0	·03	·03	·0	·0	·09	·0	1
2	·15	0	·0	·0	·07	0	01	·0	·0	·01	·04	·08	2
3	01	0	·0	·0	·35	0	0	·0	·0	·01	·21	02	3
4	06	0	·10	·01	·06	0	·0	08	·12	·02	·60	·36	4
5	03	0	0	·03	0	0	·0	·23	·0	·06	·23	·04	5
6	21	0	·02	·04	0	0	·0	·38	·0	·18	·32	·44	6
7	01	0	·0	·0	·0	0	·0	0	·0	·0	09	·0	7
8	10	0	·10	·0	·0	0	·0	0	·0	·0	·0	·59	8
9	0	0	·0	·0	0	0	0	0	·0	·0	·0	·12	9
10	12	10	·02	·0	·0	0	0	0	·0	·0	·0	·55	10
11	16	0	0	0	·0	0	·0	0	·0	·0	·42	·18	11
12	02	0	·08	·0	·06	0	·0	0	1·14	·0	·23	·0	12
13	0	0	·0	·0	·05	0	0	·0	·0	·0	·07	·38	13
14	04	12	·09	·0	·04	0	·0	·0	·0	·0	0	·33	14
15	0	17	·08	·01	·0	0	·0	·0	·0	·03	·16	·25	15
16	0	59	·18	·0	·0	20	·01	·0	·0	·07	08	·12	16
17	0	01	·06	·0	·02	33	·01	0	0	·0	·21	·06	17
18	0	39	·09	·0	0	10	·0	·0	·0	·01	·04	·05	18
19	0	0	·01	·01	0	01	·01	·02	·13	·09	·12	·10	19
20	0	04	·0	·21	0	0	·05	·46	·16	·04	·0	·21	20
21	0	50	·0	·01	0	0	0	·05	·01	·21	·0	·06	21
22	09	15	·0	·0	0	01	0	·14	·0	·41	·08	·0	22
23	02	43	·0	·0	·05	63	0	0	·05	·06	·0	·12	23
24	14	08	·02	03	·0	2·08	·0	0	·0	12	·0	·12	24
25	01	46	·0	·07	·0	·06	·15	0	·58	·02	·0	·18	25
26	0	02	·0	·15	·06	·01	·0	·06	·0	·72	·27	·32	26
27	01	20	·03	22	0	0	·0	31	·25	0	·01	·02	27
28	0	24	·02	·16	·0	·09	0	0	·20	0	0	·18	28
29	0		·01	·16	0	·33	·02	0	·22	·31	0	·06	29
30	0		·0	·0	·06	·09	0	0	0	·19	0	0	30
31	0		·01		·0		0	0		·16		0	31
Total	1·18	3·50	1·28	1·11	·82	3·94	·29	1·76	2·86	2·72	3·27	4·94	TOTAL for year 27·67
No. of Rain Days.	16	15	17	13	10	12	8	10	10	19	18	25	173

W. 8,000, X. '11.

—

BIRDSALL GDNS

YORKS

1911 – 1920.

FORM A.
BRITISH RAINFALL.

2 - JAN 1912

REG

Kept at Birdsal … th Gri…

in the County of Yo … 2 m.

by James A… … 5 in.

… Ground 1 ft. 3 in.

… Sea Level 302 ft.

NOTE.—Rain should be measure… …nstructions for the measurement of rain and particulars as to the Bri… …rs," sent post-free on application to Dr. H. R. MILL, 62, Camden Squ…

Date	Jan.	Feb.	March.							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1	·01	—	—							—	~~0~~	~~·27~~	1
2	·43	—	—	—	·18	—	·26	—		·02	·01	·13	2
3	·02	·02	—	·08	·21	·01	—	·14	—	·11	·04	—	3
4	·06	·01	·17	·21	—	—	—	·12	·02	·19	·18	·31	4
5	·03	—	—	·05	·04	—	—	·25	—	·26	·04	·02	5
6	·39	—	·06	·05	—	—	—	·27	—	·04	·08	·40	6
7	·04	—	·04	·01	—	—	—	—	—	—	·04	·03	7
8	·03	—	·19	—	—	·07	—	—	·01	·03	·09	·33	8
9	—	—	·11	·01	—	—	—	—	—	·01	—	·10	9
10	·04	·03	—	—	—	—	—	—	—	—	·26	·63	10
11	·21	—	—	—	·01	—	—	—	—	—	·24	·11	11
12	·35	—	·14	—	·06	·07	—	—	·46	—	·26	·02	12
13	—	·01	·19	—	—	·09	—	—	·02	—	·04	·42	13
14	—	·36	·16	—	·07	·02	—	—	—	—	·08	·57	14
15	—	·05	·24	·03	—	—	—	—	—	·10	·11	·37	15
16	—	·01	·14	—	—	·04	·10	—	—	—	·10	·12	16
17	—	—	·05	—	·03	·02	·04	—	—	—	·33	·26	17
18	—	—	·23	·02	—	·23	—	—	—	—	·26	·10	18
19	—	·07	·02	—	·06	·78	·05	·13	·07	·15	·62	·03	19
20	—	·05	—	·12	—	·04	·13	·48	·06	—	·03	·57	20
21	·02	·41	—	—	—	—	—	·36	—	·14	·26	·03	21
22	·10	·01	—	—	—	·02	—	·51	—	·14	·11	—	22
23	—	·17	—	—	—	·61	—	·01	·59	·07	—	·18	23
24	·04	·05	·05	·02	—	1·18	—	—	—	·11	—	·19	24
25	·01	·05	·02	·13	—	·33	·15	—	·34	·02	·07	·26	25
26	—	—	—	·10	·26	—	·71	·01	—	·56	·48	·08	26
27	—	·07	·06	·14	—	—	—	·39	·32	·07	·02	·03	27
28	—	·05	·02	·27	—	—	·01	·12	—	·01	·05	·14	28
29	—	×	·01	·03	—	·01	·27	—	·43	·34	·01	·05	29
30	—	×	—	—	·07	·04	—	—	·16	·09	·01	·01	30
31	—	×	·02	×	·21	×	—	—	×	·15	×	·03	31
Total	1·78	1·42	1·92	1·27	1·20	3·56	1·72	3·23	2·48	2·61	3·82	5·52	TOTAL for year 30·53
No. of Rain Days	15.	16	19	15	11.	16.	9.	13.	11.	20.	26.	28.	199

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 191

FORM A.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Birdsall Gardens
in the County of York ER 2
by James Anderson

Lat. Long.
Nearest Railway Station North Grimston
Time of Observation 8 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 302 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	—	—	—	—	·44	—	—	~~[illegible]~~	~~[illegible]~~	1
2	·43	—	—	—	·18	—	·26	—	—	·02	·01	·13	2
3	·02	·02	—	·08	·21	·01	—	·14	—	·11	·04	—	3
4	·06	·01	·17	·21	—	—	—	·12	·02	·19	·18	·31	4
5	·03	—	—	·05	·04	—	—	·25	—	·26	·04	·02	5
6	·39	—	·06	·05	—	—	—	·27	—	·04	·08	·40	6
7	·04	—	·04	·01	—	—	—	—	—	—	·04	·03	7
8	·03	—	·19	—	—	·07	—	—	·01	·03	·09	·33	8
9	—	—	·11	·01	—	—	—	—	—	·01	—	·10	9
10	·04	·03	—	—	—	—	—	—	—	—	·26	·63	10
11	·21	—	—	—	·01	—	—	—	—	—	·24	·11	11
12	·35	—	·14	—	·06	·07	—	—	·46	—	·26	·02	12
13	—	·01	·19	—	—	·09	—	—	·02	—	·04	·42	13
14	—	·36	·16	—	·07	·02	—	—	—	—	·08	·57	14
15	—	·05	·24	·03	—	—	—	—	—	·10	·11	·37	15
16	—	·01	·14	—	—	·04	·10	—	—	—	·10	·12	16
17	—	—	·05	—	·03	·02	·04	—	—	—	·33	·26	17
18	—	—	·23	·02	—	·23	—	—	—	—	·26	·10	18
19	—	·07	·02	—	·06	·78	·05	·13	·07	·15	·62	·03	19
20	—	·05	—	·12	—	·04	·13	·48	·06	—	·03	·57	20
21	·02	·41	—	—	—	—	—	·36	—	·14	·26	·03	21
22	·10	·01	—	—	—	·02	—	·51	—	·14	·11	—	22
23	—	·17	—	—	—	·61	—	·01	·59	·07	—	·18	23
24	·04	·05	·05	·02	—	1·18	—	—	—	·11	—	·19	24
25	·01	·05	·02	·13	—	·33	·15	—	·34	·02	·07	·26	25
26	—	—	—	·10	·26	—	·71	·01	—	·56	·48	·08	26
27	—	·07	·06	·14	—	—	—	·39	·32	·07	·02	·03	27
28	—	·05	·02	·27	—	—	·01	·12	—	·01	·05	·14	28
29	—	×	·01	·03	—	·01	·27	—	·43	·34	·01	·05	29
30	—	×	—	—	·07	·04	—	—	·16	·09	·01	·01	30
31	—	×	·02	×	·21	×	—	—	×	·15	×	·03	31
Total	1·78	1·42	1·92	1·27	1·20	3·56	1·72	3·23	2·48	2·61	3·82	5·52	TOTAL for year 30·53
No. of Rain Days	15.	16	19	15	11.	16.	9.	13.	11.	20.	26.	28.	199

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
3 JAN 1913

Kept at Birdsall Gardens
in the County of York E2
by James Anderson

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station N. Grimston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 303. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·04	·13	·01	·01	·25	·03	·67	·14	·03	—	·08	1
2	—	·08	·06	—	·03	·09	·47	·01	—	·20	·01	—	2
3	·18	·15	·06	—	—	·76	·01	·32	·15	·05	—	·12	3
4	·30	—	·45	—	·06	·37	—	·30	·04	—	·40	—	4
5	·03	—	—	—	·20	·19	—	·07	—	—	·01	—	5
6	·78	·09	—	—	—	—	·01	·32	·05	—	—	·01	6
7	·04	·04	·05	—	·08	—	·03	·12	·15	—	—	—	7
8	·32	·26	·25	—	—	·04	·08	—	·28	—	·23	·01	8
9	—	·06	·19	·08	—	·18	—	—	·12	—	—	—	9
10	—	·01	·01	—	—	·77	—	·03	·15	—	·11	—	10
11	·31	·03	—	—	—	·01	—	·02	—	—	·14	·48	11
12	·09	·05	·05	—	—	·08	·40	—	—	—	·80	·01	12
13	·03	·06	—	—	—	·04	—	·01	—	·15	·26	·03	13
14	·11	—	·50	—	—	·17	—	·05	—	—	·04	·05	14
15	·04	·02	·61	—	·58	·22	—	·01	·02	·09	—	·01	15
16	·35	—	·19	—	·04	·02	—	·02	—	·08	—	—	16
17	—	—	·20	—	—	·26	—	·23	—	—	—	·16	17
18	·20	·03	—	—	—	·03	·03	—	—	·07	·01	—	18
19	·16	·19	·02	·01	·20	—	·53	·36	—	·18	·03	—	19
20	·07	·12	·03	—	—	·04	·19	·12	—	·27	—	·01	20
21	—	—	·32	—	·10	—	·03	—	—	·01	—	—	21
22	·05	·15	·02	—	1·01	·56	—	·08	—	·04	—	—	22
23	·02	—	·17	—	·04	—	·03	·41	—	—	·10	—	23
24	·30	·01	·01	—	—	·25	·16	·01	—	—	—	·13	24
25	·10	—	·01	—	—	·33	·02	·05	—	—	·15	·05	25
26	·03	·09	·03	—	—	—	—	·75	—	·70	·13	·32	26
27	—	—	·03	—	·02	·34	·77	—	—	·45	·02	·10	27
28	—	—	—	·02	·02	·16	·08	·48	—	·15	·33	·01	28
29	—	·01	·07	·02	·03	·02	·04	·06	·58	·03	·09	·05	29
30	·04	×	·06	—	—	·17	·01	·02	·29	·08	—	—	30
31	—	×	·18	×	·10	×	·65	·27	×	·11	×	—	31
Total	3·55.	1·49.	3·70	·14	2·52	5·35	3·47	4·79	1·97	2·69	2·86	1·63	YEAR'S TOTAL 34·16
Rain Days.	21.	19.	25	5.	15.	24.	19.	25.	11.	17.	17	17.	215.

W. 7,500, XI. 12

✓

Ex Sd

REGISTER OF RAINFALL IN 19*13*

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Birdsall Gardens
in the County of York E.R.
by James Anderson

Lat. .... Long. ....
Time of Observation 8. a.m.
Nearest Railway Station North Grimston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·16	·23	·02	—	—	—	—	—	·05	—	1
2	·01	·06	·09	—	—	·06	—	—	—	—	·09	—	2
3	·01	·02	·05	—	·19	—	—	—	—	·18	—	—	3
4	·52	·01	—	—	—	·03	·02	—	·04	·83	·29	·48	4
5	·12	·05	·02	—	—	·16	·05	·03	·04	·21	—	—	5
6	·05	·08	·04	—	·45	·03	·09	·03	—	—	—	—	6
7	—	·30	—	·02	·07	·17	—	—	—	·44	—	—	7
8	—	·03	—	·01	·64	·08	—	—	·04	·85	·09	—	8
9	—	·09	·06	·05	·23	·01	—	·08	—	—	·03	—	9
10	—	·08	·06	·08	·01	—	·11	—	·01	·11	·41	—	10
11	1·00	—	—	·37	—	·06	—	—	—	—	·23	·01	11
12	·12	—	—	—	—	·07	—	—	·01	—	·04	—	12
13	·02	—	—	·04	—	—	·03	·07	·14	—	·19	—	13
14	·10	·03	·09	·05	—	—	—	—	—	·14	·02	—	14
15	·41	—	·35	·47	—	—	—	—	·27	—	·30	·02	15
16	—	—	·02	·05	—	—	—	—	—	—	·08	—	16
17	—	·01	·07	·08	—	·09	—	—	·48	—	·05	—	17
18	·02	—	·33	·12	—	—	—	—	—	—	·24	·03	18
19	·13	—	·02	·03	·03	—	—	—	—	—	—	—	19
20	·12	—	·02	·03	—	—	—	—	—	·05	·14	—	20
21	·03	·03	·01	—	·21	—	·02	·08	·02	—	·12	—	21
22	·08	—	·26	—	·04	—	—	·34	·06	—	—	—	22
23	·16	—	·03	—	—	·01	—	·08	·05	·14	—	—	23
24	·15	—	—	·06	—	·60	—	·10	—	—	·03	·04	24
25	—	—	—	·15	—	·03	—	—	·09	·02	·02	·01	25
26	—	·03	·04	·03	—	—	—	—	·05	·38	·09	·07	26
27	—	·05	·01	·30	—	·11	—	—	—	·06	·08	·31	27
28	·40	·04	·22	·37	—	—	—	—	—	·02	—	·11	28
29	·02	×	·32	·23	·07	—	—	·05	—	—	·04	·51	29
30	·46	×	·01	—	·25	—	—	—	—	·30	·02	16	30
31	·04	×	—	×	·41	×	·02	—	×	—	×	—	31
Total	3·97.	·91.	2·28.	2·77.	2·62.	1·51	·34.	·86	1·30.	3·73.	2·65	1·75	YEAR'S TOTAL 24·69
Rain Days.	21	15.	22	20.	13.	14.	7.	9.	13.	14.	22.	11.	181

W.7,000, XI. 13

EX MCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Birdsall Gardens

in the County of York ER 2

by James Anderson

Lat. Long.

Time of Observation 8. a. m.

Nearest Railway Station N. Grimston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	·59	·47	—	·01	—	·19	1
2	—	—	·10	—	—	—	·39	·26	—	·01	·24	·05	2
3	—	—	—	—	·18	—	·20	—	—	—	·15	·29	3
4	·08	—	·04	·18	·15	—	—	—	—	—	·14	·56	4
5	·01	—	·18	·12	·12	—	—	·03	—	—	·28	·04	5
6	—	·20	—	·01	·10	—	·05	·04	—	—	·06	·08	6
7	—	·02	·19	—	·09	·38	—	—	—	—	·01	·07	7
8	·38	—	—	—	·25	·27	·10	·07	—	·07	·01	—	8
9	·31	·05	—	·04	·03	·61	—	·08	·39	—	·02	·03	9
10	·25	·15	—	·01	—	—	—	—	·04	·03	·01	·02	10
11	—	·08	·24	·01	·09	—	—	—	·03	—	·24	·06	11
12	·04	—	—	—	—	—	—	—	·24	—	—	·81	12
13	·02	·14	·38	—	—	—	—	—	·03	—	·06	·30	13
14	·05	·16	·22	—	—	—	·04	—	—	·08	·14	·18	14
15	·04	—	·19	—	—	—	·31	—	—	·02	·48	·06	15
16	·10	—	·04	—	—	—	1·12	—	·37	—	·14	·01	16
17	·07	·19	—	—	—	—	—	—	·87	—	—	·19	17
18	·05	·03	·17	—	—	·15	—	—	·05	—	·01	·49	18
19	·03	—	·09	—	—	·05	·04	—	·05	—	·08	·08	19
20	—	·07	·04	—	—	·01	—	—	—	·08	—	—	20
21	·02	·57	·06	—	—	·14	·04	·03	—	·07	·06	·07	21
22	—	·03	·02	·05	·20	·14	—	·10	—	·10	·03	·03	22
23	—	·03	·02	·03	·69	·38	—	—	—	—	—	·07	23
24	·01	—	·02	·12	—	—	—	·59	—	—	·18	—	24
25	—	·07	—	—	—	—	·08	·04	—	·60	·11	·18	25
26	—	—	·06	—	—	—	·16	·11	—	·27	·10	·34	26
27	·01	—	—	—	—	—	·01	—	—	·05	·03	·77	27
28	—	·05	—	—	—	—	·01	—	—	·06	·14	·22	28
29	—	X	·15	—	·02	—	—	·11	—	47	·02	—	29
30	—	X	—	—	—	—	—	·09	—	4	·04	·26	30
31	·09	X	—	X	—	X	·46	—	X	27	X	·04	31
Total	1·56.	1·84.	2·21.	·57.	1·92	2·13	3·60	2·02.	2·07.	2·23	2·78	5·49	YEAR'S TOTAL 28·42
Rain Days.	17.	15.	18.	9.	11.	9.	15.	13.	9.	16.	25	27	184

W. 8,000. X. 14.

3590

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Birdsall Gdns, Malton
in the County of York E. R.
by James Anderson

Lat. .... Long. ....
Time of Observation 8. a.m.
Nearest Railway Station N. Grimston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. .... in.
" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.24	.06	—	.21	—	.28	.52	.35	—	.12	.13.	1
2	.02	.12	.25	.17	—	.02	.06	.09	.17	—	.08	—	2
3	.54	—	.06	.07	—	—	.38	.07	.05	—	.30	.28	3
4	.20	—	—	—	.01	—	.72	.32	—	—	.08	.74.	4
5	.27	.02	.03	—	.07	—	—	.01	—	.08.	.09	.69.	5
6	.04	.41	.09	.18	—	—	.69	.13	.02	.01.	.01.	.22	6
7	.46	.57	.04	.14	—	—	.06	.18	.03	—	—	.01.	7
8	.09	.05	.02	—	—	—	.08	.01	—	.01.	.06.	—	8
9	—	.04	—	—	—	—	—	.12	—	.05.	.02	.53.	9
10	.37	—	—	—	—	—	—	.10	—	—	—	.22.	10
11	.04	.33	—	.01	.51	—	—	—	—	—	.04	.08.	11
12	.14	.09	—	.28	.04	—	.02	.03	—	.08	1.09	.09.	12
13	—	.63	—	—	—	—	—	.03	—	—	.05	—	13
14	.01	.16	—	—	—	—	.11	.02	—	—	—	.17.	14
15	.24	.03	—	.03	—	—	.24	.03	—	.01.	.11.	.23.	15
16	.02	.61	—	—	—	—	.83	—	—	—	—	.02.	16
17	.38	.29	—	—	—	—	.14	.01	—	—	.03	.04.	17
18	—	.19	.60	—	—	—	—	—	—	.02.	.04	.04.	18
19	—	—	.06	—	—	—	.09	.01	—	—	—	—	19
20	.14	—	.03	—	—	—	—	—	—	—	—	.47.	20
21	.15	.02	—	.11	.03	—	.02	—	—	—	—	.03	21
22	.04	—	.06	.02	—	—	.38	.01	—	—	—	.26.	22
23	.15	.12	.03	—	—	—	.14	—	.07	—	.03	.05	23
24	—	—	.10	.06	—	—	—	—	.49	.12.	—	.25.	24
25	—	—	—	.01	—	.06	.03	—	—	.02	.15	.02	25
26	.05	.42	.01	—	—	.08	.31	—	.01	.09	—	.23	26
27	.03	.06	.04	—	—	—	.43	—	—	.31.	—	.28	27
28	[illegible]	.16	.11	—	.06	.06	.02	.25	—	.38.	—	.02	28
29	.02	X	—	—	.31	—	.03	—	.15	—	.29	.37	29
30	.06	X	—	.15	—	—	.05	.01	.03	.02	—	.03	30
31	.15	X	—	X	—	X	—	.36	X	—	X	.20	31
Total	3.96	4.56	1.59.	1.23	1.24.	.22.	5.11.	2.31	1.37.	1.20	2.59.	5.80	YEAR'S TOTAL 31.18
Rain Days.	24.	20.	16.	12.	8.	4.	22.	20.	10.	13.	17.	27.	193

W. 8,000. X. 15.

3575

BRITISH RAINFALL FORM A.
3386
6 FEB 1917

End 4/6

REGISTER OF RAINFALL IN 1916

Kept at Birdsall Gdns
in the County of York ER
by James Anderson

Lat. Long.
Time of Observation 8 a.m.
Nearest Railway Station North Grimston
Diameter of Funnel of Rain Gauge 5 - in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 303 - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	—	·05	—	—	·28	·15	—	—	·01	·23	—	1
2	·05	·13	·28	—	—	·02	·01	—	·22	·05	—	—	2
3	—	·22	·04	·06	—	·06	—	—	·36	·11	·12	·01	3
4	·02	·16	·02	·02	·81	·44	—	—	·08	·48	·28	·11	4
5	·04	·02	·47	·05	·09	·16	—	—	—	·35	·29	—	5
6	·02	·39	·23	·02	·20	·03	·09	—	—	·09	·45	—	6
7	—	·02	·14	—	·15	·05	·06	—	—	·05	·01	·26	7
8	—	—	·37	—	·11	—	—	—	—	—	·05	—	8
9	·01	—	·08	—	·52	·28	·08	—	·09	—	·03	·55	9
10	·01	·10	·01	·05	—	·04	—	—	·02	·10	·01	·04	10
11	·11	·42	·45	·31	—	·03	·14	—	·02	·03	—	·21	11
12	·05	·05	·23	·09	·53	·26	·66	·04	—	·11	—	·09	12
13	—	·08	·11	·01	·26	·01	·73	·27	—	·63	—	·20	13
14	—	·04	·02	·08	·18	—	—	·65	—	·05	—	·16	14
15	·09	·20	·43	—	—	—	·01	·42	·02	—	—	—	15
16	—	·14	·07	·15	—	—	·28	·11	—	—	—	—	16
17	·09	—	—	·14	—	—	·11	·16	·14	·10	·03	—	17
18	—	·38	—	·38	—	·01	—	·04	·15	·11	1·53	·04	18
19	·08	—	·03	·03	—	—	—	—	·14	·06	·64	·24	19
20	·12	—	·18	·52	—	·02	·30	·09	—	—	·15	·05	20
21	·03	·20	·07	·04	·01	—	·04	—	—	—	—	·19	21
22	—	·12	·03	·01	—	·03	—	—	—	·08	—	·02	22
23	·01	·06	·01	·03	—	·02	—	·03	—	·15	·20	·32	23
24	—	·02	·05	·11	—	·18	—	·09	—	·12	—	·03	24
25	·01	·10	·06	—	—	—	—	·21	—	·21	·10	·07	25
26	—	·16	·05	—	—	·15	—	·02	—	—	·03	—	26
27	—	·41	·02	—	—	—	·20	·04	—	·23	—	—	27
28	—	·26	·03	—	·06	—	—	·07	—	·17	·01	·29	28
29	·02	·17	—	—	·11	·06	—	—	—	·22	—	·11	29
30	·01	X	—	—	·14	·02	—	—	·01	·27	·01	·01	30
31	—	X	—	X	—	X	·05	—	X	·01	X	·02	31
Total	1·02	3·85	3·53	2·10	3·17.	2·15.	2·91	2·24.	1·25.	3·79.	4·17	3·02	YEAR'S TOTAL 33·20
Rain Days.	18.	23.	26.	18.	13.	20.	15.	14.	11.	24	18.	21	221.

W. 8,000, VIII. 16

3874

BRITISH RAINFALL. FOR A. 3386

14 JAN

REGISTER OF RAINFALL IN 1917

Kept at Birdsall Gardens Malton
in the County of Yorks.
by James Anderson

Lat. Long.
Time of Observation 8. a.m.
Nearest Railway Station North Grimston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 303. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	—	·45	—	·05	—	·25	·32	—	·08	·09	1
2	·09	—	—	·32	—	·19	—	·27	·01	—	—	—	2
3	—	·12	—	·04	—	·05	·01	·28	—	·04	—	—	3
4	—	—	·16	—	—	—	—	—	—	·26	—	—	4
5	·13	—	·14	·40	—	—	—	—	—	—	·29	—	5
6	—	—	—	—	—	—	—	—	—	—	·15	—	6
7	·45	—	·07	—	—	·09	—	—	—	·57	—	·10	7
8	·83	—	—	·15	—	—	—	1·78	—	·51	·07	—	8
9	·16	—	·02	·08	—	—	—	·08	—	·03	·29	·02	9
10	·36	—	·75	·36	·08	—	—	·44	—	·17	·34	—	10
11	·02	—	—	—	—	—	—	·22	—	·70	—	—	11
12	·62	·02	—	·18	·27	—	—	·10	—	·33	—	—	12
13	·34	—	—	·08	·26	—	—	·17	·14	·07	—	·01	13
14	·42	—	·02	·11	·07	—	—	·12	—	—	—	·08	14
15	·25	—	—	—	—	—	·17	·04	·01	—	—	·08	15
16	·03	·02	—	·33	—	—	—	·17	—	·01	—	·68	16
17	·06	·08	—	·13	·38	·31	·02	·27	·02	—	—	·21	17
18	·11	—	—	·02	·03	—	·47	·06	·13	—	—	—	18
19	·14	·08	·16	·02	·07	·25	—	—	—	—	—	—	19
20	·12	·35	·11	·01	—	·29	·16	—	·09	—	·34	—	20
21	·01	·12	·14	—	—	·03	—	·03	·01	·04	—	·01	21
22	—	—	·25	—	—	·09	—	·02	·11	·09	—	—	22
23	·02	—	—	—	·15	—	·01	·26	·02	·01	—	—	23
24	—	·02	—	—	—	·08	·01	·08	—	·28	·35	—	24
25	·01	·04	·06	—	—	—	·03	·05	—	·18	—	·32	25
26	—	—	·13	—	—	·10	—	1·11	·05	·13	·48	·15	26
27	·03	—	·02	—	—	·21	·17	·44	—	·02	—	·08	27
28	—	—	·19	—	—	·02	·10	·65	—	·04	—	·02	28
29	·03	×	·04	—	—	—	·05	·04	—	·30	—	·02	29
30	·01	×	·14	·11	—	—	·48	—	—	·03	·05	—	30
31	·05	×	·15	×	·02	×	·02	·07	×	—	×	·09	31
Total	4·29	·86	2·55	2·79	1·33	1·76	1·70	7·00	·91	3·81	2·44	1·96	YEAR'S TOTAL 31·40
Rain Days.	23.	10.	17.	16.	9.	13.	13.	24.	11.	20.	10.	15.	181.

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL.

3386

8. 1. 19

9

REGISTER OF RAINFALL IN 1918

Kept at Birdsall Gardens

in the County of York E

by James Anderson

Lat. 54°N. Long. 1° W.

Time of Observation 8 a.m.

Nearest Railway Station N. Grimston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date.~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	·13	·01	·01	—	—	—	·32	·02	·27	·10	1
2	·07	·16	·01	·28	—	—	—	—	·09	·03	—	·29	2
3	—	·01	·04	—	·09	—	—	·25	—	—	·38	·02	3
4	·01	·04	·07	—	·14	—	·01	·12	·25	·02	·36	·38	4
5	—	—	·04	·05	·18	—	—	·56	·02	·06	—	·06	5
6	—	·48	—	·48	·01	·09	—	·14	—	·01	—	·01	6
7	·13	·15	—	·04	—	·17	—	—	—	·12	·20	·01	7
8	·01	·08	·05	—	—	—	·60	—	·06	—	—	—	8
9	·07	·52	—	·02	—	·19	·24	—	·67	·46	·21	·10	9
10	·02	·02	—	·02	—	—	—	—	·09	—	·03	·02	10
11	·12	·04	—	·01	·36	—	·09	—	·06	—	—	·05	11
12	—	·12	·02	·02	·11	—	·22	—	·18	·01	—	·02	12
13	—	·01	—	·04	·13	—	—	—	·29	·03	—	·01	13
14	·19	—	—	·03	—	·03	·11	—	·31	·08	—	·04	14
15	·10	—	—	—	—	·08	·22	—	·90	—	—	·78	15
16	—	—	—	—	—	·07	—	·05	·28	—	—	·25	16
17	·24	—	—	—	·41	·14	1·00	·11	·02	·10	—	·42	17
18	·38	—	·03	·36	—	·04	·39	—	·71	—	—	·09	18
19	·41	—	·04	·19	—	—	·21	·12	·03	·13	—	—	19
20	·13	·42	—	·03	—	—	·07	—	·14	·10	—	—	20
21	·07	—	—	—	·18	·01	·03	—	·21	·29	—	—	21
22	·04	—	—	—	·05	·02	·04	—	·02	—	—	·45	22
23	·06	—	—	—	·25	—	·55	—	·12	—	·05	—	23
24	—	·07	—	—	—	—	·05	—	·18	·05	·07	—	24
25	—	—	—	—	—	·02	·07	·21	—	—	·02	·03	25
26	—	—	—	—	—	—	·26	·22	·33	·02	·07	·11	26
27	—	·03	·03	—	—	·05	·04	·41	·10	—	·04	·10	27
28	—	·17	·52	—	—	—	—	·01	·02	—	·05	·23	28
29	—	×	·01	—	—	—	—	—	·03	—	·02	·15	29
30	—	×	·30	·02	—	—	—	·02	·18	—	·08	·54	30
31	—	×	·40	×	—	×	—	·02	×	—	×	·08	31
Total	2·08	2·32	1·69	1·60	1·92	·91	4·20	2·24	5·61	1·53	1·85	4·34	YEAR'S TOTAL 30·29
Rain Days.	17	15	14	15	12	12	18	13	26	16	14	25	197

W. 6,500. VII. 18. W W C

3198

3386

13 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919

Kept at Birdsall Gardens

in the County of York

by James Anderson

Lat. 54° Long. 1°W

Time of Observation 8 a.m.

Nearest Railway Station North Grimston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·05	—	—	·48	—	·47	—	·19	·02	·21	·07	1
2	·14	·01	·03	—	·01	—	·49	—	·18	—	·10	·01	2
3	·61	—	·11	—	·04	—	·08	—	·08	—	·24	·16	3
4	·06	·05	·43	—	·05	·13	—	·04	·11	—	·12	·14	4
5	·02	·03	—	—	—	—	—	—	·13	—	·04	·06	5
6	·02	—	·14	—	·01	—	—	—	—	·01	·11	·11	6
7	·01	—	·35	—	·14	—	—	—	—	—	—	·26	7
8	·15	—	—	·04	·17	—	—	—	—	—	·08	·12	8
9	—	—	·01	—	—	—	—	—	—	·10	·21	—	9
10	—	—	·15	·05	·03	—	—	—	—	·06	·11	·33	10
11	—	—	·88	—	·04	—	·21	—	—	·02	·06	—	11
12	—	—	·77	·06	—	·14	·01	—	·02	·32	·08	·01	12
13	·23	—	·03	·03	—	·03	·06	—	·06	·13	—	·02	13
14	·30	—	—	·51	—	—	·07	·09	·01	·01	·18	—	14
15	·14	·12	·08	·19	—	—	—	·01	—	—	·04	·87	15
16	·03	·36	—	·03	—	—	—	—	—	·07	·03	—	16
17	—	·17	·01	·01	·05	·12	—	·07	—	·01	·12	—	17
18	—	—	—	—	—	—	—	·17	—	—	—	·11	18
19	·03	·17	·73	—	—	·01	·72	·21	—	—	·17	·06	19
20	·57	·20	·01	—	—	·05	·17	·09	·10	—	—	·31	20
21	·25	·18	·01	—	—	·05	·02	—	·08	—	·02	·18	21
22	—	·25	·02	—	—	—	·08	—	·27	—	·01	·20	22
23	—	—	·05	—	·06	·08	·01	—	—	·66	·06	·02	23
24	—	—	·01	—	—	·06	·01	—	—	·41	·07	—	24
25	·03	·06	—	·08	·01	·04	—	·57	—	—	—	·02	25
26	—	·07	·36	·04	—	·02	—	·85	—	·28	·21	·57	26
27	·04	—	—	·48	—	·01	—	—	·02	·71	·10	·04	27
28	·02	—	—	·10	—	·02	—	·68	—	·23	—	·41	28
29	·11		·03	·01	—	·10	·02	·01	—	1·38	—	·12	29
30	·06		—	·25	—	·25	—	—	—	·21	·26	·35	30
31	·08		·02		—		·21	—		·13		·06	31
TOTAL	3·22	1·72	4·23	1·88	1·09	1·11	2·63	2·79	1·25	4·76	2·63	4·61	YEAR'S TOTAL 31·92
Days with ·01 in. or more	21.	13.	21.	14	12.	15.	15.	11.	12.	18.	23.	25.	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3386

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Birdsall Gardens

in the County of York.

by James Anderson

Lat. 54 N. Long. 1 W.

Time of Observation 8 a.m.

Nearest Railway Station N. Grimston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 383 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·06	·40	·36	·06	·39	—	·01	·47	—	·02	1
2	—	—	·08	·19	—	+	·24	—	·12	·23	—	·52	2
3	—	—	—	·05	—	·02	·42	·17	·18	·26	—	·12	3
4	·05	—	—	·01	·07	—	·71	·88	·01	·85	—	·14	4
5	—	—	·09	—	·23	—	·15	·02	·03	—	—	·05	5
6	—	—	·08	·09	·07	—	·12	·03	—	—	—	·18	6
7	·04	—	—	·22	—	—	·14	—	—	—	—	·02	7
8	·05	·03	—	·24	·05	—	·09	·22	—	—	—	—	8
9	·22	·07	·02	·42	—	—	·07	·12	·02	·01	—	—	9
10	·57	·08	·09	·14	—	—	·25	—	—	—	—	—	10
11	·39	·02	·01	·17	·03	—	—	—	—	—	—	·31	11
12	·09	·01	·08	·28	—	—	·05	—	—	—	·01	·32	12
13	·06	—	·16	·07	—	—	—	—	·07	—	·08	·18	13
14	·01	·08	·48	·17	—	—	·05	—	·24	—	·21	·01	14
15	—	·21	·14	·28	—	—	·03	—	·03	·05	·03	—	15
16	—	—	—	·02	—	—	1·15	—	·22	—	·11	—	16
17	—	—	—	—	·17	—	·15	·02	·25	·11	—	—	17
18	·14	—	—	—	·09	·07	—	·08	·23	—	—	—	18
19	·05	·38	—	·46	—	—	—	·10	—	—	—	—	19
20	·14	·02	—	·41	—	·21	·04	—	—	—	—	—	20
21	—	·01	—	·10	—	—	·61	·27	—	—	—	·11	21
22	·10	—	—	·15	—	—	·08	—	—	—	—	—	22
23	—	—	—	—	—	—	·36	—	—	·02	—	·23	23
24	—	—	·45	·17	—	—	·03	—	—	—	—	·05	24
25	—	·05	·09	·04	—	—	·60	—	—	—	·01	—	25
26	·06	—	·12	·06	—	—	·16	—	—	—	—	—	26
27	·22	·03	—	·05	·76	·55	·01	—	—	—	·24	·10	27
28	1·03	—	·14	·07	·05	·02	·11	—	—	—	·15	·09	28
29	·15	—	·06	·03	·35	—	·03	—	·01	—	·11	·50	29
30	·08	╳	—	—	—	—	—	—	·14	—	·28	·16	30
31	·23	╳	—	╳	·03	╳	—	—	╳	·01	╳	·31	31
TOTAL	3·62	·99	2·15	4·29	2·26	·93	6·04	1·91	1·56	2·01	1·23	3·42	YEAR'S TOTAL 30·41
Days with ·01 in. or more	19.	12.	16.	25.	12.	6.	25.	10.	14.	9.	10.	19.	177.
Days with ·04 in. or more	18.	6.	14.	22.	10.	4.	21.	7.	8	6.	7.	16.	139.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3386

THE GARDENS,
BIRDSALL,
MALTON,
YORKS.

1920 --

Dear Sir

I made a slight mistake in January entry; from the 22nd to the 31st - having entered the 22nd to the 21st & a day forward to the end of the month, but other months are right -

Yours Truly
J Andrews

BIRSTWITH
THE MOSS.
1911 –

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

R

Kept at The Mo .... n.

in the County of WR .... d 1 ft. .... in.

.... evel 230 ft.

by C. .... Birstwith

.... tance ¼ Mile Direction East

IMPORTANT NOT... should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·27	—	·13	—	—	·09	—	—	·03	—	1
2	·25	—	—	—	·15	—	·20	—	—	—	·05	·11	2
3	—	—	·05	—	·19	—	—	—	—	·07	·13	—	3
4	·04	—	·16	·20	·03	—	—	·20	·05	·03	·84	·32	4
5	·03	—	—	·04	—	—	—	·42	—	·05	·30	—	5
6	·25	—	·02	—	—	—	—	·35	—	·85	·22	·67	6
7	·01	—	—	—	—	—	—	—	—	—	·06	—	7
8	—	—	·78	—	—	—	—	—	—	·01	·05	·65	8
9	—	—	—	—	—	—	—	—	—	—	—	·14	9
10	·12	·08	—	·05	—	—	—	—	—	—	—	·57	10
11	·30	—	·05	—	—	—	—	—	—	—	·40	·14	11
12	·09	—	·15	—	·08	—	—	—	·86	—	·34	·01	12
13	—	—	·14	—	—	—	—	—	—	—	·11	·42	13
14	—	·09	·22	—	·38	—	—	—	—	—	·01	·58	14
15	—	·18	·25	—	—	—	—	—	—	·04	·36	·20	15
16	—	·34	·13	—	—	·19	·03	—	—	·06	·22	·17	16
17	·02	—	·02	—	·23	·31	—	—	—	—	·16	·12	17
18	—	·38	·20	—	—	·09	—	—	—	—	·14	·14	18
19	—	—	—	—	—	·02	·10	—	·25	·35	·67	·07	19
20	—	·11	—	·25	—	—	·10	·60	—	·03	—	·11	20
21	—	·56	—	·07	—	—	—	·66	—	·21	·06	·04	21
22	·10	·12	—	—	—	—	—	·23	—	·25	·05	—	22
23	—	·39	—	—	—	·58	—	—	·08	·11	—	·28	23
24	·33	·08	—	·07	—	·82	—	—	—	·12	—	·08	24
25	—	·32	—	·02	·03	—	·04	—	·58	—	—	·21	25
26	—	—	—	·05	—	—	—	·08	·03	·70	·35	·22	26
27	·03	·14	·04	·23	—	—	—	·21	·10	—	—	—	27
28	—	·18	·04	·20	—	·05	—	—	·06	—	—	·23	28
29	—		—	·10	—	·38	—	—	·68	·80	—	·04	29
30	—		—	—	—	—	·03	—		·28	—	—	30
31	—		—		·06			—		·11		—	31
Total	1·57	2·97	1·92	1·23	1·28	244	·50	2·84	2·69	3·27	4·25	5·52	TOTAL for year 3048
No. of Rain Days.	12	13	15	11	9	8	6	9	9	17	20	23	152

0, X. '11.

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Moss Birstwith

in the County of WR York 11

by C. S. Dixon

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 230 ft.

Time of Observation 9. a m

Nearest Railway Station
Name Birstwith
Distance ¼ mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·27	—	·13	—	—	·09	—	—	·03	—	1
2	·25	—	—	—	·15	—	·20	—	—	—	·05	·11	2
3	—	—	·05	—	·19	—	—	—	—	·07	·13	—	3
4	·04	—	·16	·20	·03	—	—	·20	·05	·03	·54	·32	4
5	·03	—	—	·04	—	—	—	·42	—	·05	·30	—	5
6	·25	—	·02	—	—	—	—	·35	—	·05	·22	·67	6
7	·01	—	—	—	—	—	—	—	—	—	·06	—	7
8	—	—	·78	—	—	—	—	—	—	·01	·05	·65	8
9	—	—	—	—	—	—	—	—	—	—	—	·14	9
10	·12	·08	—	·05	—	—	—	—	—	—	—	·57	10
11	·30	—	·05	—	—	—	—	—	—	—	·40	·14	11
12	·09	—	·15	—	·08	—	—	—	·86	—	·34	·01	12
13	—	—	·14	—	—	—	—	—	—	—	·11	·42	13
14	—	·09	·22	—	·38	—	—	—	—	—	·01	·58	14
15	—	·18	·25	—	—	—	—	—	—	·04	·36	·20	15
16	—	·34	·13	—	—	·19	·03	—	—	·06	·22	·17	16
17	·02	—	·02	—	·23	·31	—	—	—	—	·16	·12	17
18	—	·38	·20	—	—	·09	—	—	—	—	·14	·14	18
19	—	—	—	—	—	·02	·10	—	·25	·35	·67	·07	19
20	—	·11	—	·25	—	—	·10	·60	—	·03	—	·11	20
21	—	·56	—	·07	—	—	—	·66	—	·21	·06	·04	21
22	·10	·12	—	—	—	—	—	·23	—	·25	·05	—	22
23	—	·39	—	—	—	·58	—	—	·08	·11	—	·28	23
24	·33	·08	—	·02	—	·82	—	—	—	·12	—	·08	24
25	—	·32	—	·02	·03	—	·04	—	·58	—	—	·21	25
26	—	—	—	·05	—	—	—	·08	·03	·70	·35	·22	26
27	·03	·14	·04	·23	—	—	—	·21	·10	—	—	—	27
28	—	·18	·04	·20	—	·05	—	—	·06	—	—	·23	28
29	—		—	·10	—	·38	—	—	·68	·80	—	·04	29
30	—		—	—	—	—	·03	—		·28	—	—	30
31	—		—		·06			—		·11		—	31
Total	1·57	2·97	1·92	1·23	1·28	2·44	·50	2·84	2·69	3·27	4·25	5·52	TOTAL for year 30·48
No. of Rain Days.	12	13	15	11	9	8	6	9	9	17	20	23	152

00, X. '11.

FORM A2. BRITISH RAINFALL.

9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Moss Birstwith

in the County of York W. 11

by C S Dixon

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. . in.
" " " Sea Level 230 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Birstwith
Distance 1/4 mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·15	·13			·46	·42	·14	·10	·06		·37	1
2			·19			·33	·46		·02				2
3	·10	·05	·13			·76		·75	·37			·10	3
4	·25		·59	·11	·05	·75		·67	·08		·08		4
5	·01				·35	·25		·01	·01				5
6	·80	·15			·01	·03		·28					6
7		·13						·10	·06		·03		7
8	·56	·23	·20	·10		·05			·28				8
9		·16	·16	·16		·31					·03	·03	9
10						·15					·28		10
11	·40	·05									·20	·40	11
12	·10	·07	·05			·11	·31				·01	·22	12
13	~~·15~~							·01		·26		·38	13
14	·15		·32			·16					·26	·26	14
15	·33	·04	·08		·49	·49						·35	15
16	1·10		·18			·08				·09		·05	16
17	·02	·05	·19			·27		·23				·40	17
18	·19					·05		·02		·11		·05	18
19	·28	·33	·22			·01	·06	·18		·15			19
20	·22		·07		·42	·04		·03		·25			20
21			·45		·15					·10	·03		21
22	·06	·16			·79	·49		·42					22
23			·20				·23	·30			·13	·13	23
24	·23				·03	·21	·21	·16			·24	·10	24
25			·15			·69	·33	·09			·36	·24	25
26		·16	·07				·51	·70		1·46	·19	·30	26
27		·06	·11			·45	·89	·10		·25			27
28			·01			·13	·75	·70	·01	·30	·20		28
29		·02	·20			·15	·11		·78	·05		·16	29
30	·05		·22		·21				·30	·04		·04	30
31			·06		·12		1·16	·17				·02	31
Total	4·85	1·81	3·98	·37	2·62	6·42	5·44	5·08	1·94	3·12	2·04	3·60	TOTAL for year 41·27
No. of Rain Days.	17	15	22	3	10	23	12	19	10	12	13	18	174

W. 8,000, X. '11.

3365

BIRSTWITH HALL

1919-20

Form A. 1. **ME** **LL ORGANIZATION.**

N 1919.

6 FEB 20

Long. 1

Kept at B

ation 7·30·a·m·

y Station Birstwith

in the County

nnel of Rain Gauge 8 in.

f Gauge above Ground 1 ft. 10 in.

by

,, ,, Sea Level 470 ft.

IMPORTANT he result entered to the previous day.

If an Observer prefers not to conform to this almost universal nestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						—	·29	—	·46	·17	·02	·02	1
2						—	·25	—	·03	·01	·07	·56	2
3						—	·55	—	·02	—	·12	·27	3
4						—	·24	·09	—	—	·11	·19	4
5						—	·01	·01	—	—	·07	·07	5
6						—	—	—	—	·01	·02	·01	6
7						—	—	—	·01	—	·01	—	7
8						—	—	·05	—	—	·07	—	8
9						—	—	—	—	—	·07	—	9
10						—	—	—	—	·03	·07	·17	10
11						—	·10	—	—	·03	·05	·07	11
12						·18	·01	—	·09	·05	·06	·02	12
13						—	·01	—	·01	·30	—	·04	13
14						—	·13	·18	—	—	·08	—	14
15						—	—	—	—	—	—	·06	15
16						—	—	—	—	—	·12	·64	16
17						·02	—	·04	—	—	·41	·03	17
18						—	·05	·20	·06	—	·01	—	18
19						·04	·63	·14	·02	—	·34	·01	19
20						·10	·24	·04	·01	—	·09	·35	20
21						·03	—	—	·03	—	—	·27	21
22						·04	—	·18	·26	·01	·07	·01	22
23						—	—	—	—	·82	·06	·08	23
24						·23	—	—	·18	·59	·13	—	24
25						·07	—	·60	—	·01	·05	·49	25
26						·01	—	·07	·03	—	·19	·18	26
27						—	—	·01	—	·08	—	·44	27
28						—	—	·69	—	·20	—	—	28
29						·18	—	—	—	·65	·27	·19	29
30		X				·10	—	—	—	—	·37	·38	30
31		X		X		X	·13	—	X	—	X	—	31
Total						1·00	2·64	2·30	1·21	2·96	2·91	4·56	YEAR'S TOTAL
Days with ·01 in. or more						11	13	13	13	14	25	23	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

6 FEB 20

Kept at Birstwith Hall,
in the County of Yorkshire,
by Frederic A. Aykroyd

Lat. 54 Long. 1
Time of Observation 7.30 a.m.
Nearest Railway Station Birstwith
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						—	·29	—	·46	·17	·02	·02	1
2						—	·25	—	·03	·01	·07	·56	2
3						—	·55	—	·02	—	·12	·27	3
4						—	·24	·09	—	—	·11	·19	4
5						—	·01	·01	—	—	·07	·07	5
6						—	—	—	—	·01	·02	·01	6
7						—	—	—	·01	—	·01	—	7
8						—	—	·05	—	—	·07	—	8
9						—	—	—	—	—	·07	—	9
10						—	—	—	—	·03	·07	·17	10
11						—	·10	—	—	·03	·05	·07	11
12						·18	·01	—	·09	·05	·06	·02	12
13						—	·01	—	·01	·30	—	·04	13
14						—	·13	·18	—	—	·08	—	14
15						—	—	—	—	—	—	·06	15
16						—	—	—	—	—	·12	·64	16
17						·02	—	·04	—	—	·41	·03	17
18						—	·05	·20	·06	—	·01	—	18
19						·04	·63	·14	·02	—	·34	·01	19
20						·10	·24	·04	·01	—	·09	·35	20
21						·03	—	—	·03	—	—	·27	21
22						·04	—	·18	·26	·01	·07	·01	22
23						—	—	—	—	·82	·06	·08	23
24						·23	—	—	·18	·59	·13	—	24
25						·07	—	·60	—	·01	·05	·49	25
26						·01	—	·07	·03	—	·19	·18	26
27						—	—	·01	—	·08	—	·44	27
28						—	—	·69	—	·20	—	—	28
29						·18	—	—	—	·65	·27	·19	29
30		X				·10	—	—	—	—	·37	·38	30
31		X		X		X	·13	—	X	—	X	—	31
TOTAL						1·00	2·64	2·30	1·21	2·96	2·91	4·56	YEAR'S TOTAL
Days with ·01 in. or more						11	13	13	13	14	25	23.	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form B 1.

METEOROLOGICAL OFFICE.

BRITISH RAINFALL ORGANIZATION.

To be filled and returned to

THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1

Copies of this form will be supplied with pleasure.

RAINFALL IN 1919

NOTE.—Records taken in millimetres should not be entered on this form.

At Birstwith Hall

In the County of Yorkshire

Rain Gauge
Diameter of Funnel 8 in.
Height of Top: *Above Ground* 1 ft ~~2½~~ 10 in
Height of Top: *Above Sea Level* 470 ft.

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches	Inches	Date.	
JAN.				
FEB.				
MAR.				
APR.				
MAY				
JUNE	1·00	·23	24th	11
JULY	2·64	·63	19th	13
AUG.	2·30	·69	28th	13
SEPT.	1·21	·46	1st	13
OCT.	2·96	·82	23rd	14
NOV.	2·91	·41	17th	25
DEC.	4·56	·64	16th	23
Total				

Signed Frederic A. Aykroyd

Titles

[*Please fill in the other side also.*

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Birstwith Hall ~~Nr. Harrogate~~

in the County of Yorkshire

by Frederic A. Aykroyd

Lat. .... Long. ....

Time of Observation 8 a.m.

Nearest Railway Station Birstwith

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. 10 in.

„ „ „ „ Sea Level 470 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·10	·30	·59	—	—	·09	—	—	·18	·02	1
2	—	·03	·05	·11	·01	—	·65	—	·22	·21	—	—	2
3	·03	·05	—	·03	·03	—	·28	·24	·12	·33	—	—	3
4	·02	—	—	·02	—	—	·31	·96	·05	·73	—	—	4
5	—	·02	·02	·02	·06	·01	·08	·03	—	·13	—	—	5
6	·01	·01	·45	·10	·14	—	·06	—	—	·01	—	·08	6
7	·19	·05	·09	·09	·02	—	·25	—	—	—	—	—	7
8	·20	·51	—	·34	·19	—	·38	·13	—	·03	·13	—	8
9	·36	·76	—	·46	—	—	·18	·11	·01	·06	—	—	9
10	·75	·10	·03	·75	—	—	·40	·12	—	—	—	—	10
11	·50	·02	·09	·19	·15	·09	—	—	·03	—	—	—	11
12	·20	·05	·38	·34	—	·01	·10	—	—	—	—	·20	12
13	·09	·25	·08	·21	—	·61	·04	—	—	—	·28	·30	13
14	·03	—	·42	·23	·01	·10	·20	—	·15	·25	·50	·05	14
15	·02	·01	·09	·18	—	—	·06	—	—	·88	·28	—	15
16	·18	—	·03	·01	·01	—	·52	—	·12	·01	·50	—	16
17	·08	·01	·03	·01	·29	—	·02	·09	·10	·08	·01	—	17
18	·14	·51	—	·23	·29	·10	·04	·05	·20	—	—	—	18
19	—	·01	—	·22	·09	·12	—	·09	·03	—	—	·03	19
20	·03	—	—	·40	—	·04	·08	—	·03	—	·02	·05	20
21	—	—	—	—	—	—	·40	·15	·03	—	—	—	21
22	·08	—	—	·26	—	·06	·25	—	—	—	—	·05	22
23	·01	—	—	·01	—	—	·34	—	—	·03	·03	·28	23
24	·09	·05	·56	·06	—	—	·09	—	—	—	·01	·21	24
25	·01	·03	·03	·01	—	—	·59	—	—	—	—	·01	25
26	—	·05	·30	·11	—	—	·05	—	—	—	—	·05	26
27	·10	—	—	·04	·32	·49	—	—	—	—	·25	·06	27
28	·23	—	·19	·20	·05	·03	·03	—	—	—	·01	·20	28
29	·83	—	·10	—	2·06	·08	·09	—	·04	—	·20	·93	29
30	·19	✕	·03	·03	·09	·05	—	—	·12	—	·13	·18	30
31	·33	✕	·08	✕	·04	✕	—	—	✕	·33	✕	·30	31 38.55
TOTAL	4·90	2·52	~~2·97~~ 3.07	~~4·74~~ 4.94	4·38	1·99	~~5·43~~ 5.45	2·04	1·25	~~2·98~~ 3.08	2·53	2·80	YEAR'S TOTAL ~~38.13~~
Days with ·01 in. or more	25	18	20	28	18	13	25	11	14	13	14	19	22166
Days with ·04 in. or more	19	~~8~~ 10	14	20	13	~~7~~ 10	23	10	9	9	9	14	1588

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BIRSTWITH

SWARCLIFFE

1911

RE l.

FORM A.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Swarcliff

in the County of WR

by Capt Green

Long. 1.38

tion Birstwith 1.m.

n 7.am. Snowdon.

in.

Ground 1 ft. – in.

Sea Level 510 ft.

NOTE.—Full instructions respect infall Organization are given in "Rules for Rainfall O Square, London, N.W.

Date.	JAN.	FEB.	MARC							OCT.	NOV.	DEC.	Date.
	in.	in.	in.							in.	in.	in.	
1			.40								.05		1
2	.18									.02	.05	.13	2
3	.04		.08	.01	.21			~~.04~~ .01		.07	.10		3
4	.02		.20	.20	.03			.20	.06	.04	.58	.33	4
5	.01			.06	.02			.45		.07	.29		5
6	.31		.04	.02				.34		.05	.28	.76	6
7	.02	.02									.10		7
8	.03		.18							.02	.06	.63	8
9												.14	9
10	.04	.07		.03								.61	10
11	.27							.02			.39	.26	11
12	.10		.24		.11	.03			.91		.38	-	12
13			.11			.03					.03	.39	13
14	.05	.12	.13		.32						.12	.50	14
15		.22	.26	.02						.06	.35	.30	15
16		.45	.14			.19	.04			.10	.10	.18	16
17	.05		.05		.28	.36					.30	.12	17
18		.49	.16	.01		.08					.14	.14	18
19						.04	.12	.01	.26	.34	.68	.06	19
20		.08		.24			.14	.60		.04		.18	20
21		.64		.12				.36		.24	.06	.06	21
22	.06	.15						.43		.28	.09		22
23	.02	.61				.45			.10	.14		.20	23
24	.35	.08	.03	.04		.92				.13		.17	24
25	.03	.35		.02		.03	.06		.60	.01		.20	25
26	.02			.09	.03			.11	.06	.72	.31	.21	26
27	.02	.17	.04	.25				.22	.11			.01	27
28		.19	.03	.23		.08			.05			.26	28
29			.02	.13		.50	.06	.04	.68	.81		.06	29
30					.04				.04	.21			30
31										.20			31
Totals	1.62	3.64	2.11	1.47	1.30	2.71	.57	2.89	2.87	3.55	4.46	5.90	33.09
Rain days ~~Total from Jan.~~	18	14	16	15	9	11	6	13	10	19	20	23	174

K/5000/11/05.   EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.   Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Swarcliffe · Birstwith
in the County of WR York · 11
by Capt Greenwood

Lat. 54·1·50 Long. 1.38
Nearest Railway Station Birstwith 1 m.
RAIN GAUGE. Time of Observation 7 am. Snowdon.
Diameter 5 in.
Height of top above Ground 1 ft. – in.
" " Sea Level 510 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.40					.10			.05		1
2	.18				.26		.15			.02	.05	.13	2
3	.04		.08	.01	.21			~~.04~~ .01		.07	.10		3
4	.02		.20	.20	.03			.20	.06	.04	.58	.33	4
5	.01			.06	.02			.45		.07	.29		5
6	.31		.04	.02				.34		.05	.28	.76	6
7	.02	.02									.10		7
8	.03		.18							.02	.06	.63	8
9												.14	9
10	.04	.07		.03								.61	10
11	.27							.02			.39	.26	11
12	.10		.24		.11	.03			.91		.38	-	12
13			.11			.03					.03	.39	13
14	.05	.12	.13		.32						.12	.50	14
15		.22	.26	.02						.06	.35	.30	15
16		.45	.14			.19	.04			.10	.10	.18	16
17	.05		.05		.28	.36					.30	.12	17
18		.49	.16	.01		.08					.14	.14	18
19						.04	.12	.01	.26	.34	.68	.06	19
20		.08		.24			.14	.60		.04		.18	20
21		.64		.12				.36		.24	.06	.06	21
22	.06	.15						.43		.28	.09		22
23	.02	.61				.45			.10	.14		.20	23
24	.35	.08	.03	.04		.92				.13		.17	24
25	.03	.35		.02		.03	.06		.60	.01		.20	25
26	.02			.09	.03			.11	.06	.72	.31	.21	26
27	.02	.17	.04	.25				.22	.11			.01	27
28		.19	.03	.23		.08			.05			.26	28
29			.02	.13		.50	.06	.04	.68	.81		.06	29
30					.04				.04	.21			30
31										.20			31
Totals	1.62	3.64	2.11	1.47	1.30	2.71	.57	2.89	2.87	3.55	4.46	5.90	33.09
Total from Jan.	18	14	16	15	9	11	6	13	10	19	20	23	174

Rain days

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Ex [illegible]

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
13 JAN 1913

Kept at Swarcliffe Birstwith

in the County of Yorkshire W 11

by Capt Greenwood

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 510 ft.

Time of Observation 7 a.m.

Nearest Railway Station
Name Birstwith
Distance 1m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05	·19			·50	·33	·29	·12	·07		·36	1
2		·23	·15		·01	·36	·53		·03			·04	2
3	·10	·03	·17			·80		·80	·40			·08	3
4	·26		·63	·13		·78		·63	·04		·12		4
5	·01			·03	·32	·35		·13					5
6	·76	·09			·02	·03		·27					6
7		·15			·03			·08			·04		7
8	·48	·23	·22	·15		·07			·32		·03	·02	8
9	·10	·22	·14	·20		·06					·03		9
10	·02					·16		·04			·27		10
11	·34	·10									·15	·45	11
12	·11	·11	·07			·03	·32				·04	·16	12
13	·01	·02				·10		·02		·22	·28	·59	13
14	·18		·34		·01	·15			·01			·29	14
15	·26	·06	·11		·48	·47						·34	15
16	1·12		·17		·03	·10				·09		·06	16
17		·07	·23			·28	·01	·27			·02	·44	17
18	·26	·03				·07		·01		·13		·08	18
19	·19	·32	·11			·02	·07	·27		·13	·05		19
20	·31		·17		·43	·05		·06		·22			20
21			·50		·05					·07		·02	21
22	·08	·18	·02		·86	·53		·20		·05			22
23			·21		·05		·27	·50			·14	·01	23
24	·20		·01		·02	·20	·08	·25			·03	·15	24
25			·13			·75	·27	·13			·67	·10	25
26		·19	·08					·69		1·50	·24	·29	26
27		·10	·15			·45	1·25	·08		·27		·35	27
28			·03		·08	·17	·78	·59		·32	·20	·02	28
29			·22			·12	·13	·14	·57	·05		·14	29
30	·05		·26		·16			·03	·52			·04	30
31			·06		·15		1·12	·14		·06		·04	31
Total	4·84	2·18	4·37	·51	2·70	6·60	5·16	5·62	2·01	3·18	2·31	4·07	TOTAL for year 43·55
No. of Rain Days.	19	17	24	4	15	24	12	22	8	13	15	22	195

W. 8,000, X. '11.

✓

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Swarcliffe Birstwith

in the County of York W 11

by Capt Greenwood

Lat. 54.1.50 Long. 1.38

Time of Observation 7.am.

Nearest Railway Station Birstwith

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.12	.16	.05						.06		1
2		.13	.35	.03		.09				.06	.07	.07	2
3	.04	.11	.26		.40					.10		.11	3
4	.44	.09	.20			.02	.12		.12	.17	.08	.30	4
5	.40	.06	.19			.38			.11	.13		.10	5
6	.14	.28	.32		.45		.34			.09			6
7		.38	.04		.18	.15				.74		.03	7
8		.09			.27					.14	.23		8
9		.12	.20	.02	.51	.22		.24				.04	9
10		.02	.15		.04	.05					.35		10
11	.96			.41					.07	.06	.09		11
12									.32		.34	.03	12
13			.06					.06			.05		13
14	.12	.02	.05	.22			.09		.02	.20	.06		14
15	.22	.02	.51	.27							.56		15
16			.10	.06			.05	.02	.32		.15		16
17		.02	.06	.09		.15	.04				.08	.04	17
18	.04		.30	.30		.03	.02				.36		18
19	.15		.33	.29						.08	.10		19
20	.19		.21	.04						.10	.32		20
21	.11		.04	.02	.15		.16	.23	.09				21
22	.17		.43		.03			.34	.21				22
23	.22		.23		.08	.15		.14					23
24	.45			.02		.21			.36		.08		24
25				.03					.08	.03	.05	.20	25
26			.11	.40		.02				.16		.60	26
27		.03	.05	.24		.12				.03		.37	27
28	.39		.23	.52								.30	28
29	.06		.52	.37	.11			.24		.04	.11	.40	29
30	.38				.23					.34		.10	30
31	.15				.17								31
Total	4.73	1.37	5.06	3.49	2.67	1.59	.82	1.27	1.70	2.47	3.14	2.69	YEAR'S TOTAL 31.00
Rain Days.	19	13	24	18	13	12	7	7	10	16	18	14	171

W.7,000, XI. 13

BIRSTWITH.

SWARCLIFFE

YORKSHIRE

1914

R

Kept at Swarch

38

u.

in the County of

istwith

in.

by Capt Gr

ound 1 ft. – in.

a Level 510 ft.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

IMPORTANT result entered to the previous day. If a l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							2.35	.16				.34	1
2							.30	.36			.83	.10	2
3	.09		.04		.30		.03				.26	.81	3
4	.34		.14	.28	.15						.03	.71	4
5	.08		.30	.20	.12	.05					.43	.37	5
6			.05	.18	.19						.05	.09	6
7	.02	.08	.18	.25	.08	.15						.21	7
8	.16		.12		.12	.41		.14			.08	.06	8
9	.30	.06		.29		1.35		.09	.07		.14		9
10	.16	.16		.02					.09	.05	.16	.04	10
11		.30	.24		.05						.72	.50	11
12		.05	.02				.27		.27		.10	.58	12
13		.30	.24	.02			.02				.48	.37	13
14	.06	.30	.08				.08		.04	.02	.32	.55	14
15			.17						.08	.02	.36		15
16			.04				.86		.13				16
17	.09	.18	.05				.06		.74			.24	17
18		.13	.14			.17						.05	18
19	.05	.08	.06				.18				.04	.08	19
20		.13	.04										20
21		.49				.26				.07		.07	21
22		.04			.02	.09	.01	.09		.12		.05	22
23			.04		.31	.05						.12	23
24	.05		.14		.14		.03	.24					24
25	.05		.02					.15		.92	.06	.30	25
26			.05				.04	.09		.20	.44	.58	26
27	.03									.03	.23	.87	27
28	.10	.06								.04	.75		28
29	.05		.30		.05			.15		.20	.10		29
30	.14	X	.21		.02			.04		.25	.39	.30	30
31	.35	X	.15	X		X	.40		X	.36	X		31
Total	2.12	2.36	2.82	1.24	1.55	2.53	4.63	1.51	1.42	2.28	5.97	7.39	YEAR'S TOTAL 35.82
Rain Days.	17	14	23	7	12	8	13	10	7	12	20	23	166

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Swarcliffe Birstwith

in the County of York WR 11

by Capt Greenwood

Lat. 54.1.50 Long. 1.38

Time of Observation 7 am.

Nearest Railway Station Birstwith N.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							2.35	.16				.34	1
2							.30	.36			.83	.10	2
3	.09		.04		.30		.03				.26	.81	3
4	.34		.14	.28	.15						.03	.71	4
5	.08		.30	.20	.12	.05					.43	.37	5
6			.05	.18	.19						.05	.09	6
7	.02	.08	.18	.25	.08	.15						.21	7
8	.16		.12		.12	.41		.14			.08	.06	8
9	.30	.06		.29		1.35		.09	.07		.14		9
10	.16	.16		.02					.09	.05	.16	.04	10
11		.30	.24		.05						.72	.50	11
12		.05	.02				.27		.27		.10	.58	12
13		.30	.24	.02			.02				.48	.37	13
14	.06	.30	.08				.08		.04	.02	.32	.55	14
15			.17						.08	.02	.36		15
16			.04				.86		.13				16
17	.09	.18	.05				.06		.74			.24	17
18		.13	.14			.17						.05	18
19	.05	.08	.06				.18				.04	.08	19
20		.13	.04										20
21		.49				.26				.07		.07	21
22		.04			.02	.09	.01	.09		.12		.05	22
23			.04		.31	.05						.12	23
24	.05		.14		.14		.03	.24					24
25	.05		.02					.15		.92	.06	.30	25
26			.05				.04	.09		.20	.44	.58	26
27	.03									.03	.23	.87	27
28	.10	.06								.04	.75		28
29	.05		.30		.05			.15		.20	.10		29
30	.14	X	.21		.02			.04		.25	.39	.30	30
31	.35	X	.15	X		X	.40		X	.36	X		31
Total	2.12	2.36	2.82	1.24	1.55	2.53	4.63	1.51	1.42	2.28	5.97	7.39	YEAR'S TOTAL 35.82
Rain Days.	17	14	23	7	12	8	13	10	7	12	20	23	166

W. 8,000. X. 14.

3568

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Swarcliffe · Birstwith

in the County of York W 11

by Capt. C. S. Greenwood

Lat. 54.1.50 Long. 1.38

Time of Observation 7. am.

Nearest Railway Station Birstwith

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 510 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25	.56			.35			.19	.05		.02	.18	1
2		.17	.12	.27			.07	.16					2
3	1.10			.25			.19	.13			.08	.65	3
4	.13	.06			.17		.45					.90	4
5	.35	.19	.10	.05	.10	.08				.02	.05	.83	5
6	.26	.48	.09	.19			.74					.21	6
7	.28	.70		.28			.61	.40				.20	7
8	.15	.09		.15			.08	.02			.23		8
9		.02						.03		.08	.16	.67	9
10	.47		.06					.30		.19		.16	10
11	.07		.10		.96			.04			.05	.10	11
12	.07	.06		.19	.12		.15	.01		.12	1.21		12
13	.18	.28											13
14	.10	.04					.10	.06				.17	14
15	1.02							.02		.02	.27	.24	15
16		.45			.09		1.05	.19		.06			16
17		.40					.05	.08				.06	17
18		.10	.27					.05	.10	.04			18
19				.02			.25			.01			19
20	.10				.04		.16					.40	20
21	.18						.03					.15	21
22	.06		.10				.16					.16	22
23	.10	.09	.08							.13		.08	23
24			.20	.11					.50	.02		.43	24
25							.01					.12	25
26		.15				.05	.20					.40	26
27		.09	.02				.04			.41		.39	27
28		.35	.04					.44		.29		.05	28
29	.04				.39	.15					.34	.70	29
30	.06	X		.04		.27						.05	30
31	.14	X		X		X		.36	X	.10	X	.17	31
Total	5.11	4.28	1.18	1.55	2.22	.55	4.34	2.48	.65	1.49	2.41	7.47	YEAR'S TOTAL 33.73
Rain Days.	20	18	11	10	8	4	17.	16.	3	13	9	24	153

W. 8,000. X. 15.

Exd JW

3492

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Swarcliffe Birstwith
in the County of York. WR
by Hbt Greenwood

Lat. 54. 1. 50 Long. 1. 38
Time of Observation 9. am.
Nearest Railway Station Birstwith.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.91		.08			.09	.38			.16	.06		1
2	.13		.36						.34	.11			2
3		.11	.06			.02	.40		.74		.30		3
4	.14	.51		.06	.62	.85			.22	.65	.44		4
5	.04	.10	.10		.08	.08	.01			.91	.26		5
6	.09	.46	.37	.06	.43		.17			.08	.41		6
7	.06	.13	.08		.14		.18			.32	.02	.23	7
8		.18	.12			.01				.11	.08		8
9	.03		.20		.39	.21			.22		.14	.42	9
10	.10	.01		.05		.15	.03		.21	.34	.03		10
11		.42	.36	.13	.02	.05				.07		.15	11
12	.14	.10	.46	.05	.23	.07	.26	.02		.07		.03	12
13		.08	.20				.21	.28		.71	.03	.10	13
14		.13	.08	.11	.14	.02		.22		.15	.04		14
15		.76	.71				.05	.09					15
16		.21	.37	.17			.05	.32					16
17	.09	.03		.18			.05	.02	.12	.22			17
18		.31		.07				.14	.18	.06	.79	.12	18
19	.25		.19	.23							.53	.12	19
20	.26		.55	.38			.04	.02			.03	.10	20
21	.24		.03	.11	.34		.05						21
22		.07	.03	.06		.15				.12	.07		22
23		.06	.26	.12						.02	.09	.15	23
24		.07	.05	.08		.23		.19			.09	.08	24
25	.08	.13	.20		.14			.37		.10	.16	.08	25
26	.08	.14	.24		.02	.04		.05					26
27		.33	.03							.48			27
28		.13			.33	.05		.05		.68	.04	.44	28
29		.48			.04	.15				.30		.11	29
30		X			.07	.03		.03		.90		.11	30
31		X		X		X			X	.12	X	.05	31
Total	2.64	4.95	5.13	1.86	2.99	2.20	1.88	1.80	2.03	6.68	3.61	2.29	YEAR'S TOTAL 38.06
Rain Days.	15	23	23	15	14	16	13	13	7	22	19	15	195

W. 8,000, VIII. 16

3348

FORM A. BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Swarcliffe. Birstwith

in the County of York.

by Lt Col Greenwood

Lat. 54.1.60 Long. 1.38

Time of Observation 7. am.

Nearest Railway Station Birstwith. N.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20			.15		.43		.20	.40		.24	.22	1
2	.04			.37		.01		.05	.01		.01		2
3		.08		.04		.14		.02		.15	.02		3
4	.05		.20					.01		.10	.01		4
5	.31		.22	.29						.07	.11	.02	5
6						.03		.01			.21	.05	6
7	.60					.39		.01		.68		.09	7
8	.75		.09	.16				1.63		.43	.05	.08	8
9	.07		.03	.12				.61		.08	.25	.02	9
10	.22		.88	.38	.08			.14		.02			10
11	.05			.07				.07		.19	.01		11
12	.03				.30			.27		.50		.07	12
13	.22			.21	.11	.22		.41	.24	.14		.06	13
14	.31			.29				.16				.05	14
15	.05			.04			.17	.01		.02		.12	15
16	.14	.03	.04	.21				.08	.04			.54	16
17		.09		.12	.70		.06	.61	.01	.17		.37	17
18	.05			.04	.14		.44	.14	.06	.01			18
19	.10	.17	.20		.36	.12					.06		19
20	.19	.28	.05			.28		.01	.19		.02	.06	20
21	.03	.12	.13					.22		.02			21
22			.21					.03	.07	.04			22
23					.11	.18		.09		.02	.04		23
24						.10		.16		.67	.77	.01	24
25			.04					.11		.22			25
26						.16	.06	.70	.07	.24	.09		26
27			.07			.23	.50	.67		.06	.06	.09	27
28			.20			.03	.04	.19		.05	.37	.02	28
29			.06				.18			.47	.61	.05	29
30	.07	X	.04				.01			.06	.15	.02	30
31	.06	X	.35	X	.01	X	.02	.01	X		X	.03	31
Total	3.54 ✓	.77 ✓	2.81 ✓	2.49 ✓	1.81 ✓	2.32 ✓	1.48 ✓	6.62 ✓	1.09 ✓	4.41 ✓	3.08 ✓	1.97 ✓	YEAR'S TOTAL 32.39 ✓
Rain Days	20 ✓	6 ✓	16 ✓	14 ✓	8 ✓	13 ✓	9 ✓	27 ✓	9 ✓	23 ✓	18 ✓	19 ✓	182 ✓

W. 8,000, IX. 17.

322

FORM A.
BRITISH RAINFALL.

6.1.19

REGISTER OF RAINFALL IN 1918

Kept at Swarcliffe. Birstwith
in the County of York. W
by Capt Greenwood

Lat. 54.1.50 Long. 1.38
Time of Observation 7 am.
Nearest Railway Station Birstwith
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.06	.11		.05			~~.01~~	.05	.05	.29	.07	1
2	.01	.15		.04				.01	.11	.03	.02	.33	2
3		.01	.04		.18			.01		.08	.08	.12	3
4		.03	.02		.51			.40	.50	.12	.30	.18	4
5	.01		.23	.10	.35			1.63	.02	.30	.09	.04	5
6	.06	.65	.03	.27	.03	.12		.11	.01	.04		.09	6
7	.16	.26		.05		.01			.12	.15	.22		7
8		.15	.16				.35	.06	.24	.04	.08		8
9	.09	.93		.08		.09			.94	.28	.43	.10	9
10	.05	.63		.08			.30		.33	.02	.14		10
11	.17	.08	.01		.06		.10	.03	.04	.05		.08	11
12	.03	.12	.05		.02		.46		.06			.10	12
13		.02		.08	.11	.01			.24	.14		.03	13
14	.29			.01		.08	.10		.74	.11		.11	14
15	.07			.01	.03	.02	.60		1.04			1.67	15
16	.03					.04	.18	.10	.20	.01		.28	16
17	.23				.26	.17	.20	.07	.04	.31		.26	17
18	1.10		.08			.07	.30		.36			.11	18
19	.41		.07	.06		.02	.40	.15	.34	.16		.60	19
20	.20	.69		.01		.07	.50	.01	.11	.05			20
21	.29	.41			1.20	.01	1.00		.28	.17			21
22	.07	.05			.34	.08	.21		.05			.72	22
23	.10	.01		.02	.62		1.22		.03				23
24		.03					.10		.15		.04		24
25						.02	.15	.28	.03				25
26		.02					.07	.04	.64		.03	.20	26
27	.04	.11			.02		.01	.37	.15	.02	.09	.29	27
28		.13	.41					.10	.13		.08	.48	28
29									.10			.77	29
30		X	.16									.31	30
31		X	.24	X		X		.03	X		X	.07	31
Total	3.45	4.54	1.61	.81	3.78	.81	6.25	3.40	7.05	2.13	1.89	7.01	YEAR'S TOTAL 42.73
Rain Days.	20	20	13	12	14	14	18	16	28	19	13	23	210

3173

8 JAN 20

Form A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Swarcliffe. Birstwith

in the County of York.

by Capt Greenwood

Lat. 54.1.50 Long. 1.38

Time of Observation 7. am.

Nearest Railway Station Birstwith

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.93				.24		.30		.45	.18	.02	.15	1
2	.25		.04		.03		.28		.05		.11	.02	2
3	.80				.20	.04	.34		.03		.13	.59	3
4	.30	.18	.25		.08	.12	.57	.10	.17		.12	.32	4
5	.03										.08	.24	5
6	.03		.15		.60					.01	.02	.12	6
7	.03		.25		.14				.02				7
8	.23				.16	.02		.08			.07		8
9	.20		.01	.01		.04					.06		9
10			.34	.03	.05						.17	.22	10
11			1.12	.01	.15		.11			.02	.07	.06	11
12			.58	.13		.16			.09	.04	.09		12
13	.34			.11			.01		.01	.30			13
14	.25			.49			.14	.18			.10	.07	14
15	.13	.23	.07	.13							.04	.72	15
16	.06	.79		.07							.07		16
17	.01	.10		.03	.02	.01		.03			.42		17
18			.05				.04	.15	.11			.31	18
19	.04	.24	1.22	.02		.04	.63	.20			.39		19
20	.45	.19				.13	.23	.03	.03		.10	.26	20
21	.17	.25	.03			.04	.01		.01			.29	21
22		.20	.04			.05		.12	.20		.11	.29	22
23			.01					.01		.80	.10	.09	23
24	.05		.01	.15		.23			.24	.73	.14	.18	24
25	.07	.02		.15	.12	.05		.64			.03		25
26		.06	.40	.03		.02		.07	.08		.18	.51	26
27	.25		.02	.35						.10	.08	.23	27
28				.15				.70		.21		.46	28
29	.16			.01		.18		.05		.78		.22	29
30		X	.01	.07		.10				.15	.17	.38	30
31	.05	X		X		X	.12		X	.04	X		31
Total	4.83	2.26	4.60	1.94	1.79	1.23	2.78	2.36	1.49	3.36	2.87	5.73	Year's Total 35.24
Days with ·01 in. or more	22	10	18	17	11	15	12	13	13	12	24	21	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3057

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Swarcliffe. Birstwith
in the County of York.
by Capt Greenwood

Lat. 54.1.50 Long. 1.38
Time of Observation 7. am.
Nearest Railway Station Birstwith
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 510. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.32	.63	.01	.58	.11		.11	.16		1
2		.05	.11	.11	.02		.51		.23	.10		.42	2
3	.02	.09		.13	.03		.33	.20	.08	.32		.44	3
4	.03			.03			.31	.96	.03	.78		.29	4
5			.04	.02	.07		.07	.02	.01	.14			5
6			.41	.05	.14		.05				.02	.10	6
7	.32		.07	.13	.04		.80						7
8	.21	.08		.29	.19		.46	.11		.01	.14		8
9	.15	.57		.43			.15	.08		.05			9
10	.66	.80	.06	.70			.39	.09					10
11	.74	.14		.17	.15	.08						.09	11
12	.26	.04	.44	.34		.01	.09				.13	.18	12
13	.11	.05	.07	.22		.54	.03				.16	.19	13
14	.06	.06	.43	.35	.02	.07	.14		.15	.20	.58	.07	14
15	.03	.20	.09	.19			.05		.02	.71	.31		15
16	.17		.04				.50		.11		.46		16
17	.18		.04		.28		.04	.08	.15	.10			17
18	.20			.03	.34	.06		.02	.17				18
19		.52		.18	.22	.03		.07	.04				19
20	.03			.39		.12	.03					.04	20
21							.40	.12	.05			.04	21
22	.11			.25		.03	.31	.01					22
23							.36					.27	23
24	.14		.60	.09			.08					.20	24
25		.06	.08	.02			.69						25
26	.12	.05	.30	.08			.07				.05		26
27	.25	.06		.05	.27	.62					.24	.07	27
28	.90	.04	.21	.14	.02	.03	.02					.20	28
29	.19		.11		1.93	.05	.09		.02		.31	.70	29
30	.21		.05		.05	.03			.10		.15	.17	30
31	.37		.08		.02					.35		.33	31
TOTAL	5.46	2.81	3.26	4.71	4.42	1.68	6.55	1.87	1.16	2.87	2.71	3.80	YEAR'S TOTAL 41.30
Days with ·01 in. or more	23	15	19	24	19	13	25	12	13	11	12	17	201
Days with ·04 in. or more	19	15	18	20	12	8	22	9	9	10	11	17	169

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3433

BOLTBY

~~THIRSK~~ THIRSK, RAVENSTHORPE MANOR

1914 - 20

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REG

'15 ¾'

Kept at Ravensthorpe

a.m.

Thirsk

in the County of York

5" in.

by Fredrich E. W

[Height of Gauge abo]ve Ground 1 ft. 7 in.

[Height above] Sea Level 661 ft.

IMPORTANT N[OTE] the result entered to the previous day. If an versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Gauge first kept on 1st Sept.
F. Ew

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									–	–	–	·10	1
2									–	–	·27	·22	2
3									–	–	·18	·30	3
4									–	–	·16	·41	4
5									–	·03	·18	–	5
6									–	–	·05	·11	6
7									–	–	·11	·10	7
8									–	·05	–	·01	8
9									·03	·01	·08	·05	9
10									·16	–	~~[illegible]~~ nil	–	10
11									·10	–	·16	·28	11
12									·14	–	~~·08~~ nil	·96	12
13									·01	–	·08	·48	13
14									–	–	slight sn.	·16	14
15									–	–	·53	·18	15
16									·46	–	·18	–	16
17									·51	–	–	·09	17
18									·09	–	·03	·16	18
19									·03	–	·08	·07	19
20									·01	·01	–	–	20
21									–	·02	·03	·01	21
22									–	·04	·02	·20	22
23									–	–	·01	·10 ·01	23
24									–	–	·25	–	24
25									–	·66	·03	·31	25
26									–	·39	·20	·22	26
27									–	·09	·13	·62	27
28									–	·11	·03	·20	28
29									–	·28	·03	–	29
30									–	·06	·08	·18	30
31										·33		–	31
Total									1·54	2·08 ~~[illegible]~~	2·90 ~~[illegible]~~	5·52	YEAR'S TOTAL
Rain Days.									10	13	24	24	

W. 8,000. X. 14.

REC

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Ravensthorpe Manor . Thirsk
in the County of Yorks N.R
by Frederick E. Walker

Lat. 54° 16¼′ Long. 1° 15¾′
Time of Observation 9 a.m
Nearest Railway Station Thirsk
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 66 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									–	–	–	·10	1
2									–	–	·27	·22	2
3									–	–	·18	·30	3
4									–	–	·16	·41	4
5									–	·03	·18	–	5
6									–	–	·05	·11	6
7									–	–	·11	·10	7
8									–	·05	–	·01	8
9		Gauge first kept on							·03	·01	·08	·65	9
10			1st Sept						·16	–	nil	–	10
11				F. E.W					·10	–	·16	·28	11
12									·14	–	nil	·96	12
13									·01	–	·08	·48	13
14									–	–	slight sn.	·16	14
15									–	–	·53	·18	15
16									·46	–	·18	–	16
17									·51	–	–	·09	17
18									·09	–	·03	·16	18
19									·03	–	·08	·07	19
20									·01	·01	–	–	20
21									–	·02	·03	·01	21
22									–	·04	·02	·20	22
23									–	–	·01	~~·01~~ ·10	23
24									–	–	·25	–	24
25									–	·66	·03	·31	25
26									–	·39	·20	·22	26
27									–	·09	·13	·62	27
28									–	·11	·03	·20	28
29									–	·28	·03	–	29
30		×							–	·06	·08	·18	30
31		×		×		×			×	·33	×	–	31
Total									1·54	2·08	2·90	5·52	YEAR'S TOTAL
Rain Days.									10	13	24	24	

W. 8,000. X. 14.

cnd 2.v.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

11 JAN 1916

Kept at Ravensthorpe Manor, Thirsk
in the County of Yorkshire N.
by Fredrick E. Walker

Lat. 54° 16¼' N Long. 1° 15¾' W
Time of Observation 9. A M
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·17	–	–	·09	–	·03	·66	·34	–	·10	·08	1
2	·01	·17	·21	·06	–	·03	·11	·69	–	–	·13	–	2
3	·52	–	·08	·16	–	–	·31	·19	–	–	·08	·32	3
4	·16	–	·02	–	·02	–	·41	·14	–	–	·11	·74	4
5	·15	·17	–	–	–	–	·04	·06	–	·01	·06	·80	5
6	·09	·63	·03	·16	–	–	·57	·01	·02	·01	–	·13	6
7	·43	·52	·08	–	–	–	·65	·16	–	–	–	·03	7
8	·20	·05	–	·01	–	–	·03	·06	–	–	·04	–	8
9	·03	·03	–	–	–	–	·06	·04	–	·01	–	·38	9
10	·17	–	·06	–	–	–	–	·68	–	–	–	·08	10
11	–	·20	·02	·05	·65	–	–	–	–	–	·06	·10	11
12	·16	·10	–	·30	·03	–	·07	·06	–	·05	1·06	·03	12
13	–	·30	–	–	–	–	·02	–	–	–	–	·01	13
14	–	·18	–	–	·02	–	·02	·15	–	–	–	·06	14
15	·23	·07	–	–	–	–	·23	·13	–	·10	·08	·21	15
16	·04	·31	–	–	·05	–	·82	·02	·01	·02	·01	–	16
17	·18	·19	·04	–	–	–	·16	–	–	–	·02	·11	17
18	–	·15	·24	–	–	–	–	–	–	·08	·03	·05	18
19	–	·03	·12	–	–	–	·05	–	·01	·01	–	–	19
20	·09	–	–	–	–	–	–	–	–	–	–	·49	20
21	·37	·02	–	·16	–	–	·01	·03	–	–	–	·10	21
22	·01	–	·05	–	–	–	·06	·04	–	–	–	·21	22
23	·39	·12	·03	–	–	–	·22	–	–	·01	·02	·03	23
24	–	–	·07	·04	–	–	–	–	·20	·04	–	·12	24
25	·01	–	–	–	–	·08	·07	–	–	·04	·16	·05	25
26	–	·10	·10	–	–	·15	·14	–	·04	·03	·05	·29	26
27	·01	·16	·03	–	–	·08	·13	–	–	·34	–	·18	27
28	·02	·05	·06	–	·14	–	–	·25	–	·19	–	·01	28
29	·01	–	·01	–	·31	–	–	–	·20	·01	·21	·51	29
30	·17	×	–	·19	–	·08	·08	–	·03	–	–	·01	30
31	·16	×	–	×	–	×	·02	·38	×	·01	×	·22	31
Total	3.89	3.72	1.25	1.13	1.31	·42	4.31	3.75	·85	·96	2.22	5.35	YEAR'S TOTAL 29·16 29·16
Rain Days.	24	21	17	9	8	~~6~~ 5	24	18	8	16	16	27	193

W. 8,000. X. 15.

3580

FORM A. BRITISH RAINFALL

1917

REGISTER OF RAINFALL IN 1916.

Kept at Ravensthorpe Manor Thirsk

in the County of Yorks NR

by F. E. Walker

Lat. 54° 16¼' N Long. 1° 15¾' W.
Time of Observation 9 am. (10 am Summertime)
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1'-7" ft. in.
" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·04	·06	–	–	·06	·20	–	–	–	·06	–	1
2	·02	·04	·17	–	–	·06	·02	–	·11	·05	·01	·01	2
3	–	·06	·20	·12	–	·09	·09	·01	1·53	·05	·16	–	3
4	–	·25	·05	·05	·45	·40	·01	–	·03	·32	·25	·01 sn	4
5	·01	·13	·27 sn	–	·22	·37	–	–	–	·50	·19	·01 sn	5
6	–	·18	·20 sn	·05	·33	·01	·13	–	–	·04	·29	–	6
7	–	·09	·19 sn	–	·15	·12	·07	–	–	·07	–	·19	7
8	–	·01	·25 sn	–	·11	·02	–	–	–	·08	–	·05	8
9	–	–	·02 sn	–	·11	·12	–	–	–	–	·01	·58	9
10	–	–	·02	–	–	·08	·18	–	–	·26	·02	·03	10
11	·09	·37 sn.	·18	·10	–	·20	·16	–	·10	·07	–	·03	11
12	–	·01	·15	–	·40	·32	·66	·03	–	·01	–	·09	12
13	–	·02	·20	–	·06	·04	·48	·33	·05	·61	–	·25	13
14	–	·16	·04	–	·11	·04	–	·13	·01	·01	–	·08	14
15	–	·17	·54	–	–	–	·06	·29	–	–	–	–	15
16	–	·07	·15	·12	–	–	·03	·08	–	·03	–	·06	16
17	·04	·01	–	·25	–	–	–	·03	·26	·14	·03	–	17
18	–	·26	–	·26	–	–	·01	·04	·30	·06	·96	·06	18
19	·03	–	·06	·12	–	–	–	·02	·09	–	·57	·13	19
20	·03	–	·16	·01	–	·03	·06	·05	–	–	·12	·05	20
21	–	·03 sn.	·06	·04	·04	–	·01	·02	–	–	·01	–	21
22	–	·01	–	–	–	·13	–	–	–	·16	–	–	22
23	–	·05	·09	·01	–	·01	–	·01	–	–	·14	·26	23
24	–	–	·02	·02	–	·46	–	·17	–	·02	–	·17	24
25	–	·10	·15	–	–	–	–	·29	–	·16	·06	·04	25
26	·05	·17	·01	–	–	·03	–	–	–	·03	·01	–	26
27	–	·33	·03	–	–	–	–	·24	–	·39	–	–	27
28	–	·11	·01	–	·03	–	–	·02	–	·04	·01	·22	28
29	–	·31	–	–	–	·09	–	–	–	·23	–	·09 10	29
30	–	✕	–	–	·26	–	–	–	–	·27	–	–	30
31	–	✕	–	✕	–	✕	–	–	✕	·06	✕	–	31
Total	·42	2·98	3·28	1·15	2·27	2·68	2·17	1·86 1·76	2·48	16 3·66	2·90	2·45 2·41	YEAR'S TOTAL 28·10 28·16
Rain Days.	8	24	25	12	12	20	15	16	9	24	17	20	202

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
3. JAN 1918

Kept at Ravensthorpe Manor Thirsk

in the County of Yorks (N. Riding)

by Frederick E Walker

Lat. 54° 16¼ N Long. 1- 15¾ W

Time of Observation 9 a.m.

Nearest Railway Station Thirsk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·21 SN	–	·24	–	1·10	·30	–	·12	–	1
2	·07	–	–	·15 SN	–	–	–	·26	·10	–	–	–	2
3	–	–	–	·03	–	·02	·01	·14	–	–	·01	–	3
4	–	–	·02	·02	–	–	–	–	–	·12	·02	·06	4
5	·16 SN	–	·04	·18 SN	–	–	–	–	–	·03	–	–	5
6	–	–	·02	–	–	–	–	·20	–	·16	·21	–	6
7	·62 SN	–	·05	–	–	·03	–	·51	–	·25	–	·04	7
8	·72 SN	–	·03	·09 SN	–	–	–	1·47	·01	·30	·09	–	8
9	·22 SN	–	–	·03 SN	–	–	–	·72	–	·08	·63	·11	9
10	·28 SN	–	1·15	·11 SN	·05	–	–	·09	–	·23	·26	–	10
11	·10	·03	–	·09 SN	·01	–	–	·25	–	·19	·02	–	11
12	·84 SN	–	–	·09	·10	–	–	·14	–	·60	–	·02	12
13	·36 SN	–	–	·04	·19	·05	–	·35	·14	·04	–	·10	13
14	·26 SN	–	–	·05	·07	–	·02	·19	–	–	–	–	14
15	·04 SN	–	–	·04	–	–	·08	·20	–	·02	–	·23 SN	15
16	·09 SN	·01	–	·42 SN	–	–	–	·04	–	–	–	·64 SN	16
17	·04 SN	–	–	·21 SN	·21	·14	·02	·37	–	·03	–	·38	17
18	·08 SN	·03	–	·05	·08	–	·35	·10	·25	–	–	–	18
19	·15 SN	·05	·09	–	·11	·12	–	–	–	–	–	–	19
20	·09	·46	·12	·02	·01	·70	–	·04	–	–	·39	–	20
21	·01	·15	·45 SN	–	–	–	–	·06	–	·02	·01	–	21
22	–	–	(·26) SN	–	–	·08	–	·04	–	–	–	–	22
23	–	·02	–	–	·06	–	·01	·06	–	–	·02	·01	23
24	·02	–	–	–	·01	·03	·01	·06	–	·23	·10	–	24
25	–	·07	·04	–	–	·02	–	·05	–	·18	–	·22 SN	25
26	–	–	·30 SN	–	–	·36	–	·68	·18	·14	·18	·13 SN	26
27	·02	–	·05	–	–	·22	·30	·53	–	·06	–	·05	27
28	–	–	–	–	–	·01	·20	·22	–	·13	–	–	28
29	–	×	·06	–	–	–	·12	·01	–	·35	·10	–	29
30	·03	×	·04	·05	–	–	·03	–	–	·02	·02	–	30
31	·05	×	·25 SN	×	–	×	·14	·05	×	–	×	·05	31
Total	4·25 ✓	·82	2·97 ✓	1·88 ✓	·90 ✓	2·02 ✓	1·29	4·93 ✓	·98 ✓	3·18 ✓	2·18 ✓	2·04 ✓	YEAR'S TOTAL 30·44 ✓
Rain Days.	21 ✓	8	16 ✓	18 ✓	11 ✓	13 ✓	12	27 ✓	6 ✓	20 ✓	15 ✓	13 ✓	180

W. 8,000, IX. 17.

Exd cYE

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

2 · 1 · 19

Kept at Ravensthorpe Manor, Thirsk
in the County of York: N.R
by J. E. Walker

Lat. 54° 16¼' N Long. 1° 15¾' W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	·08	·07	—	—	—	—	·10	·12	·25	·04	1
2	·11	·18	—	·07	—	—	—	—	·15	—	—	·21	2
3	·04	·06	·03	—	·17	—	—	·06	—	·08	·22	—	3
4	-	·03	·05	—	·11	—	—	·13	·15	·02	·21	·20	4
5	-	—	-	·01	·22	—	-	·85	—	·05	·03	·01	5
6	-	·25	-	·40	—	·42	-	·16	·19	·08	—	·02	6
7	·28 sn	-	—	·09	-	—	—	—	·15	·05	·25	—	7
8	·01	·02	·07	·04	—	—	·37	·01	·07	·06	·02	—	8
9	~	·37	~	·07	-	·04	·03	—	·75	·21	·06	·08	9
10	·01 sn	—	-	—	—	—	·28	—	·11	—	·04	·04	10
11	·20 sn	·02	·09	—	·24	—	·26	·04	·03	-	—	·05	11
12	-	·15	·15	—	·05	—	·20	—	·19	·16	—	—	12
13	—	—	—	·08	·16	—	—	—	·30	·14	—	·01	13
14	·21 sn	-	—	·43	—	—	·03	—	·24	·08	-	·09	14
15	·15 sn	—	—	·05	—	·03	·35	—	·72	—	-	·65	15
16	·02 sn	—	—	—	—	·17	·43	·11	·21	—	-	·18	16
17	·27	—	·03	·03	·71	·18	·24	·13	·03	·34	-	·22	17
18	·42	—	·07	·05 sn	—	—	·13	—	·50	·07	—	·05	18
19	·30	—	—	·18 sn	—	—	·43	·16	—	·08	-	—	19
20	·15	·62	—	·08	—	·09	·09	—	·05	·03	—	—	20
21	·20	—	—	—	·48	·01	—	—	·23	·14	—	-	21
22	·01	—	—	·04	—	·08	·06	—	·04	—	—	·27	22
23	·08	—	—	—	·51	—	·22	—	·03	—	—	·01	23
24	-	·08	—	—	—	—	·08	—	·15	·02	·02	—	24
25	-	—	·02	—	·01	—	·09	·32	·08	—	—	·13	25
26	-	—	—	—	—	—	·26	·07	·27	—	·15	·03	26
27	-	·01	·11	—	—	·05	—	·35	·15	—	·19	·09	27
28	-	·24 sn	·39	—	—	—	—	—	—	—	·07	·41	28
29	-	×	·02	—	—	—	—	·01	·42	—	·03	·12	29
30	-	×	·20	·01	—	—	—	—	·17	·03	·11	·72	30
31	—	×	·11	×	—	×	—	·01	×	—	×	·14	31
Total	2·48	2·06	1·42	1·70	2·66	1·07	3·55	2·41	5·48	1·76	1·65	3·77	YEAR'S TOTAL 30·01
Rain Days.	17	13	14	16	10	9	17	14	26	18	14	23	191

W, 6,500, VII. 18. w w c

12 3258

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Ravensthorpe Manor,
Kept at Thirsk
in the County of York (N. Riding)
by J. E. Walker

Lat. 54° 16¼′ N Long. 1° 15¾′ W
Time of Observation 9 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. None.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·01	—	·01	·30	—	·54	—	(·25)	·09	·11	·02	1
2	·12 sn	—	·04	—	·02	—	·90	—	·02	—	·12	—	2
3	·45 sn	—	—	—	·17	·17	·06	—	—	—	·17	·10	3
4	·27	·05 sn	·35 sn	—	·03	·01	—	·10	·60	—	·08	·02	4
5	·21	—	—	—	—	·01	—	—	—	—	·09	·03	5
6	·10	—	·11	—	—	—	—	—	—	·03	·07	·03	6
7	·02	—	·09	·01	·08	—	—	—	—	—	—	·08 sn	7
8	·12	—	—	·06	·03	·02	—	·01	—	·05	·14	·05	8
9	·02	—	·07	—	—	·08	—	—	—	·02	·13	—	9
10	—	—	·06	·06	·03	—	—	—	—	·11	·17 sn	·20	10
11	·02	—	·78	—	·18	—	·32	—	·03	·04	·21 sn	·03	11
12	—	—	·44 sn	·04	—	·10	·06	—	·02	·39 sn	—	—	12
13	·08	—	·11	·10	—	—	·18	·05	—	·14	—	·03	13
14	·26	—	·02	·36	—	—	—	—	—	—	·16 sn	·05	14
15	·04	·12	·18	·21	—	—	—	·03	—	—	·03	·93	15
16	·01	·20	·01	·05	·02	—	—	—	—	—	·05	—	16
17	—	·03	—	·02	—	·01	—	·03	—	—	·18	—	17
18	—	—	·01	—	—	—	·02	·45	·05	—	—	—	18
19	·06	·12	·78	—	—	·04	·40	·03	·20 sn.	—	·17	·06	19
20	·50	·14	·01	—	—	·06	·11	·01	·02	—	·05	·14	20
21	·20	·19	·03	—	—	·05	—	·05	·10	—	·06	·09	21
22	·01	·12	·01	—	—	·01	·24	—	·05	—	—	·17	22
23	—	—	·01	·02	—	·38	·02	—	—	·66	·03	·03	23
24	—	—	—	·01	·01	·08	—	—	—	·46	·06	—	24
25	·08	·01	—	·09	—	—	—	·45	—	·01	·12	—	25
26	—	·07	·09	·10	—	·01	—	·53	·05	·25	·41	·43	26
27	·22 sn	·02	—	·29 sn	—	·04	·04	—	·04	1·43	·19	—	27
28	·08	—	—	·21	—	—	·01	·72	—	·45	—	·21	28
29	·12		·02	·01	—	·05	—	·01	—	1·26	—	·17	29
30	·02		·02	·25	—	·43	—	—	—	·07	·16	·27	30
31	·03		·02		—		·08	—		·18		·11	31
TOTAL	3·22	1·08	3·26	1·90	·87	1·55	2·98	2·47	1·43	5·64	2·96	3·25	YEAR'S TOTAL 30·61
Days with ·01 in. or more	24	12	22	18	10	17	14	13	12	17	23	22	204

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3134

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Ravensthorpe Manor, Thirsk

in the County of York

by F. E. Walker

Lat. 54° 16¼′ N Long. 1° 15¾′

Time of Observation 9 a.m. Greenwich Time

Nearest Railway Station Thirsk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 661 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·11	·21	·37	·02	·56	–	–	·16	–	·01	1
2	–	–	·07	·16	–	–	·17	·03	·30	·15	–	·30	2
3	–	·03	–	·04	–	–	·17	·09	·12	·45	–	·18	3
4	·05	–	–	·02	–	–	·69	·86	·05	1·08	–	1·18	4
5	–	–	·04	–	·11	–	·20	·14	–	–	–	·05	5
6	–	–	·14	·07	·07	–	·04	·01	–	–	–	·06	6
7	·09	–	·04	·02	–	–	·20	–	–	–	–	·03	7
8	–	·01	–	·13	·04	–	·15	·27	–	–	·03	–	8
9	·18 sn	·06	–	·26	–	–	·06	·16	·03	–	–	–	9
10	·65	·02	·02	·27	–	–	·18	–	–	–	–	·01	10
11	·27	·05	·02	·13	·09	–	–	–	–	–	–	·37 sn	11
12	·10	–	·06	·24	–	–	–	–	–	–	·04	·33 sn	12
13	·12	·01	·06	·15	–	·02	–	–	–	–	·03	·16 sn	13
14	–	·11	·39	·15	–	–	·15	–	·29	–	·20	·04	14
15	–	·14	·32	·24	–	–	·02	–	–	·32	·02	·02 sn	15
16	–	–	–	–	–	–	·62	–	·11	–	–	–	16
17	–	–	–	–	·21	–	·02	·28	·12	·02	–	–	17
18	·24	–	–	·08	·12	·79	·06	·03	·10	–	–	–	18
19	·01	·26	–	·15	–	·64	·01	·09	·01	–	·03	–	19
20	·12	·02	–	·20	–	·06	·02	–	–	–	–	·01	20
21	–	–	–	·10	–	–	·31	·73	·05	–	–	(·02	21
22	·05	–	–	·16	–	–	·06	–	–	–	·02	–	22
23	–	–	·03	·09	–	–	·31	–	–	–	–	·17	23
24	–	–	·44	·01	–	–	·20	–	–	–	–	·04	24
25	–	·10	·04	–	–	·01	·48	–	–	–	–	·01	25
26	·03	·04	·23	–	–	–	·02	–	–	–	–	–	26
27	·18	–	–	·03	·23	·53	·02	–	–	–	·43	·02	27
28	·85 sn	–	·08	·11	–	·09	·05	–	–	–	·04	·11	28
29	·11	–	·10	–	·88	–	·10	–	·01	–	·11	·45	29
30	·13	✕	–	–	·01	·03	–	–	·15	–	·20	·22	30
31	·10	✕	–	✕	·09	✕	·03	–	✕	·08	✕	·06	31
Total	3·28	·85	2·19	3·02	2·22	1·69	4·90	2·69	1·34	2·26	1·15	3·85	Year's Total 29·44
Days with ·01 in. or more	17	12	17	23	11	9	27	11	12	7	11	23	180
Days with ·04 in. or more	15	7	14	19	10	5	20	8	9	6	6	15	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BOLTON - BY - BOWLAND

BOLTON HALL

YORKSHIRE

1911 - 1914

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Bo
in.
und – ft.
in the County of W
Level 300 ft.
by Mrs
Gisburn
Distance 3½ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·05		·07				·40	·02	1
2	·15		·83		·20		·05	·05		·12	·20	·08	2
3			·08		·70			·22	·01		1·02	·08	3
4			·75		·02			·47	·08		·95	·25	4
5	·49		·07	·10				·75			·20	·15	5
6	·05		·05	·05				·62		·07	·68	·40	6
7	·11		·03								·12		7
8	·25										·15	·63	8
9	·07		·43									·40	9
10	·53	·12										·85	10
11	·13		·10						·32		·38	·10	11
12			·04						1·32		·60		12
13	·10	·06	·30		·45						·23	·64	13
14	·09	·98			·67						·10	·30	14
15		·65	·02	·05						·07	·48	·35	15
16	·03	1·10	·05	·05		·12	·02				·40	·20	16
17	·05	·03	·03		·07	2·05	·01				·17	·13	17
18		1·01	·04			·07	·03			·04	·03	·15	18
19		·03	·05	·22		·20	·11		·52	·28	·07	·40	19
20		·14		·52		·05	·20	·20	·32	·07		·28	20
21		1·45				·02	·10	·10		·17		·18	21
22	·17	·10	·02	·13		·05		·10		·28	·02		22
23	·02	·58			·55	·34			·21	·31		·20	23
24	·17	·38		·30		·95		·04	·03	·18		·17	24
25	·03	·55	·04	·35		·06	·05		·69	·05		·35	25
26		·04	·03	·45				·27		·90	·12	·30	26
27	·05	·60		·32				·58	·40		·02	·13	27
28		·27		·42		·78			·08			·48	28
29				·28		·38		·07	·63	1·60	·02	·20	29
30				·05	·02	·10				·48			30
31			·05		·04					·13		·03	31
Total	2·49	8·09	3·01	3·29	2·77	5·17	0·64	3·47	4·61	4·75	6·36	7·45	TOTAL for year 52·10
No. of Rain Days	17	17	19	14	10	13	9	12	12	15	21	27	52·10 186

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bolton Hall Clitheroe

in the County of WR Yorkshire 2

by Mrs Wright. Senr

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground – ft. 6 in.
" " " Sea Level 300 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Gisburn
Distance 3½ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·05	[illegible]	·07				·40	·02	1
2	·15	·83	·83		·20	[illegible]	·05	·05		·12	·20	·08	2
3		[illegible]	·08		·70			·22	·01		1·02	·08	3
4		·75	·75		·02			·47	·08		·95	·25	4
5	·49		·07	·10				·75			·20	·15	5
6	·05		·05	·05				·62		·07	·68	·40	6
7	·11		·03								·12		7
8	·25										·15	·63	8
9	·07		·43									·40	9
10	·53	·12										·85	10
11	·13		·10						·32		·38	·10	11
12			·04						1·32		·60		12
13	·10	·06	·30		·45						·23	·64	13
14	·09	·98			·67						·10	·30	14
15		·65	·02	·05						·07	·48	·35	15
16	·03	1·10	·05	·05		·12	·02				·40	·20	16
17	·05	·03	·03		·07	2·05	·01				·17	·13	17
18		1·01	·04			·07	·03			·04	·03	·15	18
19		·03	·05	·22		·20	·11		·52	·28	·07	·40	19
20		·14		·52		·05	·20	·20	·32	·07		·28	20
21		1·45				·02	·10	·10		·17		·18	21
22	·17	·10	·02	·13		·05		·10		·28	·02		22
23	·02	·58			·55	·34			·21	·31		·20	23
24	·17	·38		·30		·95		·04	·03	·18		·17	24
25	·03	·55	·04	·35		·06	·05		·69	·05		·35	25
26		·04	·03	·45				·27		·90	·12	·30	26
27	·05	·60		·32				·58	·40		·02	·13	27
28		·27		·42		·78			·08			·48	28
29				·28		·38		·07	·63	1·60	·02	·20	29
30				·05	·02	·10				·48			30
31			·05		·04					·13		·03	31
Total	2·49	8·09	3·01	3·29	2·77	5·17	0·64	3·47	4·61	4·75	6·36	7·45	TOTAL for year 52·10
No. of Rain Days	17	17	19	14	10	13	9	12	12	15	21	27	52·10 186

9,000, IX. '10.

Copy of original returned at request of Mr. G. Wrightson 3-11-13

[illegible] 25-III-13

6X 92X

FORM A. BRITISH RAINFALL.

4 - FEB 1913

REGISTER OF RAINFALL IN 192

Kept at Bolton Hall, Clitheroe

in the County of ~~Lancashire~~ Yorks W2

by M. G. Wrightson

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.30			.10	.14	.03				.50	1
2	.08		.50	.05	.17	.20	.13				.10	.10	2
3	.31		.26			.52		.40	1.35		.30		3
4	.57		.75	.76	.04	.70		1.02				.05	4
5	.32		.05		.36	.33		.24					5
6	.35	.30	.02		.05			.40		.02		.10	6
7		.18	.03	.03	.17	—	.14						7
8	.63	.40	.17	.36	.03	.11		.04				.05	8
9	.15	.05	.42	.37		.55					.25		9
10	.20	.03		.10		.20	.07						10
11	.12				.07						1.20		11
12	.10	.07	.43			.22	.04		.07			.90	12
13	.03									.33		.30	13
14	.38		.60			.35		.11				.95	14
15	.27	.17	.05		.47	.25		.01				.15	15
16	.60		.22		.10	.10		.15		.41		.17	16
17		.23	.30			1.03		.40			.02	.75	17
18		.03	.08			.18		.25		.40		.20	18
19	.33	.03	.84			.04		.21		.63	.15		19
20	.18		.05		.25	.03		.15		.48	.42	.08	20
21		.03	.17		.03					.35		.07	21
22	.07	.27			.30		.05	.55				.02	22
23			.20			.18	.43	.47				.03	23
24	.08	.08	.15			.31	.07	.24	—			.04	24
25			.21			.55	.11	.02				.24	25
26		.24	.17			.03	.22	.20		.25	1.90	.15	26
27		.12	.60			.60	.45			1.10	.20	.45	27
28		.05				.10	.94	.57		.90			28
29		.03	.18				.70	.18	.42			.35	29
30			.65		.06	.09	.03	.02			~~.30~~	.05	30
31			20		.37		.92	.37			~~.20~~	.16	31
Total	4.80	2.31	7.54	1.67	2.47	6.77	4.44	6.03	1.84	4.87	4.54	5.86	YEAR'S TOTAL 53.14
Rain Days.	19	17	26	6	14	23	15	22	(8)	10	(20)	23	(203)

3

W. 7,500, XI. '12

Cor. for arith, 16. IV. 14.

FORM A.
BRITISH RAINFALL.
22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bolton Hall Clitheroe

in the County of Yorkshire W 2

by Geo Wrightson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·40	·20	·04							·04		1
2		·35	1·05			·25					·32	·33	2
3					·55						·12	·28	3
4							·05				·15	·46	4
5	·44	·24					·32					·28	5
6		·33			·63	·15	·33				·02	·05	6
7		·30	·85		·30	·40				·65		·10	7
8		·26	·25		·07	1·03		·10		·02	·15	·15	8
9					·05			·15				·18	9
10		·41	·83	·15	·03	·22	·05			·18			10
11			·74	·32								·18	11
12									·33			·05	12
13			·94	·05			·04		·22				13
14			·28	·25						·68		·03	14
15		·08	·02	·60							1·08	·12	15
16			·62	·03			·08	·30			·52		16
17				·25	·08		·25				·26		17
18		·05	·38	·35	·10		·05				·30		18
19	·10			·12					·07	·12	·60		19
20				·10			·15			·25	·72		20
21					·18			·40			1·02		21
22	·60		1·05		·14			·48	·12				22
23	·57		·08	·05	·35	·20		·47	·15	·03	·04	·15	23
24	·51	·19		·05		·30				·02	·22	·20	24
25				·05					·72	·21	·17	·60	25
26				·92					·33	·10		·72	26
27			·24	·70						·02		·20	27
28	·44			·33						·30		·03	28
29			·40	·75							·18		29
30	·80		·07					·20					30
31	·8		·18										31
Total	~~3·75~~ 3·76	2·61 ✓	8·19 8·19	5·11 ✓	2·48 ✓	2·55 ✓	1·32 ✓	2·10 ✓	1·94 ✓	2·58 ✓	~~5·81~~ 5·91	~~4·38~~ 4·11	YEAR'S TOTAL 42·65
Rain Days.	9	10	17	18	11	7	9	7	7	12	17	18	142

W.7,000, XI. 13

~~H~~ LMcC Co. for arith + part W.D. 21.V.15.

6 - JAN 1915

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.
38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by Bolton Hall

Time of Observation 9 am

YEAR 1914.

At

County Yorks. WR. 2

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1			·05	·10				·62			11	·29
2		·03	·20			·03	·31	·30			–	·25
3	·40		·06							·25	·41	·13
4	·42	·02	·22		·71						·01	·92
5	·20	·02	·55	·42	·31		·02				·05	·41
6		·02	·37	·10	·25						·43	·15
7	·24	·02	·34	·28	·60	·20					·11	18
8	1·05		·08	·02		·01		·70	·20		–	·24
9	·68	·16		·15		·03			·05		·08	·14
10		·12		·02	·02	·10					·56	–
11		·15	·40		·10	·45	·10		·20		·33	–
12	·01	·35	·02				·12		·80		·97	·18
13		·36	·30		·05				·30		·64	·15
14	·02	·55	·15						·28		·55	·23
15			·62				·08		·20		·19	·38
16	·02		·05				·90		1·60		·61	–
17	·02	·40	·20				·23		·30		–	·03
18	·04	·35				·40					–	1·01
19		·03	·10				·03				–	·08
20		·12	·05								–	·15
21		·25				·06					–	·12
22		·20		·05	·30						–	–
23		·11		·08	·15	·25		·10			–	–
24	·25		·42		·07	·02	·35	·45		·30	–	–
25	·10	·02								·90	·15	–
26	·05	·02					·10			·10	·09	·75
27	·05		·10								·39	·19
28	·24	·22	·09		·06						·84	·30
29	·23		·60			·65				·20	·25	·32
30	·05		·10	·03				·10		·58	·34	–
31	·55						·60			·11	·29	·15
Totals	4·62	3·52	5·07	1·25	2·62	2·20	2·84	2·27	3·93	~~2·33~~	~~7·11~~	~~6·75~~
	19	21	22	10	11	11	11	6	9	7	20	23
										~~2·44~~	7·29	6·46



MONTHLY TOTALS

TOTAL 44·51 DAYS 169

BOLTON -~~ON~~- DEARNE

YORKSHIRE

1914, 1916, 1920

REGISTE

FORM A. BRITISH RAINFALL.
JAN 1915

Kept at Bolton-on-Dearn … 1¼° W.
… 9 a.m.
in the County of York W … Bolton-on-Dearne
… 5 in.
by Thomas Washington … bove Ground 1 ft. – in.
…, Sea Level 130 ft.

IMPORTANT NOTE.—Ra … nd the result entered to the previous day. If an Observer … niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							1.66	·13		·03	·01	·25	1
2							·60	·17			·35	·05	2
3					·05		·07	·03			·02	·51	3
4	·10		·06	·12	·02						·35	·21	4
5	·12		·11	·09	·06		·02				·06	·14	5
6				·09	·15		·48	·01			·02	·05	6
7		·02	·12		·15	·01					·05	·05	7
8	·04		·01	·01	·04	·47	·03	·05	·09			·10	8
9	·29			·04	·02	·84		·16					9
10	·21	·12		·04	·01				·07		·01		10
11		·11	·29	·04		·38			·02		·41	·36	11
12		·03	·06			·01	·01		·29			·42	12
13		·05	·13							·02	·14	·16	13
14	·02	·09	·04				·03		·01	·19	·41	·26	14
15	·03	·06	·05								·13	·02	15
16	·03						·30		·20				16
17	·04	·22	·05				·02					·15	17
18			·01				·01		·12			·19	18
19			·09				·02					·12	19
20		·09	·08						·02	·09			20
21		·46	·02			·35		·42		·11	·10	·10	21
22					·13	·05	·03	·07		·09			22
23		·01	·02		·32	·01	·03					·02	23
24	·01		·12		·31		·02	·24			·23		24
25							·02	·14		·56	·08	·32	25
26			·07					·19		·16	·04	·24	26
27	·03										·07	·61	27
28	·03	·04								·17	·02	·27	28
29			·11							·54	·02		29
30					·01			·05		·08	·08	·10	30
31	·06						·25			·13		·02	31
Total	1.01	1.30	1.44	·43	1.27	2.12	3.60	1.66	·82	2.17	2.60	4.72	YEAR'S TOTAL 23.14
Rain Days.	13	12	18	7	12	8	17	12	8	12	20	24	163

FORM A.
BRITISH RAINFALL.

JAN 1915

REGISTE

1¼° W.

Kept at Bolton-on-Dearne

in the County of York W R

by Thomas Washington

Time of Observation 9 a.m.
Nearest Railway Station Bolton-on-Dearne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·66	·13		·03	·01	·25	1
2							·60	·17			·35	·05	2
3					·05		·07	·03			·02	·51	3
4	·10		·06	·12	·02						·35	·21	4
5	·12		·11	·09	·06		·02				·06	·14	5
6				·09	·15		·48	·01			·02	·05	6
7		·02	·12		·15	·01					·05	·05	7
8	·04		·01	·01	·04	·47	·03	·05	·09			·10	8
9	·29			·04	·02	·84		·16					9
10	·21	·12		·04	·01				·07		·01		10
11		·11	·29	·04		·38			·02		·41	·36	11
12		·03	·06			·01	·01		·29			·42	12
13		·05	·13							·02	·14	·16	13
14	·02	·09	·04				·03		·01	·19	·41	·26	14
15	·03	·06	·05								·13	·02	15
16	·03						·30		·20				16
17	·04	·22	·05				·02					·15	17
18			·01				·01		·12			·19	18
19			·09				·02					·12	19
20		·09	·08						·02	·09			20
21		·46	·02			·35		·42		·11	·10	·10	21
22					·13	·05	·03	·07		·09			22
23		·01	·02		·32	·01	·03					·02	23
24	·01		·12		·31		·02	·24			·23		24
25							·02	·14		·56	·08	·32	25
26			·07					·19		·16	·04	·24	26
27	·03										·07	·61	27
28	·03	·04								·17	·02	·27	28
29			·11							·54	·02		29
30					·01			·05		·08	·08	·10	30
31	·06						·25			·13		·02	31
Total	1.01	1.30	1.44	·43	1.27	2.12	3.60	1.66	·82	2.17	2.60	4.72	YEAR'S TOTAL 23.14
Rain Days.	13	12	18	7	12	8	17	12	8	12	20	24	163

W.7,000, XI. 13

Exc DL

3261

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

4 JAN 1917

Kept at Bolton-on-Dearne

in the County of York W.R.

by Thomas Washington

Lat. 53½ N Long. 1° 20' W.

Time of Observation 9 a.m.

Nearest Railway Station Bolton-on-Dearne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30		·14	-	-	·07	·19	-	-		·12		1
2	·12	·03	·31	-	-	-	-	-	·08	·09	-		2
3		·29	·01	·07	-	-	·04	-	·52	·20	·08		3
4		·14	-	·01	·74	·19		-	·14	·08	·28		4
5	·02		-	-	·10	·10		-		·18	·26		5
6	·02	·41	·12	·03	·28		·12	-		·03	·30	·01	6
7	·07		·10		·05		·08	-		·02	·03	·31	7
8			·31		-			-			·02	·12	8
9			·07		·51			-	·15		·02	·12	9
10		·06	·03	·03	-	·05		-	·02			·18	10
11		·41	·38	·16	·01	·20		-	·06			·02	11
12		·01	·54		·73	·03	·11	-					12
13		·02	·16		·02		·31	·28		·10	·01	·05	13
14			·02	·09	·05			·11		·01			14
15		·23	·66				·14	·07					15
16		·19	·25	·09			·02	·07				·01	16
17		·10	-	·08			·04	-	·10	·16			17
18		·29	·02	·03		·04		·15	·12	·05	1·31		18
19	·04	·01	·20	·12				·05	·03		·48	·24	19
20	·11		·24	·06	·08		·02	-					20
21	·02		·08	·02	·01		·37	-					21
22		·04	[illegible]	·01		·02	-	-		·04			22
23		·07	·02	·06		·01	-	·01		·01	·14		23
24		·50	-	·03		·38	-	·24		·04		·92	24
25		·05	·17	-			-	·12		·04	·12	·02	25
26		·06	·04	-			-	·03		·08			26
27		·32	-	-			-	·05		·17			27
28		·34	·08	-	·10	·07	-	-		·01		·03	28
29		·28	-	-		·42	-	·02		·25		·20	29
30		X	-	-		·02	-	-		·25			30
31		X	-	X		X	-	-	X	·12	X	·11	31
Total	·70	3·85	3·95	·89	2·68	1·60	1·44	1·20	1·22	1·93	3·17	2·34	YEAR'S TOTAL 24·97
Rain Days.	8	21	22	15	12	13	11	12	9	20	13	14	170

W. 8,000. X. 15.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Bolton-on-Dearne

in the County of York

by Thomas Washington

Lat. 53½ N Long. 1°20′W.

Time of Observation 9 a.m.

Nearest Railway Station Bolton-on-Dearne (Midland Ry)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·3

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·24	·20		·23		·02	·14	·28	·04	1
2				·35			·07		·19	·31		·17	2
3				·17	·04	·04	1·03		·11	·20		·18	3
4				·07	·02		·20	·44	·02	·72		·12	4
5							·09 ~~·10~~	·19		·02			5
6	·02		·16	·03	·05		·10 ~~·52~~					·04	6
7	·05		·16				·52 ~~·06~~						7
8		·01		·39			·06 ~~·04~~	·04		·02			8
9	·21	·03		·47			·04 ~~·08~~	·03	·01				9
10	·27	·19		·13			·08	·16					10
11	·43	·03	·04	·13	·14	·16						·18	11
12	·03			·25		·02	·01	·15			·03	·10	12
13	·15	·04	·02	·27		·73						·09	13
14			·39	·06		·28	·03		·32	·05	·22	·03	14
15			·56	·08					·10	·08	·01		15
16							·55		·03				16
17					·06		·02		·17	·02			17
18				·07	·06			·01	·01				18
19		·71		·23	·01	·22		·11					19
20		·69		·11		·19	·09						20
21				·19			·45	·09			·01	·10	21
22	·02	·05		·22			·04				·01		22
23			·01				·20			·02	·01	·31	23
24			·15	·02								·03	24
25	·04		·07	·02			·58						25
26	·05	·10	·06	·02	·15		·03						26
27	·36			·08	·27	·26					·25	·19	27
28	1·13		·11	·07	·29	·01	·06		·05		·08	·09	28
29	·09		·08		1·30	·01	·05		·16		·15	·47	29
30	·08			·12		·01						·29	30
31	·07		·06		·07		·02			·35		·11	31
TOTAL	3·00	1·85	1·87	3·79	2·66	1·93	4·55	1·22	1·19	1·93	1·05	2·54	YEAR'S TOTAL 27·58
Days with ·01 in. or more	15	9	13	24	13	11	23	9	12	11	10	17	167
Days with ·04 in. or more	12	6	11	20	11	7	18	7	7	7	5	15	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BORROWBY

LEAKE VICARAGE

YORKSHIRE

1920

FORM A. 1. **METEOROLOGICA** N.

REGIST

24 JAN 1921

Kept at Leake Vica

in the County of York

by G. W. Kend

in.

ft. in.

215 ft.

IMPORTANT NOTE.—Rain previous day.

If an Observer prefers not to confo the reading at 9 a.m. on 1st January of the following year in the space this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·14	·00	·34	·02	·55	·00	·00	·15	·00	·00	1
2	·00	·00	·08	·12	·00	·00	·22	·00	·23	·11	·00	·31	2
3	·00	·02	·00	·10	·00	·00	·52	·08	·09	·45	·00	·26	3
4	·09	·00	·00	·06	·01	·00	·75	·73	·08	·82	·00	·84	4
5	·00	·00	·06	·07	·12	·00	·19	·12	·01	·00	·00	·03	5
6	·00	·00	·20	·02	·08	·00	·05	·00	·00	·00	·00	·03	6
7	·09	·00	·04	·00	·02	·00	·23	·00	·00	·00	·00	·00	7
8	·00	·00	·00	·13	·05	·00	·14	·12	·00	·00	·00	·00	8
9	·26	·07	·00	·30	·00	·00	·08	·36	·00	·00	·00	·00	9
10	·54	·13	·00	·22	·00	·00	·18	·00	·00	·00	·00	·00	10
11	·28	·00	·00	·07	·13	·00	·00	·00	·00	·00	·00	·00	11
12	·11	·00	·10	·14	·02	·00	·03	·00	·00	·00	·09	·75	12
13	·12	·00	·05	·10	·00	·00	·00	·00	·00	·00	·00		13
14	·00	·09	·42	·14	·00	·00	·13	·00	·25	·05	·27	·00	14
15	·00	·13	·24	·23	·00	·00	·00	·00	·01	·39	·00	·00	15
16	·00	·00	·00	·00	·02	·00	·50	·00	·10	·00	·03	·00	16
17	·00	·00	·00	·00	·16	·00	·00	·21	·17	·00	·00	·00	17
18	·26	·02	·00	·00	·14	·73	·16	·03	·03	·00	·00	·00	18
19	·08	·27	·00	·19	·00	·14	·00	·10	·00	·00	·00	·00	19
20	·00	·06	·00	·17	·00	·00	·04	·00	·00	·00	·00	·02	20
21	·06	·00	·00	·15	·00	·00	·28	·43	·00	·00	·00	·01	21
22	·00	·00	·00	·15	·00	·00	·02	·02	·06	·00	·00	·00	22
23	·00	·00	·06	·00	·00	·00	·34	·00	·00	·00	·00	·16	23
24	·00	·00	·38	·09	·00	·00	·04	·00	·00	·00	·00	·06	24
25	·00	·09	·06	·03	·00	·04	·48	·00	·00	·00	·05	·07	25
26	·04	·04	·28	·00	·00	·00	·03	·00	·00	·00	·00	·00	26
27	·24	·00	·00	·05	·36	·38	·07	·00	·00	·00	·31	·01	27
28	·51	·00	·15	·11	·00	·08	·00	·00	·00	·00	·06	·12	28
29	·25	·00	·09	·00	·81	·00	·08	·00	·00	·00	·06	·46	29
30	·14		·03	·00	·03	·07	·00	·00	·13	·00	·20	·19	30
31	·06		·24		·10		·04	·00		·07		·04	31
TOTAL	3·13	·92	2·62	2·64	2·39	1·46	5·15	2·20	1·16	2·04	1·07	3·30	YEAR'S TOTAL 18·08
Days with ·01 in. or more	16	10	16 17	21	15	7	24	10	11	7	8	16	162 ~~161~~
·04	16	8	16	19	10	6	21	8	8	7	7	11	137

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICA N.

24 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Leake Vicarage Thirsk.
in the County of York
by G. W. Kendall

Lat. 54° 17½' N Long. 1° 20½' W
Time of Observation 10 a.m.
Nearest Railway Station Thirsk
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·14	·00	·34	·02	·55	·00	·00	·15	·00	·00	1
2	·00	·00	·08	·12	·00	·00	·22	·00	·23	·11	·00	·31	2
3	·00	·02	·00	·10	·00	·00	·52	·08	·09	·45	·00	·26	3
4	·09	·00	·00	·06	·01	·00	·75	·73	·08	·82	·00	·84	4
5	·00	·00	·06	·07	·12	·00	·19	·12	·01	·00	·00	·03	5
6	·00	·00	·20	·02	·08	·00	·05	·00	·00	·00	·00	·03	6
7	·09	·00	·04	·00	·02	·00	·23	·00	·00	·00	·00	·00	7
8	·00	·00	·00	·13	·05	·00	·14	·12	·00	·00	·00	·00	8
9	·26	·07	·00	·30	·00	·00	·08	·36	·00	·00	·00	·00	9
10	·54	·13	·00	·22	·00	·00	·18	·00	·00	·00	·00	·00	10
11	·28	·00	·00	·07	·13	·00	·00	·00	·00	·00	·00	·00	11
12	·11	·00	·10	·14	·02	·00	·03	·00	·00	·00	·09	·75 }	12
13	·12	·00	·05	·10	·00	·00	·00	·00	·00	·00	·00		13
14	·00	·09	·42	·14	·00	·00	·13	·00	·25	·05	·27	·00	14
15	·00	·13	·24	·23	·00	·00	·00	·00	·01	·39	·00	·00	15
16	·00	·00	·00	·00	·02	·00	·50	·00	·10	·00	·03	·00	16
17	·00	·00	·00	·00	·16	·00	·00	·21	·17	·00	·00	·00	17
18	·26	·02	·00	·00	·14	·73	·16	·03	·03	·00	·00	·00	18
19	·08	·27	·00	·19	·00	·14	·00	·10	·00	·00	·00	·00	19
20	·00	·06	·00	·17	·00	·00	·04	·00	·00	·00	·00	·02	20
21	·06	·00	·00	·15	·00	·00	·28	·43	·00	·00	·00	·01	21
22	·00	·00	·00	·15	·00	·00	·02	·02	·06	·00	·00	·00	22
23	·00	·00	·06	·00	·00	·00	·34	·00	·00	·00	·00	·16	23
24	·00	·00	·38	·09	·00	·00	·04	·00	·00	·00	·00	·00	24
25	·00	·09	·06	·03	·00	·04	·48	·00	·00	·00	·05	·07	25
26	·04	·04	·28	·00	·00	·00	·03	·00	·00	·00	·00	·00	26
27	·24	·00	·00	·05	·36	·38	·07	·00	·00	·00	·31	·01	27
28	·51	·00	·15	·11	·00	·08	·00	·00	·00	·00	·06	·12	28
29	·25	·00	·09	·00	·81	·00	·08	·00	·00	·00	·06	·46	29
30	·14	╳	·03	·00	·03	·07	·00	·00	·13	·00	·20	·19	30
31	·06	╳	·24	╳	·10	╳	·04	·00	╳	·07	╳	·04	31
TOTAL	3·13	·92	2·62	2·64	2·39	1·46	5·15	2·20	1·16	2·04	1·07	3·30	YEAR'S TOTAL 28·08
Days with ·01 in. or more	16	10	16 17	21	15	7	24	10	11	7	8	16	~~161~~ 162
·04	16	8	16	19	10	6	21	8	8	7	7	11	137

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

34-66

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

BRADFORD
LISTER PARK
YORKS

1911 – 1920

Kept at Lister ... 8 in.

... above Ground 1 ft. in.

in the County of WR ... Sea Level 439.53 ft.

by H Lande... 9 a.m

Name Manningham

Distance ½ m Direction E

IMPORTANT NO... d the result entered to the previous day. If an ... iversal rule, he is earnestly requested to add the re... year in the space provided for it at the end of t... ement of rain, the selection and plac... British Rainfall Organization are given ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	~~0.00~~	~~0.00~~	6.1 ~~0.24~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	1
2	5.3 ~~0.21~~	~~0.00~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	2.5 ~~0.10~~	2
3	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	7.6 ~~0.30~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	7.1 ~~0.28~~	0.3 ~~0.01~~	3
4	0.8 ~~0.03~~	~~0.00~~	2.0 ~~0.08~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	2.3 ~~0.09~~	6.1 ~~0.24~~	3.3 ~~0.13~~	11.2 ~~0.44~~	~~5.8~~ ~~0.23~~	4
5	2.0 ~~0.08~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	5.8 ~~0.23~~	~~0.00~~	2.3 ~~0.09~~	8.6 ~~0.34~~	0.3 ~~0.01~~	5
6	5.3 ~~0.21~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	6.3 ~~0.25~~	~~0.00~~	4.6 ~~0.18~~	7.6 ~~0.30~~	10.2 ~~0.40~~	6
7	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	2.0 ~~0.08~~	~~0.00~~	7
8	1.3 ~~0.05~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	0.3 ~~0.01~~	~~0.00~~	16.5 ~~0.65~~	8
9	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	3.0 ~~0.12~~	9
10	2.8 ~~0.11~~	1.0 ~~0.04~~	0.3 ~~0.01~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	14.0 ~~0.55~~	10
11	5.3 ~~0.21~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	15.7 ~~0.62~~	4.6 ~~0.18~~	11
12	0.5 ~~0.02~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	3.0 ~~0.12~~	~~0.00~~	~~0.00~~	~~0.00~~	26.7 ~~1.05~~	~~0.00~~	8.1 ~~0.32~~	0.3 ~~0.01~~	12
13	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	8.6 ~~0.34~~	13
14	0.5 ~~0.02~~	3.3 ~~0.13~~	2.5 ~~0.10~~	~~0.00~~	6.6 ~~0.26~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	7.4 ~~0.29~~	14
15	~~0.00~~	5.1 ~~0.20~~	2.0 ~~0.08~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	2.3 ~~0.09~~	4.6 ~~0.18~~	15
16	~~0.00~~	15.2 ~~0.60~~	3.0 ~~0.12~~	0.3 ~~0.01~~	~~0.00~~	5.8 ~~0.23~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	6.9 ~~0.27~~	4.1 ~~0.16~~	16
17	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	2.3 ~~0.09~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	1.8 ~~0.07~~	17
18	~~0.00~~	14.7 ~~0.58~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	3.0 ~~0.12~~	1.5 ~~0.06~~	18
19	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	1.5 ~~0.06~~	2.5 ~~0.10~~	6.1 ~~0.24~~	2.5 ~~0.10~~	19
20	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	4.6 ~~0.18~~	~~0.00~~	0.8 ~~0.03~~	2.3 ~~0.09~~	20.3 ~~0.80~~	1.0 ~~0.04~~	1.3 ~~0.05~~	~~0.00~~	2.8 ~~0.11~~	20
21	~~0.00~~	13.2 ~~0.52~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	6.3 ~~0.25~~	~~0.00~~	4.8 ~~0.19~~	~~0.00~~	0.8 ~~0.03~~	21
22	2.3 ~~0.09~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	9.6 ~~0.38~~	1.0 ~~0.04~~	~~0.00~~	22
23	0.3 ~~0.01~~	13.7 ~~0.54~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	11.2 ~~0.44~~	~~0.00~~	~~0.00~~	3.0 ~~0.12~~	0.5 ~~0.02~~	~~0.00~~	5.1 ~~0.20~~	23
24	5.6 ~~0.22~~	3.6 ~~0.14~~	0.3 ~~0.01~~	1.3 ~~0.05~~	~~0.00~~	42.4 ~~1.67~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	7.4 ~~0.29~~	~~0.00~~	6.1 ~~0.24~~	24
25	~~0.00~~	8.4 ~~0.33~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~7.0~~ ~~0.04~~	0.5 ~~0.02~~	~~0.00~~	17.8 ~~0.70~~	2.8 ~~0.11~~	~~0.00~~	5.1 ~~0.20~~	25
26	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	2.8 ~~0.11~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	20.1 ~~0.79~~	5.3 ~~0.21~~	6.1 ~~0.24~~	26
27	0.5 ~~0.02~~	4.1 ~~0.16~~	1.3 ~~0.05~~	4.6 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	7.4 ~~0.29~~	7.6 ~~0.30~~	~~0.00~~	0.3 ~~0.01~~	0.5 ~~0.02~~	27
28	~~0.00~~	5.1 ~~0.20~~	0.5 ~~0.02~~	4.3 ~~0.17~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	~~0.00~~	~~0.00~~	3.3 ~~0.13~~	28
29	~~0.00~~		0.3 ~~0.01~~	2.5 ~~0.10~~	~~0.00~~	5.4 ~~0.20~~	0.5 ~~0.02~~	~~0.00~~	6.9 ~~0.27~~	10.7 ~~0.42~~	~~0.00~~	1.3 ~~0.05~~	29
30	~~0.00~~		~~0.00~~	0.5 ~~0.02~~	1.5 ~~0.06~~	11.4 ~~0.45~~	~~0.00~~	~~0.00~~	~~0.00~~	7.6 ~~0.30~~	~~0.00~~	~~0.00~~	30
31	~~0.00~~		0.3 ~~0.01~~		~~0.00~~		~~0.00~~	~~0.00~~		3.6 ~~0.14~~		~~0.00~~	31
99 Total	33.0 ~~1.30~~	91.7 ~~3.61~~	25.1 ~~0.98~~	26.4 ~~1.03~~	24.6 ~~0.97~~	84.3 ~~3.32~~	4.9 ~~0.19~~	51.8 ~~2.04~~	74.5 ~~2.93~~	87.3 ~~3.43~~	90.1 ~~3.55~~	119.1 ~~4.6~~	
No. of Rain Days.	14	14	19	15	11	11	5	[illegible]	11	[illegible]	18	26	

32-66

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Lister Park Bradford

in the County of W R York 9

by H Lander for the Corporation

RAIN GAUGE
Pattern
Diameter of top 8 - in.
Height of top above Ground 1 ft. in.
" " " Sea Level 439.53 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Manningham
Distance ½ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
11 1	~~0.00~~	~~0.00~~	6.1 ~~0.24~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	1
2	5.3 ~~0.21~~	~~0.00~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	2.5 ~~0.10~~	2
3	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	7.6 ~~0.30~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	7.1 ~~0.28~~	0.3 ~~0.01~~	3
4	0.8 ~~0.03~~	~~0.00~~	2.0 ~~0.08~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	2.3 ~~0.09~~	6.1 ~~0.24~~	3.3 ~~0.13~~	11.2 ~~0.44~~	~~5.8~~ ~~0.23~~	4
5	2.0 ~~0.08~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	5.8 ~~0.23~~	~~0.00~~	2.3 ~~0.09~~	8.6 ~~0.34~~	0.3 ~~0.01~~	5
6	5.3 ~~0.21~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	6.3 ~~0.25~~	~~0.00~~	4.6 ~~0.18~~	7.6 ~~0.30~~	10.2 ~~0.40~~	6
7	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	2.0 ~~0.08~~	~~0.00~~	7
8	1.3 ~~0.05~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	0.3 ~~0.01~~	~~0.00~~	16.5 ~~0.65~~	8
9	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	3.0 ~~0.12~~	9
10	2.8 ~~0.11~~	1.0 ~~0.04~~	0.3 ~~0.01~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	14.0 ~~0.55~~	10
11	5.3 ~~0.21~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	15.7 ~~0.62~~	4.6 ~~0.18~~	11
12	0.5 ~~0.02~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	3.0 ~~0.12~~	~~0.00~~	~~0.00~~	~~0.00~~	26.7 ~~1.05~~	~~0.00~~	8.1 ~~0.32~~	0.3 ~~0.01~~	12
13	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	8.6 ~~0.34~~	13
14	0.5 ~~0.02~~	3.3 ~~0.13~~	2.5 ~~0.10~~	~~0.00~~	6.6 ~~0.26~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	7.4 ~~0.29~~	14
15	~~0.00~~	5.1 ~~0.20~~	2.0 ~~0.08~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	2.3 ~~0.09~~	4.6 ~~0.18~~	15
16	~~0.00~~	15.2 ~~0.60~~	3.0 ~~0.12~~	0.3 ~~0.01~~	~~0.00~~	5.8 ~~0.23~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	6.9 ~~0.27~~	4.1 ~~0.16~~	16
17	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	2.3 ~~0.09~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	1.8 ~~0.07~~	17
18	~~0.00~~	14.7 ~~0.58~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	3.0 ~~0.12~~	1.5 ~~0.06~~	18
19	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	1.5 ~~0.06~~	2.5 ~~0.10~~	6.1 ~~0.24~~	2.5 ~~0.10~~	19
20	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	4.6 ~~0.18~~	~~0.00~~	0.8 ~~0.03~~	2.3 ~~0.09~~	20.3 ~~0.80~~	1.0 ~~0.04~~	1.3 ~~0.05~~	~~0.00~~	2.8 ~~0.11~~	20
21	~~0.00~~	13.2 ~~0.52~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	6.3 ~~0.25~~	~~0.00~~	4.8 ~~0.19~~	~~0.00~~	0.8 ~~0.03~~	21
22	2.3 ~~0.09~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	9.6 ~~0.38~~	1.0 ~~0.04~~	~~0.00~~	22
23	0.3 ~~0.01~~	13.7 ~~0.54~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	11.2 ~~0.44~~	~~0.00~~	~~0.00~~	3.0 ~~0.12~~	0.5 ~~0.02~~	~~0.00~~	5.1 ~~0.20~~	23
24	5.6 ~~0.22~~	3.6 ~~0.14~~	0.3 ~~0.01~~	1.3 ~~0.05~~	~~0.00~~	42.4 ~~1.67~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	7.4 ~~0.29~~	~~0.00~~	6.1 ~~0.24~~	24
25	~~0.00~~	8.4 ~~0.33~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~7.0~~ ~~0.04~~	0.5 ~~0.02~~	~~0.00~~	17.8 ~~0.70~~	2.8 ~~0.11~~	~~0.00~~	5.1 ~~0.20~~	25
26	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	2.8 ~~0.11~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	20.1 ~~0.79~~	5.3 ~~0.21~~	6.1 ~~0.24~~	26
27	0.5 ~~0.02~~	4.1 ~~0.16~~	1.3 ~~0.05~~	4.6 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	7.4 ~~0.29~~	7.6 ~~0.30~~	~~0.00~~	0.3 ~~0.01~~	0.5 ~~0.02~~	27
28	~~0.00~~	5.1 ~~0.20~~	0.5 ~~0.02~~	4.3 ~~0.17~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	~~0.00~~	~~0.00~~	3.3 ~~0.13~~	28
29	~~0.00~~		0.3 ~~0.01~~	2.5 ~~0.10~~	~~0.00~~	5.4 ~~0.21~~	0.5 ~~0.02~~	~~0.00~~	6.9 ~~0.27~~	10.7 ~~0.42~~	~~0.00~~	1.3 ~~0.05~~	29
30	~~0.00~~		~~0.00~~	0.5 ~~0.02~~	1.5 ~~0.06~~	11.4 ~~0.45~~	~~0.00~~	~~0.00~~	~~0.00~~	7.6 ~~0.30~~	~~0.00~~	~~0.00~~	3
31	~~0.00~~		0.3 ~~0.01~~		~~0.00~~		~~0.00~~	~~0.00~~		3.6 ~~0.14~~		~~0.00~~	
99 Total	33.0 ~~1.30~~	91.7 ~~3.61~~	25.1 ~~0.98~~	26.4 ~~1.03~~	24.6 ~~0.97~~	84.3 ~~3.32~~	4.9 ~~0.19~~	51.8 ~~2.04~~	74.5 ~~2.93~~	87.3 ~~3.43~~	90.1 ~~3.55~~	119.1 ~~4.6~~	
No. of Rain Days.	14	14	19	15	11	11	5	11	[illegible]	[illegible]	18	26	

11.

Cod for with 17-III-13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

4 JAN 1913

Kept at Lister Park. Bradford

in the County of York W.9

by H Lander for the Bradford City Council

RAIN GAUGE
Pattern
Diameter of top 8 ins
Height of top above Ground 1 ft. in.
" " " Sea Level 475.47 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Manningham
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	~~0.00~~	~~0.00~~	4.1 ~~0.16~~	~~0.00~~	0.00	9.7 ~~0.38~~	3.8 ~~0.15~~	0.00	4.1 ~~0.16~~	0.00	0.00	6.3 ~~0.25~~	1
2	~~0.00~~	2.8 ~~0.10~~	8.6 ~~0.34~~	~~0.00~~	~~0.00~~	2.5 ~~0.10~~	8.4 ~~0.33~~	~~0.00~~	3.0 ~~0.12~~	~~0.00~~	0.00	4.3 ~~0.17~~	2
3	3.0 ~~0.12~~	0.00	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	13.7 ~~0.54~~	~~0.00~~	17.3 ~~0.68~~	11.4 ~~0.45~~	~~0.00~~	~~0.00~~	0.8 ~~0.02~~	3
4	3.8 ~~0.15~~	~~0.00~~	17.8 ~~0.70~~	2.8 ~~0.11~~	2.3 ~~0.09~~	14.2 ~~0.56~~	~~0.00~~	25.9 ~~1.02~~	1.0 ~~0.04~~	~~0.00~~	2.0 ~~0.08~~	~~0.00~~	4
5	6.6 ~~0.26~~	0.00	0.5 ~~0.02~~	0.3 ~~0.01~~	7.1 ~~0.28~~	13.7 ~~0.54~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~0.00~~	0.00	~~0.00~~	5
6	26.2 ~~1.03~~	0.8 ~~0.03~~	6.1 ~~0.24~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	11.2 ~~0.44~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	6
7	~~0.00~~	8.4 ~~0.33~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	0.5 ~~0.02~~	~~0.00~~	8.1 ~~0.32~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	7
8	13.7 ~~0.54~~	6.1 ~~0.24~~	3.6 ~~0.14~~	3.0 ~~0.12~~	~~0.00~~	1.5 ~~0.06~~	0.3 ~~0.01~~	0.3 ~~0.01~~	4.1 ~~0.16~~	0.00	0.00	~~0.00~~	8
9	1.8 ~~0.07~~	6.3 ~~0.25~~	3.8 ~~0.15~~	8.6 ~~0.34~~	~~0.00~~	0.8 ~~0.03~~	0.00	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	9
10	6.1 ~~0.24~~	0.3 ~~0.01~~	~~0.00~~	0.8 ~~0.03~~	0.5 ~~0.02~~	24.1 ~~0.95~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	16.0 ~~0.63~~	~~0.00~~	10
11	4.1 ~~0.16~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	13.7 ~~0.54~~	11
12	1.8 ~~0.07~~	6.9 ~~0.27~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	3.8 ~~0.15~~	2.5 ~~0.10~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	3.0 ~~0.12~~	12
13	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	2.3 ~~0.09~~	1.3 ~~0.05~~	12.4 ~~0.49~~	13
14	3.0 ~~0.12~~	~~0.00~~	10.4 ~~0.41~~	~~0.00~~	0.3 ~~0.01~~	4.1 ~~0.16~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	7.9 ~~0.31~~	14
15	4.3 ~~0.17~~	1.3 ~~0.05~~	7.4 ~~0.29~~	~~0.00~~	9.9 ~~0.39~~	3.3 ~~0.13~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	6.9 ~~0.27~~	15
16	34.3 ~~1.35~~	~~0.00~~	9.7 ~~0.38~~	~~0.00~~	1.8 ~~0.07~~	6.3 ~~0.25~~	~~0.00~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	2.0 ~~0.08~~	16
17	0.3 ~~0.01~~	0.8 ~~0.03~~	3.6 ~~0.14~~	~~0.00~~	0.3 ~~0.01~~	8.9 ~~0.35~~	0.3 ~~0.01~~	7.9 ~~0.31~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	12.7 ~~0.50~~	17
18	4.3 ~~0.17~~	0.3 ~~0.01~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	~~0.00~~	1.3 ~~0.05~~	18
19	10.2 ~~0.40~~	5.1 ~~0.20~~	8.1 ~~0.32~~	~~0.00~~	~~0.00~~	2.3 ~~0.09~~	3.6 ~~0.14~~	9.4 ~~0.37~~	~~0.00~~	7.1 ~~0.28~~	1.3 ~~0.05~~	~~0.00~~	19
20	7.6 ~~0.30~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	9.7 ~~0.38~~	1.0 ~~0.04~~	6.6 ~~0.26~~	1.3 ~~0.05~~	~~0.00~~	9.1 ~~0.36~~	~~0.00~~	0.5 ~~0.02~~	20
21	~~0.00~~	~~0.00~~	11.4 ~~0.45~~	~~0.00~~	6.1 ~~0.24~~	~~0.00~~	1.0 ~~0.04~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	21
22	1.3 ~~0.05~~	3.8 ~~0.15~~	0.5 ~~0.02~~	0.00	18.0 ~~0.71~~	12.5 ~~0.49~~	5.3 ~~0.21~~	1.2 ~~0.05~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	0.5 ~~0.02~~	22
23	~~0.00~~	~~0.00~~	3.8 ~~0.15~~	~~0.00~~	0.3 ~~0.01~~	0.00	7.1 ~~0.28~~	6.9 ~~0.27~~	~~0.00~~	~~0.00~~	3.3 ~~0.13~~	0.3 ~~0.01~~	23
24	7.6 ~~0.30~~	~~0.00~~	~~0.00~~	0.00	3.6 ~~0.14~~	5.1 ~~0.20~~	5.6 ~~0.22~~	7.4 ~~0.29~~	~~0.00~~	0.8 ~~0.03~~	5.1 ~~0.20~~	2.5 ~~0.10~~	24
25	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	9.7 ~~0.38~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	19.1 ~~0.75~~	2.3 ~~0.09~~	25
26	~~0.00~~	5.3 ~~0.21~~	2.3 ~~0.09~~	~~0.00~~	~~0.00~~	~~0.00~~	7.4 ~~0.29~~	17.5 ~~0.69~~	~~0.00~~	39.4 ~~1.55~~	9.1 ~~0.36~~	6.3 ~~0.25~~	26
27	~~0.00~~	2.8 ~~0.11~~	2.3 ~~0.09~~	0.00	~~0.00~~	16.0 ~~0.63~~	3.0 ~~0.12~~	3.8 ~~0.15~~	~~0.00~~	10.4 ~~0.41~~	0.8 ~~0.03~~	8.1 ~~0.32~~	27
28	~~0.00~~	0.5 ~~0.02~~	2.5 ~~0.10~~	~~0.00~~	~~0.00~~	2.0 ~~0.08~~	7.4 ~~0.29~~	16.8 ~~0.66~~	1.3 ~~0.05~~	9.9 ~~0.39~~	4.1 ~~0.16~~	0.8 ~~0.02~~	28
29	~~0.00~~	1.5 ~~0.06~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	4.1 ~~0.16~~	0.3 ~~0.01~~	15.0 ~~0.59~~	2.5 ~~0.10~~	~~0.00~~	11.9 ~~0.47~~	29
30	~~0.00~~		6.9 ~~0.27~~	~~0.00~~	7.9 ~~0.31~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	30
31	~~0.00~~		1.3 ~~0.05~~		6.3 ~~0.25~~		24.9 ~~0.98~~	5.1 ~~0.20~~		~~0.00~~		0.8 ~~0.02~~	31
99 Total	140.0 ~~5.51~~	57.3 ~~2.24~~	121.7 ~~4.78~~	15.5 ~~0.61~~	75.4 ~~2.96~~	156.7 ~~6.18~~	92.1 ~~3.62~~	144.0 ~~6.08~~	41.2 ~~1.62~~	85.1 ~~3.35~~	63.9 ~~2.51~~	107.1 ~~4.19~~	1100.0 TOTAL for year. ~~43.65~~
No. of Rain Days.	18	18	25	5	17	22	17	21	8	11	13	23	198

W. 8,000, X. '11.

4.78

referred 14.4.14

~~W. D.~~ April 25d. cor. by obs. 17.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Dr

Kept at Bradford

in the County of York

WG

by H Lander

Lat. 53°49 Long. 1°46

Time of Observation 9 a.m

Nearest Railway Station Manningham

Diameter of Rain Gauge ~~Ten~~ 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 439 53 ft.

IMPORTA
previous day.
requested to ad
for it at the e
the selection a
Organization ar
Dr. H. R. Mil

ult entered to the
le, he is earnestly
e space provided
rain,
ainfall
ion to

Jan. 1, following.

---

16 APR 1914

LISTER PARK,
BRADFORD,

April 16th 1914

Dear Sir

I find in checking the copy of rainfall you have sent me that a mistake had been made on april 25th the reading is 0.04 instead of 0.18. this gives the correct figures for the total

Your's truly
H Lander

H R Mill Esq

Date.	Jan.	Fe									ov.	Dec.	Date.
13 1	~~0.00~~	3									3	1.3 ~~0.05~~	1
2	~~0.00~~	3.									1 6	1.5 0.06	2
3	~~0.00~~	2									5	13.2 ~~0.52~~	3
4	12.3 ~~0.48~~	0 ~~0.0~~									5	2.7 ~~0.08~~	4
5	2.5 ~~0.10~~	0.									~~0~~	~~0.00~~	5
6	0.5 ~~0.02~~	3									8 ~~03~~	~~0.00~~	6
7	~~0.00~~	10									5	~~0.00~~	7
8	~~0.00~~	2									1 20	0.5 ~~0.02~~	8
9	0.3 ~~0.01~~	3									6 26	1.5 ~~0.06~~	9
10	0.3 ~~0.01~~										8 23	~~0.00~~	10
11	19.3 ~~0.75~~	0 ~~0.0~~									8	0.5 ~~0.02~~	11
12	~~0.00~~	~~0.0~~									3	~~0.00~~	12
13	8.0 ~~0.31~~	~~0.00~~									5 10	0.3 ~~0.01~~	13
14	6.2 ~~0.24~~	6.8									3	~~0.00~~	14
15	2.8 ~~0.11~~	~~0.0~~									3 60	~~0.00~~	15
16	~~0.00~~	0.5									1 16	0.3 ~~0.01~~	16
17	0.5 ~~0.02~~	1.									8	~~0.00~~	17
18	2.3 ~~0.09~~										6	~~0.00~~	18
19	1.5 ~~0.06~~										5 06	~~0.00~~	19
20	4.8 ~~0.19~~										3	~~0.00~~	20
21	~~0.00~~										5 02	~~0.00~~	21
22	5.6 ~~0.22~~										~~0~~	~~0.00~~	22
23	2.5 ~~0.10~~										0	~~0.00~~	23
24	8.4 ~~0.33~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	4.6 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	24
25	~~0.00~~	~~0.00~~	~~0.00~~	1.0 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	7.9 ~~0.31~~	0.8 ~~0.03~~	0.3 ~~0.01~~	3.3 ~~0.13~~	25
26	~~0.00~~	~~0.00~~	4.3 ~~0.17~~	4.6 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	2.3 ~~0.09~~	~~0.00~~	21.0 ~~0.83~~	26
27	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	3.6 ~~0.14~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	~~4.1~~ ~~0.16~~	27
28	10.6 ~~0.41~~	~~0.00~~	5.1 ~~0.20~~	15.2 0.60	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	28
29	~~0.00~~	~~0.00~~	11.7 ~~0.46~~	9.4 ~~0.37~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	11.2 ~~0.44~~	~~0.00~~	2.0 ~~0.08~~	1.5 0.06	11.4 ~~0.45~~	29
30	15.2 ~~0.60~~	~~0.0~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	11.9 ~~0.47~~	~~0.00~~	~~0.00~~	30
31	5.3 ~~0.21~~		1.5 ~~0.06~~		1.8 ~~0.07~~		~~0.00~~	~~0.00~~		~~0.00~~		~~0.00~~	31
99 Total	108.7 ~~4.26~~	32.1 ~~1.27~~	112.6 ~~4.44~~	90.9 ~~3.58~~	65.8 ~~2.59~~	40.9 1.61	18.3 0.72	40.7 1.60	42.7 1.68	65.9 2.59	82.4 3.24	68.6 2.70	YEAR'S TOTAL 769.6 30.28
Rain Days.	19	13	25	17	14	12	11	7	12	17	23	13	183

0, XI. 13

referred 14. 4. 14

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Kept at B

in the County of ...ingham

by H L

...in.

1 ft. ... in.

...el 4 3 9 5 2 ft.

IMPORTA ... ult entered to the previous day. ... le, he is earnestly requested to ad ... e space provided for it at the e ... rain, the selection a ... ainfall Organization ar ... ion to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	~~0.00~~	3.5 ~~0.14~~	4.3 ~~0.17~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	1.3 ~~0.05~~	1
2	~~0.00~~	3.0 ~~0.12~~	6.1 ~~0.24~~	1.0 ~~0.04~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	4.1 ~~0.16~~	1.5 0.06	2
3	~~0.00~~	2.5 ~~0.10~~	4.0 ~~0.16~~	~~0.00~~	12.7 ~~0.50~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	4.1 ~~0.16~~	0.5 ~~0.02~~	13.2 ~~0.52~~	3
4	12.3 ~~0.48~~	0.5 ~~0.02~~	1.0 0.04	~~0.00~~	~~0.00~~	~~0.00~~	2.0 0.08	~~0.00~~	0.5 ~~0.02~~	1.0 ~~0.04~~	2.5 ~~0.10~~	9.1 ~~0.36~~	4
5	2.5 ~~0.10~~	0.8 ~~0.03~~	8.1 ~~0.32~~	~~0.00~~	~~0.00~~	5.1 ~~0.20~~	2.5 0.10	~~0.00~~	1.3 ~~0.05~~	2.8 ~~0.11~~	~~0.00~~	~~0.00~~	5
6	0.5 ~~0.02~~	3.0 ~~0.12~~	5.3 0.21	~~0.00~~	15.2 ~~0.60~~	0.5 0.02	6.6 ~~0.26~~	~~0.00~~	~~0.00~~	8.4 0.33	0.8 ~~0.03~~	~~0.00~~	6
7	~~0.00~~	10.4 ~~0.41~~	0.5 0.02	~~0.00~~	7.1 ~~0.28~~	3.8 0.15	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	20.3 ~~0.80~~	0.5 ~~0.02~~	~~0.00~~	7
8	~~0.00~~	1.0 ~~0.04~~	0.5 ~~0.02~~	~~0.00~~	13.7 ~~0.54~~	0.5 ~~0.02~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	4.3 ~~0.17~~	5.1 ~~0.20~~	0.5 ~~0.02~~	8
9	0.3 ~~0.01~~	3.3 ~~0.13~~	5.3 ~~0.21~~	~~0.00~~	5.1 ~~0.20~~	6.3 ~~0.25~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	6.6 ~~0.26~~	1.5 ~~0.06~~	9
10	0.3 ~~0.01~~	~~0.00~~	2.5 ~~0.10~~	1.0 ~~0.04~~	0.5 ~~0.02~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	5.8 ~~0.23~~	~~0.00~~	10
11	19.3 ~~0.75~~	0.8 0.03	~~0.00~~	10.2 0.40	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	3.8 ~~0.15~~	0.5 ~~0.02~~	11
12	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	3.3 ~~0.13~~	~~0.00~~	12
13	8.0 ~~0.31~~	~~0.00~~	2.0 ~~0.08~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	5.3 ~~0.21~~	~~0.00~~	2.5 ~~0.10~~	0.3 ~~0.01~~	13
14	6.2 ~~0.24~~	0.8 ~~0.03~~	3.6 ~~0.14~~	6.1 0.24	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	3.0 ~~0.12~~	5.3 ~~0.21~~	~~0.00~~	14
15	2.8 0.11	~~0.00~~	14.0 ~~0.55~~	14.7 ~~0.58~~	~~0.00~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	2.3 0.09	~~0.00~~	15.3 ~~0.60~~	~~0.00~~	15
16	~~0.00~~	0.5 ~~0.02~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	7.4 ~~0.29~~	~~0.00~~	~~0.00~~	4.1 ~~0.16~~	0.3 ~~0.01~~	16
17	0.5 ~~0.02~~	1.0 ~~0.04~~	~~0.00~~	2.0 0.08	1.3 ~~0.05~~	12.2 ~~0.48~~	0.5 ~~0.02~~	~~0.00~~	13.0 ~~0.51~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	17
18	2.3 ~~0.09~~	~~0.00~~	10.9 ~~0.43~~	7.6 ~~0.30~~	0.3 ~~0.01~~	1.0 ~~0.04~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	5.6 ~~0.22~~	~~0.00~~	18
19	1.5 ~~0.06~~	~~0.00~~	2.0 ~~0.08~~	5.3 0.21	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 0.05	0.8 ~~0.03~~	1.5 ~~0.06~~	~~0.00~~	19
20	4.8 ~~0.19~~	~~0.00~~	3.0 ~~0.12~~	3.6 ~~0.14~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	2.5 ~~0.10~~	0.5 ~~0.02~~	9.7 ~~0.38~~	~~0.00~~	20
21	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	0.8 ~~0.03~~	3.0 ~~0.12~~	~~0.00~~	3.0 0.12	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	0.5 0.02	~~0.00~~	21
22	5.6 ~~0.22~~	~~0.00~~	13.0 ~~0.51~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	9.9 ~~0.39~~	2.3 ~~0.09~~	~~0.00~~	~~0.00~~	~~0.00~~	22
23	2.5 ~~0.10~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	1.5 ~~0.06~~	5.1 ~~0.20~~	~~0.00~~	8.9 ~~0.35~~	3.8 ~~0.15~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	23
24	~~8.4~~ ~~0.33~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	4.6 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	24
25	~~0.00~~	~~0.00~~	~~0.00~~	~~1.0~~ ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	7.9 ~~0.31~~	0.8 ~~0.03~~	0.3 ~~0.01~~	3.3 ~~0.13~~	25
26	~~0.00~~	~~0.00~~	4.3 ~~0.17~~	4.6 ~~0.18~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	2.3 ~~0.09~~	~~0.00~~	21.0 ~~0.83~~	26
27	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	3.6 ~~0.14~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	~~4.1~~ ~~0.16~~	27
28	10.6 ~~0.41~~	~~0.00~~	5.1 ~~0.20~~	15.2 0.60	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 0.01	~~0.00~~	~~0.00~~	28
29	~~0.00~~	~~0.00~~	11.7 ~~0.46~~	9.4 ~~0.37~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	11.2 ~~0.44~~	~~0.00~~	2.0 ~~0.08~~	1.5 ~~0.06~~	11.4 ~~0.45~~	29
30	15.2 ~~0.60~~	~~0.00~~	~~0.00~~	~~0.00~~	2.8 ~~0.11~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	11.9 ~~0.47~~	~~0.00~~	~~0.00~~	30
31	5.3 0.21		1.5 ~~0.06~~		1.8 ~~0.07~~		~~0.00~~	~~0.00~~		~~0.00~~		0.00	31
99 Total	108.7 ~~4.26~~	32.1 ~~1.27~~	112.6 ~~4.44~~	90.9 3.58	65.8 ~~2.59~~	40.9 1.61	18.3 0.72	40.7 1.60	42.7 1.68	65.9 ~~2.59~~	82.4 ~~3.24~~	68.6 2.70	YEAR'S TOTAL 769.6 30.28
Rain Days.	19	13	25	17	14	12	11	7	12	17	23	13	183

0, XI. 13

upd'ly total by MO 12.IV.15 ~~W~~ 9NX

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

8 - JAN 1915

Kept at Bradford

in the County of York WR 9

by H Lander. (for the Corporation)

Lat. 53° 49" Long. 1° 46"

Time of Observation 9 a.m

Nearest Railway Station Frizinghall

Diameter of Rain Gauge 8 ins in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	~~0.00~~	51.1 2.01	3.8 ~~0.15~~	~~0.00~~	0.8 ~~0.03~~	0.3 ~~0.01~~	8.4 ~~0.33~~	1
2	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	17.3 ~~0.68~~	~~0.00~~	~~0.00~~	10.2 ~~0.40~~	4.6 ~~0.18~~	2
3	2.5 ~~0.10~~	~~0.00~~	2.3 ~~0.09~~	~~0.00~~	5.8 ~~0.23~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	17.3 ~~0.68~~	3
4	15.3 ~~0.60~~	~~0.00~~	2.3 ~~0.09~~	9.9 ~~0.39~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	3.6 ~~0.14~~	20.3 ~~0.80~~	4
5	2.0 ~~0.08~~	~~0.00~~	10.2 ~~0.40~~	10.2 ~~0.40~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	8.1 ~~0.32~~	6.3 0.25	5
6	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	8.4 ~~0.33~~	3.5 0.14	~~0.00~~	~~0.00~~	4.1 ~~0.16~~	~~0.00~~	~~0.00~~	5.3 ~~0.21~~	1.3 ~~0.05~~	6
7	1.5 ~~0.06~~	1.3 ~~0.05~~	4.8 ~~0.19~~	1.0 ~~0.04~~	0.8 ~~0.03~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	~~0.00~~	~~0.00~~	~~0.00~~	5.2 ~~0.20~~	7
8	6.3 ~~0.25~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	1.0 ~~0.04~~	11.6 ~~0.46~~	~~0.00~~	2.8 ~~0.11~~	1.5 ~~0.06~~	~~0.00~~	0.8 ~~0.03~~	1.0 ~~0.04~~	8
9	7.9 ~~0.31~~	2.3 ~~0.09~~	~~0.00~~	2.8 ~~0.11~~	0.8 ~~0.03~~	24.6 ~~0.97~~	~~0.00~~	2.3 ~~0.09~~	0.5 ~~0.02~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	9
10	1.3 ~~0.05~~	2.8 ~~0.11~~	0.3 ~~0.01~~	1.0 ~~0.04~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	7.1 ~~0.28~~	~~0.00~~	10
11	~~0.00~~	7.6 ~~0.30~~	8.4 ~~0.33~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	2.5 ~~0.10~~	~~0.00~~	19.8 ~~0.78~~	10.9 ~~0.43~~	11
12	~~0.00~~	1.3 ~~0.05~~	2.0 ~~0.08~~	~~0.00~~	0.3 ~~0.01~~	~~0.00~~	4.1 ~~0.16~~	~~0.00~~	8.9 ~~0.35~~	~~0.00~~	6.9 ~~0.27~~	13.5 ~~0.53~~	12
13	~~0.00~~	6.6 ~~0.26~~	3.6 ~~0.14~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	0.8 ~~0.03~~	~~0.00~~	11.7 ~~0.46~~	9.4 ~~0.37~~	13
14	1.3 0.05	10.7 ~~0.42~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	2.8 ~~0.11~~	~~0.00~~	21.6 ~~0.85~~	13.5 ~~0.53~~	14
15	~~0.00~~	0.8 ~~0.03~~	5.8 ~~0.23~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.0 ~~0.04~~	0.5 ~~0.02~~	3.8 0.15	1.3 ~~0.05~~	15
16	~~0.00~~	0.3 ~~0.01~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	16.5 0.65	~~0.00~~	13.2 ~~0.52~~	~~0.00~~	~~0.00~~	~~0.00~~	16
17	3.0 ~~0.12~~	8.1 ~~0.32~~	3.8 ~~0.15~~	~~0.00~~	~~0.00~~	~~0.00~~	1.5 0.06	~~0.00~~	7.9 ~~0.31~~	~~0.00~~	~~0.00~~	8.9 ~~0.35~~	17
18	~~0.00~~	4.3 ~~0.17~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	0.00	~~0.00~~	~~0.00~~	1.0 0.04	18
19	0.3 ~~0.01~~	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	3.3 ~~0.13~~	19
20	~~0.00~~	2.8 ~~0.11~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	5.6 ~~0.22~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	20
21	~~0.00~~	14.2 ~~0.56~~	~~0.00~~	~~0.00~~	~~0.00~~	20.1 ~~0.79~~	1.8 ~~0.07~~	4.6 ~~0.18~~	~~0.00~~	2.8 ~~0.11~~	1.5 0.06	4.1 ~~0.16~~	21
22	~~0.00~~	2.8 ~~0.10~~	~~0.00~~	~~0.00~~	3.8 ~~0.15~~	4.3 ~~0.17~~	~~0.00~~	0.5 ~~0.02~~	0.09	1.8 ~~0.07~~	~~0.00~~	~~0.00~~	22
23	~~0.00~~	~~0.00~~	2.3 ~~0.09~~	1.0 ~~0.04~~	4.7 ~~0.21~~	1.8 ~~0.07~~	0.3 ~~0.01~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	23
24	0.8 ~~0.03~~	~~0.00~~	12.2 ~~0.48~~	0.5 ~~0.02~~	1.5 ~~0.06~~	~~0.00~~	7.1 ~~0.28~~	6.1 ~~0.24~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	24
25	0.8 ~~0.03~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	10.7 ~~0.42~~	~~0.00~~	20.6 ~~0.81~~	0.8 0.03	16.6 ~~0.65~~	25
26	1.0 ~~0.04~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.5 ~~0.02~~	~~0.00~~	4.8 ~~0.19~~	2.8 0.11	6.3 ~~0.25~~	26
27	0.5 ~~0.02~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.8 ~~0.03~~	7.9 ~~0.31~~	19.8 ~~0.78~~	27
28	0.8 ~~0.03~~	2.3 ~~0.09~~	3.0 ~~0.12~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	0.3 ~~0.01~~	8.6 ~~0.34~~	~~0.00~~	28
29	0.5 ~~0.02~~		7.6 ~~0.30~~	2.5 ~~0.10~~	1.3 ~~0.05~~	~~0.00~~	~~0.00~~	1.5 ~~0.06~~	~~0.00~~	11.7 ~~0.46~~	4.6 ~~0.18~~	~~0.00~~	29
30	0.5 ~~0.02~~		6.3 ~~0.25~~	~~0.00~~	~~0.00~~	~~0.00~~	~~0.00~~	1.3 ~~0.05~~	~~0.00~~	1.3 ~~0.05~~	6.3 ~~0.25~~	8.4 ~~0.33~~	30
31	13.2 ~~0.52~~		3.0 ~~0.12~~		—		13.2 ~~0.52~~	~~0.00~~		8.6 ~~0.34~~		~~0.00~~	31 926.6
99 Total	59.5 2.34	68.4 2.69	91.0 3.56 3.56	37.3 1.47	25.3 1.02	70.0 2.76	103.9 4.08	58.3 2.29	39.9 1.57	54.0 2.13	136.6 5.42	182.4 7.17	YEAR'S TOTAL 36.50 ✓
Rain Days.	18	16	26	9	11	8	14	14	10	11	23	23	183

W. 8,000. X. 14.

cnd by Obr. 5.V.16

34608

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bradford

in the County of York

by H Lander (for the Bradford City Council)

Lat. 53° 49′ Long. 1° 46
Time of Observation 9. a.m
Nearest Railway Station Manningham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
16.6
millimetres

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	6.6 ~~0.26~~	6.8 0.27		—	3.8 ~~0.15~~	—	3.5	6.1	1.6	—	—	0.7	1
2	0.8 ~~0.02~~	5.8 ~~0.23~~	4.6 ~~0.18~~	7.1 ~~0.28~~	—	0.3	4.4	17.0	—	—	—	—	2
3	23.1 ~~0.91~~	—	—	2.0 ~~0.08~~	—	—	6.8	16.1	—	—	—	16.0	3
4	1.6 ~~0.04~~	1.0 0.04	—	—	4.1 ~~0.16~~	—	13.8	—	—	—	—	21.0	4
5	4.1 ~~0.16~~	4.8 ~~0.19~~	1.8 0.06	—	0.8 ~~0.02~~	0.5	—	0.3	—	0.5	0.4	24.7	5
6	4.1 ~~0.16~~	6.6 ~~0.26~~	3.8 ~~0.15~~	5.8 ~~0.23~~	—	—	13.0	—	—	—	—	6.2	6
7	9.7 ~~0.38~~	17.8 ~~0.70~~	—	8.6 ~~0.34~~	17.8 ~~0.70~~	—	2.9	13.0	—	—	—	6.7	7
8	4.1 ~~0.16~~	3.0 ~~0.12~~	—	6.3 ~~0.25~~	—	—	5.3	2.4	—	—	3.4	—	8
9	0.3 ~~0.01~~	0.8 ~~0.03~~	—	—	—	—	—	1.4	—	0.6	6.8	17.0	9
10	14.7 ~~0.58~~	—	—	—	—	—	—	7.1	—	—	—	10.2	10
11	2.0 ~~0.08~~	—	1.5 0.06	—	20.1 ~~0.79~~	—	1.2	3.0	—	3.0	5.2	3.5	11
12	1.8 ~~0.07~~		—	2.5 ~~0.10~~	2.3 ~~0.09~~	—	1.2	0.8	—	11.4	27.4	—	12
13	0.5 ~~0.02~~	18.0 ~~0.71~~	—	—	—	—	0.6	—	2.0	—	—	11.3	13
14	4.1 ~~0.16~~	—	—	—	0.3 ~~0.01~~	—	5.9	3.1	—	—	—	3.6	14
15	29.5 ~~1.16~~	—	—	—	—	—	—	2.1	0.2	—	0.8	6.6	15
16	—	11.2 ~~0.44~~	—	—	3.6 ~~0.14~~	—	19.0	11.8	—	0.6	—	—	16
17	—	7.9 ~~0.31~~	—	—	—	—	0.2	0.6	—	—	2.5	0.3	17
18	—	1.3 ~~0.05~~	7.9 ~~0.31~~	—	—	—	—	2.3	1.0	1.0	0.4	—	18
19	—	1.0 ~~0.04~~	—	0.3 ~~0.01~~	1.0 ~~0.04~~	—	7.4	0.8	1.0	—	—	—	19
20	3.8 ~~0.15~~	0.5 ~~0.02~~	0.5 ~~0.02~~	—	1.0 ~~0.04~~	—	1.2	—	—	—	—	6.5	20
21	3.3 ~~0.13~~	0.5 0.02	—	—	—	—	1.2	—	—	0.1	—	2.2	21
22	0.5 ~~0.02~~	—	2.8 ~~0.11~~	—	—	—	1.9	—	—	—	—	1.4	22
23	—	—	0.8 ~~0.03~~	—	—	—	10.2	—	—	4.4	—	3.4	23
24	—	—	3.6 ~~0.14~~	1.3 0.06	—	0.2	—	—	8.2	—	—	7.1	24
25	0.5 0.02		—	—	—	0.4	—	—	—	—	—	5.5	25
26	—	8.1 ~~0.32~~	—	—	—	1.2	8.5	—	—	—	—	15.1	26
27	—	6.3 ~~0.25~~	—	—	—	—	4.0	—	—	13.7	—	7.5	27
28	—	10.2 ~~0.40~~	—	—	1.5 ~~0.06~~	29.5	—	8.0	—	4.2	—	2.3	28
29	—	X	—	—	5.6 ~~0.22~~	26.3	—	—	—	—	4.7	17.8	29
30	2.5 ~~0.10~~	X	—	0.5 ~~0.02~~	—	3.6	0.4	—	—	—	—	0.4	30
31	2.5 ~~0.10~~	X	—	X	—	X	0.2	4.7	X	1.8	X	2.4	93 31
99 Total	119.5 ~~4.69~~	111.6 ~~4.40~~	27.3 ~~1.06~~	34.4 ~~1.37~~	61.9 ~~2.42~~	millimetres 62.0 2.44	112.8 4.44	100.6 3.96	14.0 ·55	41.3 1.62	51.6 2.03	196.4 7.73	YEAR'S TOTAL 933.4 36.71
Rain Days.	21	18	9	9	12	8	22	18	6	10	9	25	167

W. 8,000. X. 15.

Bradford Lister Park.

The L.P. averages suggested some o/shelter prior to 1935 i.e. summer month % of an. av. too small, winter too big + decades were not in step with others nearly.

The L.P. average was 34.09

Estimated average of Heaton Rd (1935–56 overlap) was 33.57 + these are given in Table III

Heaton which was homogeneous + would have been the obvious choice had monthly ~~tot~~ also only for some years + it was agreed that Lister Park should be used for wet or daily values.

	X		Ø	
Reported av.	in	%	Estimated in	% 1935-56
J	3.85	11.3	3.52	10.5
F	2.91	8.5	2.79	8.3
M	2.14	6.3	2.12	6.3
A	2.27	6.7	2.32	6.9
M	2.41	7.1	2.45	7.3
J	2.01	5.9	2.01	6.0
J	2.90	8.5	2.92	8.7
A	2.98	8.7	3.02	9.0
S	2.60	7.6	2.59	7.7
O	3.26	9.6	3.29	9.8
N	3.55	10.4	3.52	10.5
D	3.21	9.4	3.02	9.0
Y	34.09	100.0	33.57	100.0

There is a long note by Dr Glasspoole in Green File ~~stating~~ that records 1921–1931 had fallen off but that no one knew why – it should have been reliable. We shall never know why now unless it was thick coat of white paint all over gauge.

This ~~way~~ was why we make first Bradford

It looks as if you should use one set of av. to 34 (or 32) + another after this

X Ø

Exd E/

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Bradford
in the County of York WR
by H Lander

Lat. 53°.49′ Long. 1°.46′
Time of Observation 9. a.m
Nearest Railway Station Frizinghall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. Given in millimetres & tenths

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16.6	0.3	4.0	—	—	4.2	7.2	—	—	—	1.9	—	1
2	2.7	1.0	2.0	—	—	—	—	—	8.4	2.9	0.2	—	2
3	0.3	3.5	0.3	—	—	1.2	35.9	—	7.3	4.3	4.5	—	3
4	3.8	11.0	—	—	16.4	10.9	—	—	10.6	12.4	5.8	—	4
5	0.4	4.4	—	—	1.3	3.2	—	—	—	10.8	8.2	—	5
6	10.3	12.6	4.6	1.0	9.0	—	7.5	—	—	1.5	14.6	1.2	6
7	1.4	3.6	2.4	—	4.7	—	4.0	—	—	8.3	0.1	5.8	7
8	—	2.4	9.3	—	—	1.0	0.4	—	—	0.4	4.8	2.8	8
9	0.6	—	1.3	—	9.6	5.0	—	—	6.3	—	2.1	8.5	9
10	2.0	1.6	0.5	2.0	—	13.1	—	—	—	9.7	—	1.4	10
11	—	14.5	7.8	3.5	1.0	1.3	1.3	—	1.0	0.6	—	5.0	11
12	2.5	6.7	13.1	1.8	9.2	—	5.2	—	—	1.5	—	—	12
13	—	2.4	4.5	1.6	—	—	—	18.6	—	9.6	—	3.5	13
14	—	2.9	1.1	3.0	4.7	—	—	5.6	—	2.3	0.9	1.4	14
15	—	11.9	8.0	0.1	—	—	3.0	3.2	—	1.4	—	—	15
16	—	7.1	12.0	3.1	—	—	1.8	8.6	0.2	1.1	—	0.3	16
17	2.0	5.1	—	7.0	—	—	1.3	—	6.2	5.1	—	—	17
X 18	—	11.0	—	0.5	—	—	0.3	4.0	7.5	0.9	24.3	0.5	18
19	6.8	—	6.3	9.3	—	—	—	2.3	0.3	—	10.8	5.0	19
20	5.6	—	7.2	5.5	—	—	1.8	—	—	—	—	4.9	20
21	8.4	—	0.2	1.8	0.3	—	—	—	—	—	—	—	21
22	—	—	—	—	—	4.0	—	—	—	3.0	—	—	22
23	1.8	—	1.9	1.5	—	—	—	0.2	—	—	5.0	9.3	23
24	—	16.4	2.1	0.6	—	2.5	—	8.0	—	1.0	—	1.9	24
25	2.2	4.5	8.8	—	0.5	—	—	3.7	—	1.7	3.2	3.0	25
26	0.9	2.5	8.5	—	—	0.6	—	—	—	1.6	—	—	26
27	—	7.0	—	—	0.8	—	—	—	—	10.5	—	—	27
28	—	4.6	0.8	—	7.6	0.8	—	0.6	0.3	19.0	0.5	7.0	28
29	—	7.1	—	—	—	3.5	—	—	—	9.3	—	9.4	29
30	—	X	0.2	—	—	0.2	—	0.3	—	22.4	—	1.0	30
31	—	X	—	X	1.1	X	—	—	X	2.2	X	4.0	31
99 Total	68.3	144.1	106.9	42.3	66.2	51.5	69.7	55.1	48.1	153.5	86.9	75.9	YEAR'S TOTAL 968.5 ✓ 38.14
Rain Days	17	23	23	15	12	14	12	11	10	25	~~15~~ 14	19.0	195

W. 8,000, VIII. 16

No Bradford.
York

3217

REGISTER OF RAINFALL IN 1917

#4

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Bradford

in the County of York

by H Landes
for the Bradford Corporation

Lat. 53° 49" Long. 1° 46"
Time of Observation 9 a m
Nearest Railway Station Frizinghall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.3

Date 17	Jan. millimetres	Feb.	March,	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.2	—	—	3.5	—	17.9	—	4.0	6.3	—	6.9	6.5	1
2	5.2	—	—	5.3	—	1.9	—	0.3	—	0.2	—	—	2
3	1.1	—	—	1.1	—	3.4	—	0.7	—	6.1	1.	—	3
4	—	—	2.3	—	—	—	0.1	0.6	—	1.4	—	—	4
5	6.9	—	3.9	6.2	—	—	—	0.3	—	1.6	4.5	—	5
6	—	—	—	0.9	—	3.6	—	0.7	—	12.0	9.3	—	6
7	10.3	—	0.2	—	—	3.5	—	0.8	—	11.0	0.3	3.3	7
8	13.3	—	—	3.2	—	—	—	25.	0.3	16.5	2.	1.2	8
9	3.7	—	0.7	10.0	—	—	—	1.6	—	1.0	8.4	1.2	9
10	6.8	—	25.4	—	2.2	—	—	4.8	—	0.3	—	—	10
11	3.4	—	—	3.5	—	—	—	6.5	—	7.8	0.2	—	11
12	0.2	—	—	0.5	8.2	—	—	3.3	—	16.2	—	0.8	12
13	1.0	—	0.2	3.3	5.2	6.3	—	8.3	9.0	0.4	—	2.0	13
14	10.0	—	1.5	3.3	—	—	—	10.7	—	—	—	4.8	14
15	0.4	—	—	1.8	—	—	5.9	0.1	3.0	0.8	0.2	2.0	15
16	—	1.7	0.4	2.4	—	—	—	2.1	.2	—	—	17.0	16
17	1.0	2.3	—	3.2	15.0	—	1.0	20.8	·4	1.5	—	3.5	17
18	1.3	1.2	·7	0.4	2.6	—	9.2	2.4	1.7	—	—	1.0	18
19	0.6	3.4	6.9	—	11.2	3.8	—	1.1	—	—	—	—	19
20	1.3	4.3	·4	—	6.4	2.7	—	0.4	1.0	—	0.5	—	20
21	—	1.3	2.0	—	1.5	—	—	1.4	—	—	—	—	21
22	—	—	1.8	—	—	0.3	—	4.3	1.4	2.5	1.0	—	22
23	0.4	2.0	—	—	7.5	4.8	0.6	4.2	—	0.6	1.8	—	23
24	0.5	—	—	—	—	0.3	—	1.5	—	24.4	12.	0.4	24
25	—	0.4	1.5	—	—	—	—	2.0	—	17.8	0.8	—	25
26	—	—	—	—	—	0.2	—	17.5	1.9	13.	2.0	—	26
27	—	—	—	—	—	5.4	5.7	20.	—	1.2	1.9	1.5	27
28	—	—	8.5	—	—	—	0.5	2.3	—	0.7	3.4	—	28
29	—		1.9	—	4.4	—	6.4	0.2	—	7.6	16.6	3.5	29
30	—		4.5	—	—	—	—	1.4	—	6.2	1.3	1.0	30
31	—		(22.0)		0.1		0.2	3.0		0.6		1.1	31
99 Total	64.6	16.6	84.8	48.6	64.3	54.1	29.6	1118 (152.3)	25.2	1397 (~~151.4~~)	6.06 (~~74.1~~)	50.8	7507 YEAR'S TOTAL (~~816.4~~)
Rain Days.	19√	8	19	15	11	13	9	30 √	10	24	19	16	193

W. 8,000, IX. 17.

198

Cor. by obsr.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7. 1. 19

Kept at Bradford

in the County of York W

by H Landes F. R. Met. Soc

Lat. 53.49 Long. 1.46
Time of Observation 9 a.m.
Nearest Railway Station Frizinghall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st [illegible] in the space provided for it at the end of this paragraph. Full [illegible] of rain, the selection and placing of rain gauge [illegible] Rainfall Organization are given in "*Rules for Rai*[illegible] [illegible]cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 18.7 millimetres

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	Date.
1	0.3	1.3	1.5	0.3	2.8	—	—	—	6.8	1.5	3.1	1.1	1
2	0.4	1.4	—	0.4	—	—	—	—	2.1	0.4	—	4.8	2
3	—	0.5	0.5	—	14.6	—	—	3.1	—	1.4	1.9	0.2	3
4	0.3	1.3	0.3	—	—	—	—	0.7	13.0	3.4	9.6	9.3	4
5	—	—	1.4	1.0	5.9	—	—	13.2	—	4.0	1.2	0.1	5
6	1.8	18.5	6.5	5.0	0.2	2.0	—	3.6	0.2	3.6	—	1.4	6
7	—	2.5	—	1.4	—	—	—	—	4.3	6.2	4.6	—	7
8	—	5.6	2.8	—	—	—	4.9	—	12.2	3.5	1.4	0.2	8
9	6.0	22.4	0.3	3.2	—	0.7	—	—	24.5	3.8	1.3	1.0	9
10	0.5	15.3	—	—	—	—	11.7	—	5.1	0.5	3.5	1.2	10
11	5.2	1.6	0.1	—	8.2	—	1.5	0.5	2.0	0.3	—	1.9	11
12	—	2.6	0.9	1.0	~~0.4~~	—	15.3	—	1.1	—	—	2.0	12
13	0.3	0.6	—	1.0	3.0	0.4	—	—	11.0	1.5	—	0.3	13
14	7.8	—	—	—	—	2.0	3.8	—	12.4	1.0	—	3.4	14
15	2.5	—	—	—	—	1.0	20.5	—	30.5	—	0.5	13.0	15
16	—	—	—	—	—	5.0	6.7	0.5	5.0	—	—	6.7	16
17	5.5	—	—	—	8.5	0.2	2.6	1.1	3.5	7.5	—	8.6	17
18	12.2	—	2.2	—	—	1.3	7.7	—	10.3	—	—	3.5	18
19	6.0	0.4	5.0	1.5	—	1.2	12.0	0.7	8.9	4.5	—	14.2	19
20	7.6	11.8	—	4.6	—	0.5	35.0	—	3.8	0.5	0.5	—	20
21	6.4	15.0	—	—	13.0	2.2	—	—	4.9	4.1	—	0.5	21
22	2.0	0.5	—	—	9.2	3.5	7.5	—	0.3	0.2	—	21.2	22
23	0.2	—	—	—	27.6	—	6.8	—	2.0	—	0.3	2.3	23
24	—	0.3	—	—	—	—	2.2	2.4	1.5	—	0.8	—	24
25	—	—	—	—	—	11.5	3.2	8.2	3.3	0.2	—	—	25
26	—	1.3	—	—	—	—	0.2	0.2	6.2	—	5.2	2.9	26
27	—	2.5	6.4	—	—	—	—	6.1	20.7	—	4.5	7.2	27
28	—	1.6	7.7	—	—	—	—	4.4	2.2	—	1.5	16.0	28
29	—	X	0.2	—	—	—	—	—	2.4	—	—	4.2	29
30	—	X	9.8	—	—	—	—	1.4	0.1	—	—	7.0	30
31	—	X	2.2	X	—	X	—	1.2	X	—	X	—	31
99 Total	65.0	107.0	41.8	19.4	86.4	31.5	141.6	47.3	200.3	48.1	39.9	134.2	YEAR'S TOTAL 962.5
Rain Days.	17	20	15	10	11	13	[illegible]	15	27	19	15	26	203

14.6

W. 8,000, IX. 17.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bradford
in the County of York
by H Lander (for the Bradford City Council)

Lat. 53.49 Long. 1.46
Time of Observation 9. am
Nearest Railway Station Frizinghall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	18.7	—	—	—	9.4	—	5.2	0.2	6.8	4.5	0.2	2.5	1
2	5.7	0.5	5.2	—	1.3	—	6.0	0.2	0.1	—	0.9	0.8	2
3	29.0	—	—	—	1.6	2.8	26.4	—	1.5	—	6.4	8.4	3
4	11.0	—	4.4	—	0.2	0.2	1.3	3.3	4.3	—	0.8	2.4	4
5	6.5	0.8	—	—	1.5	—	—	—	—	0.5	0.9	6.8	5
6	1.1	—	5.8	—	22.7	—	—	—	—	—	0.2	2.0	6
7	1.4	—	2.9	0.2	2.4	—	—	—	0.2	—	2.0	—	7
8	5.1	—	—	0.4	0.3	0.6	—	0.2	0.4	—	0.2	—	8
9	12.1	—	0.2	0.2	—	0.1	—	—	—	—	0.3	—	9
10	0.2	—	8.5	0.7	8.5	—	—	—	—	—	0.1	11.1	10
11	—	—	18.0	1.0	1.4	—	1.5	—	—	—	—	—	11
12	—	—	13.5	3.0	—	7.9	3.9	—	—	0.1	0.2	—	12
13	4.5	—	0.3	10.0	—	—	0.2	0.9	—	7.7	—	0.6	13
14	3.6	—	—	6.6	—	—	1.0	1.1	—	—	0.3	3.0	14
15	3.4	3.8	—	3.2	—	—	—	0.2	—	—	—	13.1	15
16	2.8	19.2	—	1.0	—	0.1	—	—	—	—	3.5	—	16
17	—	2.2	—	—	—	3.1	—	2.9	—	—	11.2	—	17
18	—	—	3.2	—	1.0	—	1.1	7.9	1.3	—	—	7.0	18
19	1.5	6.8	47.5	—	—	1.6	25.6	2.1	0.5	—	12.6	—	19
20	18.4	2.5	24.2	—	—	0.5	6.6	0.4	0.3	—	4.5	5.5	20
21	2.5	7.2	—	—	—	0.3	4.5	—	—	—	0.2	7.0	21
22	—	—	1.0	—	—	0.6	—	0.6	4.0	—	0.3	11.0	22
23	—	3.0	1.1	0.9	—	0.9	—	—	—	17.3	3.0	3.0	23
24	2.0	—	—	2.0	1.4	0.4	0.3	1.0	5.3	6.0	2.1	12.0	24
25	3.2	1.1	—	10.0	—	0.3	—	16.4	1.3	—	7.7	—	25
26	0.5	0.1	16.0	0.5	—	0.4	—	8.0	1.2	—	1.0	20.0	26
27	3.7	—	1.2	5.8	—	—	—	0.3	—	—	0.6	1.4	27
28	0.1	—	—	2.6	—	—	—	15.1	—	1.4	—	14.7	28
29	1.5		—	—	—	—	—	0.4	—	18.5	—	3.1	29
30	0.3	☒	1.3	0.2	—	3.3	—	—	—	1.1	10.7	8.0	30
31	0.4	☒	0.7	☒	—	☒	2.5	—	☒	0.8	☒	—	31
TOTAL	139.2	47.2	155.0	48.3	51.7	23.1	86.1	61.2	27.2	57.9	69.9	143.4	YEAR'S TOTAL 910.2
Days with 0·2 mm. or more	24	10	18	17	12	14	14	18	12	9	23	21	192

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Ex. Cat. 4/2/20

3052

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bradford [M.O]
in the County of Yorkshire
by H. Lander, for the Corporation

Lat 53°49'N Long 1°46'W.
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	18.7	-	-	-	9.4	-	5.2	0.2	6.8	4.5	0.2	2.5	1
2	5.7	0.5	5.2	-	1.3	-	6.0	0.2	0.1	-	0.9	0.8	2
3	29.0	-	-	-	1.6	2.8	26.4	-	1.5	-	6.4	8.4	3
4	11.0	-	4.4	-	0.2	0.2	1.3	3.3	4.3	-	0.8	2.4	4
5	6.5	0.8	-	-	1.5	-	-	-	-	0.5	0.9	6.8	5
6	1.1	-	5.8	-	22.7	-	-	-	-	-	0.2	2.0	6
7	1.4	-	2.9	0.2	2.4	-	-	-	0.2	-	2.0	-	7
8	5.1	-	-	0.4	0.3	0.6	-	0.2	0.4	-	0.2	-	8
9	12.1	-	0.2	0.2	-	0.1	-	-	-	-	0.3	-	9
10	0.2	-	8.5	0.7	8.5	-	-	-	-	-	0.1	11.1	10
11	-	-	18.0	1.0	1.4	-	1.5	-	-	-	-	-	11
12	-	-	13.5	3.0	-	7.9	3.9	-	-	0.1	0.2	-	12
13	4.5	-	0.3	10.0	-	-	0.2	0.9	-	7.7	-	0.6	13
14	3.6	-	-	6.6	-	-	1.0	1.1	-	-	0.3	3.0	14
15	3.4	3.8	-	3.2	-	-	-	0.2	-	-	-	13.1	15
16	2.8	19.2	-	1.0	-	0.1	-	-	-	-	3.5	-	16
17	-	2.2	-	-	-	3.1	-	2.9	-	-	11.2	-	17
18	-	-	3.2	-	1.0	-	1.1	7.9	1.3	-	-	7.0	18
19	1.5	6.8	47.5	-	-	1.6	25.6	2.1	0.5	-	12.6	-	19
20	18.4	2.5	24.2	-	-	0.5	6.6	0.4	0.3	-	4.5	5.5	20
21	2.5	7.2	-	-	-	0.3	4.5	-	-	-	0.2	7.0	21
22	-	-	1.0	-	-	0.6	-	0.6	4.0	-	0.3	11.0	22
23	-	3.0	1.1	0.9	-	0.9	-	-	-	17.3	3.0	3.0	23
24	2.0	-	-	2.0	1.4	0.4	0.3	1.0	5.3	6.0	2.1	12.0	24
25	3.2	1.1	-	10.0	-	0.3	-	16.4	1.3	-	7.7	-	25
26	0.5	0.1	16.0	0.5	-	0.4	-	8.0	1.2	-	1.0	20.0	26
27	3.7	-	1.2	5.8	-	-	-	0.3	-	-	0.6	1.4	27
28	0.1	-	-	2.6	-	-	-	15.1	-	1.4	-	14.7	28
29	1.5		-	-	-	-	-	0.4	-	18.5	-	3.1	29
30	0.3		1.3	0.2	-	3.3	-	-	-	1.1	10.7	8.0	30
31	0.4		0.7		-		2.5	-		0.8		-	31
99 TOTAL	139.2	47.2	155.0	48.3	51.7	23.1 23.2	86.1	61.2	27.2	57.9	69.9	143.4	YEAR'S TOTAL 910.2 ✓
Days with 0·2 mm. or more	24	10	18	17	12	14	14	18	12	9	23	21	192 ✓

905

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from MO 3203

[illegible] 2938

FORM A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Bradford
in the County of York
by H Lander

Lat. 53.49 Long. 1.46
Time of Observation 9 am
Nearest Railway Station Frizinghall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 18.0

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	–	1.1	6.5	17.6	0.3	15.9	0.5	1.9	2.6	3.7	2.5	1
2	–	–	–	4.6	1.2	–	20.9	0.1	6.5	12.0	–	9.4	2
3	0.6	–	0.2	0.5	1.0	0.4	27.7	0.1	2.5	5.1	–	10 2	3
4	1.0	–	–	1.3	3.3	–	8.5	27.1	0.2	15.9	–	~~1.0~~ 1.0	4
5	–	–	1.0	–	1.6	–	1.7	2.3	1.2	4.4	–	0.7	5
6	–	–	6.2	3.9	2.4	–	0.2	–	–	–	0.2	1.8	6
7	3.9	1.0	3.5	1.0	1.7	–	12.5	–	– –	–	–	–	7
8	2.0	2.3	1.1	7.8	2.0	–	12.9	2.4	–	0.1	0.6	–	8
9	6.5	17.5	–	12.2	[illegible]	&	0.2	0.3	0.2	0.3	0.3	–	9
10	17.5	21.8	–	7.0	[illegible]	–	7.8	2.6	–	–	–	–	10
11	14.0	0.7	1.7	6.4	6.8	4.8	–	0.2	£ –	–	–	0.8	11
12	3.5	2.5	7.2	10.0	0.2	–	–	0.3	–	–	–	0.8	12
13	3.0	4.6	3.0	2.9	1.3	8.8	–	–	–	–	3.5	10.0	13
14	1.0	1.2	5.6	7.2	[illegible]	6.5	1.0	–	4.5	4.1	11.8	1.3	14
15	0.2	4.1	0.8	6.9	[illegible]	–	–	–	–	21.0	3.5	–	15
16	1.0	–	0.4	–	0.6	–	15.6	–	1.8	–	8.2	–	16
17	2.0	–	0.2	–	3.5	–	–	2.1	8.2	–	–	–	17
18	3.6	–	1.5	1.5	9.5	–	0.8	–	0.3	–	–	–	18
19	2.9	13.9	–	3.0	2.0	4.0	–	2.4	0.2	–	–	–	19
20	0.7	–	–	5.9	[illegible]	1.4	2.6	–	–	0.4	–	0.3	20
21	–	–	–	1.2	[illegible]	–	10.9	1.0	0.1	–	–	2.8	21
22	2.6	–	–	8.8	[illegible]	1.4	4.3	0.4	–	0.2	–	2.2	22
23	0.2	–	–	0.2	[illegible]	–	7.1	0.2	–	–	0.5	9.7	23
24	1.4	–	15.1	1.0	[illegible]	–	4.5	–	–	–	–	3.6	24
25	0.3	0.8	0.3	–	–	–	18.6	–	–	0.2	–	9.1	25
26	2.0	1.9	9.0	4.0	5.7	@	0.8	0.7	0.3	–	0.9	[illegible]	26
27	2.2	0.6	–	1.3	7.5	23.1	–	–	–	–	9.3	1.9	27
28	28.4	0.2	3.8	1.4	2.5	3.0	–	–	0.4	–	0.1	5.4	28
29	4.0	–	4.2	0.3	26.0	0.3	227	–	–	0.2	5.8	19.6	29
30	6.8	╳	0.4	0.3	1.4	2.0	–	–	8.7	–	3.0	9.9	30
31	6.0	╳	3.0	╳	0.3	╳	–	–	╳	14.5	╳	2.9	31
TOTAL	117.3 ~~116.3~~	73.1	69.3	107,1	92.1	56.0	177.2	42.7	37.0	81.0	51.4	97.0	YEAR'S TOTAL 1001.2 ~~1000.2~~
Days with 0·2 mm. or more	26	14	21	26	21	12	21	~~16~~ 14	14	13	13	20 ~~16~~	215
Days with 1·0 mm. or more	21	10	15	22	17	9	17	7	8	8	8	16	158

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

~~W~~ Apl [illegible]

2938

Form A.2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bradford (MO)
in the County of Yorkshire
by H. Lander, for the Corporation

Lat. 53°49'N Long. 1°46'W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 439 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	1.1	6.5	17.6	0.3	15.9	0.5	1.9	2.6	3.7	2.5	1
2	-	-	-	4.6	1.2	-	20.9	0.1	6.5	12.0	-	9.4	2
3	0.6	-	0.2	0.5	1.0	0.4	27.7	0.1	2.5	5.1	-	10.2	3
4	1.0	-	-	1.3	3.3	-	8.5	27.1	0.2	15.9	-	1.0	4
5	-	-	1.0	-	1.6	-	1.7	2.3	1.2	4.4	-	0.7	5
6	-	-	6.2	3.9	2.4	-	0.2	-	-	-	0.2	1.8	6
7	3.9	1.0	3.5	1.0	1.7	-	12.5	-	-	-	-	-	7
8	2.0	2.3	1.1	7.8	2.0	-	12.9	2.4	-	0.1	0.6	-	8
9	6.5	17.5	-	12.2	-	-	0.2	0.3	0.2	0.3	0.3	-	9
10	17.5	21.8	-	7.0	-	-	7.8	2.6	-	-	-	-	10
11	14.0	0.7	1.7	6.4	0.8	4.8	-	0.2	-	-	-	0.8	11
12	3.5	2.5	7.2	10.0	0.2	-	-	0.3	-	-	-	0.8	12
13	3.0	4.6	3.0	2.9	1.3	8.8	-	-	-	-	3.5	10.0	13
14	1.0	1.2	5.6	7.2	-	6.5	1.0	-	4.5	4.1	11.8	1.3	14
15	0.2	4.1	0.8	6.9	-	-	-	-	-	21.0	3.5	-	15
16	1.0	-	0.4	-	0.6	-	15.6	-	1.8	-	8.2	-	16
17	2.0	-	0.2	-	3.5	-	-	2.1	8.2	-	-	-	17
18	3.6	-	1.5	1.5	9.5	-	0.8	-	0.3	-	-	-	18
19	2.9	13.9	-	3.0	2.0	4.0	-	2.4	0.2	-	-	-	19
20	0.7	-	-	5.9	-	1.4	26	-	-	0.4	-	0.3	20
21	-	-	-	1.2	-	-	10.9	1.0	0.1	-	-	2.8	21
22	2.6	-	-	8.8	-	1.4	4.3	0.4	-	0.2	-	2.2	22
23	0.2	-	-	0.2	-	-	7.1	0.2	-	-	0.5	9.7	23
24	1.4	-	15.1	1.6	-	-	4.5	-	-	-	-	3.6	24
25	0.3	0.8	0.3	-	-	-	18.6	-	-	0.2	-	0.1	25
26	2.0	1.9	9.0	4.0	5.7	-	0.8	0.7	0.3	-	0.9	0.1	26
27	2.2	0.6	-	1.3	7.5	23.1	-	-	-	-	9.3	1.9	27
28	28.4	0.2	3.8	1.4	2.5	3.0	-	-	0.4	-	0.1	5.4	28
29	4.0	-	4.2	0.3	26.0	0.3	2.7	-	-	0.2	5.8	19.6	29
30	6.8		0.4	0.3	1.4	2.0	-	-	8.7	-	3.0	9.9	30
31	6.0		3.0		0.3		-	-		14.5		2.9	31
99 TOTAL	11~~6~~7.3	73.1	69.3	107.1	92.1	56.0	177.9	42.7	37.0	81.0	51.4	97.0	YEAR'S TOTAL 1001.2 ~~1000.2~~
Days with 0·2 mm. or more	26	14	21	26	21	12	21	14	14	13	13	20	215
	21	10	15	22	17	9	17	7	8	8	8	16	158

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3203

BRANSBY
-SCHOOL
YORKSHIRE

1917 - 18

FORM A.
BRITISH RAINFALL.
2. JAN 1918

REC

Kept at Brands

in the County of Yor

by Alfred G.

ling

5" in.

und 1 ft. – in.

Level 297½ ft.

IMPORTANT NO … result entered to the previous day. If an … rule, he is earnestly requested to add the re … the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Not Recorded

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·09	·24	–	·16	·05	1
2								·04	·02	–	–	–	2
3								·02	–	·02	·01	–	3
4								–	–	·18	·04	–	4
5								–	–	–	·17	·03	5
6								·01	–	·06	·09	–	6
7								·02	–	·47	–	·14	7
8								1·87	·01	·49	·09	–	8
9								·34	–	·01	·36	·08	9
10							–	·08	–	·08	·20	–	10
11							–	·17	–	·33	·01	–	11
12							–	·34	–	·66	–	·01	12
13							–	·38	·12	·10	–	·12	13
14							–	·29	–	·02	–	·02	14
15							·16	·02	–	·02	–	·35	15
16							–	·14	–	–	–	·33	16
17							·02	·57	–	·01	–	·12	17
18							·36	·04	·13	–	–	–	18
19							–	–	–	–	–	·02	19
20							·06	·02	·02	–	·51	–	20
21							–	·10	·04	·02	–	–	21
22							–	·09	·02	·01	–	–	22
23							·05	·25	–	·04	–	–	23
24							–	·10	·01	·22	·07	·01	24
25							·14	·06	·01	·20	–	·15	25
26							–	·65	·07	·21	·30	·05	26
27							·20	·50	–	·02	–	·04	27
28							·13	·53	–	·03	·01	–	28
29							·06	–	–	·29	·03	·02	29
30		×					–	–	–	–	·11	·02	30
31		×		×		×	·02	·03	×	–	×	·08	31
Total							incomplete	6·75	·69	3·49 ~~3·58~~	2·16 ✓	1·64 ✓	YEAR'S TOTAL incomplete
Rain Days.			Not Recorded.				10/22	26 ✓	11 ✓	22 ✓	15 ✓	18 ✓	

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.
2. JAN 1918

Kept at Brandsby. (Easingwold)
in the County of Yorkshire, N.R.
by Alfred G. Frost

Lat. 54°8'30" Long. 1°5'W
Time of Observation 9 a.m.
Nearest Railway Station Gilling
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 297½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·09	·24	–	·16	·05	1
2								·04	·02	–	–	–	2
3								·02	–	·02	·01	–	3
4								–	–	·18	·04	–	4
5								–	–	–	·17	·03	5
6								·01	–	·06	·09	–	6
7								·02	–	·47	–	·14	7
8								1·87	·01	·49	·09	–	8
9								·34	–	·01	·36	·08	9
10							–	·08	–	·08	·20	–	10
11							–	·17	–	·33	·01	–	11
12							–	·34	–	·66	–	·01	12
13			Not Recorded				–	·38	·12	·10	–	·12	13
14							–	·29	–	·02	–	·02	14
15							·16	·02	–	·02	–	·35	15
16							–	·14	–	–	–	·33	16
17							·02	·57	–	·01	–	·12	17
18							·36	·04	·13	–	–	–	18
19							–	–	–	–	–	·02	19
20							·06	·02	·02	–	·51	–	20
21							–	·10	·04	·02	–	–	21
22							–	·09	·02	·01	–	–	22
23							·05	·25	–	·04	–	–	23
24							–	·10	·01	·22	·07	·01	24
25							·14	·06	·01	·20	–	·15	25
26							–	·65	·07	·21	·30	·05	26
27							·20	·50	–	·02	–	·04	27
28							·13	·53	–	·03	·01	–	28
29							·06	–	–	·29	·03	·02	29
30		✕					–	–	–	–	·11	·02	30
31		✕		✕		✕	·02	·03	✕	–	✕	·08	31
Total							incomplete	6·75	·69	3·49 ~~3·58~~	2·16 ✓	1·64 ✓	YEAR'S TOTAL incomplete
Rain Days.		Not Recorded.					10/22	26 ✓	11 ✓	22 ✓	15 ✓	18 ✓	

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
14. 1 19

Kept at BRANDSBY
in the County of NORTH RIDING YORKS
by A. G. Frost

Lat. 54°8'30"N Long. 1°5'W
Time of Observation 9·0 a.m.
Nearest Railway Station Easingwold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·08	·14	·01	–	–	–	–	·14	·05	·27	·10	1
2	·09	·25	·02	·07	–	–	–	–	·11	·02		·26	2
3	·02	·05	·06	–	·30	–	·03	·08	–	·04	·38	·01	3
4	–	·03	·06	–	·11	–	–	·27	·27	·03	·24	·50	4
5	–	–	·03	·07	·24	–	–	·61	·01	·15	–	–	5
6	·02	·44	–	·42	–	·33	–	·24	·06	·04	–	·01	6
7	·20	·01	–	·10	–	·02	–	–		·03	·24	–	7
8	·03	·12	·09	–	–	–	·35	·02	·12	·08	–	·01	8
9	–	·40	·01	·03	–	·05	–	–	·89	·47	·11	·05	9
10	–	·01	–	·02	–	–	·05	–	·04	–	·02	·03	10
11	·20	·05	–	–	·31	–	·15	·07	·02	–	–	·09	11
12	–	·15	·09	–	·03	–	·32	–	·07	·07	–	·02	12
13	–	·01	–	·08	·16	–	–	–	·26	·18	·01	–	13
14	·26	–	–	·05	–	–	·02	–	·37	·05	–	·22	14
15	·11	–	–	–	·01	·07	·31	–	·74	–	–	·56	15
16	–	–	–	–	–	·18	·08	·10	·19	–	–	·28	16
17	·35	–	–	–	·95	·17	·47	·17	–	·13	–	·23	17
18	·43	–	·02	·09	–	·02	·12	–	·48	·01	–	·09	18
19	·27	–	·05	·08	–	–	·25	·14	·05	·14	–	–	19
20	·13	·44	–	·17	·01	·08	·11	–	·11	·05	–	·01	20
21	·18	·02	–	–	·66	·01	·04	–	·13	·12	–	–	21
22	·01	–	–	·01	·04	·09	·06	–	–	·01	–	·39	22
23	·12	–	–	–	·29	–	·28	–	–	–	·02	–	23
24	–	·09	–	–	–	–	·12	·03	·26	·06	–	–	24
25	–	–	·03	–	·01	–	·03	·22	·03	–	·02	·03	25
26	–	·01	–	–	–	–	·18	·01	·27	·04	·11	·09	26
27	–	·05	·11	–	–	·01	·01	·43	·23	–	·10	·12	27
28	–	·21	·46	–	–	–	–	–	–	–	·08	·37	28
29	–		·28	–	–	–	–	·03	·17	–	·03	·09	29
30	·01		·03	·01	–	–	–	·01	·16	–	·08	·34	30
31	–		·14		–		–	·03		–		·10	31
Total	2·52	2·42	1·62	1·21	~~2·92~~ 3·12	1·03	2·98	2·46	5·18	1·77	1·71	3·99	YEAR'S TOTAL ~~29·81~~ 30·01
Rain Days.	17	18	16	14	13	11	19	16	24	20	14	24	206

BRANSDALE

YORK

1916

REC

Kept at Bran ... W

in the County of Y ... y Moorside

by Rev. H ... e 5 in.

und 1 ft. – in.

Level 800 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NO ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2									·17				2
3													3
4											·86		4
5								·01					5
6													6
7										1·79			7
8													8
9									·70			·78	9
10													10
11											·68		11
12								·10					12
13													13
14										·89			14
15													15
16									·30			1·26	16
17													17
18											·97		18
19								1·34					19
20													20
21										·49			21
22													22
23									·69				23
24												·85	24
25													25
26								·67					26
27													27
28										1·09			28
29													29
30		X							·03		1·22	·36	30
31		X		X		X		·11	X	1·00	X	·01	31
Total								2·23	1·89	5·26	3·73	3·26	YEAR'S TOTAL
Rain Days.								—	—	—	—	—	

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19·9

FORM A.
BRITISH RAINFALL.

9 JAN 19

Kept at Bransdale
in the County of York NR
by Rev. H. G. Pegg

Lat. 54·23 Long. 1° 3′ W
Time of Observation weekly
Nearest Railway Station Kirkby Moorside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following: ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2									·17				2
3													3
4											·86		4
5								·01					5
6													6
7										1·79			7
8													8
9									·70			·78	9
10													10
11											·68		11
12								·10					12
13													13
14										·89			14
15													15
16									·30			1·26	16
17													17
18											·97		18
19								1·34					19
20													20
21										·49			21
22													22
23									·69				23
24												·85	24
25													25
26								·67					26
27													27
28										1·09			28
29													29
30		×							·03		1·22	·36	30
31		×		×		×		·11	×	1·00	×	·01	31
Total								2·23	1·89	5·26	3·73	3·26	YEAR'S TOTAL
Rain Days								—	—	—	—	—	

W. 8,000, VIII. 16

BRIDLINGTON.

CORP. NURSERIES

YORKS

1911 – 1920

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

RE … 11

Kept at Bridling… … wden

… 5 in.

in the County of York… … e Ground 1 ft. — in.

… Sea Level 60 ft.

by G R Crofts … A.M.

… Name Bridlington

… Distance ¼ mile Direction S.S.E.

IMPORTANT NOT… the result entered to the previous day. If an Ob… versal rule, he is earnestly requested to add the read… year in the space provided for it at the end of this… ment of rain, the selection and placin… ritish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·33	- -	- -	- -	- -	- -	0·12	0·41	- -	0·06	- -	0·05	1
2	0·17	- -	0·02	0·02	0·05	- -	0·26	- -	- -	0·01	- -	0·12	2
3	0·05	0·02	- -	0·05	0·10	- -	- -	0·20	- -	0·16	0·03	- -	3
4	0·04	0·01	0·09	0·18	- -	- -	- -	0·05	0·03	0·11	0·15	0·23	4
5	0·10	- -	- -	0·03	0·05	- -	- -	0·06	- -	0·15	- -	0·07	5
6	0·18	- -	0·03	- -	- -	- -	- -	0·10	- -	0·06	0·03	0·31	6
7	0·01	0·02	0·01	- -	- -	- -	- -	- -	- -	- -	0·01	0·03	7
8	0·03	- -	0·10	- -	- -	0·04	- -	- -	0·08	- -	0·01	0·11	8
9	- -	- -	0·03	0·04	- -	- -	- -	- -	- -	0·01	- -	0·05	9
10	0·01	0·06	0·04	- -	- -	- -	- -	- -	- -	- -	0·27	0·41	10
11	0·38	0·01	- -	- -	0·11	- -	- -	- -	- -	- -	0·20	0·05	11
12	0·10	- -	0·16	- -	0·02	0·25	- -	- -	0·36	- -	0·08	0·01	12
13	0·07	- -	0·37	- -	- -	0·44	- -	- -	0·06	- -	0·02	0·19	13
14	- -	0·09	0·54	- -	0·09	- -	0·02	- -	0·05	- -	0·03	0·38	14
15	- -	0·17	0·22	- -	- -	- -	- -	- -	0·04	0·01	0·15	0·21	15
16	- -	0·01	0·18	- -	- -	0·02	0·12	- -	0·04	- -	0·13	0·10	16
17	- -	- -	0·05	- -	- -	0·04	0·02	- -	- -	- -	0·22	0·27	17
18	- -	0·03	0·02	- -	- -	0·29	- -	- -	- -	- -	0·78	0·04	18
19	- -	- -	0·02	- -	0·02	0·05	0·02	0·15	0·08	0·03	0·54	- -	19
20	0·01	0·02	- -	0·08	- -	0·05	0·09	0·95	0·30	0·01	0·10	0·41	20
21	- -	0·25	- -	- -	- -	- -	- -	0·08	- -	0·03	0·14	- -	21
22	0·09	- -	- -	0·01	- -	- -	- -	0·44	- -	0·09	0·08	0·01	22
23	- -	0·11	- -	0·04	- -	0·74	- -	0·01	0·80	0·07	0·01	0·11	23
24	- -	- -	0·09	0·05	- -	1·18	- -	- -	- -	0·11	- -	0·13	24
25	- -	0·04	- -	0·06	- -	0·40	- -	- -	0·24	- -	0·03	0·11	25
26	- -	- -	- -	0·12	- -	- -	0·15	- -	- -	0·41	0·45	0·12	26
27	- -	0·08	0·10	0·09	- -	- -	0·05	0·45	0·31	0·04	0·03	0·06	27
28	0·01	0·02	0·01	0·24	- -	- -	- -	0·02	- -	0·06	0·01	0·04	28
29	- -		0·01	- -	0·45	0·01	0·14	- -	0·48	0·39	- -	0·03	29
30	- -		- -	- -	0·20	0·04	- -	- -	0·25	0·07	- -	0·01	30
31	- -		- -				- -	- -		0·08		0·04	31
Total	1·58	0·94	2·09	1·01	1·09	3·55	0·99	2·92	3·12	1·96 1·96	3·50	3·70	TOTAL for Year 26·45 26·45
No. of Rain Days.	15	15	19	13	9	13	10	12	14	20	23	28	191

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bridlington

in the County of Yorkshire "East Riding" 4

by J. R. Crofts

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 60 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Bridlington
Distance 1/4 mile Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·33	- -	- -	- -	- -	- -	0·12	0·41	- -	0·06	- -	0·05	1
2	0·17	- -	0·02	0·02	0·05	- -	0·26	- -	- -	0·01	- -	0·12	2
3	0·05	0·02	- -	0·05	0·10	- -	- -	0·20	- -	0·16	0·03	- -	3
4	0·04	0·01	0·09	0·18	- -	- -	- -	0·05	0·03	0·11	0·15	0·23	4
5	0·10	- -	- -	0·03	0·05	- -	- -	0·06	- -	0·15	- -	0·07	5
6	0·18	- -	0·03	- -	- -	- -	- -	0·10	- -	0·06	0·03	0·31	6
7	0·01	0·02	0·01	- -	- -	- -	- -	- -	- -	- -	0·01	0·03	7
8	0·03	- -	0·10	- -	- -	0·04	- -	- -	0·08	- -	0·01	0·11	8
9	- -	- -	0·03	0·04	- -	- -	- -	- -	- -	0·01	- -	0·05	9
10	0·01	0·06	0·04	- -	- -	- -	- -	- -	- -	- -	0·27	0·41	10
11	0·38	0·01	- -	- -	0·11	- -	- -	- -	- -	- -	0·20	0·05	11
12	0·10	- -	0·16	- -	0·02	0·25	- -	- -	0·36	- -	0·08	0·01	12
13	0·07	- -	0·37	- -	- -	0·44	- -	- -	0·06	- -	0·02	0·19	13
14	- -	0·09	0·54	- -	0·09	- -	0·02	- -	0·05	- -	0·03	0·38	14
15	- -	0·17	0·22	- -	- -	- -	- -	- -	0·04	0·01	0·15	0·21	15
16	- -	0·01	0·18	- -	- -	0·02	0·12	- -	0·04	- -	0·13	0·10	16
17	- -	- -	0·05	- -	- -	0·04	0·02	- -	- -	- -	0·22	0·27	17
18	- -	0·03	0·02	- -	- -	0·29	- -	- -	- -	- -	0·78	0·04	18
19	- -	- -	0·02	- -	0·02	0·05	0·02	0·15	0·08	0·03	0·54	- -	19
20	0·01	0·02	- -	0·08	- -	0·05	0·09	0·95	0·30	0·01	0·10	0·41	20
21	- -	0·25	- -	- -	- -	- -	- -	0·08	- -	0·03	0·14	- -	21
22	0·09	- -	- -	0·01	- -	- -	- -	0·44	- -	0·09	0·08	0·01	22
23	- -	0·11	- -	0·04	- -	0·74	- -	0·01	0·80	0·07	0·01	0·11	23
24	- -	- -	0·09	0·05	- -	1·18	- -	- -	- -	0·11	- -	0·13	24
25	- -	0·04	- -	0·06	- -	0·40	- -	- -	0·24	- -	0·03	0·11	25
26	- -	- -	- -	0·12	- -	- -	0·15	- -	- -	0·41	0·45	0·12	26
27	- -	0·08	0·10	0·09	- -	- -	0·05	0·45	0·31	0·04	0·03	0·06	27
28	0·01	0·02	0·01	0·24	- -	- -	- -	0·02	- -	0·06	0·01	0·04	28
29	- -		0·01	- -	0·45	0·01	0·14	- -	0·48	0·39	- -	0·03	29
30	- -		- -	- -	0·20	0·04	- -	- -	0·25	0·07	- -	0·01	30
31	- -		- -		- -		- -	- -		0·08		0·04	31
Total	1·58	0·94	2·09	1·01	1·09	3·55	0·99	2·92	3·12	1·96 1.96	3·50	3·70	TOTAL for Year 26·45 26·45
No. of Rain Days.	15	15	19	13	9	13	10	12	14	20	23	28	191

W. 8,000, X. '11.

Ex M L

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Bridlington

in the County of Yorkshire E4

by G. R. Crofts

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. = in.
" " " Sea Level 59 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Bridlington
Distance 600 yds Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	0.11	0.04	0.02	nil	0.25	0.14	0.12	0.03	0.03	nil	0.15	1
2	–	0.07	0.04	0.01	– –	0.12	0.40	0.12	– –	0.20	0.05	– –	2
3	0.12	0.10	– –	– –	– –	0.85	– –	0.14	0.07	0.05	– –	0.12	3
4	0.24	– –	0.30	– –	0.03	0.41	– –	0.13	0.03	– –	0.29	– –	4
5	0.04	– –	– –	– –	0.16	0.17	– –	– –	– –	– –	– –	– –	5
6	0.70	0.11	0.05	– –	0.02	0.09	0.04	0.26	0.09	– –	– –	0.02	6
7	0.23	0.06	0.01	– –	0.06	0.01	0.01	0.09	0.20	– –	– –	– –	7
8	0.02	0.15	0.20	0.02	– –	0.03	– –	– –	0.26	– –	0.15	0.01	8
9	0.11	0.11	0.07	0.12	– –	– –	– –	– –	0.30	– –	– –	0.01	9
10	– –	– –	0.01	– –	0.02	0.19	– –	0.03	0.13	– –	0.08	– –	10
11	0.15	0.01	– –	– –	– –	– –	– –	0.05	0.02	– –	0.21	0.53	11
12	0.04	0.04	0.03	– –	– –	0.43	0.31	0.02	– –	– –	0.81	– –	12
13	0.04	0.09	– –	– –	– –	0.17	– –	0.03	– –	0.12	0.20	0.02	13
14	0.08	– –	0.40	– –	– –	0.16	– –	0.08	0.03	– –	0.10	0.03	14
15	– –	0.02	0.34	– –	0.44	0.10	– –	– –	– –	0.02	0.02	0.01	15
16	0.05	– –	0.12	– –	0.19	0.06	– –	0.03	– –	0.02	– –	– –	16
17	– –	0.02	0.19	– –	– –	0.37	– –	0.22	– –	– –	– –	0.07	17
18	0.18	– –	0.06	– –	– –	0.01	0.09	– –	– –	0.03	– –	0.03	18
19	0.24	0.33	– –	– –	– –	– –	0.36	0.28	0.01	0.06	0.02	– –	19
20	0.07	0.09	0.03	– –	0.35	– –	0.57	– –	– –	0.28	– –	– –	20
21	– –	– –	0.28	– –	0.25	– –	0.03	– –	– –	0.04	0.01	– –	21
22	0.02	0.10	0.02	– –	1.60	0.11	– –	0.12	– –	– –	– –	0.11	22
23	0.02	– –	0.10	– –	0.04	– –	– –	0.40	– –	0.07	0.05	– –	23
24	0.35	– –	0.02	– –	– –	0.10	0.09	– –	– –	– –	– –	0.11	24
25	0.29	– –	~~[illegible]~~	– –	– –	0.28	0.07	0.11	– –	– –	0.08	0.04	25
26	0.11	0.07	0.01	– –	– –	0.09	0.12	0.75	– –	0.82	0.09	0.23	26
27	– –	– –	0.02	– –	– –	0.11	0.01	0.02	– –	0.49	0.05	0.12	27
28	– –	– –	– –	– –	– –	0.15	0.03	0.55	0.07	0.26	0.39	0.04	28
29	– –	0.04	0.05	0.02	– –	0.04	0.11	0.02	0.61	0.07	0.12	0.02	29
30	0.04		0.10	0.02	– –	0.04	– –	0.03	0.28	0.12	– –	0.01	30
31	0.01		0.13		0.06		0.55	0.18		0.23		– –	31
Total	3.15	1.52	2.62	0.21	3.22	4.34	2.93	3.78	2.13	2.91	2.72	1.68	TOTAL for year 31.21
No. of Rain Days.	22.	17	24	6	12	24	16	23	14	17	17	19	211

W. 8,000, X. '11.

Written 14.4.14

Cop for arith 13.IV.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

6 - JAN 1914

Kept at Bridlington

in the County of Yorkshire

F 4

by J K Crofts

Lat. 54° 5" N Long. 0° 12" W

Time of Observation 9 A. M

Nearest Railway Station Bridlington

Diameter of Rain Gauge ~~Six~~ 5" in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	– –	– –	0·12	0·15	– –	– –	– –	– –	0·18	– –	0·03	– –	1
2	0·01	0·05	0·10	– –	– –	0·01	– –	– –	– –	– –	0·05	– –	2
3	– –	0·02	0·04	– –	0·04	– –	– –	– –	– –	0·18	– –	– –	3
4	0·47	– –	– –	– –	– –	0·03	0·09	– –	0·04	0·61	0·24	0·31	4
5	0·01	– –	0·09	– –	0·03	0·01	0·09	– –	0·02	0·01	0·05	– –	5
6	– –	0·06	0·03	– –	0·23	– –	0·02	– –	– –	– –	– –	– –	6
7	– –	0·19	– –	0·01	0·03	0·03	0·07	– –	– –	0·84	– –	– –	7
8	– –	0·02	– –	0·01	0·72	0·10	0·02	0·02	0·05	0·19	0·12	0·04	8
9	– –	0·07	– –	0·10	0·23	– –	– –	– –	– –	– –	0·05	0·02	9
10	– –	0·07	0·09	– –	0·01	– –	– –	– –	– –	0·08	0·67	0·03	10
11	0·70	– –	– –	0·35	– –	– –	– –	– –	– –	– –	0·11	0·02	11
12	0·38	– –	– –	0·02	– –	0·02	– –	– –	– –	– –	0·09	– –	12
13	0·04	– –	– –	– –	– –	– –	– –	0·11	0·02	– –	0·25	– –	13
14	0·05	0·03	0·16	0·01	– –	– –	– –	– –	– –	0·04	0·02	0·02	14
15	0·22	– –	0·14	0·23	– –	– –	– –	– –	– –	– –	0·23	– –	15
16	– –	– –	0·22	0·01	– –	– –	– –	– –	0·01	– –	0·09	– –	16
17	– –	0·04	0·66	0·01	– –	– –	– –	– –	0·07	– –	0·08	0·01	17
18	– –	– –	0·21	0·14	0·22	0·02	– –	– –	– –	– –	0·12	0·03	18
19	0·10	– –	0·09	– –	0·02	– –	– –	– –	– –	– –	– –	– –	19
20	0·25	– –	– –	– –	– –	– –	– –	– –	– –	0·17	0·02	– –	20
21	0·07	– –	0·30	– –	0·13	– –	0·01	0·10	0·02	– –	0·04	– –	21
22	0·05	– –	0·18	– –	0·03	– –	0·22	0·19	0·02	0·03	– –	– –	22
23	0·13	– –	– –	– –	– –	– –	0·45	0·09	0·07	0·06	– –	– –	23
24	0·13	– –	– –	0·03	– –	0·61	– –	0·48	– –	– –	– –	0·10	24
25	– –	– –	– –	0·08	– –	– –	– –	– –	0·05	– –	– –	0·01	25
26	– –	0·02	0·02	0·03	– –	– –	– –	– –	—	0·32	0·05	0·29	26
27	– –	0·09	0·02	– –	– –	0·06	– –	– –	– –	– –	0·02	0·09	27
28	0·25	0·02	0·14	0·15	0·01	0·01	– –	– –	– –	0·03	– –	0·29	28
29	0·16		0·26	0·41	0·49	– –	– –	– –	– –	– –	0·05	0·20	29
30	0·27		– –	– –	– –	– –	– –	– –	– –	0·12	– –	– –	30
31	0·02		– –		0·03		– –	– –		– –		– –	31
Total	3·31 3·31	0·68	2·87	1·74 1·74	2·22	0·90	0·97	0·99	0·55	2·68 2·68	2·38	1·46 1·46	YEAR'S TOTAL 20·75
Rain Days.	18	12	18	16	14	10	8	6	11	13	20	14	160

W.7,000, XI. 13

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Bridlington

in the County of E. York's 4

by J. R. Crofts

Lat. 54° 5" N Long. 0° 12" W

Time of Observation 9 A.M.

Nearest Railway Station Bridlington

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground 1 ~~00~~ ft. — in.

" " " " Sea Level ~~59~~ 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0·20	0·34			0·06	0·16	1
2							0·09	0·58			0·46	0·09	2
3			0·08		0·14		0·06					0·20	3
4	0·07		0·01	0·10	0·06						0·28	0·27	4
5			0·17	0·16			0·01	0·02			0·17	0·03	5
6	0·01	0·10		0·02	0·07	0·04	0·03			0·02	0·04	0·04	6
7		0·01	0·13		0·13	0·23						0·02	7
8	0·27		0·06	0·06	0·16	0·25		0·03		0·05			8
9	0·42	0·03	0·03	0·01	0·01	0·57		0·30	0·25	0·01	0·01	0·06	9
10	0·56	0·12							0·04			0·02	10
11		0·02	0·16	0·04	0·10				0·02		0·21	0·30	11
12	0·04		0·01				0·05		0·16			0·72	12
13	0·03	0·07	0·23							0·02	0·20	0·28	13
14	0·03	0·01		0·02			0·02			0·04	0·04	0·15	14
15	0·08	0·02	0·19				0·50				0·42	0·13	15
16	0·05		0·09				0·68		0·27		0·07		16
17	0·05	0·14					0·01		0·44		0·01	0·10	17
18	0·06	0·01	0·11				0·04		0·05			0·43	18
19	0·01		0·16			0·07			0·22		0·11	0·11	19
20	0·05	0·02	0·14			0·02			0·01	0·13		0·01	20
21	0·03	0·30	0·03						0·01	0·08	0·05		21
22		0·01	0·01	0·05	0·46	0·02	0·03	0·07		0·06	0·03	0·01	22
23		0·01	0·03	0·02	0·31	0·12				0·01	0·05	0·04	23
24			0·07	0·05				1·17			0·24		24
25		0·05						0·02		0·51	0·02	0·17	25
26		0·01	0·06				0·14	0·17		0·23	0·12	0·49	26
27	0·01						0·02			0·02		0·60	27
28		0·03								0·15	0·03	0·21	28
29			0·12					0·07		0·40	0·01		29
30		×	0·02	0·01				0·02		0·03	0·13	0·12	30
31	0·02	×		×		×	0·29		×	0·49	×	0·03	31
Total	1·79	0·96	1·91	0·54	1·44	1·32	2·47	2·79	1·47	2·25	2·76	4·79	YEAR'S TOTAL 24·49
Rain Days.	17	17	21	11	9	8	15	11	10	16	22	26	183

W. 8,000. X. 14.

3611

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4 JAN 1916

[illegible] E 4

Kept at Bridlington

in the County of Yorkshire

by J. R. Crofts

Lat. 54° 5" N. Long. 0° 12" W.

Time of Observation 9 A.M.

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·18	0·28	0·09	- -	0·19	- -	0·03	0·01	0·19	- -	0·30	0·06	1
2	0·01	0·02	0·14	0·07	- -	- -	0·01	0·14	0·25	- -	- -	0·01	2
3	0·45	- -	0·06	0·08	- -	- -	0·61	0·03	0·05	- -	0·07	0·72	3
4	0·07	- -	- -	- -	- -	- -	1·32	0·02	- -	- -	0·24	0·86	4
5	0·22	0·01	- -	- -	0·31	- -	- - ~~0·82~~	0·03	- -	- -	0·12	0·53	5
6	0·05	0·25	0·11	0·14	- -	- -	0·82 ~~0·21~~	0·14	0·02	- -	- -	0·13	6
7	0·29	0·40	0·05	0·04	- -	- -	0·21 ~~0·04~~	0·15	0·02	- -	- -	- -	7
8	0·03	0·02	0·05	- -	- -	- -	0·04	- -	- -	- -	0·01	- -	8
9	0·29	0·06	- -	- -	- -	- -	- -	0·05	- -	- -	- -	0·32	9
10	0·27	- -	- -	- -	- -	- -	- -	0·66	- -	- -	- -	0·01	10
11	0·05	0·26	- -	- -	0·54	- -	- -	- -	- -	- -	0·04	0·23	11
12	0·17	0·01	- -	0·30	0·04	- -	0·30	0·12	- -	0·02	1·28	0·10	12
13	- -	0·32	- -	- -	- -	- -	- -	0·10	- -	- -	0·06	- -	13
14	0·01	0·39	- -	0·01	0·04	- -	- -	0·37	- -	- -	- -	0·12	14
15	0·12	0·06	- -	- -	- -	- -	0·39	- -	- -	0·02	0·09	0·12	15
16	0·12	0·35	- -	- -	- -	- -	1·38	- -	- -	- -	0·39	0·03	16
17	0·31	0·24	0·03	- -	- -	- -	0·17	- -	- -	- -	0·02	0·07	17
18	0·05	0·09	0·39 ~~0·04~~	- -	- -	- -	- -	0·01	- -	- -	0·08	0·01	18
19	- -	- -	0·02	- -	- -	- -	0·03	- -	- -	0·03	- -	- -	19
20	0·02	- -	- -	- -	- -	- -	- -	0·01	- -	0·17	- -	0·47	20
21	0·27	- -	- -	0·12	- -	- -	- -	- -	- -	- -	- -	0·02	21
22	0·05	- -	0·03	- -	- -	- -	0·10	- -	- -	0·01	- -	0·14	22
23	- -	0·07	0·01	- -	- -	- -	0·19	- -	0·02	- -	0·07	0·01	23
24	0·02	- -	0·17	0·02	- -	0·01	- -	- -	0·24	0·01	0·03	0·17	24
25	- -	- -	0·01	- -	- -	0·32	- -	- -	- -	0·08	0·24	0·03	25
26	0·02	0·32	0·07	0·02	- -	0·01	0·01	- -	0·02	0·15	- -	0·32	26
27	0·02	0·03	0·04	- -	- -	- -	0·34	- -	- -	0·31	- -	0·22	27
28	- -	0·05	0·02	- -	0·12	- -	0·01	0·23	- -	0·31	- -	0·10	28
29	0·01		- -	- -	0·22	- -	- -	0·03	0·38	- -	0·31	0·16	29
30	0·02	X	0·01	0·03	- -	- -	- -	0·01	0·11	- -	0·01	- -	30
31	0·12	X	- -	X	- -	X	- -	0·35	X	- -	X	0·17	31
Total	3·24	3·23	1·30	0·83	1·46	0·34	5·96	2·46	1·30	1·11	3·36	5·13	YEAR'S TOTAL 29·72.
Rain Days.	26	19	17	10	7	3	17	18	10	10	17	26	180

W. 8,000. X. 15.

3535

W D L [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Bridlington

in the County of Yorkshire E.R.

by J. R. Crofts

Lat. 54° 5" N Long. 0° 12" W

Time of Observation 9 A.M.

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·16		0·02			0·02	0·13			0·01	0·20		1
2	0·06	0·06	0·27		0·22	0·06			0·05	0·03			2
3	- -	0·35	0·04	0·02		0·07			0·33	0·11	0·11	0·07	3
4	- -	0·03		0·02	0·53	0·28			0·17	0·48	0·35	0·23	4
5	0·07		0·08		0·02	0·08	0·20			0·24	0·18	0·09	5
6		0·22	0·14	0·10	0·17	0·04	0·02				0·25	0·05	6
7			0·12	0·03	0·22	0·02	0·65			0·04	0·01	0·19	7
8			0·24		0·15	0·01					0·01		8
9			0·07		0·81	0·07			0·09		0·03	0·38	9
10	0·22	0·03	0·01			0·01				0·02	0·01	0·19	10
11	0·01	0·53	0·37	0·21	0·04	0·44	0·07		0·03	0·01		0·26	11
12	0·01	0·02	0·41		0·43	0·44	0·56					0·06	12
13	0·04	0·02	0·17		0·22		0·28	0·21	(0·02)	0·45		0·11	13
14		0·03	0·02	0·02	0·08	0·03		0·34	0·06	0·18		0·02	14
15	0·02	0·22	0·28				0·06	0·18	0·02	0·07	0·08	0·10	15
16			0·04	0·06			0·05	0·07		0·05		0·19	16
17	0·02			0·06			0·02	0·16	0·10	0·19	0·01		17
18		0·21	0·01	0·37	[illegible]	0·02	0·01	0·02	0·18	0·09	0·74		18
19	0·05			0·02					0·09	0·02	0·24	0·12	19
20	0·05		0·31			0·02	0·11	0·23			0·12	0·02	20
21	0·01	0·10	0·09	0·02			0·07				0·01	0·45	21
22		0·06	0·02			0·04				0·06		0·10	22
23		0·02				0·07					0·09	0·45	23
24		0·04	0·04	0·07		0·14		0·07		0·18		0·09	24
25		0·03	0·10		0·01			0·20		0·07	0·17	0·11	25
26		0·14									0·13		26
27		0·35	0·01				0·10	0·06		0·10			27
28		0·26	0·03							0·01		0·13	28
29		0·04				0·20				0·10		0·04	29
30	0·02	X				0·03				0·11		0·01	30
31		X		X		X			X		X	0·05	31
Total	0·74	2·76	2·89	1·00	2·90	2·09	2·33	1·54	1·14 ✓	2·62	2·74	3·51	YEAR'S TOTAL 26·26 ✓
Rain Days.	13	20	23	12	12	20	14	10	11	22	18	24	199

W. 8,000, VIII. 16

✓

3392

FORM A.
BRITISH RAINFALL.

-2. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Bridlington

in the County of Yorkshire

by J. K. Crofts

Lat. 54° 5" N Long. 0° 12" W

Time of Observation 9 A.M

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–			0·20	– –	– –	– –	0·69	0·19	0·01	0·13	0·13	1
2	0·05	~~0·05~~	0·01	0·27		0·05		0·31	0·10			~~0·10~~	2
3	– –	0·03	0·07	0·14		0·03	0·03	0·08		0·04	0·02	0·01	3
4	– –	0·05						0·03		0·28	0·02	0·01	4
5	0·09	~~0·09~~	0·02	0·21				0·02		0·01	0·03	0·01	5
6	– –									0·01	0·07	0·01	6
7	0·61					0·23				0·42	0·01	0·09	7
8	0·71		0·04	0·13				1·34		0·38	0·06		8
9	0·23			0·08				0·04		0·03	0·13	0·05	9
10	0·23	0·02	0·60	0·19				0·08		0·20	0·11		10
11	0·03				0·09			0·17		0·35	0·01	0·01	11
12	0·07	0·01	0·01	0·20				0·42		0·41	0·02	0·03	12
13	0·20			0·03	0·21	0·05		0·10	0·10	0·13	0·02	0·08	13
14	0·13	0·01		0·18			0·02	0·02		0·01		0·03	14
15	0·21						0·09			0·02	0·01	0·12	15
16	0·02	0·03		0·28				0·04	0·01		0·01	0·34	16
17	0·04	0·05		0·10	0·20	0·06		0·07	0·02	0·05		0·02	17
18	0·13			0·02	0·16		0·20	0·03	0·15			0·01	18
19	– –	0·05	0·17		0·01							0·01	19
20	0·06	0·38	0·14				0·01			0·01	0·28	0·01	20
21	– –	0·20	0·13					0·04	0·01	0·01	0·08	~~0·01~~	21
22	– –		0·02			0·06		0·18		0·08	0·02	0·01	22
23	0·02				0·09	0·01		0·09	0·01			0·03	23
24	– –		0·01			0·20	0·02	0·02		0·27	0·17	0·02	24
25	– –		0·09							0·11	0·19	0·13	25
26	– –		0·09			0·05		0·56	0·03	0·14	0·29	0·17	26
27	0·02		0·01			0·07	0·12	0·62		0·01	0·01	0·08	27
28		0·03	0·12			0·11	0·03	0·35		0·01		0·04	28
29							0·17	0·07		0·14		0·02	29
30	0·13	X	0·11	0·08			0·27				(0·02)	0·01	30
31	0·02	X	0·11	X		X	0·07	0·01	X	0·01	X	0·01	31
Total	3·00	0·86	1·75	2·11	0·76	0·92	1·03	5·38	0·62	3·13	1·72	1·49	YEAR'S TOTAL 22·77
Rain Days.	19	11	17	14	6	11	11	24	9	24	22	27	195

W. 8,000, IX. 17.

Esed. CfE.

27

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4. I. 19

Kept at Bridlington
in the County of E. Yorkshire ER
by J. R. Crofts

Lat. 54° 5" N. Long. 0° 12" W
Time of Observation 9 A.M.
Nearest Railway Station Bridlington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	0·02	0·01 ~~0·02~~	0·03	0·01	- -	- -	- -	0·53	0·04	0·11	0·11	1
2	0·08	0·29	0·01 ~~0·29~~	0·28	- -	- -	0·01	0·03	0·15	0·04	- -	0·17	2
3	0·03	0·04	0·02 ~~0·04~~	0·01	0·05	- -	- -	0·20	- -	- -	0·46	0·01	3
4	0·01	0·08	0·03 ~~0·08~~	- -	0·27	- -	- -	- -	0·20	0·02	0·21	0·26	4
5	0·01	0·01	0·01	0·01	0·48	- -	0·01	0·37	- -	0·05	0·01	0·02	5
6	0·01	0·18	0·01 ~~0·18~~	0·68	0·01	0·07	- -	0·04	- -	0·01	- -	0·04	6
7	0·24	0·09	0·01 ~~0·09~~	0·03	- -	0·14	0·02	0·04	0·01	0·08	0·15	0·01	7
8	- -	0·03	0·09	0·01	- -	- -	0·32	- -	0·04	- -	- -	- -	8
9	0·05	0·19	0·01 ~~0·09~~	0·02	- -	0·02	0·16	- -	0·56	0·29	0·02	0·11	9
10	0·04	0·03	0·01 ~~0·03~~	0·01	- -	- -	0·18	- -	0·04	- -	0·01	0·16	10
11	0·19	0·07	- - ~~0·07~~	0·01	0·56	- -	0·16	- -	0·02	0·04	- -	0·09	11
12	0·01	0·15	0·01 ~~0·15~~	0·02	0·23	- -	0·07	0·07	0·10	0·02	- -	0·06	12
13	0·03	0·01	0·02	0·05	0·08	- -	- -	- -	0·23	0·02	- -	- -	13
14	0·11	0·01	- - ~~0·04~~	0·08	- -	0·03	0·15	- -	0·42	0·02	- -	0·06	14
15	0·05	- -	0·01	0·01	0·01	0·06	0·18	- -	0·77	- -	- -	0·50	15
16	- -	0·01	0·02	- -	- -	0·02	0·03	0·03	0·32	0·06	- -	0·17	16
17	0·30	0·01	0·01	0·02	0·35	0·11	0·87	0·07	0·02	0·09	- -	0·21	17
18	0·29	0·01	0·03 ~~0·03~~	0·23	- -	0·03	0·10	- -	0·42	0·01	- -	0·05	18
19	0·28	0·01	0·03 ~~0·01~~	0·18	- -	0·02	0·06	0·16	0·02	0·13	- -	0·12	19
20	0·09	0·46	0·01 ~~0·46~~	0·02	- -	0·02	0·06	- -	0·08	0·05	- -	- -	20
21	0·08	0·01	- - ~~0·01~~	- -	0·02	0·02	0·05	- -	0·12	0·09	0·01	- -	21
22	0·03	- -	0·01	0·06	0·06	0·07	0·02	- -	0·01	0·03	0·01	0·31	22
23	0·09	- -	- -	0·01	0·40	- -	0·14	- -	0·02	- -	0·03	0·02	23
24	0·01	0·07	- - ~~0·07~~	- -	0·01	- -	0·02	- -	0·07	0·09	0·09	0·02	24
25	0·01	- -	0·08	- -	- -	0·01	0·04	0·24	0·03	- -	- -	0·15	25
26	0·01	- -	- -	- -	- -	- -	0·02	0·35	0·30	- -	0·13	0·06	26
27	0·01	0·02	0·05	- -	- -	0·02	0·03	0·22	0·08	- -	0·04	0·15	27
28	0·01	0·18	0·35	- -	- -	- -	- -	0·04	0·02	- -	0·02	0·29	28
29	0·01		0·01	- -	- -	- -	- -	- -	0·09	- -	0·04	0·19	29
30	0·02	X	0·23	- -	- -	- -	- -	- -	0·07	- -	0·07	0·95	30
31	0·02	X	0·18	X	- -	X	- -	0·09	X	- -	X	0·11	31
Total	2·14 ✓	1·98 ✓	1·26 ✓	1·77 ✓	2·54	0·64 ✓	2·70 ✓	1·95 ✓	4·74 ✓	1·18 ✓	1·41 ✓	4·40 ✓	YEAR'S TOTAL 26·71 ✓
Rain Days.	29 ✓	23 ✓	25 ✓	20 ✓	14 ✓	14 ✓	22 ✓	14 ✓	27 ✓	19 ✓	16 ✓	27 ✓	250 ✓

W. 6,500, VII. 18. W W C

W ML ecd for auth

3215

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bridlington

in the County of Yorkshire

by J. R. Crofts

Lat. 54° 5' N Long. 0° 12" W

Time of Observation 9 A.M.

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 60 ~~59~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·22		0·01	—	0·35	—	0·32		0·06	0·03	0·01	0·14	1
2	0·14	0·02	0·05	—	0·01	—	0·46		0·08	0·04	0·06	0·01	2
3	0·50		—	—	0·05	0·04	0·01		0·02		0·21	0·08	3
4	0·15	0·02	0·30	—	0·03	0·06	—	0·02	0·10		0·25	0·05	4
5	0·36	0·07	0·02	—	—	0·03	—		0·08		0·01	0·04	5
6	0·02	—	0·12	—	0·06	—	—				0·09	0·17	6
7	—	—	0·27	—	0·13	—	—					0·30	7
8	0·10	—	—	0·06	0·04	—	—			0·04	0·17	0·12	8
9	0·02	—	—	0·04	—	—	—			0·13	0·08	0·01	9
10	—	—	0·14	0·03	—	—	—			0·10	0·07	0·23	10
11	—	—	0·92	—	0·26	—	0·26			0·03	0·10	0·01	11
12	—	—	0·95	0·05	—	0·03	—		0·17	0·25	0·09	0·01	12
13	0·21	—	0·05	0·02	—	0·02	0·27		0·58	0·14	0·04		13
14	0·29	—	—	0·26	—	—	—	0·04	0·04	0·02	0·21	0·03	14
15	0·11	0·15	0·07	0·07	—	—	—	0·01		0·33	0·09	0·55	15
16	0·02	0·18	—	0·02	—	—	—			0·05	0·02	0·02	16
17	—	0·05	—	—	0·13	0·08	—	0·03			0·12	0·01	17
18	—	—	0·01	—	—	—	0·02	0·22	0·01		0·01	0·06	18
19	0·01	0·19	0·23	—	—	—	0·04	0·18	0·20		0·07	0·06	19
20	0·33	0·16	0·01	—	—	—	0·12	0·25	0·12			0·14	20
21	0·16	0·14	0·04	—	—	0·01	0·02		0·02		0·01	0·22	21
22	—	0·07	0·01	—	—	0·01	0·31		0·24		0·01	0·11	22
23	—	—	0·04	—	—	0·11	0·10	0·09	0·01	0·49		0·04	23
24	—	0·03	—	0·01	—	—	0·03	0·02		0·17	0·02	0·01	24
25	0·03	0·01	—	0·01	—	0·26	—	0·24		0·01	0·03	0·03	25
26	—	0·03	0·13	0·30	—	0·02	—	0·27	0·01	0·71	0·30	0·35	26
27	—	0·03	—	0·76	—	—	0·03	0·02		0·55	0·13	0·06	27
28	0·19	—	0·02	0·02	—	nil ~~0·18~~	0·03	0·76		0·42	0·07	0·21	28
29	0·05		—	—	—	0·18 ~~0·30~~	—	0·01		0·96	0·01	0·11	29
30	0·04		0·17	0·20	—	0·30	—	0·02		0·28	0·23	0·19	30
31	0·12		0·17		—		0·02	—		0·27		0·04	31
TOTAL	3·07	1·15	3·73	1·85	1·06	1·15 ~~0·85~~	2·04	2·48	1·74	5·02	2·51 ~~2·60~~	3·41	YEAR'S TOTAL 29·21 ~~29·00~~
Days with ·01 in. or more	20	14	21	14	9	13	15	15	15	20	27	30	213

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3100

7 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bridlington

in the County of Yorkshire

by J. R. Crofts

Lat. 54° 5' N. Long. 0° 12' W.

Time of Observation 9 A.M.

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level ~~40~~ 40. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01		0·03	0·30	0·28	0·03	0·47			0·45			1
2	0·01		0·05	0·19	0·01		0·25		0·13	0·35		0·48	2
3		0·01		0·18		0·02	0·04	0·10	0·13	0·08		0·53	3
4	0·06			0·06	0·06		0·94	0·69		0·37		0·03	4
5			0·03		0·06		0·30	0·03				0·04	5
6			0·06	0·03	0·02		0·11	0·01				0·08	6
7	0·03	0·02	0·04	0·09	0·03		0·08					0·05	7
8	0·01	0·05		0·26	0·03			0·02		0·02		0·01	8
9	0·16	0·01	0·01	0·37	0·01		0·03	0·15	0·02	0·02			9
10	0·47	0·02	0·04	0·36			0·02	0·01				0·04	10
11	0·30	0·02	0·06	0·24	0·01							0·10	11
12	0·09	0·04	0·04	0·19	0·01			0·01				0·40	12
13	0·01	0·02	0·14	0·01					0·01		0·01	0·08	13
14	0·15	0·07	0·48	0·14			0·11		0·18	0·30	0·08	0·03	14
15			0·31	0·26			0·02		0·05	0·05	0·02	0·05	15
16		0·02	0·01	0·02			0·46		0·32		0·01	0·09	16
17		0·01			0·17		0·27		0·31	0·01		0·09	17
18	0·15				0·12		0·19	0·01	0·30			0·01	18
19	0·04	0·46		0·20				0·36	0·01				19
20	0·15	0·05		0·25			0·02					0·03	20
21		0·02		0·02		0·34	0·40	0·17				0·01	21
22	0·06			0·13			0·01	0·04				0·01	22
23				0·01			0·42			0·02		0·14	23
24	0·03	0·02	0·35	0·14			0·09					0·02	24
25	0·01	0·09	0·02	0·03			0·70				0·01		25
26	0·04	0·06	0·07	0·08		0·04	0·14						26
27	0·13	0·01		0·05	0·57	0·42	0·01				0·18	0·07	27
28	0·78	0·01	0·10	0·14	0·11	0·03	0·04				0·15	0·06	28
29	0·09		0·45	0·06	0·68		0·01				0·04	0·40	29
30	0·07			0·04					0·38		0·08	0·15	30
31	0·14				0·03		0·04					0·16	31
TOTAL	2·99	1·01	2·29	3·85	2·20	0·88	5·17	1·60	1·84	1·67	0·58	3·16	YEAR'S TOTAL 27·24
Days with ·01 in. or more	23	19	18	27	16	6	25	12	11	10	9	26	202
Days with ·04 in. or more	16	7	13	21	8	3	18	6	8	6	5	18	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

RE ... 11

BRIDLINGTON
GRAMMAR SCH.
YORKS

1911, 1918 - 1920

Kept at Bridlingto ... wdon.
in the County of Yor
by B.G.S. Meteorological S

8 in.
e Ground 1 ft. in.
Sea Level 57·2 ft.
a.m.
Name Bridlington
Distance E. Direction ¼ ml.

IMPORTANT NOT ... d the result entered to the previous day. If an Ob ... iversal rule, he is earnestly requested to add the rea ... year in the space provided for it at the end of thi ... ement of rain, the selection and placi ... British Rainfall Organization are given i ... application to Dr. H. R. MILL, 62, Car

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34					·23	·06		·56	·05	·04	·09	1
2			·01				·22					·11	2
3	·22	·01		·05	·10		·31		·22	·15	·03	·	3
4	·06		·08	·12						·09	·16	·20	4
5	·02								·10	·14	·	·06	5
6	·20		·02		·03				·10	·09	·05	·30	6
7		·01	·02								·01	·04	7
8			·11					·10			·01		8
9			·07	·02								·11	9
10		·05	·04	·01		·05					·26	·55	10
11											·25	·44	11
12			·16		·15			·35					12
13			·38		·09			·06			·03		13
14		·10	·53				·02				·15	·55	14
15		·17	·23							·02	·26	·20	15
16			·17	·01		·03	·01					·10	16
17			·04			·04					·17	·27	17
18		·02	·01			·27					·75	·	18
19			·01	·01		·04		·051	·14	·03	·41	·045	19
20				·08		·015		·28	·83	·04	·10	·19	20
21		·26							·01	·07	·12	·19	21
22	·08								·46	·06		·262	22
23		·13		·02		·7		·77		·10		·01	23
24			·08			1·13						·12	24
25		·04	·01	·09		·40	·28	·23		·43		·16	25
26				·14						·04	·03	·24	26
27		·08	·08	·10				·29	·45		·40	·04	27
28		·02	·01	·14		·005				·05	·02		28
29			·01	·08		·01		·44		·40	·		29
30								·25		·07	·		30
31					·30								31
Total	·92	·89	2·07	·87	·67	2·92	·90	2·821	2·87	1·83	3·25	4·277	TOTAL for year 24·28 8
No. of Rain Days.	6	11.	20.	13	5.	12 11	6.	10	9	16	19	22	148 149

W. 8,000, X. '11.

RE 1

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

Kept at Bridlington Grammar School

in the County of Yorkshire ER

by B.G.S. Meteorological Socy. (B.A. Farrow)

RAIN GAUGE
Pattern Snowdon.
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 57·2 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Bridlington
Distance E. Direction ¼ ml.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34					·23	·06		·56	·05	·04	·09	1
2			·01				·22					·11	2
3	·22	·01		·05	·10		·31		·22	·15	·03		3
4	·06		·08	·12						·09	·16	·20	4
5	·02								·10	·14		·06	5
6	·20		·02		·03				·10	·09	·05	·30	6
7		·01	·02								·01	·04	7
8			·11					·10			·01		8
9			·07	·02								·11	9
10		·05	·04	·01		·05					·26	·55	10
11											·25	·44	11
12			·16		·15			·35					12
13			·38		·09			·06			·03		13
14		·10	·53				·02				·15	·55	14
15		·17	·23							·02	·26	·20	15
16			·17	·01		·03	·01					·10	16
17			·04			·04					·17	·27	17
18		·02	·01			·27					·75		18
19			·01	·01		·04		·051	·14	·03	·41	·045	19
20				·08		·015		·28	·83	·04	·10	·19	20
21		·26							·01	·07	·12	·19	21
22	·08								·46	·06		·262	22
23		·13		·02		·7		·77		·10		·01	23
24			·08			1·13						·12	24
25		·04	·01	·09		·40	·28	·23		·43		·16	25
26				·14						·07	·03	·24	26
27		·08	·08	·10				·29	·45		·40	·04	27
28		·02	·01	·14		·005				·05	·02		28
29			·01	·08		·01		·44		·40			29
30								·25		·07			30
31					·30								31
Total	·92	·89	2·07	·87	·67	2·92	·90	2·821	2·87	1·83	3·25	4·277	TOTAL for year 14·288
No. of Rain Days.	6	11.	20.	13	5.	~~12~~ 11	6.	10	9	16	19	22	148 149

W. 8,000, X. '11.

7. 29

FORM A.
BRITISH RAINFALL.

23 6. 19

REGISTER OF RAINFALL IN 1918

Kept at Bridlington

in the County of Yorkshire (E. Riding)

by Various Observers. G. T. Reeve MA.
on A.

Lat. 54° 5' N Long. 0° 13' W
Time of Observation 9 AM.
Nearest Railway Station Bridlington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 57.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		·01						·59	·04	·08	·06	1
2	—		·01	·28				·10	·17	·06	·05	·17	2
3	—		·02		·04			·15		·01	·50		3
4			·02		·29				·35	·12	·22	·28	4
5			·01		·43			·44		·05		·01	5
6				·63		·06		·02		·01			6
7				·01		·18		·05	·04		·18	·03	7
8		·58	·05				·35		·05			·02	8
9		·18		·01			·16			·30	·01	·10	9
10				·01			·18		·53			·15	10
11		·07			·53		·15			·03		·08	11
12		·14		·02	·27		·06	·08	·09	·01		·05	12
13				·04	·04				·31			·01	13
14				·07			·02		·39	·01		·09	14
15			·01		·01	·08	·12		·71			·41	15
16	·50		·01			·01	·18	·02	·35	·13		·18	16
17	·32				·36	·09	·41	·07	·01	·02			17
18	·31		·02	·19			·57		·38			·24	18
19	·15		·02	·17			·04	·15	·02	·12			19
20	·07	·47					·09		·07	·04			20
21									·06	·11			21
22				·05	·07	·09	·02		·01	·01		·45	22
23					·34		·14			·01			23
24		·05					·02		·09	·08	·03	·02	24
25			·04				·02	·22			·01	·15	25
26								·47	·35		·12	·06	26
27			·03					·22	·03		·03	·15	27
28		·16	·22					·03	·06		·01	·29	28
29											·03	·19	29
30	·21		·10						·14		·07	·95	30
31			·13					·07				·11	31
Total	1·56	1·65	·70	1·48	2·38	·51	2·53	2·09	4·80	1·16	1·36	4·25	YEAR'S TOTAL 24·47
Rain Days.	6	7	15	11	10	6	16	14	22	18	13	24	162

W, 6;500, VII. 18. W W O

3216

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

10 JAN 20

Kept at Bridlington (Grammar Sch)

in the County of Yorkshire (E. Riding)

by Geo. T. Reeve

Lat. 54°5′ N Long. 0° 13′ W

Time of Observation 9h + 21h

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 57·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May.	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·01	–	–	·35	–	·36	–	·06	–	·09	·11	1
2	·14	·01	·05	–	–	–	·58	–	·06	·04	·05	–	2
3	·50	–	–	–	·07	·08	·01	–	·02	–	·20	·15	3
4	·15	·02	·26	–	·02	·03	–	–	·10	–	·19	–	4
5	·36	·04	–	–	–	·02	–	–	·08	–	·01	–	5
6	·02	–	·12	–	–	–	–	–	–	–	·08	·18	6
7	–	–	·27	–	·15	–	–	–	–	–	–	·32	7
8	·08	–	–	·03	·03	–	–	–	–	·04	·16	·08	8
9	·02	–	–	·02	–	–	–	–	–	·17	·09	–	9
10	·01	–	·16	·02	–	–	–	–	–	·03	·05	·23	10
11	–	–	·87	–	·24	–	–	–	–	·03	·05	–	11
12	–	–	·95	·01	–	·02	·25	–	·17	·23	·07	–	12
13	·19	–	·02	·06	–	·02	·28	·02	·51	·15	·06	·01	13
14	·26	·02	–	·22	–	–	·01	·01	·02	·01	·16	–	14
15	·08	·15	·07	·06	–	–	–	·01	–	·22	·06	·56	15
16	·01	·15	–	·01	–	–	–	–	–	·06	·03	–	16
17	–	·05	–	–	·10	·07	–	·02	–	–	·12	–	17
18	·01	–	–	–	–	–	·01	·24	·01	–	–	·06	18
19	–	·14	·21	–	–	–	·02	·14	·25	–	·05	·04	19
20	·27	·18	–	–	–	–	·12	·20	·10	–	–	·12	20
21	·09	·13	–	–	–	·02	·01	–	·01	–	–	·22	21
22	–	·06	–	–	–	·01	·31	–	·09	–	·03	·10	22
23	–	–	·04	–	–	·09	·03	·07	·14	·59	–	·02	23
24	–	·03	–	–	–	–	·02	·01	–	·07	–	–	24
25	·03	–	–	–	–	·23	–	·51	–	–	–	·02	25
26	–	·01	·13	(·23)	–	·02	–	·25	–	·82	·31	·34	26
27	–	·02	–	·74	–	·01	–	–	–	·44	·13	·02	27
28	·17	–	(·02)	·01	–	–	–	·67	–	·36	·01	·13	28
29	·03		–	–	–	·12	–	–	–	1·01	–	·11	29
30	·03		·14	·20	–	·28	–	·01	–	·25	·23	·17	30
31	·10		·13		–		·02	–		·27		·02	31
TOTAL	2·77	1·02	3·44	1·61	0·96	1·02	1·93	2·16	1·62	4·79	2·23	3·03	YEAR'S TOTAL 26·58
Days with ·01 in. or more	21.	15.	15.	12	7.	14	14	13.	14	18	22.	21.	186

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3101

14 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bridlington

in the County of Yorkshire (East Riding).

by G. T. Reeve

Lat. 54° 5' N Long. 0° 13' W.

Time of Observation 9 pm + 9 am

Nearest Railway Station Bridlington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 57·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·26	·27		·45			·49			1
2				·15			·23		·13	·43		·51	2
3			·05	·17		·03	·02	·06	·13	·07		·46	3
4	·05			·04	·05		·82	·70		·36		·02	4
5			·03		·09		·28	·02				·03	5
6			·06	·11	·02		·08					·06	6
7	·02	·01	·02	·01	·03		·07					·08	7
8	·01	·04		·24									8
9	·15	·01		·35			·03	·17		·03			9
10	·45			·34			·01					·05	10
11	·32	·03		·21	·02							·09	11
12	·14	·02	·06	·18								·36	12
13	·06	·02	·16	·03								·02	13
14		·02	·46	·11			·10		·19	·29	·08		14
15		·05	·32	·30					·03	·03			15
16				·02			·45		·37			·11	16
17					·16		·27		·31			·08	17
18	·13				·11		·22		·33				18
19		·44		·21				·33					19
20	·15	·03		·25		·31						·02	20
21		·01		·03			·40	·19				·01	21
22	·05			·11									22
23			·34	·12			·56					·14	23
24	·02		·06	·03								·02	24
25		·07	·02	·04			·73						25
26	·03	·04		·09		·03	·11					·04	26
27	·11			·05	·58	·40					·23	·04	27
28	·71		·10	·13	·05	·02	·04				·09	·05	28
29	·07		·44	·04	·66						·03	·38	29
30	·06			·01					·33		·07	·19	30
31	·14				·01		·03					·11	31
													YEAR'S TOTAL
TOTAL	2·67	0·79	2·13	3·63	2·05	0·79	4·90	1·47	1·82	1·70	0·50	2·87	25·32
Days with ·01 in. or more	18	13	14	27	12	5	19	6	8	7	5	22	156
Days with ·04 in. or more	14	5	10	21	8	2	15	5	7	5	4	16	112

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

W Apps [illegible] A 3101

F[illegible] A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bridlington (Grammar Sch.)
in the County of Yorkshire (East Riding)
by The Head Master

Lat. 54° 5′ N Long. 0° 13′ W
Time of Observation 9, 21
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0·01	0·$\overset{2}{3}$6	0·27	-	0·45	-	-	0·49	-	-	1
2	-	-	-	0·15	-	-	0·23	-	0·13	0·43	-	0·51	2
3	-	-	0·05	0·17	-	0·03	0·02	0·06	0·13	0·07	-	0·46	3
4	0·05	-	-	0·04	0·05	-	0·82	0·70	-	0·36	-	0·02	4
5	-	-	0·03	-	0·09	-	0·28	0·02	-	-	-	0·03	5
6	-	-	0·06	0·11	0·02	-	0·08	-	-	-	-	0·06	6
7	0·02	0·01	0·02	0·01	0·03	-	0·07	-	-	-	-	0·08	7
8	0·01	0·04	-	0·24	-	-	-	-	-	-	-	-	8
9	0·15	0·01	-	0·35	-	-	0·03	0·17	-	0·03	-	-	9
10	0·45	-	-	0·34	-	-	0·01	-	-	-	-	0·05	10
11	0·33	0·03	-	0·21	0·02	-	-	-	-	-	-	0·09	11
12	0·14	0·02	0·06	0·18	-	-	-	-	-	-	-	0·36	12
13	0·06	0·02	0·16	0·03	-	-	-	-	-	-	-	0·02	13
14	-	0·02	0·46	0·11	-	-	0·10	-	0·19	0·29	0·08	-	14
15	-	0·05	0·32	0·30	-	-	-	-	0·03	0·03	-	-	15
16	-	-	-	0·02	-	-	0·45	-	0·37	-	-	0·11	16
17	-	-	-	-	0·16	-	0·27	-	0·31	-	-	0·08	17
18	0·13	-	-	-	0·11	-	0·22	-	0·33	-	-	-	18
19	-	0·44	-	0·21	-	-	-	0·33	-	-	-	-	19
20	0·15	0·03	-	0·25	-	0·31	-	-	-	-	-	0·02	20
21	-	0·01	-	0·03	-	-	0·40	0·19	-	-	-	0·01	21
22	0·05	-	-	0·11	-	-	-	-	-	-	-	-	22
23	-	-	-	12	-	-	0·56	-	-	-	-	0·14	23
24	0·02	-	0·34	03 ~~0·14~~	-	-	-	-	-	-	-	0·02	24
25	-	0·07	0·06	0·04	-	-	0·73	-	-	-	-	-	25
26	0·03	0·04	0·02	0·01	-	0·03	0·11	-	-	-	-	0·04	26
27	0·11	-	-	0·14	0·58	0·40	-	-	-	-	0·23	0·04	27
28	0·71	-	0·10	0·07	0·05	0·02	0·04	-	-	-	0·09	0·05	28
29	0·07	-	0·44	0·10	0·66	-	-	-	-	-	0·03	0·38	29
30	0·06	✕	-	0·01	-	-	-	-	0·33	-	0·07	0·19	30
31	0·14	✕	-	✕	0·01	✕	0·03	-	✕	-	✕	0·11	31
TOTAL	2·67	0·79	2·13	3·63	2·05	0·79	4·90	1·47	1·82	1·70	0·50	2·87	YEAR'S TOTAL 25·32
Days with ·01 in. or more	18	13 5	14 10	~~26~~ 27	12	5	19	6	8	7	5	22	~~155~~ 156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. 21

8 2 15 5 7 5 4 16 ~~11~~ 11

Copied from M.O3 202

BRODSWORTH HALL
GARDENS
YORKSHIRE
1915 - 1920

FORM A.
BRITISH RAINFALL.
5-FEB 1916

RE

Kept at Brodsworth … M.

in the County of Yor

by F. W. Larner

…uge Five in.

…Ground One ft. in.

…Sea Level 175? ft.

IMPORTANT … he result entered to the previous day. If a… …sal rule, he is earnestly requested to add the … in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	~~June.~~	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·07			·26			·12			·05	·04	1
2		·05	·13	·14		·07	·08	·31		·03		·	2
3	·75			·12			·26	·20			·02	·50	3
4	·24		·03		·02		·85	·01			·01	1·08	4
5	·05	·32	·02		·18			·04		·02	·06	·40	5
6	·03	·30	·06	·05			·52	·29				·05	6
7	·30	·22		·02			·18	·55			·02	·04	7
8	·03	·17					·06	·05			·08		8
9	·02							·12		·02	·03	·25	9
10	·12							·04		·04		·03	10
11	·01		·10		·47		·09				·32	·10	11
12	·03			·24	·15		·03			·09	1·20		12
13	·01	·58											13
14	·35	·02					·08			·01		·36	14
15		·01					·02	·02		·02	·35	·12	15
16		·13			·10		1·43	·02		·01		·02	16
17		·12	·01				·18	·01				·02	17
18		·10	·18										18
19							·05			·02			19
20					·02		·02			·10		·40	20
21	·09				·01		·15	·04				·14	21
22			·17	·03			·16					·04	22
23	·03	·04	·08				·17		·03	·14		·02	23
24	·02		·19	·04					·53	·01			24
25			·02	·02		·05						·03	25
26	·03	·24				·13	·35		·02			·52	26
27		·08					·04			·44		·19	27
28		·22	·08			·17		·38		·08		·02	28
29					·23	·09		·04				·61	29
30	·06	X		·03		·20							30
31	·04	X		X		X		·22	X	·18	X	·11	31
Total	2·34	2·67	1·07	·69	1·44	·71	4·72	2·46	·58	1·21	2·14	5·09	YEAR'S TOTAL 25·12
Rain Days.	19	16	12	9	9	6	19	17	3	15	10	23	158

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
5-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Brodsworth Hall Gardens (Doncaster)
in the County of Yorkshire
by F. W. Larner (Head Gardener)

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 175? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·07			·26			·12			·05	·04	1
2		·05	·13	·14		·07	·08	·31		·03		·	2
3	·75			·12			·26	·20			·02	·50	3
4	·24		·03		·02		·85	·01			·01	1·08	4
5	·05	·32	·02		·18			·04		·02	·06	·40	5
6	·03	·30	·06	·05			·52	·29				·05	6
7	·30	·22		·02			·18	·55			·02	·04	7
8	·03	·17					·06	·05			·08		8
9	·02							·12		·02	·03	·25	9
10	·12							·04		·04		·03	10
11	·01		·10		·47		·09				·32	·10	11
12	·03			·24	·15		·03			·09	1·20		12
13	·01	·58											13
14	·35	·02					·08			·01		·36	14
15		·01					·02	·02		·02	·35	·12	15
16		·13			·10		1·43	·02		·01		·02	16
17		·12	·01				·18	·01				·02	17
18		·10	·18										18
19							·05			·02			19
20					·02		·02			·10		·40	20
21	·09				·01		·15	·04				·14	21
22			·17	·03			·16					·04	22
23	·03	·04	·08				·17		·03	·14		·02	23
24	·02		·19	·04					·53	·01			24
25			·02	·02		·05						·03	25
26	·03	·24				·13	·35		·02			·52	26
27		·08					·04			·44		·19	27
28		·22	·08			·17		·38		·08		·02	28
29					·23	·09		·04				·61	29
30	·06	X		·03		·20							30
31	·04	X		X		X		·22	X	·18	X	·11	31
Total	2·34	2·67	1·07	·69	1·44	·71	4·72	2·46	·58	1·21	2·14	5·09	YEAR'S TOTAL 25·12
Rain Days.	19	16	12	9	9	6	19	17	3	15	10	23	158

W. 8,000. X. 15.

[illegible]

cnd fr auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22. JAN. 1917

Kept at Brodsworth Hall Gardens

in the County of York W.R.

by F. W. Larner

Lat. .... Long. ....

Time of Observation 9-a.m.

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·16			·15	·14				·11		1
2	·14	·04	·27						·08	·09			2
3		·23		·09			·08		·36	·17	·07		3
4		·20	·01		·73	·18		·01	·67	·10	·39		4
5	·05		·01		·06	·19				·15	·28		5
6	·03	·40	·23	·03	·36		·13			·62	·23		6
7	·02	·01	·04		·08		·07			·04	·04	·31	7
8		·03	·38								·02	·11	8
9	·02		·08		·51	·04			·13		·02	·20	9
10		·09		·04		·28	·02		·02		·01	·14	10
11	·07	·43	·32	·13	·02	·07			·03			·02	11
12			·66	·02	·59	·03	·25			·03		·04	12
13		·04	·25		·04		·04	·21		·19	·02	·02	13
14		·11	·04	·03	·12			·20		·06	·02	·02	14
15		·05	·76				·13	·15					15
16		·12	·21	·07			·03	·42					16
17	·01	·09		·09			·05	·04	·15	·18			17
18	·01	·32	·02	·05		·03		·36	·14	·03	1.06		18
19	·03	·03	·18	·08				·08	·05		·33		19
20	·06		·25	·05	·06		·04						20
21	·02		·07	·10	·02		·38					·02	21
22		·04	·02	·03		·02				·06	·03		22
23		·03	·03	·05				·01		·61	·11	·48	23
24		·50		·03		1.10		·22		·04		·31	24
25		·04	·10		·03			·16		·06	·09		25
26	·01	·04	·04		·01			·02		·06	·01	·09	26
27		·44	·01					·03		·12			27
28		·24	·05		·11	·03			·02	·02	·01	·04	28
29		·21				·28		·03		·28		·21	29
30		×				·03				·12			30
31		×		×		×			×	·12	×	·08	31
Total	·59	3·73	4·19	·89	2·74	2·43 2·43	1·36	1·94	1·65	1·95	2·85	2·09	YEAR'S TOTAL 26·41 26·41
Rain Days.	13	23	24	15	14	13	12	14	10	21	18	15	192

W. 8,000, VIII. 16

3129

FORM A.
BRITISH RAINFALL.

10 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Brodsworth Hall Gardens
in the County of York
by F. W. Tanner

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02					·02	[illegible]	·31	·17		·13	·04	1
2	·02					·18	[illegible]	·14			·02		2
3	[illegible]					·02	[illegible]	·17		·10	·01		3
4				·03			·01	·06		·20	·01		4
5	·32			·06				·02		·08	·03		5
6	·01					·09	[illegible]			·13	·02		6
7	3·2					·06	[illegible]			·50			7
8	·67			·19				1·28		·37	·14	·03	8
9	·22							·02		·13	·26		9
10			·61		·15			·06		·01	·06		10
11	·10			·15				·09		·27			11
12	·08				·22			·18		·16		·03	12
13	·06			·02				·19	·06	·03	·01		13
14				·05				·22				·06	14
15		[illegible]			·01		·09	[illegible]	·05	·01		·03	15
16	[illegible]	·18		·04		·04	·04	·07					16
17		·12	·03	·14	·62		·10	·17	·11	·01			17
18	·23	[illegible]		·04	·03		·30	·06	·31	·03			18
19	·06	·14	·14	·02	·30	·36	[illegible]	·01					19
20	·01	·30	·02		·09	·42	[illegible]	·02	·02		·08		20
21	[illegible]	·04				·05	[illegible]	·05		·02			21
22		·01						·08		·03			22
23		·02			·18			·04	·03	·02			23
24	[illegible]					·15	[illegible]	·01		·29	·20	·01	24
25		·02	·05					·02		·11	·03		25
26	[illegible]					·01	·02	·28	·11	·22	·01		26
27	[illegible]		·08			·30	·13	·48				·06	27
28	[illegible]		·10			·13	·02	·17		·04		·08	28
29			·02		·08		·03	·01		·19		20	29
30		×	·04				·10	·06			·03		30
31		×		×	·01	×	·01	·06	×		×	·02	31
Total	2·12	·83	1·09	·74	1·69	1·83	·35	4·33	86	2·95	1·04	·56	YEAR'S TOTAL 18·82 18·89
Rain Days.	13	8	9	10	10	13	11	28	8	22	15	10	157

W. 8000, IX. 17.

109

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6. 1. 19

Kept at Brodsworth Hall Gdns
in the County of Yorkshire
by F. W. Larner

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·06		·01					·09	·05	·19	·01	1
2	·02	·17		·09				·08	·07	·01		·16	2
3		·02	·05		·53			·25			·26		3
4			·04		·12			·05	·27	·09	·13	·28	4
5			·02		·26			·32	·08	·14			5
6	02	·36		·32		·17		·02	·04	·07			6
7		·02		·09		·02			·02	(04)	·12	·01	7
8							·06		·51	·03	·07	·02	8
9	·03	·46		·33		·07	·09		·42	·33	·03	·04	9
10	·03	·03		·02			·03		·18	·01	·01	·04	10
11	·15	·03		·04	·15		·07		·03			·03	11
12		·14	·01	·08			·28		·06			·06	12
13		·01		·20	·31				·26	·13			13
14	·12			·07		·01	·11		·50	·09		·18	14
15				·01			·18		·76			·16	15
16			·02				·10	·01	·23	·03		·08	16
17						·09	1·20	·01	·26	·17	·04	·20	17
18	·35		·01			·03	·08		·86			·12	18
19	·11	·02	·12	·04		·01	·09	·01	·09	·09		·70	19
20	·04	·20				·12	·49		·07	·12			20
21	·11	·02			·25	·04	·02		·16	·15			21
22	·13			·01	·01		·08		·04			·28	22
23	·02			·01	·53		·13		·01		·01		23
24		·04					·02		·14	·01	·05		24
25						·51	·02	·48	·01				25
26							·05	·08	·07	·03	·09	·04	26
27		·03				·04	·01	·34	·18		·05	·07	27
28			·26						·04		·09	·36	28
29	·01								·03		·01	·10	29
30		X	·37					·04	·03		·14	·29	30
31		X	·05	X		X		·02	X		X		31
Total	1·15	1·61	·95	1·32	2·16	1·11	3·11	1·71	5·51	1·61	1·29	3·23	YEAR'S TOTAL 24·76
Rain Days.	14	15	10	14	8	11	19	13	29	18	15	21	187

W, 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Brodsworth Gardens
in the County of Doncaster Yorkshire
by F. W. Larner

Lat. .... Long. ....
Time of Observation 9. am.
Nearest Railway Station adwick + Carcroft
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26		·01		·07		·30			·04	·15	·11	1
2	·18						·32		·44		·08		2
3					·01	·05	·50		·08		·30	·08	3
4			·08		·16	·04		·15	·05		·08	·10	4
5	·13	·01	·02						·11		·07	·15	5
6	·02		·		·03							·10	6
7	·04		·08		·06								7
8	·08			·02	·02						·22		8
9	·02		·01								·10		9
10			·02	·04	·05		·21			·05	·05	·09	10
11			·28	·01	·08		·17			·02	·03		11
12			·39	·05					·09		·02		12
13	·07			·03					1·23	·20	·01	·02	13
14	·18			·04				·06	·04	·01	·05		14
15	·18	·17	·02	·11							·06	·62	15
16	·08	1·02		·08		·02					·15		16
17	·02	·40		·01		·06					·20		17
18		·2	·02					·08				·05	18
19	·03	·27	·36			·01	1·50	·24			·15		19
20	·50	·15	·			·02	·22	·13	·15		·04		20
21	·23	·06	·03			·04	·21		·03		·02	·29	21
22		·09	·01					·02	·05		·05	·30	22
23						·01				·88		·03	23
24	·02			·03	·04	·05				·40	·02	·16	24
25	·05		·04		·08			·57			·06		25
26		·03						·52	·03	·03	·05		26
27				·19						·11	·02	·10	27
28				·14				·88		·08	·05	·70	28
29	·13			·11		·27		·02		1·20			29
30		✕	·02	·02		·15				·09		·15	30
31		✕		✕		✕	·18	·1[illegible]	✕	·06	✕	·02	31
TOTAL	2·22	2·20	1·39	·88	·60	·72	3·61	2·67	2·30	3·17	2·03	3·07	YEAR'S TOTAL 24·86
Days with ·01 in. or more	18	9	15	14	10	11	9	10	11	13	24	17	161

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex ML

2854

17 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brodsworth Gardens nr Doncaster
in the County of Yorkshire
by F W Larner

Lat. Long.
Time of Observation 9 - AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·10	·10	·01	·25			·17	·19	·04	1
2				·48			·38		·19	·14			2
3				·15			·73	·02	·09	·29			3
4				·05			·31	·35		·15		·45	4
5							·08	·30	·06	·72			5
6			·15		·14		·08			·02		·05	6
7			·05	·04			·38						7
8	·08	·03		·39			·05	·05			·01		8
9	·28	·01		·56			·06	·02		·02			9
10	·20	·21		·24			·03	·10					10
11		·04	·04	·26								·02	11
12	·02			·28	·02	·04	·02	·15			·03	·04	12
13	·03	·02	·25	·18		·65	·01					·04	13
14				·07		·28	·05		·36	·04	·16	·01	14
15		·03	·56	·05					·09	·04	·02		15
16							·53		·03		·02		16
17					·15		·01		·20				17
18	·04			·04	·02	·04		·04	·13				18
19	·03	1·15		·16		·32							19
20				·18		·18	·09						20
21				·08			·38	·11					21
22	·01			·22									22
23			·02	·01			·25					·55	23
24	·03		·20	·01									24
25		·46		·01			·64						25
26	·10	·01			·06		·06					·06	26
27	·20			·05	·42	·31					·37		27
28	1·15		·15	·20	·36	·03	·04				·18	·70	28
29	·04		·0	·24	·88		·04				·04	·50	29
30	·15	X	·02		·02	·01					·15	·06	30
31		X		X	·12	X	·02		X	·38	X	·10	31
TOTAL	2·36	1·96	1·47	4·05	2·29	1·87	4·49	1·14	1·15	1·97	1·17	2·62	YEAR'S TOTAL 26·54 ✓
Days with ·01 in. or more	14	9	10	24	11	10	23	9	8	10	10	13	151 ✓
Days with ·04 in. or more	9	4	7	21	8	7	18	7	7	8	6	11	113 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BROOMHE~~AD~~ HALL
YORKSHIRE

1912 ¬ 14, 15.

F

Wilson Recorder

FORM A.
BRITISH RAINFALL.

Kept at Broomh

am

Deepcar

in the County of

8 in.

by W H

Ground 4 ft. 6 in.

Sea Level ft.

IMPORTANT … the result entered to the previous day. If … ersal rule, he is earnestly requested to add th… year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.30			.44	.03		.06			1.02	1
2	.01		.10	.01	.02	.28	.88		.18	.01		.05	2
3	.01	.12	.03			.34	.01	1.07	.47			.05	3
4	.56			.29	.20	.47		.91	.15		.12		4
5	.53		.75	.03	.12	.13		.16	.10			.02	5
6	1.88	.30			.02	.04	.01	.78	.09			.01	6
7	—	.05	.05	.05	.04	.04		.14	.20			05	7
8	.47	.26	.14	.32		.01	.05	.04	.03				8
9	.23	.10	.08	.44		.09		.15	.01		.14	.10	9
10	.04	.01		.03		.56		.19			.68		10
11	.20	.09				.01	.01	.06			.09	.73	11
12	.14	.53	.17			.14	1.22					.06	12
13	.04	.07	.01					.04	.01	.12	.05	.34	13
14	.09		.47			.08		.14				.50	14
15	.23	.07	.04		.70	.05		.05				.57	15
16	.64	.03	.32		.10	.19		.10		.16		.04	16
17		.02	.15			.44	.10	.18				.82	17
18			.34				.04	.02				22	18
19	1.12	.10	.29			.07	.98	.51		.27	.09	-	19
20	.22		.11		.45	.03	.10	.31		.40		.01	20
21		.02	.38		.83	.01	.94	.05		.19		.05	21
22	.03	.20	.26		1.34	.09	.29	.40				.09	22
23	.04	.03	.02		06		.65	.46			.25	05	23
24	.40		.10		02	.09	.14	.37			.03	.20	24
25			.17			.17		.10			.71	.05	25
26			.36			.02	.30	1.14		1.53	.27	.59	26
27		.27	.15			.32	.35	.01		.73	.05	.23	27
28		.03	.16			.02	.43	.58	.19	.46	.97	05	28
29		01	.27	.03		.09	.29	.04	.75	.06	.02	.21	29
30			24		10		.03	.01	.02	.09		.19	30
31	.13		.01		.53		.21	.26		04		03	31
Total	7.01	2.31	5.47	1.20	4.53	4.22	7.06	8.27	2.26	4.06	3.47	6.33	YEAR'S TOTAL 56.19
Rain Days.	20	19	27	8	14	26	21	28	13	12	13	27	228

W. 7,500, XI. 12

Wilson Recorder

FORM A.
BRITISH RAINFALL.

Kept at Broomhead Hall Bolsterstone

in the County of Yorkshire W7

by W Harrison

Time of Observation 9 am

Nearest Railway Station Deepcar

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.30			.44	.03		.06			1.02	1
2	.01		.10	.01	.02	.28	.88		.18	.01		.05	2
3	.01	.12	.03			.34	.01	1.07	.47			.05	3
4	.56			.29	.20	.47		.91	.15		.12		4
5	.53		.75	.03	.12	.13		.16	.10			.02	5
6	1.88	.30			.02	.04	.01	.78	.09			.01	6
7		.05	.05	.05	.04	.04		.14	.20		—	.05	7
8	.47	.26	.14	.32		.01	.05	.04	.03				8
9	.23	.10	.08	.44		.09		.15	.01		.14	.10	9
10	.04	.01		.03		.56		.19			.68		10
11	.20	.09				.01	.01	.06			.09	.73	11
12	.14	.53	.17			.14	1.22					.06	12
13	.04	.07	.01					.04	.01	.12	.05	.34	13
14	.09		.47			.08		.14				.50	14
15	.23	.07	.04		.70	.05		.05				.57	15
16	.64	.03	.32		.10	.19		.10		.16	—	.04	16
17		.02	.15			.44	.10	.18				.82	17
18			.34				.04	.02				22	18
19	1.12	.10	.29			.07	.98	.51		.27	.09	-	19
20	.22		.11		.45	.03	.10	.31		.40		.01	20
21		.02	.39		.83	.01	.94	.05		.19		.05	21
22	.03	.20	.26		1.34	.09	.29	.40				.09	22
23	.04	.03	.02		06		.65	.46			.25	05	23
24	.40		.10		02	.09	.14	.37			.03	.20	24
25			.17		—	.17		.10			.71	.05	25
26			.36			.02	.30	1.14		1.53	.27	.59	26
27		.27	.15			.32	.35	.01		.73	.05	.23	27
28		.03	.16			.02	.43	.58	.19	.46	.97	05	28
29		01	.27	.03	—	.09	.29	.04	.75	.06	.02	.21	29
30			24		10		.03	.01	.02	.09		.19	30
31	.13		.01		.53		.21	.26		04		03	31
Total	7.01	2.31	5.47	1.20	4.53	4.22	7.06	8.27	2.26	4.06	3.47	6.33	YEAR'S TOTAL 56.19
Rain Days.	20	19	27	8	14	26	21	28	13	12	13	27	228

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 17 JAN 1913

Kept at Broomhead Hall. Bolsterstone

in the County of Yorkshire

by W Harrison

RAIN GAUGE
Pattern “The Wilson” [illegible]
Diameter of top 8 in.
Height of top above Ground 4 ft. 6 in.
„ „ „ Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Deepcar
Distance 4 miles Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 6.33

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		7.01	2.31	5.47		4.53		7.06	8.27	2.26	4.06	~~7.02~~	1
2			0.30			0.44	0.03		0.06			1.02	2
3	0.01		0.40	0.01	0.02	0.72	0.91		0.24	0.01		1.07	3
4	0.22	0.12	0.43		~~0.22~~	1.06	0.92	1.07	0.71			1.12	4
5	0.58		~~1.18~~	0.30	0.22	1.53		1.98	0.86		0.12		5
6	1.11		1.18	0.33	0.34	1.66		2.14	0.96			1.14	6
7	2.99	0.42	~~1.23~~		0.36	1.70	0.93	2.92	1.05			1.15	7
8		0.47	1.23	0.38	0.40	1.74		3.06	1.25			1.20	8
9	3.46	0.73	1.37	0.70		1.75	0.98	3.10	1.28				9
10	3.69	0.83	1.45	1.14		1.84		3.25	1.29		0.26	1.30	10
11	3.73	0.84		1.17		2.40		3.44			0.94		11
12	3.93	0.93				2.41	0.97	3.50			1.03	2.03	12
13	4.07	1.46	1.62			2.55	[illegible]					2.09	13
14	4.11	1.53	1.63					3.54	1.30	0.13	1.08	2.43	14
15	4.20		2.10			2.63		3.68				2.93	15
16	4.23	1.60	2.14		1.10	2.68		3.73				3.50	16
17	5.07	1.63	2.46		1.20	2.87		3.83		0.29		3.54	17
18		1.65	2.61			3.31	2.31	4.01				4.36	18
19			2.95				2.35	4.03				4.58	19
20	6.19	1.75	3.24			3.38	3.33	4.54		0.56	1.19		20
21	6.41		3.35		1.65	3.41	3.43	4.85		0.96		4.59	21
22		1.77	3.71		2.48	3.42	4.37	4.90		1.15		4.64	22
23	6.44	1.97	3.73		3.82	3.51	4.46	5.30				4.73	23
24	6.48	2.00	3.99		3.88		5.31	5.76			1.42	4.78	24
25	6.88		4.01		3.90	3.60	5.45	6.13			1.45	4.98	25
26			4.12			3.77		6.23			2.16	5.03	26
27			4.29			3.79	5.75	7.37		2.68	2.43	5.62	27
28		2.27	4.65			4.11	6.10	7.38		3.41	2.48	5.85	28
29		2.30	4.80			4.13	6.53	7.96	1.49	3.87	3.45	5.90	29
30			4.96	1.20		4.22	6.82	8.00	2.24	3.93	3.47	6.11	30
31			5.23		4.00		6.85	8.01		4.02		6.30	31
Total	7.01 20	2.31 19	5.47 27	1.20 8	4.53 14	4.22 23	7.06 21	8.27 28	2.26 13	4.06 12	3.47 13	6.33 25	TOTAL for year 56.19
No. of Rain Days.						264							229 228

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at Broomhead Hall Gardens Bolsterstone nr Sheffield
in the County of Yorkshire
by W Harrison

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Deepcar G.C.R
Diameter of Rain Gauge 8 in. square
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level ~~about~~ 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	~~Aug.~~ September	~~Sept.~~ August	Oct.	Nov.	Dec.	Date.
1			.05		.01		.73		.32	.03	.60	.48	1
2			.02				.30		.32		.16	.22	2
3	.30		.32		.15		.03		.06		.56	.85	3
4	.76		.69	.21	.24	.01			.02		.38	.39	4
5	.35	.01	.40	.55	.20	.06			.02		.02	.31	5
6		04		.40	.22	.05	.05		.02		.01	.10	6
7	.01		.38	22	.08	.12			.04		.01	.25	7
8	.34	.01			.23	.98	.01	.50	.29	.01	.07	.09	8
9	.26			.16	.03	1.52		.01	.38		.29		9
10	.20	.08		.21	.17	.03		.10		.01	1.67	.03	10
11		.36	.20	.01	.01	.68	.06	.45			.43	.67	11
12		.20	.12	.01	.03	.02	.02	.54			.64	.81	12
13		.24	.22	01				.18			.48	.40	13
14	.03	.20	.23				.08	.46		.45		.24	14
15	.03	.21	.31					.07		.06			15
16	06	.04	.08				.49	.37					16
17	.06	.62	.08					.46				.96	17
18			.09			.13		.02			.08	.16	18
19		.01	08				.13	.07				.14	19
20		.24	.11					.01	.02	.06	.04		20
21		.69				.28			.18	.07		.18	21
22		.09	.06		.10	.21	.02		.04	.22			22
23		.01	.08	.05	.60	.04	.03				.09	.03	23
24	.04	.06	.52	.02	.02	.01	.52		.04		05		24
25						.01	.21		.16	.95	.24	.52	25
26	.09		.12						.04	.28	.29	.27	26
27	.04		.01							.01	.12	.90	27
28	.21	.20	.02							.07		.25	28
29	.17		.22		03					.66		.04	29
30	.02		09	.01	.01				02	.14	50	32	30
31	.27		.				.26			28			31
Total	3.24	3.31	4.50	1.86	2.13	4.15	2.94	3.24	1.97	3.30	6.73	5.61	YEAR'S TOTAL 45.98
Rain Days.	18	18	24	12	16	15	15	13	16	15	21	24	207

W. 8,000. X. 14.

? answered

The Gardens
Broomhead Hall
Bolsterstone
Nr. Sheffield

Dr. H R Mill

I have pleasure in enclosing Rainfall Record for 1914. As our Gauge is self regestering I have marked form A as recorded on Gauge daily putting the total for month on the first of following month.

I shall be pleased to know if I am right. For instance re copy might be kept [illegible] differences of LMcC

WP

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 JAN

Kept at Broomhead Hall Gardens
in the County of Yorkshire
by W Harrison

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Deepcar G C Rly
Diameter of Rain Gauge Eight in. square
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level About 950 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. Nill

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		3.24	3.31		1.86	2.13		2.94			3.30	6.73	1
2			0.05		0.01		0.73	0.32		0.03		0.48	2
3			0.07		0.		1.03	0.64			0.60	0.70	3
4	0.30		0.39		0.16		1.06	0.70			0.76	1.55	4
5	1.06		1.08	0.21	0.40	0.01		0.72			1.32	1.94	5
6	1.41	0.01	1.48	0.76	0.60	0.07		0.74			1.70	2.25	6
7		0.05		1.16	0.82	0.12	1.11	0.76			1.72	2.35	7
8	1.42		1.86	1.38	0.90	0.24		0.80			1.73	2.60	8
9	1.76	0.06			1.13	1.22	1.12	1.09	0.50	0.04	1.74	2.69	9
10	2.02			1.54	1.16	2.74		1.47	0.51		1.81		10
11	2.22	0.14		1.75	1.33	2.77			0.61	0.05	2.10	2.72	11
12		0.50	2.06	1.76	1.34	3.45	1.18		1.06		3.77	3.39	12
13		0.70	2.18	1.77	1.37	3.47	1.20		1.60		4.20	4.20	13
14		0.94	2.40	1.78					1.78		4.84	4.60	14
15	2.25	1.14	2.63				1.28		2.24	0.50	5.32	4.84	15
16	2.28	1.35	2.94						2.31	0.56			16
17	2.34	1.39	3.02				1.77		2.68				17
18	2.40	2.01	3.10						3.14			5.80	18
19			3.19			3.60			3.16			5.96	19
20		2.02	3.27				1.90		3.23		5.40	6.10	20
21		2.26	3.38					1.49	3.24	0.62			21
22		2.95				3.88		1.67		0.69	5.44	6.28	22
23		3.04	3.44		1.47	4.09	1.92	1.71		0.91			23
24		3.05	3.52	1.83	2.07	4.13	1.95					6.31	24
25	2.44	3.11	4.04	1.85	2.09	4.14	2.47	1.75			5.53		25
26						4.15	2.58	1.91		1.86	5.58	6.83	26
27	2.53		4.16					1.95		2.14	5.82	7.10	27
28	2.57		4.17							2.15	6.11	8.00	28
29	2.78		4.19							2.22	6.23	8.25	29
30	2.95	✕	4.41		2.12					2.88		8.29	30
31	2.97	✕	4.50	✕		✕		1.97	✕	3.02	✕	6.61	31
Total	3.24	3.31	4.50	1.86	2.13	4.15	2.94	1.97	3.24	3.30	6.73	8.61	YEAR'S TOTAL 45.98
Rain Days.	19	18	25	12	16	16	14	19	18	14	21	25	207

W. 8,000. X. 14.

3313

FORM A.
BRITISH RAINFALL.
1916

REGISTER OF RAINFALL IN 1915

Kept at *Broomhead Hall. Bolsterstone*

in the County of *Yorkshire*

by *W. Harrison*

Lat. *53½ N.* Long. *1½ W.*

Time of Observation *9. am*

Nearest Railway Station *Deepcar*

Diameter of Funnel of Rain Gauge *8* in. *Square*

Height of top of Gauge above Ground *4* ft. *6* in.

" " " " Sea Level *900* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.35	0.37	0.09		0.26		0.03	0.18	0.03		0.04	0.12	1
2		0.65	0.18	0.30		0.05	0.07	0.60		0.09	0.05	0.13	2
3	1.46		0.22	0.40			0.36	0.75	0.04		0.11	0.71	3
4	1.53	0.71			0.41		1.20				0.12	1.81	4
5	1.57	1.18	0.32		0.44	0.06		0.78		0.20	0.13	2.53	5
6	2.01	1.37	0.43	0.73			1.73	0.82			0.14	2.96	6
7	2.33	1.90		1.03			1.85	1.65				3.17	7
8	2.56	2.24	0.47	1.23				1.76			0.40	3.18	8
9	2.57	2.29		1.33				1.84			0.90	3.55	9
10	3.59		0.49					1.95		0.28	1.04	3.93	10
11	3.87	2.31	0.52		1.25		2.16	1.97		0.30	1.65	4.86	11
12	3.90			1.42	1.55		2.17	2.01			3.16		12
13	4.02	3.28								0.42		5.05	13
14	4.12	3.34		1.43	1.56			2.22	0.06			5.54	14
15	5.88						2.28	2.78	0.07		3.46	5.74	15
16		3.63		1.44	1.81		1.54 3.82	2.87		0.50			16
17		3.90	0.57				3.91					5.75	17
18		4.22	0.68				3.98			0.51	3.47		18
19		4.40	0.69	1.46					0.12		3.48		19
20	6.07						4.06	2.89				5.96	20
21	6.14	4.44		1.52			4.30					6.01	21
22	6.15		0.82	1.53			4.44			0.52		6.12	22
23	6.22	4.48	0.87				4.77		0.13	0.95		6.23	23
24	6.23		1.06	1.59		0.09			0.72	1.04		6.48	24
25			1 09	1.67		0.55				1.06		6.76	25
26	6.25	5.00				0.70	4.89		0.78			7.35	26
27		5.14				0.74	4.98			1.75		8.13	27
28		6.05	1.12			1.06		3.42		1.97		8.18	28
29	6.26				1.92	1.77		3.44	0.79		3.67	9.32	29
30	6.39	X		1.70				3.74		1.98	3.68	9.39	30
31	6.60	X		X		X			X	2.48	X	9.85	31
Total	6.60	6.05	1.12	1.70	1.92	1.77	4.98	3.74	0.79	2.48	3.68	9.85	YEAR'S TOTAL 44.68
Rain Days.	23	20	16	15	8	8	18	18	9	15	16	27	193

W. 8,000. X. 15.

REGI

Milnthorpe (un

Kept at Buckden fa
Skipton w

in the County of Yor

by G. E. Clay

BUCKDEN

YORKSHIRE

2. 1. 19

FORM A.
BRITISH RAINFALL.

auge ______ in.

Ground ______ ft. ______ in.

Sea Level 800 ft.

IMPORTANT NOTE he result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi in the space provided for it at the end of this ent of rain, the selection and placing sh Rainfall Organization are given in plication to The Director, British Rai W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·27	·01			—	—	—	·34	·04		·32	1
2	—	·03	—			—	—	—	·32	·39		·62	2
3	—	·10	—			—	—	—	—	·45		·07	3
4	—	·06	—			—	—	·07	·35	·20		·19	4
5	·02	·08	—			—	—	1·05	—	·55		—	5
6	·02	1·10	—			—	—	·14	·06	·16		·06	6
7	—	·10	—			·16	—	·01	·34	·37	2·01	·02	7
8	·40	·02	·09			—	·24	·09	·45	·20	·22	·02	8
9	·25	·53	·02			·10	·04	—	·84	·52	·27	·09	9
10	·05	·44	·24			—	·22	—	·70	·14	·61	—	10
11	·24	·15	·08		·76	—	·12	—	·12	—	—	·16	11
12	·01	·33	—		·05	—	—	—	·04	·08	—	·11	12
13	—	—	—		·17	—	—	—	·50	·07	—	·14	13
14	·67	—	—		—	·20	·21	·01	·45	·10	—	·36	14
15	—	—	—	·96	—	—	·82	—	1·64	—	—	1·04	15
16	·06	·07	—	—	—	·10	·17	·17	·66	·02	—	·46	16
17	·53	—	—	—	·25	·07	·56	·18	·24	·23	—	·53	17
18	·48	—	·36	—	—	·02	·17	—	·28	—	—	·36	18
19	·29	·19	·15	·08	—	—	·43	·20	·96	·15	—	·91	19
20	·74	·44	—	·09	—	·02	·28	·05	·26	·01	—	—	20
21	·20	·52	—	—	·01	·10	·01	—	·54	·19	—	—	21
22	·11	—	—	—	—	·11	·31	·06	·17	—	—	1·31	22
23	·26	—	—	—	·47	—	·11	—	·15	—	—	—	23
24	·25	·11	—	—	·17	—	·11	—	·35	—	·12	—	24
25	·02	—		—	—	·02	·26	·90	·25		·02	—	25
26	·01	·10		—	·06	—	·05	·02	·72		·11	·59	26
27	—	·13		—	—	—	—	·67	·29		·11	·60	27
28	—	·02		—	—	—	—	·23	·19		·03	·61	28
29	—			—	—	—	—	—	·07		—	·65	29
30	—	✕		—	—	—	—	—	·01		·04	·28	30
31	—	✕		✕	—	✕	—	·08	✕		✕	·06	31
Total	4·61	4·79	·95	1·13	1·94	·90	4·11	3·93	11·24	3·87	3·~~54~~	9·56	YEAR'S TOTAL ~~50·57~~
Rain Days.	19.	20.				10.	14.	16.	28.			24	

W, 6,500. VII. 18. W W C

REGI

FORM A.
BRITISH RAINFALL.

2 · 1 · 19

Milnthorpe (un

Kept at Buckden from March only (? day of ma

Skipton in Craven

in the County of Yorks W.R.

by G. P. Clayton

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·27	·01			—	—	—	·34	·04		·32	1
2	—	·03	—			—	—	—	·32	·39		·62	2
3	—	·10	—			—	—	—	—	·45		·07	3
4	—	·06	—			—	—	·07	·35	·20		·19	4
5	·02	·08	—			—	—	1·05	—	·55		—	5
6	·02	1·10	—			—	—	·14	·06	·16		·06	6
7	—	·10	—			·16	—	·01	·34	·37	2·01	·02	7
8	·40	·02	·09			—	·24	·09	·45	·20	·22	·02	8
9	·25	·53	·02			·10	·04	—	·84	·52	·27	·09	9
10	·05	·44	·24			—	·22	—	·70	·14	·61	—	10
11	·24	·15	·08		·76	—	·12	—	·12	—	—	·16	11
12	·01	·33	—		·05	—	—	—	·04	·08	—	·11	12
13	—	—	—		·17	—	—	—	·50	·07	—	·14	13
14	·67	—	—		—	·20	·21	·01	·45	·10	—	·36	14
15	—	—	—	·96	—	—	·82	—	1·64	—	—	1·04	15
16	·06	·07	—	—	—	·10	·17	·17	·66	·02	—	·46	16
17	·53	—	—	—	·25	·07	·56	·18	·24	·23	—	·53	17
18	·48	—	·36	—	—	·02	·17	—	·28	—	—	·36	18
19	·29	·19	·15	·08	—	—	·43	·20	·96	·15	—	·91	19
20	·74	·44	—	·09	—	·02	·28	·05	·28	·01	—	—	20
21	·20	·52	—	—	·01	·10	·01	—	·54	·19	—	—	21
22	·11	—	—	—	—	·11	·31	·06	·17	—	—	1·31	22
23	·26	—	—	—	·47	—	·11	—	·15	—	—	—	23
24	·25	·11	—	—	·17	—	·11	—	·35	—	·12	—	24
25	·02	—		—	—	·02	·26	·90	·25		·02	—	25
26	·01	·10		—	·06	—	·05	·02	·72		·11	·59	26
27	—	·13		—	—	—	—	·67	·29		·11	·60	27
28	—	·02		—	—	—	—	·23	·19		·03	·61	28
29	—			—	—	—	—	—	·07		—	·65	29
30	—	X		—	—	—	—	—	·01		·04	·28	30
31	—	X		X	—	X	—	·08	X		X	·06	31
Total	4·61	4·79	·95	1·13	1·94	·90	4·11	3·93	11·24	3·87	3·~~54~~	9·56	YEAR'S TOTAL ~~50·57~~
Rain Days.	19.	20.				10.	14.	16.	28.			24	

W, 6,500. VII. 18. w w c

Buckden
Skipton in Craven 1. Jany 1919.

Dear Sir

I am afraid that my rainfall return for 1918 will be of very little use or interest to you. It has been a very broken record what with my change of residence, absences from home – with no one to keep the record in my absence – &c.

However I send it you for what it may be worth, with some explanations. The lines ruled represent absences from home but the figures below them represent the rainfall during that absence. In consequence of the same absences I cannot in every case give the correct totals at the month ends nor the numbers of days on wh. rain fell.

However I send it to you for what it may be worth & will try to do better in the future.

Yours faithfully
G. E. Clayton

Buckden
Skipton in Craven 5. June 1919.

Dear Sir

I am sorry to say that last years record of rainfall sent by me was not entirely for either Buckden or Milnthorpe as I was moving here in March. Therefore I fear it will be of little or no use to you

Yours sincerely
G. E. Clayton

Carle Salter Esq.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 2

Kept at Buckden
in the County of York
by G. E. Clayton

Lat. 54° 12′ N Long. 2° 5′ W.
Time of Observation 9.30 am
Nearest Railway Station Grassington M.R.
Diameter of Funnel of Rain Gauge 5·0 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·45			·02	·24	—	·45	·02	·85	·31	·11	·23	1
2	·45			—	·12	—	—	—	·11	—	·26	·18	2
3	·60			·02	·42	—	·73	—	·03	—	·28	·59	3
4	·18			—	·08	—	·20	·13	·01	—	·07	·69	4
5	·08			—	—	—	—	—	·07	—	·04	·40	5
6	·05			—	·65	—	—	—	—	·01	·01	·12	6
7	·02			·06	·30	—	—	—	·01	—	·06	—	7
8	·23			·02	·01	·06	—	·10	—	—	·02	—	8
9	1·80			·09	—	·06	—	—	—	—	·11	—	9
10	·06			·13	·26	—	·04	—	—	—	·18	·90	10
11	·02			·17	·11	—	—	—	·08	·09	·01	·13	11
12	—			·20	—	·03	—	—	·15	·03	·35	—	12
13	·53			·75	—	—	·05	·10	—	·19	—	·18	13
14	·38			·48	—	—	·09	·03	—	—	·02	·02	14
15	·43			·16	—	—	—	·14	—	—	·03	·80	15
16	·23			·01	—	·03	—	—	—	—	·14	·09	16
17	—			—	—	·02	—	·58	—	—	·92	·02	17
18	—			—	—	—	·03	·41	·25	—	·13	·64	18
19	—			—	—	·18	·11	·20	·10	—	·68	—	19
20	·61			—	—	·19	·25	·14	—	—	·03	·42	20
21	·02			—	—	—	—	·12	·11	—	·04	·46	21
22	—			—	—	·30	—	·32	·53	—	·15	·27	22
23	—			·16	—	·07	—	—	—	1·61	·53	·33	23
24	·02			·03	—	—	—	—	·95	·41	·59	·24	24
25	·40			·61	·01	·04	—	·86	·61	—	·25	—	25
26	—			·10	—	·01	—	·35	·11	—	·22	·79	26
27	·77			·19	—	—	—	—	—	—	·30	·15	27
28	—			·27	—	—	—	·91	·12	·30	—	·91	28
29	·15			—	—	—	—	·05	—	2·12	—	·20	29
30	·02	X		·04	—	·13	—	·11	—	·42	·57	·53	30
31	·03	X		X	—	X	·42	—	X	·26	X	—	31
Total	8·53	2·00	7·82	3·51	2·20	1·12	2·37	4·60	4·09	4·75	6·10	9·29	YEAR'S TOTAL 56·38
Days with ·01 in. or more	23			19	10	12	10	17	16	11	27	24	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3036

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Buckden

in the County of York

by G. J. Clayton

Lat. 54° 12 N Long. 2° 5

Time of Observation 9 am.

Nearest Railway Station Grassington

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·40

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	·07	·39	·93	—	·55	·13	·03	·06	·05	·23	1
2	—	·03	—	·30	·04	—	1·87	·33	·30	·11	—	·68	2
3	·05	·09	·04	·31	·15	—	·48	·40	·15	·23	—	·72	3
4	·04	—	—	·09	·16	—	·20	1·18	—	1·05	—	·14	4
5	—	—	·17	—	·74	—	·04	·05	—	·30	—	·05	5
6	—	—	·34	·41	·55	—	·03	—	—	—	·05	·20	6
7	1·33	·05	·03	·18	·19	—	·55	—	—	—	·02	—	7
8	·21	·16	—	·29	·20	—	·19	·12	—	—	·02	—	8
9	·22	2·20	·01	·55	—	—	·24	·02	·04	—	·04	·02	9
10	1·45	·47	·18	·52	—	—	·31	·60	—	—	—	·04	10
11	1·03	·08	·14	·05	·25	·06	—	—	—	—	—	·34	11
12	·43	·57	1·02	·26	·12	·02	·20	—	—	—	·30	·34	12
13	·27	·16	·38	·45	·00	·41	·11	—	—	—	·54	·21	13
14	·10	·25	·16	·52	—	·08	·21	—	·30	·12	1·90	·02	14
15	·06	·28	·15	·77	—	—	·11	—	—	·25	·13	—	15
16	·36	—	·13	·05	—	—	·76	—	·63	—	·47	—	16
17	·50	—	·20	—	·29	—	·01	·39	·35	—	—	—	17
18	·09	—	·06	·11	1·12	—	·05	·08	·05	·05	—	—	18
19	·06	·48	—	·19	·06	·09	·08	·13	—	—	—	—	19
20	·08	·02	—	·36	—	—	·08	—	·03	—	—	·31	20
21	—	—	—	·21	—	—	·48	·08	·07	—	—	·52	21
22	·28	—	—	·36	—	·13	·77	·10	—	—	—	—	22
23	—	—	·03	·04	—	—	·45	—	—	—	—	·35	23
24	·19	—	1·15	·32	—	—	·54	—	—	—	—	·38	24
25	—	·08	·24	·21	—	·02	·37	—	—	—	—	—	25
26	·21	·17	·75	·23	·15	—	·02	—	—	—	·06	·03	26
27	·19	—	·33	·11	·19	·45	·01	—	—	—	·22	·07	27
28	·39	·11	·64	·13	—	·12	·02	—	—	—	—	·38	28
29	·45	·09	·09	·04	1·52	·05	·17	—	—	—	·42	·74	29
30	·38	✕	·02	—	·04	·04	—	—	·18	—	·24	·49	30
31	·42	✕	·04	✕	·02	✕	·04	—	✕	·57	✕	·28	31
Total	8·79	5·37	6·37	7·47	6·72	1·47	8·94	3·61	2·13	2·68	4·46	6·54	Year's Total 64·55
Days with ·01 in. or more	24	18	24	27	19	11	29	13	11	9	14	22	221
Days with ·04 in. or more	24	16	20	27	18	9	24	12	9	9	12	19	199

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

BURNSALL RECTORY
YORKSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGI

Kept at Burnsall R

in the County of W R York.

by W. J Stavert

n.

nd ft. in.

evel ft.

Grassington

nce 3½ Direction N.

IMPORTANT NOTE.—I result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "Ri ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·25		·05		·01	·06			·14		1
2	·36		·01	·01	·22		·27			·04	·23	·11	2
3	·01		·45		·32			·02	·02	·02	·31	·06	3
4	·02		·10 10	·20	·04		·02	·32	·10	·08	·70	·18	4
5	·04		·02	·03	·01			·58		·02	·35	·14	5
6	·05		·02	·04				·43		·06	·38	·43	6
7	·03		·01								·11		7
8	·07		·35							·01	·16	·40	8
9												·35	9
10	·44	·05	·07						·01		·02	·78	10
11	·11		·05					·05	·02	·01	·33	·32	11
12	·04		·40		·02	·03			·84		·31		12
13			·04		·01						·17	·45	13
14	·03	·41	·08		·04						·02	·35	14
15		·27	·15	·01						·04	·65	·42	15
16	·03	·85	·12	·02		·10	·02			·02	·43	·20	16
17	·06	·01	·07		·19	·46					·16	·09	17
18		·74	·26			·09	·01			·01	·10	·13	18
19		·02	·01	·03			·21	·06	·28	·09	·45	·16	19
20		·20		·23		·01	·13	·37	·17	·05		·14	20
21		1·12		·06			·09	·06	·01	·42		·10	21
22	·10	·13		·08		·03		·19		·15	·08		22
23	·01	·72			·17	·51		~~·04~~	·53	·30		·20	23
24	·24	·15	·05	·12		·68	·01	·04		·23		·22	24
25	·09	·63	·01	·17		·02	·01		·69	·02		·35	25
26	·01	·02		·25	·04			·11	·03	1·04	·36	·17	26
27	·06	·34	·03	·33				·34	·18	·01	·01	·06	27
28		·21	·01	·54		·25			·14		·03	·35	28
29				·08		·40	·12	·03	·80	1·07	·01	·16	29
30					·02	·01			·03	·44	·02		30
31					·06					·12			31
Total	1·80	5·87	2·56	2·20	1·19	2·59	·90	2·66	3·85	4·25	5·43	6·32	39·62
No. of Rain Days.	19	16	22	16	13	12	11	14	15	22	24	25	209

W. 8,000, X. '11.

REGI

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Burnsall Rectory

in the County of W.R. York. 10

by W. J. Stavert

Pattern
RAIN GAUGE Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station Name Grassington
Distance 3½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·25		·05		·01	·06			·14		1
2	·36		·01	·01	·22		·27			·04	·13	·11	2
3	·01		·45		·32			·02	·02	·02	·31	·06	3
4	·02		·10^{10}	·20	·04		·02	·32	·10	·08	·70	·18	4
5	·04		·02	·03	·01			·58		·02	·35	·14	5
6	·05		·02	·04				·43		·06	·38	·43	6
7	·03		·01								·11		7
8	·07		·35							·01	·16	·40	8
9												·35	9
10	·44	·05	·07						·01		·02	·78	10
11	·11		·05					·05	·02	·01	·33	·32	11
12	·04		·40		·02	·03			·84		·31		12
13			·04		·01						·17	·45	13
14	·03	·41	·08		·04						·02	·35	14
15		·27	·15	·01						·04	·65	·42	15
16	·03	·85	·12	·02		·10	·02			·02	·43	·20	16
17	·06	·01	·07		·19	·46					·16	·09	17
18		·74	·26			·09	·01			·01	·10	·13	18
19		·02	·01	·03			·21	·06	·28	·09	·45	·16	19
20		·20		·23		·01	·13	·37	·17	·05		·14	20
21		1·12		·06			·09	·06	·01	·42		·10	21
22	·10	·13		·08		·03		·19		·15	·08		22
23	·01	·72			·17	·51		[illegible]	·53	·30		·20	23
24	·24	·15	·05	·12		·68	·01	·04		·23		·22	24
25	·09	·63	·01	·17		·02	·01		·69	·02		·35	25
26	·01	·02		·25	·04			·11	·03	1·04	·36	·17	26
27	·06	·34	·03	·33				·34	·18	·01	·01	·06	27
28		·21	·01	·54		·25			·14		·03	·35	28
29				·08		·40	·12	·03	·80	1·07	·01	·16	29
30					·02	·01			·03	·44	·02		30
31					·06					·12			31
Total	1·80	5·87	2·56	2·20	1·19	2·59	·90	2·66	3·85	4·25	5·43	6·32	TOTAL for Year 39·62
No. of Rain Days.	19	16	22	16	13	12	11	14	15	22	24	25	209

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

3339

FORM A.
BRITISH RAINFALL.

2 JAN 1913

Kept at Burnsall

in the County of York.

W10

by W. J. Stewart

Lat. 54° 3′ 0″ N Long. 1° 52′ 2″ W.

Time of Observation 9 · am

Nearest Railway Station Grassington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4·62 ft.

" " " " Sea Level 503·08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·02	·19		·02	·19	·30	·07	·41	·06		·38	1
2	·03	·16	·59	·02	·07	·09	·17		·05			·02	2
3	·29	·02	·34		[illegible]	·80		·51	·79			·10	3
4	·49		·78	·50	·03	·39		·91	·04		·73		4
5	·07		·01	·09	·43	·41		·07			·01	·01	5
6	·71	·26	·10		·04			·63		·01			6
7		·09	·02	·02	·10	·21	·08	·14	·12		·25	·06	7
8	·40	·24	·17	·24	·12	·12			·11		·06		8
9	·30	·33	·21	·38		·13					·06	·06	9
10	·26	·03				·31		·20			·46		10
11	·24	·02	·01		·02		·02	·06			·06	·85	11
12	·12	·18	·07			·26	·34				·02	·31	12
13		·02	·03			·08		·01		·24	·16	·92	13
14	·49		·40		·05	·26		·05				·60	14
15	·24	·09	·05		·34	·26				·06		·21	15
16	·48		·79			·07		·09		·15		·05	16
17		·12	·27		·02	·72	·01	·42			·05	·74	17
18	·06	·01				·19		·07		·48	·05	·12	18
19	·09	·28	·48			·12	·08	·16		·38	·08		19
20	·22		·24		·53	·08		·14		·63	·02	·09	20
21		·01	·04		·10					·01		·08	21
22	·06	·31	·01		·35	·28		·42				[illegible]	22
23		·05	·17		·01	·08	·18	·33			·35	·02	23
24	·12	·01	·04		·02	·43	·61	·12		·04	·43	·11	24
25		·01	·19			·42	·14	·02			·42	·12	25
26	·04	·21	·18			·02	·34	·24		1·81	·35	·29	26
27		·09	·29		·01	·77	·60			·20		·42	27
28			·03			·29	·67	·97	·15	·47	·19	·06	28
29		·11	·19			·01	·45	·20	·54	·22		·35	29
30	·03		·66		·04		·01		·03			·02	30
31			·10		·04		1·06	·27		·01		·13	31
Total	4·74	2·67	6 65	1·25	2·34	6·99	5·06	6·10	2·24	4·77	3·75	6·12	YEAR'S TOTAL 52·68
Rain Days.	20	23	29	6	19	26	16	23	9	15	18	25	229

W. 7,500, XI. ·12

Ex 8L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

W10

Kept at Burnsall

in the County of York

by W. J. Stavert

Lat. 54° 3′ 0″ N Long. 1° 52′ 2″ W

Time of Observation 9 . am

Nearest Railway Station Grassington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 · 62 ft. in.

" " " " Sea Level 503 · 08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37		.20	.11						.02	.03	.04	1
2		.36	.89	.02		.26					.21	.10	2
3	.08	.27	.30		.56		.02			.01	.05	.14	3
4	.36	.12	.21		.03	.02	.01		.04	.03	.10	.45	4
5	.31	.12	.06			.10		.08	.02	.07	.01		5
6	.12	.37	.30		.56	.07	.34			.10	.03		6
7	.01	.44	.05	.01	.22	.20	.02			.63	.01	.03	7
8		.12	.04		.59	.01		.03		.01	.15	.05	8
9		.23	.50		.23	.73	.02	.15			.09	.07	9
10	.01	.02	.38	.14	.02	.01					.10		10
11	.25	.01	.01	.49		.05				.04	.15	.10	11
12							.03	.01	.19		.32		12
13	.04	.02	.26	.07				.02	.16	.03	.25		13
14	.10	.01	.23	.27			.05			.20	.06		14
15			.88	.33				.01	.01		.78	.10	15
16	.13		.03	.02			.02			.01	.38	.02	16
17	.01		.03	.29		.05	.29		.05		.19		17
18	.12		.28	.51	.14	.04	.05				.34		18
19	.15		.22	.34	.14	.03			.12	.09	.29		19
20	.24		.09	.21	.15	.01			.01	.17	.83		20
21	.03	.02	.05		.34		.19	.45			.02		21
22	.21		.55		.06			.36	.06		.01		22
23	.25		.10		.22	.27		.33	.14		.08	.01	23
24	.64	.05		.06		.34		.01		.01	.03		24
25				.08					.60	.02	.08	.61	25
26			.12	.55		.02			.21	.10		.68	26
27		.01	.01	.15		.01				.17		.24	27
28	.30		.28	.46								.05	28
29	.01		.36	.34	.04			.33		.02	.11	.05	29
30	.66		.02		.04	.01		.01		.26	.02	.02	30
31	.12		.04		.16								31
Total	4.52	2.17	6.49	4.45	3.50	2.23	1.04	1.79	1.61	1.99	4.71	2.76	YEAR'S TOTAL 37.26
Rain Days.	23	15	28	19	16	18	11	12	12	19	27	17	217

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Burnsall

in the County of York. WR 10

by W. J. Stabert.

Lat. 54° 3′ 0″ N Long. 1° 52′ 2″ W

Time of Observation 9 a.m.

Nearest Railway Station Grassington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4.62 ft. in.

" " " " Sea Level 503.08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·09				·98	·08			·02	·49	1
2			·03	·01			·16	·67		·07	·36	·10	2
3	·20		·06		·82			·02			·04	1·25	3
4	·40		·33	·37	·25						·15	·96	4
5	·09		·81	·23	·05	·02	·02	·01			·40	·36	5
6			·13	·29	·22			·02			·04	·06	6
7	·05	·01	·25	·06	·17	·02		·05			·02	·38	7
8	·50		·21		·36	·52	·05	·57			·08	·25	8
9	·32	·22		·10		1·37		·12	·05		·29	·02	9
10	·02	·03	·01	·02	·03				·07		·49	·01	10
11		·18	·38		·11				·07		·62	·63	11
12		·24	·07		·04		·08		·62		·41	·65	12
13		·29	·21	·03			·07		·07		·47	·31	13
14	·08	·70	·11				·10		·08	·01	·22	·49	14
15		·02	·52						·15		·17		15
16	·04		·01				1·05		1·25			·04	16
17	·04	·31	·17				·09		·26			·49	17
18	·02	·57	·01			·08	·01			·02		·09	18
19		·16	·16				·05				·04	·14	19
20	·01	·18	·07		·02			·10	·01	·03		·01	20
21		·52			·01	·28	·01	·02		·09	·05	·03	21
22		·30	·01	·01	·24	·26		·08		·08	·02	·06	22
23		·03	·11	·06	·13	·16	·03		·01	·01		·04	23
24	·11		·11	·01	·03	·02	·10	·31			·14		24
25	·04		·03		·01		·03	·55		·82	·09	·76	25
26	·03		·05				·01	·02		·27	·61	·28	26
27	·01	·01							·02	·10	·65	1·22	27
28	·15	·17	·04		·01	·01		·01		·02	·62	·07	28
29	·13		·28		·06			·06		·57	·20	·01	29
30	·26	X	·65	·01	·01			·08		·09	·33	·17	30
31	·74	X	·03	X		X	·77		X	·26	X		31
Total	3·24	3·95	4·94	1·20	2·57	2·74	3·61	2·77	2·66	2·44	6·53	9·37	YEAR'S TOTAL 46·02
Rain Days.	20	18	28	12	18	10	17	17	12	14	25	28	219

W. 8,000. X. 14.

3542

6xd Lit.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3. JAN 1916

Kept at Burnsall

in the County of York W 10

by W. J Stewart

Lat. 54° 3′ 0″ N Long. 1° 52′ 2″ W
Time of Observation 9 - am
Nearest Railway Station Grassington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4·62 ft. in.
" " " " Sea Level 503·08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·52	·48			·29			·36	·02		·05	·04	1
2		·65	·28	·45		·03	·19	·10			·01	~~·49~~	2
3	·59	·04	·05	·21			·29	·18			·02	·49	3
4	·02	·30	·03		·04	·05	·05					·58	4
5	·55	·18	·34	·03	·02	·02		·02			·01	1·14	5
6	·54	·20	·11	·35			·68	·02			·01	·40	6
7	·67	·81	·01	·24			·70	·24				·32	7
8	·29	·16	·02	·15			·09	·08			·60		8
9	·02	·06						·03		·05	·26	·37	9
10	·86	·01	·02	·01				·36		·05		·36	10
11	·09	·06	·04		·62		·02	·04		·01	·09	·20	11
12	·10	·03		·15	·05		·13	·04		·13	1·45		12
13	·63	·49		·01								·11	13
14	·22	·04		·01	·03		·14	·08		·01		·22	14
15	1·37			·01			·01	·10	·05		·28	·22	15
16		·59			·10		·65	·66	·02				16
17		·40	·01					·01		·01		·01	17
18		·70	·33					·23		·02	·01		18
19	·01	·05	·02	·13			·41	·01		·03			19
20	·30	·04			·08		·47					·27	20
21	·06	·15					·06					·08	21
22	·04		·06	·02			·12					·13	22
23	·01	·02	·08				·02		·08	·10		·21	23
24			·13	·03					·36	·03		·54	24
25							·01		·12			·10	25
26	·04	·55				·02	·25					·56	26
27		·26	·01				·19			·55		·27	27
28	·01	·26	·03		·10	·25		·40		·07		·03	28
29					·17	·09					·14	·73	29
30	·13	X		·18		·02				·01	·21		30
31	·32	X		X		X	·07	·46	X	·19	X	·20	31
Total	7·39	6·53	1·57	1·98	1·50	·48	4·55	3·12	·65	1·26	2·94	7·58	YEAR'S TOTAL 39·55
Rain Days.	23	24	17	15	10	7	20	19	6	14	13	24	199

W. 8,000. X. 15.

cnd pr month H C 7 E 3466

FORM A. BRITISH RAINFALL.

JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Burnsall

in the County of York WR

by Rev. W.J.Stavert

Lat. 54° 3′ 0″ Long. 1° 52′ 2″

Time of Observation 9 a.m.

Nearest Railway Station Grassington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4.62 ft. in.

" " " " Sea Level 503.8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·88	·08	·09			·08	·38	·02		·02	·03		1
2	·10	·13	·09			·13			·12	·17	·06	·01	2
3		·16	·02			·07	·08		1·19	·17	·30		3
4	·12	·25			·50	·92	·49		·27	1·35	·21		4
5	·14	·47		·03	·02	·04				1·85	·51		5
6	·34	·61	·06	·02	·37	·03	·13			·19	·31	·02	6
7	·04	·18	·10		·06	·06	·27			·50	·02	·16	7
8		·09	·30			·11	·02			·08	·23	·08	8
9	·05	·01	·05		·20	·47	·03		·02		·11	·43	9
10	·27	·02	·01	·18		·25	·10		·01	1·32	·20	·09	10
11	·11	·27	·46	·88	·04	·02	·08		·10	·07	·04	·04	11
12	·16	·20	·26	·19	·37	·01	·50	·03		·18	·02	·02	12
13		·15	·12		·02		·03	·34		·95	·01	·07	13
14	·05	·42	·02	·07	·32			·38		·14	[illegible]	·01	14
15	·07	·76	·60	·03			·15	1·07		·04			15
16		·20	·45	·25			·10	·13	·02				16
17	·22	·14		·39			·04		·48	·22	·02		17
18		·48		·05			·03	·39	·14	·15	·95	·18	18
19	·37		·16	·20				·01	·02		·59	·06	19
20	·50		·16	·03			·03	·07			·04	·10	20
21	·56	·02	·01	·02	·01								21
22		·20	·01	·05		·20				·21	·14	·02	22
23	·07	·03	·16	·08		·01		·01		·05	·18	·14	23
24		·07	·04	·05		·25		·30		·03	·03	·12	24
25	·11	·06	·41	8	·11	·02		·50		·07	·15	·14	25
26	·10	·07	·34				·02	·10		·09	·02		26
27		·25	·02					·06		·60			27
28	·05	·41	·15		·17			·02		·69	·06	·96	28
29	·02	·35	·03			·13				·29	·01	·32	29
30	·01	11	9			·06	·02		·02	·99	19	·21	30
31	8				·05	6	4	·02		·39		·15	31
Total	4·34	6·08	4·12	2·52 2·52	2·24	2·86	2·50	5 3·45	2·39 ~~2·48~~	10·81	4·22	3·33	YEAR'S TOTAL 48·81 48·85
Rain Days.	22	27	25	16	13	18	18	16	11	26	23	21	236

W. 8,000, VIII. 16

3322

FORM A. BRITISH RAINFALL
- 2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Burnsall Rectory

in the County of York

by W. J. Stavert

Lat. 54°3′0″ Long. 1°52′2″

Time of Observation 9 a.m.

Nearest Railway Station Grassington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4.62 ft. in.

" " " " Sea Level 503.08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08			·01		·16		·02	·39		·20	·38	1
2	.71			·19		·21		·05	·01	·03			2
3	.12	·18		·03		·32		·01		·35	·04		3
4		·02	·02							·08			4
5	.37		·07	·35				·01		·05	·14	·04	5
6	.04					·02				·46	·32	·17	6
7	.70		·01			·13		·32		·28	·02	·15	7
8	.70			·22				1·78	·03	·71	·11	·21	8
9	.01			·11				·43		·12	·48		9
10	.26		·76	·12	·14			·10		·03			10
11	.07	·03	·01	·02	·02			·03		·42	·02		11
12	.03		·02		·22			·18	·01	·76		·03	12
13	.15			·38	·03			·24	·47	·02	·02	·49	13
14	.28			·25	·01			·21				·10	14
15	.05			·04			·46	·08	·11	·05		·18	15
16	.14	·03	·14	·34		·07		·32	·07	·01	·01	·51	16
17	.03	·12	·07	·14	·33		·13	·94	·03	·11		·19	17
18	.04	·01	·12	·03	·15		·72	·16	·33				18
19	.10	·25	·33		·46	·09	·02	·03		·01	·08	·02	19
20	.06	·24	·05		·03	·22		·13	·05		·09	·02	20
21	.01	·03	·04		·02			·17		·05			21
22			·02		·36	·05		·24	·24	·18	·02		22
23		·04				·64		·19	·02	·05	·24		23
24						·01	·01	·72		1·13	·87		24
25		·05	·10					·09	·01	·41			25
26			·01			·30	·02	·54	·18	·22	·36		26
27			·01		·05	·29	·47	·44		·18	·23	·14	27
28			·35			·02	·02	·09		·04	·41	·02	28
29			·11		·14		·03	·02		·38	·19	·03	29
30	.04	✕	·12					·01		·17	·20		30
31		✕	·30	✕	·03	✕		·34	✕		✕	·05	31
Total	3.99	1·00	2·66	2·23	1·99	2·53	1·88	7·89	1·95	6·30	4·05	2·64	YEAR'S TOTAL 39·11
Rain Days.	21	11	20	14	4	14	9	29	14	26	29	14	209

W. 8,000, IX. 17.

296

FORM A.
BRITISH RAINFALL
8·1·19

REGISTER OF RAINFALL IN 1918

Kept at Burnsall
in the County of York W.R.
by Revd W. J. Stavert

Lat. 54° 3′ 0″ Long. 1° 52′ 2″ W.
Time of Observation 9 a.m.
Nearest Railway Station Grassington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4·62 ft. in.
" " " " Sea Level 503·08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·14	·07	·01	·08				·30	·07	·33	·25	1
2	·02	·16		·01					·18	·05	·01	·34	2
3		·02	·01		·49					·22	·03	·05	3
4		·07	·21		·03			·06	·38	·26	·37	·21	4
5	·01	·02	·06	·14	·07			1·10	·03	·50	·11	·01	5
6	·08	1·50	·01	·19		·17		·02		·36		·07	6
7	·01	·16		·06				·01	·23	·44	·12	·04	7
8	·10	·42	·12				·27	·07	·47	·25	·10	·03	8
9	·22	1·09		·09		·12	·01		1·00	·52	·66	·12	9
10	·03	1·35					·04		·53	·05	·34	·02	10
11	·23	·11	·01	·01	·06		·33	·02	·20			·11	11
12		·24			·09		·10		·27	·01	·01	·17	12
13	·01	·01		·05	·10	·03			·30	·26	·01	·07	13
14	·62					·10	·15		·28	·06		·13	14
15	·01			·02		·03	·71		1·33		·01	1·08	15
16	·14					·30	·24	·20	·48			·38	16
17	·49				·16	·19	·32	·18	·02	·21		·31	17
18	·92		·19			·06	·24	·01	·32			·38	18
19	·29	·10	·05	·02			·51	·40	·30	·14		·90	19
20	·18	·62		·14		·04	1·63	·02	·50	·01	·01		20
21	·28	·69			·03	·03			·55	·15			21
22	·08	·02		·01	·45	·21	·62	·06	·25			1·11	22
23	·07	·01			·46		·05		·10		·01		23
24	·09	·07					·32	·07	·18		·04	·03	24
25		·02			·01	·13	·10	1·04	·25				25
26		·18					·02	·03	·75	·03	·07	·13	26
27		·23	·45					·31	·36	·03	·06	·47	27
28		·29	·35					·22	·32		·03	·55	28
29									·08			·60	29
30		X	·38					·03	·02	·03	·04	·23	30
31		X	·25	X		X		·08	X		X	·01	31
Total	3·79	7·43	2·16	·75	1·94	1·41	5·66	3·93	9·93	3·65	2·36	7·80	YEAR'S TOTAL 50 81
Rain Days.	20	23	13	12	12	12	17	19	28	20	19	27	222

W, 6,500, VII. 18. W W C

ext 93

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Burnsall
in the County of York
by W. J. Stavert F.S.A.

Lat. 54° 3′ 0″ N. Long. 1° 52′ 2″ W.
Time of Observation 9 a.m.
Nearest Railway Station Grassington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 8 in.
" " " " Sea Level 503·08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·13		·06	·03	·27		·49	·06	·50	·28	·05	·10	1
2	·35		·32		·02		·19		·07		·05	·17	2
3	·58	·01			·31	·13	·64		·03		·15	·89	3
4	·09	·11	·39		·04		·54	·08	·01		·05	·22	4
5	·02				·08				·01	·01	·03	·35	5
6	·03		·55		·52						·02	·16	6
7	·02		·14	·03	·04				·02		·02		7
8	·17		·01	·03	·01	·04		·07					8
9	1·15		·11	·01		·07					·05		9
10	·01		1·07	·05	·18						·08	·45	10
11	·02		·84	·09	·01		·05		·01	·06		·02	11
12			·41	·10		·09	·08		·01	·14	·25		12
13	·52			·46				·10		·22		·06	13
14	·28			·63			·02	·05		·04	·03		14
15	·26	·08	·06	·09				·05				·47	15
16	·24	·77		·04		·03			·01		·16		16
17	·01	·10		·06		·03		·23	·01		·80		17
18			·17		·01		·09	·41	·10		·01	·35	18
19	·03	·19	·55			·11	·12	·02	·02		·61	·01	19
20	·87	·12	·01			·28	·20	·06		·01	·07	·68	20
21	·07	·23	·02			·04	·02	·03	·06		·02	·38	21
22		·30	·01			·09		·15	·30	·01	·19	·37	22
23				·11		·03				1·08	·21	·13	23
24	·03		·02	·06	·03			·01	·54	·49	·53	·24	24
25	·21	·03		·38	·02	·03		·76	·14		·23		25
26	·15	·08	·98	·12		·02		·20	·05		·10	·67	26
27	·33	·01	·03	·31					·01		·23	·05	27
28	·02			·10				·56		·42		·50	28
29	·15									1·18		·21	29
30	·01		·04	·02		·06		·05		·16	·15	·34	30
31	·01		·04				·56			·06		·02	31
TOTAL	6·76	2·03	5·83	2·72	1·54	1·05	3·00	2·89	1·90	4·16	4·09	6·84	YEAR'S TOTAL 42·81
Days with ·01 in. or more	27	12	21	19	13	14	12	17	18	14	24	23	214

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Ext Cm

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Burnsall Rectory
in the County of York
by W. J. Stewart

Lat. 54° 3' 0" Long. 1° 52' 2"
Time of Observation 9 am
Nearest Railway Station Grassington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 8 in.
" " " " Sea Level 503·08 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	·10	·22	·64	·01	·71	·30		·07	·05	·09	1
2		·02	·02	·11	·08		·14	·03	·21	·24		·77	2
3		·11	·06	·04	·09		·15	·46	·19	·40		·41	3
4	·01			·02	·16		·18	1·92		·80		·10	4
5			·06		·22		·06	·03	·04	·32		·01	5
6			·27	·35	·17		·05				·04	·10	6
7	·47	·03	·07	·07	·07		·64				·01		7
8	·11	·15		·17	·30		·11	·03					8
9	·28	1·57		·34			·24	·05			·02		9
10	·96	·70	·03	·22			·56	·60				·01	10
11	·81	·11	·05	·09	·27	·07	·02				·01	·10	11
12	·25	·46	·65	·38	·03	·02	·24				·18	·19	12
13	·17	·08	·18	·29	·10	·31	·11				·36	·20	13
14	·06	·18	·26	·36		·23	·13		·14	·01	1·23	·02	14
15	·04	·24	·09	·53						1·04	·38		15
16	·31		·07		·05		·95		·56		·34		16
17	·35		·06		·23		·01	·16	·19	·07	·01		17
18	·25	·02	·01	·13	·77		·02	·01	·02				18
19	·03	·38		·15	·23	·07	·02	·04			·01		19
20	·11	·02		·26		·02	·15		·01			·05	20
21	·01			·06			·55	·02	·01	·01		·18	21
22	·10			·34		·05	·97	·03				·07	22
23			·01	·03			·35				·01	·24	23
24	·04		1·07	·14			·06					·29	24
25		·06	·28	·02			·51	·01					25
26	·11	·11	·59	·27	·02		·01				·02	·02	26
27	·20	·02		·08	·27	·56	·01		·01		·20	·07	27
28	·53	·10	·24	·13		·06	·01				·01	·22	28
29	·24	·02	·11	·03	·88	·05	·26				·28	·80	29
30	·34	✕	·02		·12	·06			·20		·18	·43	30
31	·34	✕	·03	✕	·07	✕	·01		✕	·45	✕	·43	31
Total	6·14	4·40	4·33	4·83	4·77	1·53	7·23	3·69	1·58	3·41	3·34	4·80	Year's Total 50·05
Days with ·01 in. or more	25	20	23	26	20	12	29	14	11	10	18	22	230
Days with ·04 in. or more	21	13	17	22	~~19~~ 18	9	~~22~~ 21	7	7	8	10	18	171

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Burythorp

in the County of Yo

by William

ton 5 miles

5 in.

ad 1 ft. — in.

evel 240 ft.

BURYTHORPE
RECTORY
YORKSHIRE
1916 - 1920

IMPORTANT NOT esult entered to the previous day. If an O rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·11	0·02	0·20			0·30	0·16		0·21	0·03	0·20		1
2		0·07	0·12						0·33	0·08	0·01	0·01	2
3		0·20	0·11	0·05					0·03	0·15	0·06		3
4		0·12	0·05	0·01	0·67	0·37				0·35	0·27	0·07	4
5		0·16	0·05	0·03	0·10	0·18				0·30	0·17		5
6	0·05	0·14	0·31	0·02	0·18	0·05	0·06			0·08	0·27	0·03	6
7		0·03	0·16		0·10		0·05			0·06	0·02	0·20	7
8			0·35		0·09						0·09	0·16	8
9	0·01		0·06		0·53	0·25			0·11		0·04	0·23	9
10	0·11	0·06	0·02	0·05		0·07	0·07		0·02	0·09		0·05	10
11		0·49	0·50	0·25		0·17	0·14					0·33	11
12	0·03	0·04	0·15	0·09	0·36	0·07	0·67	0·06		0·13		0·06	12
13		0·04	0·15		0·25		0·66	0·77	0·04	0·55		0·17	13
14		0·05	0·02	0·11	0·20			0·49				0·22	14
15	0·05	0·18	0·29				0·02	0·30					15
16		0·11	0·09	0·13			0·20	0·22		0·03		0·05	16
17	0·02		0·01	0·19			0·07	0·04	0·15	0·07	0·04		17
18		0·20		0·33		0·02			0·20	0·11	1·50		18
19	0·08		0·03	0·04		0·05		0·04	0·06	0·08	0·40	0·14	19
20	0·05	0·01	0·23	0·48		0·01	0·20	0·06			0·12	0·05	20
21	0·02	0·12	0·08	0·10			0·03				0·02	0·23	21
22		0·30	0·02			0·04					0·01	0·07	22
23				0·03		0·02		0·03		0·07	0·11	0·26	23
24		0·06	0·05	0·08		0·18		0·10		0·10		0·07	24
25	0·02		0·04					0·21			0·06	0·05	25
26		0·25	0·04			0·10		0·02	0·01	0·20	0·03		26
27		0·37				0·08		0·15		0·10			27
28		0·28	0·04		0·08					0·15		0·29	28
29		0·07			0·35	0·05				0·15		0·15	29
30	0·03	X			0·11		0·03			0·15	0·02	0·02	30
31		X		X		X	0·02		X		X	0·02	31
Total	0·58.	3·37.	3·17.	1·99.	3·02.	2·01.	2·38.	2·49.	1·16.	3·03	3·44	2·93.	YEAR'S TOTAL 29·57.
Rain Days.	12.	23.	25.	16.	12.	17.	14.	13.	10	21.	19	23	205.

W. 8,000. X. 15.

P.T.O.

Snade

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Burythorpe Rectory.

in the County of York ER

by William Robinson.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Malton 5 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·11	0·02	0·20			0·30	0·16		0·21	0·03	0·20		1
2		0·07	0·12						0·33	0·08	0·01	0·01	2
3		0·20	0·11	0·05					0·03	0·15	0·06		3
4		0·12	0·05	0·01	0·67	0·37				0·35	0·27	0·07	4
5		0·16	0·05	0·03	0·10	0·18				0·30	0·17		5
6	0·05	0·14	0·31	0·02	0·18	0·05	0·06			0·08	0·27	0·03	6
7		0·03	0·16		0·10		0·05			0·06	0·02	0·20	7
8			0·35		0·09						0·09	0·16	8
9	0·01		0·06		0·53	0·25			0·11		0·04	0·23	9
10	0·11	0·06	0·02	0·05		0·07	0·07		0·02	0·09		0·05	10
11		0·49	0·50	0·25		0·17	0·14					0·33	11
12	0·03	0·04	0·15	0·09	0·36	0·07	0·67	0·06		0·13		0·06	12
13		0·04	0·15		0·25		0·66	0·77	0·04	0·55		0·17	13
14		0·05	0·02	0·11	0·20			0·49				0·22	14
15	0·05	0·18	0·29				0·02	0·30					15
16		0·11	0·09	0·13			0·20	0·22		0·03		0·05	16
17	0·02		0·01	0·19			0·07	0·04	0·15	0·07	0·04		17
18		0·20		0·33		0·02			0·20	0·11	1·50		18
19	0·08		0·03	0·04		0·05		0·04	0·06	0·08	0·40	0·14	19
20	0·05	0·01	0·23	0·48		0·01	0·20	0·06			0·12	0·05	20
21	0·02	0·12	0·08	0·10			0·03				0·02	0·23	21
22		0·30	0·02			0·04					0·01	0·07	22
23				0·03		0·02		0·03		0·07	0·11	0·26	23
24		0·06	0·05	0·08		0·18		0·10		0·10		0·07	24
25	0·02		0·04					0·21			0·06	0·05	25
26		0·25	0·04			0·10		0·02	0·01	0·20	0·03		26
27		0·37				0·08		0·15		0·10			27
28		0·28	0·04		0·08					0·15		0·29	28
29		0·07			0·35	0·05				0·15		0·15	29
30	0·03	X			0·11		0·03			0·15	0·02	0·02	30
31		X		X		X	0·02		X		X	0·02	31
Total	0·58.	3·37.	3·17.	1·99.	3·02.	2·01.	2·38.	2·49.	1·16.	3·03	3·44	2·93.	YEAR'S TOTAL 29·57.
Rain Days.	12.	23.	25.	16.	12.	17.	14.	13.	10	21.	19	23	205.

W. 8,000. X. 15.

P.T.O.

[made

3373

FORM A. BRITISH RAINFALL.

10 JAN

REGISTER OF RAINFALL IN 1917.

Kept at Burythorpe Rectory
in the County of York E.R.
by William Robinson.

Lat. 54° 4′ Long. 0° 47′ W.
Time of Observation 9 a.m.
Nearest Railway Station Malton (5 miles)
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·01	0·12	—	—	—	0·05	—	0·27	0·33	—	0·12	0·04	1
2	0·07	—	—	—	—	0·21	—	0·26	0·06	0·06	—	—	2
3	—	—	—	0·70	—	0·04	—	0·31	—	0·30	—	—	3
4	—	—	—	—	—	—	—	0·04	—	0·02	0·04	—	4
5	0·13	—	0·07	0·40	—	—	—	—	—	0·01	0·20	—	5
6	—	—	—	—	—	—	—	—	—	0·52	0·11	—	6
7	0·87	—	—	—	—	0·15	—	1·85	—	—	—	0·06	7
8	0·83	—	—	—	—	—	—	—	—	0·40	—	—	8
9	—	—	—	—	—	—	—	0·12	—	—	0·50	0·03	9
10	0·26	—	0·57	—	0·10	—	—	0·41	—	0·16	0·12	—	10
11	0·05	—	—	—	—	—	—	0·22	—	0·50	—	—	11
12	0·50	—	—	0·17	0·27	—	—	0·19	—	0·39	—	—	12
13	0·31	—	—	0·06	0·26	—	—	—	0·13	0·04	—	0·07	13
14	0·25	—	—	0·13	0·10	—	0·04	0·51	—	—	—	—	14
15	0·31	—	—	—	—	—	0·12	0·10	—	—	—	0·05	15
16	0·28	0·18	—	0·33	—	—	—	0·24	—	0·01	—	0·60	16
17	0·12	—	—	0·11	0·42	0·85	0·03	0·16	0·03	—	—	0·21	17
18	0·10	0·07	—	0·04	0·06	—	0·32	0·16	0·11	—	—	0·07	18
19	0·18	0·07	0·18	—	0·08	0·30	—	—	0·02	—	—	0·01	19
20	—	0·12	0·13	—	0·05	0·32	0·24	0·07	0·17	—	0·32	0·02	20
21	0·05	0·11	0·25	—	—	0·07	—	0·06	—	0·01	—	—	21
22	0·05	—	0·21	—	—	0·09	—	0·07	—	0·06	—	—	22
23	—	—	—	—	0·12	—	0·03	0·25	0·03	—	0·01	0·02	23
24	0·05	—	—	—	—	0·08	0·04	0·09	—	0·23	0·32	—	24
25	—	—	0·07	—	—	—	0·02	0·07	—	0·17	0·40	0·10	25
26	—	—	0·11	—	—	0·06	—	0·87	0·05	0·12	0·01	0·39	26
27	—	—	—	—	—	0·16	0·17	0·38	—	0·02	—	0·05	27
28	—	—	—	—	—	0·05	0·07	0·78	—	0·02	—	0·02	28
29	—	X	—	—	—	—	0·09	0·06	—	0·19	—	0·01	29
30	—	X	0·32	—	—	—	0·31	—	—	0·02	0·12	0·02	30
31	—	X	—	X	0·10	X	0·05	0·10	X	—	X	0·08	31
Total	4·42	0·67	1·91	1·94	1·56	2·43	1·53	7·64	0·93	3·25	2·27	1·85	YEAR'S TOTAL 30·40.
Rain Days.	18	6	9	8	10	13	13	25	9	20	12	18	161.

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

8·1·19

Kept at Burythorpe Rectory

in the County of York E R

by Wm Robinson.

Lat. 54°4'25"N. Long. 0°47'20"W.

Time of Observation 9 a.m.

Nearest Railway Station Malton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	0·07	0·07	0·05					0·27	0·02	0·18	0·10	1
2	0·04	0·18	0·01	0·09					0·07	0·02		0·23	2
3		0·03	0·05		0·11			0·19		0·01	0·43	0·02	3
4			0·06		0·11		0·03	0·22	0·24	0·05	0·13	0·43	4
5			0·01	0·20	0·16			0·25	0·04	0·01		0·05	5
6		0·50		0·30		0·05		0·30		0·06			6
7	0·14	0·05		0·03		0·20				0·03	0·13		7
8	0·05	0·20	0·04	0·01		0·20	0·49		0·06	0·12	0·05	0·04	8
9	0·02	0·52		0·02		0·01	0·18		0·62	0·27	0·12	0·07	9
10	0·02	0·02		0·01					0·13	0·01	0·03	0·01	10
11	0·15	0·04		0·01	0·35		0·03				0·01	0·08	11
12		0·12	0·01	0·02	0·10		0·71		0·01	0·02		0·02	12
13				0·04	0·12				0·12	0·05			13
14	0·02			0·05	0·01	0·04	0·06		0·30			0·16	14
15	0·08			0·01		0·07	0·21		0·27			0·80	15
16	0·02			0·01		0·07	0·01	0·06	0·74			0·20	16
17	0·24			0·01	0·30	0·13	0·75	0·09	0·26	0·09		0·36	17
18	0·45		0·04	0·35		0·03	0·27		0·03			0·10	18
19	0·28		0·04	0·12		0·01	0·17		0·71	0·12		0·05	19
20	0·08	0·40		0·04		0·01	0·01	0·15	0·03	0·08			20
21	0·06	0·01			0·24	0·03	0·01		0·14	0·27		0·02	21
22	0·02				0·17	0·02	0·02		0·15			0·28	22
23	0·13	0·02			0·23		0·37		0·06	0·01	0·06	0·04	23
24		0·03					0·01		0·11	0·04	0·07		24
25			0·02			0·04	0·08	0·25	0·20			0·06	25
26		0·01					0·17	0·11	0·02	0·05	0·05	0·08	26
27		0·03	0·02			0·05	0·03	0·35	0·28		0·15	0·08	27
28		0·25	0·50					0·01	0·09		0·04	0·28	28
29		X	0·03						0·01		0·01	0·20	29
30		X	0·25	0·03				0·01	0·08		0·06	0·29	30
31		X	0·30	X		X		0·02	X ·23		X	0·05	31
Total	1·87	2·48	1·45	1·40	1·90	0·96	3·61	2·01	5·27	1·33	1·52	4·10	YEAR'S TOTAL 27·90
Rain Days.	17	17	15	19	11	15	19	13	26	19	15	26	212.

W, 6,500, VII. 18. W W C

W. 1866

3157

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Burythorpe,
in the County of York.
by W. Robinson.

Lat. 54° 4' 25" N. Long. 0° 47' 20" W.
Time of Observation 9 a.m.
Nearest Railway Station Malton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·17.	0·07.	0·01.		0·47.		0·71.	0·09.	0·27.	0·02.	0·08.	0·04.	1
2	0·16.	0·01.	0·10.		0·04.		0·65.			0·01.	0·12.	0·01.	2
3	0·61.				0·04.	0·03.	0·06.		0·09.		0·26.	0·32.	3
4	0·04.	0·04.	0·45.			0·05.	0·03.	0·04.	0·14.		0·06.	0·10.	4
5	0·03.	0·04.							0·09.		0·04.	0·11.	5
6	0·01.		0·16.		0·02.						0·08.	0·16.	6
7			0·30.		0·18.							0·45.	7
8	0·14.			0·04.	0·01.						0·06.		8
9			0·07.	0·05.						0·08.	0·22.		9
10			0·06.	0·02.	0·10.					0·06.	0·05.	0·22.	10
11	0·02.		1·08.		0·03.		0·27.			0·05.	0·05.	0·03.	11
12			0·69.	0·03.		0·12.	0·01.			0·30	0·07.	0·04.	12
13	0·14.					0·05.	0·03.	0·01.		0·11.	0·02.	0·01.	13
14	0·16.		0·08.	0·52.			0·04.	0·06.		0·02.	0·16.	0·01.	14
15	0·06.	0·11.	0·04.	0·03.				0·01.			0·08.	0·62.	15
16	0·06.	0·29.	0·05.	0·04.						0·07	0·16.	0·22.	16
17		0·12.		0·04.	0·05.	0·06.		0·07.	0·14.		0·05.	0·03.	17
18			0·09.					0·22.	0·03.			0·10.	18
19	0·20.	0·28.	0·05.	0·02.		0·01.	1·00.	0·08.	0·09.		0·16.	0·05.	19
20	0·37.	0·05.				0·03.	0·14.	0·08.				0·44.	20
21	0·04.	0·18.	0·05.			0·04.	0·01.		0·09.		0·04.	0·08.	21
22		0·25.	0·01.			0·02.	0·08.		0·19.			0·16.	22
23			0·02.			0·06.		0·01.		0·93.	0·07.		23
24	0·02.			0·13.	0·07.	0·06.				0·12.	0·05.		24
25	0·03.	0·07.		0·06.		0·02.	0·01.	0·29.		0·01.	0·04.	0·04.	25
26	0·03.	0·09.		0·05.		0·01.	0·01.	0·75.		0·60.	0·21.	0·45.	26
27			0·01.	0·40.		0·02.	0·02.	0·01.		0·41.	0·06.		27
28	0·10.		0·02.	0·11.			0·01.	0·60.		0·67.		0·18.	28
29	0·07.		0·01.			0·10.	0·02.	0·02.		0·70.		0·07.	29
30	0·08.	✕	0·01.	0·26.		0·22.	0·02.			0·19.	0·13.	0·33.	30
31	0·11.	✕	0·02.	✕		✕	0·21.		✕	0·20.	✕	0·05.	31
TOTAL	2·65.	1·60.	3·38.	1·80.	1·01.	0·90.	3·33.	2·34	1·13.	4·55.	2·32.	4·32.	YEAR'S TOTAL 29·33.
Days with ·01 in. or more	22.	13.	22.	15.	10.	16.	19.	15.	9.	18.	24.	26.	209.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3080

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1 JAN. 1921

Kept at Burythorpe Rectory, Malton,

in the County of York

by Wm Robinson.

Lat. 54° 4' 25" N. Long. 0° 47' 20" W.

Time of Observation 9 a.m.

Nearest Railway Station Malton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·08.	0·41.	0·25.	—	0·22.	—	—	0·40.	—	—	1
2	—	—	0·05.	0·10.	—	—	0·22.	—	0·05.	0·10.	—	0·20.	2
3	—	0·03	—	0·03.	0·04.	0·04.	0·60.	0·15.	0·08.	0·09.	—	0·12.	3
4	—	—	0·01.	0·01.	0·18.	—	0·63.	0·61.	0·15.	0·40.	—	0·08.	4
5	—	—	0·05.	—	0·23.	—	0·29.	0·03.	0·03.	—	—	0·07.	5
6	—	—	0·06.	0·20.	0·10.	—	0·03.	—	0·02.	—	—	0·20.	6
7	—	—	—	—	—	—	0·16.	—	—	—	—	0·01.	7
8	0·06.	0·02.	—	0·23.	0·07.	—	0·07.	0·16.	—	0·01.	—	—	8
9	0·42.	0·05.	—	0·32.	—	—	0·01.	0·29.	—	—	—	—	9
10	0·72.	0·07.	0·05.	0·09.	—	—	0·18.	0·03.	0·02.	—	—	0·08.	10
11	0·24.	0·02.	0·01.	0·15.	0·05.	—	—	—	—	—	—	0·50.	11
12	0·50.	—	0·04.	0·18.	—	—	0·04.	—	—	—	0·05.	0·45.	12
13	0·06.	0·02.	0·11.	0·16.	—	—	—	—	—	—	0·05.	0·05.	13
14		0·05.	0·52.	0·11.	—	—	—	—	0·15.	—	0·12.	—	14
15	0·06.	0·15.	0·15.	0·29.	—	—	0·05.	—	0·21.	—	0·04.	0·10.	15
16	—	—	—	0·01.	—	—	0·88.	—	~~0·02~~.	—	0·08.	—	16
17	—	—	0·03.	—	0·25.	—	—	0·07.	0·15	0·12.	—	—	17
18	0·15.	—	—	0·19.	0·03.	0·08.	0·01.	0·02.	0·25	—	—	0·09.	18
19	0·03.	0·23.	—	0·17.	—	0·07.	—	0·05.	0·02.	—	—	0·04.	19
20	0·12.	0·02.	—	0·22.	—	0·08.	0·07.	—	—	—	—	0·01.	20
21	—	—	—	0·11.	—	—	0·57.	0·16.	—	—	—	—	21
22	0·09.	—	—	0·23.	—	—	0·02.	—	—	—	—	0·03.	22
23	0·01.	0·08.	0·03.	0·02.	—	—	0·44.	—	—	—	—	0·08.	23
24	0·05.	0·01.	0·35.	0·13.	—	0·01.	0·04.	—	—	—	—	0·08.	24
25	—	0·06.	0·10.	0·03.	—	—	0·64.	—	—	—	—	—	25
26	—	0·03.	0·13.	0·08.	—	—	0·06.	—	—	—	0·09.	0·05.	26
27	0·20.	—	0·14.	0·07.	0·76.	0·33.	0·02.	—	—	—	0·09.	0·02.	27
28	0·87.	—	0·15.	0·05.	0·14.	—	0·06.	—	—	—	0·05.	0·50.	28
29	0·22.	—	0·03.	0·03.	0·18.	0·05.	0·03	—	—	—	0·07.	0·18.	29
30	0·40.	✕	—	0·01.	—	~~0·22~~	—	—	0·14	—	—	0·07.	30
31	0·11.	✕	—	✕	0·10.	✕	—	—	✕	—	✕	0·02.	31
TOTAL	4·31.	0·84.	2·09.	3·63.	2·38.	0·66.	5·34	1·57	1·27	1·12	0·64.	3·03.	YEAR'S TOTAL 26·88.
Days with ·01 in. or more	18	14	19	27	13	7	24	10	12	6	9	23	182
Days with ·04 in. or more	16	7	14	20	12	6	18	7	8	5	9	18	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

CARLTON – HUSTHWAITE –
YORKSHIRE
1914 - 1920

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Carlto …… 4 W
in the County of Yor …… hwaite Gate
…… in.
by W. R. Bagle …… ound 1 ft. – in.
…… a Level 190 ft.

IMPORTANT N …… result entered to the previous day. If an …… l rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.22

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1.75	·63			·01	·15	1
2							·67	·23		·02	·16	·08	2
3					·26		·03	·02			·20	·48	3
4				·17	·09	·01					·13	·53	4
5				·09	·08	·02	·02			·01	·16	·05	5
6				·03	·11						·04	·05	6
7				·03	·10	·12					·08	·11	7
8					·17	·21	·01	·04	·01	·02	·01	·04	8
9				·16	·02	·62		·02	·02		·06	·04	9
10				·01	·07				·07		·03	·01	10
11									·06		·17	·10	11
12					·01				·18		·02	·51	12
13									·01		·06	·25	13
14							·16				·17	·11	14
15							·15		·01		·29	·10	15
16							1.08		·51		·12	·01	16
17									·47		·01	·13	17
18						·01	·60		·05		·02	·17	18
19					·01				·06		·03	·10	19
20						·17			·01	·01		·01	20
21						·01		·01		·03	·03	·01	21
22					·01	·05		·05		·02	·01	·07	22
23					·44	·27					·03	·06	23
24				·05	·19	·01		·33			·21	·01	24
25					·02		·02	·11		·59	·03	·32	25
26							·12	·05		·40	·18	·21	26
27								·01		·05	·21	·54	27
28					·02					·10	·05	·11	28
29					·01			·17		·33	·06		29
30		✕			·01			·02		·05	·07	·15	30
31		✕		✕	·03	✕	·42	·04	✕	·31	✕	·01	31
Total				.54	1·65	1·50	4·93	1·73	1·46	1·94	2·65	4·52	YEAR'S TOTAL
Rain Days.					18	11	~~11~~ 12	14	12	13	29	30	

The rainfall was not taken until April 4th

W. 8,000. X. 14.

RE

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Carlton-Husthwaite
in the County of Yorkshire N.R.
by W. R. Bagley

Lat. 54°11′ Long. 1°14′W
Time of Observation 9. A.M.
Nearest Railway Station Husthwaite Gate
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.22

The rainfall was not taken until April 4th

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1.75	·63			·01	·15	1
2							·67	·23		·02	·16	·08	2
3					·26		·03	·02			·20	·48	3
4				·17	·09	·01					·13	·53	4
5				·09	·08	·02	·02			·01	·16	·05	5
6				·03	·11						·04	·05	6
7				·03	·10	·12					·08	·11	7
8					·17	·21	·01	·04	·01	·02	·01	·04	8
9				·10	·02	·62		·02	·02		·06	·04	9
10				·01	·07				·07		·03	·01	10
11									·06		·17	·10	11
12					·01				·18		·02	·51	12
13									·01		·06	·25	13
14							·16				·17	·11	14
15							·15		·01		·29	·10	15
16							1.08		·51		·12	·01	16
17									·47		·01	·13	17
18						·01	·60		·05		·02	·17	18
19					·01				·06		·03	·10	19
20						·17			·01	·01		·01	20
21						·01		·01		·03	·03	·01	21
22					·01	·05		·05		·02	·01	·07	22
23					·44	·27					·03	·06	23
24				·05	·19	·01		·33			·21	·01	24
25					·02		·02	·11		·39	·03	·32	25
26							·12	·05		·40	·18	·21	26
27								·01		·05	·21	·54	27
28					·02					·10	·05	·11	28
29					·01			·17		·33	·06		29
30					·01			·02		·05	·07	·15	30
31					·03		·42	·04		·31		·01	31
Total				.54	1.65	1.50	4.93	1.73	1.46	1.94	2.65	4.52	YEAR'S TOTAL
Rain Days.					18	11	12	14	12	13	29	30	

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Carlton Husthwaite
in the County of York N.R.
by W. R. Bagley

Lat. 54°.11 Long. 1°.14'
Time of Observation 9 a.m.
Nearest Railway Station Husthwaite Gate
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.13

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·23	·01	—	·06	—	·72	·16	·50	—	·11	·07	1
2	—	·10	·20	·08	—	·02	·11	·42	·01	—	·03	·02	2
3	·56	·01	·11	·15	—	—	·10	·17	—	—	·08	·46	3
4	·16	—	·01	—	·01	—	·62	·03	—	—	·04	·53	4
5	·10	·12	·02	—	·22	·03	—	—	—	—	·01	·85	5
6	·16	·39	·02	·14	·01	—	·67	·13	·04	·09	—	·03	6
7	·37	·47	·09	·01	—	—	·27	·23	—	·01	—	·01	7
8	·05	·04	·01	—	—	·01	·09	·02	—	—	·04	—	8
9	·04	·02	—	—	—	—	·07	·04	—	·02	·01	·50	9
10	·16	—	·04	—	—	—	—	·16	—	·01	—	·05	10
11	·01	·13	·03	·03	·62	—	·04	·01	—	—	·01	·09	11
12	·13	·06	—	·18	·02	—	·15	—	—	·21	·93	·01	12
13	·01	·28	—	—	—	—	—	—	—	·01	·02	·02	13
14	·02	·10	—	—	·03	—	·05	·01	—	·03	—	·04	14
15	·33	·02	·01	·04	—	—	·35	·05	—	·01	·25	·05	15
16	·05	·27	—	—	·06	—	·85	·01	·01	·01	·01	·01	16
17	·12	·11	·04	—	—	—	·01	—	—	·01	—	·08	17
18	—	·13	·25	—	—	—	—	—	—	·02	·01	·01	18
19	—	·01	·09	—	·01	—	·05	—	—	·02	—	—	19
20	·04	·03	—	—	—	—	—	—	—	·01	—	·57	20
21	·21	—	—	·06	—	—	·01	·01	—	—	—	·08	21
22	·02	—	·05	—	—	—	·03	·02	—	·01	—	·16	22
23	·16	—	·02	·01	—	—	·19	—	·02	·01	—	·03	23
24	·02	—	·06	·02	—	—	·01	—	·33	·01	—	·12	24
25	—	—	·02	—	—	·06	·02	—	·01	·01	·05	·05	25
26	·01	·15	·03	—	—	·14	·10	—	—	—	·02	·43	26
27	·01	·10	·02	—	—	—	·31	—	—	·40	—	·09	27
28	—	·12	·05	—	·03	—	·07	·22	—	·14	·01	·02	28
29	—	—	·01	—	·34	—	—	·01	·08	·01	·19	·36	29
30	·12		—	·16	·01	—	·03	·02	·01	·01	·01	·01	30
31	·18		—		—		·01	·33		·01		·20	31
Total	3.26	2.89	1.19	0.88	1.42	0.26	4.93	2.05	1.01	1.07	1.83	4.89	YEAR'S TOTAL 25.68
Rain Days.	25	21	22	11	12	5	25	19	9	22	18	29	218

W.7,000, XI. 13

3565

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

Kept at Carlton - Husthwaite

in the County of North Riding of Yorkshire

by W. R. Bagley

Lat. 54° 11′ Long. 1° 14′ W

Time of Observation 9 a.m 9 a.m during the daylight saving period

Nearest Railway Station Husthwaite Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 190′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	—	.04	—	—	.01	.13	—	—	—	.06	—	1
2	.02	.04	.10	—	—	.02	—	—	.09	.09	.01	—	2
3	—	.04	.12	.06	—	—	.62	—	1.09	.04	.11	—	3
4	—	.26	.05	.01	.51	.46	—	—	.03	.31	.32	.01	4
5	.01	.03	.02	—	.29	.55	—	—	—	.48	.14	.01	5
6	—	.30	.31	.08	.34	.02	.10	—	—	.02	.30	—	6
7	—	.07	.10	—	.13	.08	.26	—	—	.06	.01	.13	7
8	—	.02	.24	—	.12	.05	—	—	—	—	—	.03	8
9	.01	—	.01	—	.27	.14	—	—	.02	—	—	.35	9
10	—	.01	.02	—	—	.03	.09	—	—	.09	.01	.02	10
11	.05	.34	.29	.13	—	.08	.11	—	.04	.02	—	.04	11
12	.02	.01	.20	.01	.40	.06	.76	—	—	—	—	.08	12
13	—	.01	.11	—	.08	—	.21	.36	.01	.59	—	.07	13
14	—	.20	.04	—	.08	—	—	.13	.01	—	.02	.10	14
15	—	.11	.45	—	—	—	.02	.38	—	—	—	—	15
16	—	.08	.16	.07	—	—	.03	.07	—	—	—	.02	16
17	.02	—	.01	.26	—	—	.08	—	.20	.19	—	—	17
18	.01	.22	—	.16	—	—	—	.06	.21	.06	.74	—	18
19	.03	—	.08	.08	—	—	—	—	.08	—	.55	.06	19
20	.06	—	.24	.24	—	.03	.06	.03	—	—	.09	.07	20
21	.03	—	.02	.01	.07	—	.02	.02	—	.16	—	.02	21
22	—	.16	.03	.04	.02	.07	—	—	—	—	.01	—	22
23	—	.03	.06	.02	—	.01	—	.02	—	—	.12	.30	23
24	—	—	.01	.05	—	.48	—	.24	—	—	—	.03	24
25	—	.05	.09	—	—	—	—	.18	—	.13	.09	.05	25
26	.03	.20	.05	—	—	.02	—	—	—	.08	—	—	26
27	—	.35	.01	—	—	—	—	—	—	.20	—	—	27
28	—	.17	.04	—	.05	—	—	.09	—	.12	—	.20	28
29	—	.20	—	—	—	.09	—	—	—	.07	—	.06	29
30	.01	X	—	—	.38	.01	—	—	—	.22	—	—	30
31	.01	X	—	X	—	X	—	—	X	.10	X	—	31
Total	.44	2.90	2.90	1.22	2.74	2.21	2.49	1.58	1.78	3.03	2.58	1.65	YEAR'S TOTAL 25.52
Rain Days.	14	22	27	14	13	18	13	11	10	19	15	19	195

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Kept at Carlton-Husthwaite

in the County of Yorkshire

by W. R. Bagley

Lat. 54° 11' Long. 1° 14' W.

Time of Observation 9 O'clock

Nearest Railway Station Husthwaite Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 190 ft.

8 JAN 1918

FORM A. BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	—	·09	—	·18	·24	—	·13	·08	1
2	·05	—	—	·15	—	·06	—	·08	·02	—	—	—	2
3	—	—	—	·01	—	·02	—	·01	—	·02	·01	—	3
4	—	—	·08	—	—	—	—	·04	—	·14	·02	—	4
5	·11	—	·06	·26	—	—	—	—	—	—	·03	·01	5
6	—	—	—	—	—	—	—	—	—	·31	·10	—	6
7	·58	—	·02	—	—	·05	—	·13	—	·16	—	·13	7
8	·89	—	·01	·09	—	—	—	1.57	·01	·28	·06	—	8
9	·18	—	·03	·08	—	—	—	·62	—	—	·48	·03	9
10	·22	—	·78	·18	·08	—	—	·04	—	·08	·12	—	10
11	·05	—	—	·02	—	—	—	·02	—	·25	—	·01	11
12	·57	—	—	·05	·10	—	—	·44	—	·62	—	·02	12
13	·22	—	—	·06	·36	—	—	·33	·09	—	—	·08	13
14	·16	—	—	·07	·05	—	—	·41	—	·02	—	·05	14
15	·05	—	—	·13	—	—	·16	·02	—	—	—	·30	15
16	·05	—	—	·27	—	—	—	·07	—	—	—	·32	16
17	·03	·04	·01	·18	·26	—	—	·35	—	·03	—	·39	17
18	·05	—	—	·02	·05	—	·46	·05	·10	—	—	—	18
19	·05	·14	·05	·01	·13	·16	—	—	—	—	—	—	19
20	·15	·40	·08	—	—	·81	·04	·02	·06	—	·39	—	20
21	·02	·10	·35	—	—	—	—	·08	—	—	·01	·01	21
22	—	—	·17	—	—	·29	—	·06	—	·05	—	—	22
23	·01	·02	—	—	·07	·20	·02	·08	·02	—	—	·02	23
24	—	·01	—	—	—	·04	·02	·04	—	·22	·07	·01	24
25	—	·04	—	—	—	—	—	·04	—	·19	—	·16	25
26	—	—	·24	—	—	·10	—	·77	·07	·22	·19	·06	26
27	·01	—	—	—	—	·09	·27	·47	—	—	·01	·02	27
28	—	—	·07	—	—	—	·21	·71	—	·06	·01	—	28
29	·01		·04	—	—	—	·14	·07	—	·42	·03	·01	29
30	·07	X	·05	—	—	—	·01	·02	—	·01	·03	—	30
31	·02	X	·24	X	—	X	·01	·01	X	—	X	·05	31
Total	3.55	0.75	2.28	1.65	1.10	1.91	1.34	6.73	0.61	3.08	1.69	1.76	YEAR'S TOTAL 26·45
Rain Days.	22	7	16	16	8	11	10	28	8	17	16	19	178

W. 8,000, IX. 17.

18

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Carlton Husthwaite

in the County of Yorkshire (North Riding

by W. R. Bagley

Lat. 54° 11' Long. 1° 14' West
Time of Observation 9 O'clock
Nearest Railway Station Husthwaite Gate. N.E.R
Diameter of Funnel of Rain Gauge 5 inch in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.02	.03	.01	.01	—	—	—	.11	.08	.21	.10	1
2	.05	.26	.01	.04	—	—	—	.01	.07	.01	—	.17	2
3	.02	.04	.01	—	.09	—	—	.02	—	.04	.23	—	3
4	.01	.03	.01	—	.27	—	—	.17	.18	.02	.19	.29	4
5	—	.01	.01	.02	.18	—	—	.66	—	.07	.23	—	5
6	—	.21	—	.41	—	.28	.02	.19	—	.03	—	.03	6
7	.26	.16	—	.06	—	.15	—	—	.26	.11	.23	.01	7
8	—	.06	.06	—	—	—	.18	.02	.05	.02	.01	—	8
9	—	.48	—	.06	—	.11	—	—	.75	.37	.03	.06	9
10	—	.01	—	—	—	—	.12	—	.03	—	.04	.05	10
11	.14	.02	.04	—	.20	—	.45	.03	.02	—	—	.03	11
12	—	.16	.18	.01	.03	—	.55	.01	.17	.05	—	.02	12
13	—	—	—	.06	.27	—	—	—	.17	.15	—	—	13
14	.21	—	—	.13	—	—	.05	—	.23	.03	.01	.10	14
15	.09	—	—	.01	.01	—	.42	—	.55	—	—	.65	15
16	—	—	—	—	—	.15	.18	.08	.17	—	—	.27	16
17	.21	—	—	—	.32	.21	.26	.14	.20	.12	—	.24	17
18	.34	—	.04	.01	—	.01	.13	—	.48	—	—	.05	18
19	.30	—	.07	.12	—	—	.23	.14	.03	.07	—	.02	19
20	.15	.56	—	.14	—	.10	.19	—	.08	—	—	.01	20
21	.20	.02	—	—	1.27	.04	.03	—	.10	.22	—	—	21
22	.03	—	—	.01	—	.04	.05	—	—	.01	.01	.33	22
23	.04	—	—	—	.39	—	.12	—	.05	—	.01	.01	23
24	—	.05	—	—	—	—	.06	.04	.20	.02	.02	—	24
25	—	—	.01	—	.01	—	.06	.24	.04	—	—	.06	25
26	—	—	—	—	—	—	.14	.05	.27	.03	.12	.07	26
27	—	.03	—	—	—	—	.04	.34	.23	—	.14	.07	27
28	—	.24	.34	—	—	—	—	—	—	—	.06	.38	28
29	—	—	.05	—	—	—	—	—	.30	—	.03	.11	29
30	—	×	.21	.01	—	—	—	.05	.15	—	.07	.26	30
31	—	×	.14	×	—	×	—	.01	×	—	×	.06	31
Total	2.06	2.36	1.21	1.10	3.05	1.09	3.28	2.20	4.89	1.45	1.44	3.45	YEAR'S TOTAL 27.58 ~~27.53~~
Rain Days.	15	17	15	16	12	9	19	17	25	18	17	25	204

W, 6,500, VII. 18. W W C

54/22

32405

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Carlton Husthwaite

in the County of North Riding of Yorkshire

by C. R. Bagley

Lat. 54°. 11′ Long. 1° 14′ West

Time of Observation 9 a.m

Nearest Railway Station Husthwaite Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·01	—	—	·27	—	·24	—	·23	·08	·07	·03	1
2	·11	—	·03	—	—	—	·55	—	·03	—	·05	—	2
3	·54	—	—	—	·13	·08	—	—	·02	—	·14	·11	3
4	·09	·09	·32	—	·03	·09	—	·07	·27	—	·10	·07	4
5	·15	—	—	—	—	—	—	—	·02	—	·02	·02	5
6	·08	—	·10	—	·01	—	—	—	·01	·01	·06	·05	6
7	·02	—	·07	—	·08	—	—	—	—	—	·01	·06	7
8	·08	—	—	·03	·09	·03	—	·01	—	·02	·15	·03	8
9	·02	—	·03	·06	—	·04	—	—	—	·01	·13	·02	9
10	—	—	·08	·07	·02	—	—	—	—	·05	·21	·20	10
11	—	—	·84	—	·13	—	·26	—	—	·02	·09	·01	11
12	—	—	·28	·01	—	·08	·09	—	·01	·21	—	—	12
13	·11	—	·05	·02	—	—	·04	·01	—	·13	·01	·02	13
14	·26	—	·01	·36	—	—	—	·07	—	—	·11	·02	14
15	·06	·13	·14	·20	—	—	—	—	—	·01	—	·80	15
16	·01	·19	—	·02	·07	—	—	—	—	—	·06	—	16
17	—	·03	—	·03	—	·06	—	·03	—	—	·15	·01	17
18	—	—	·02	—	·04	—	·03	·17	·01	—	—	·02	18
19	·06	·14	·35	—	—	—	·82	·24	·02	—	·12	·04	19
20	·52	·17	—	—	—	·10	·26	·04	·18	—	·02	·18	20
21	·24	·18	·02	—	—	—	·03	—	·08	—	·05	·11	21
22	—	·19	·02	—	—	—	·09	·01	·08	—	·01	·17	22
23	—	—	—	·02	·01	·19	·03	—	—	·63	·02	·08	23
24	—	—	·01	·05	·02	·20	—	—	—	·36	·03	—	24
25	·07	·05	—	·09	—	—	—	·39	—	·01	·02	—	25
26	—	·01	·16	·15	—	·01	—	·49	·02	·14	·19	·50	26
27	·20	—	—	·30	—	·02	—	·02	·02	1.18	·03	—	27
28	·02	·01	—	·08	—	—	—	·48	—	·33	—	·25	28
29	·12		·01	—	—	—	—	·03	—	1.05	·01	·17	29
30	·01		·01	·26	—	·29	—	—	—	·12	·10	·28	30
31	·03		·01		—		·14	—		·07		·07	31
TOTAL	3.03	1.20	2.56	1.74	0.90	1.19	2.58	2.06	1.00	4.43	1.96	3.32	YEAR'S TOTAL 25.97
Days with ·01 in. or more	22	12	20	16	12	12	12	14	14	18	26	25	203

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

3120

5 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Carlton-Husthwaite
in the County of Yorkshire (North Riding)
by W. R. Bagley

Lat. 54° 11′ Long. 1° 14′ W
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Husthwaite Gate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·09	·30	·39	·02	·41	—	—	·18	—	·01	1
2	—	—	·02	·04	·01	—	·69	·02	·17	·37	—	·31	2
3	—	·03	—	·02	—	—	·03	·14	·18	·37	—	·11	3
4	·05	—	—	·01	·10	·01	·49	·82	·06	·97	—	·74	4
5	—	—	·02	—	·10	—	·17	·02	—	·01	—	·02	5
6	—	—	·08	·10	·05	—	·07	·03	—	—	—	·05	6
7	·02	·02	·02	—	·01	—	·21	—	—	—	—	—	7
8	·03	·02	—	·23	·04	—	·17	·23	—	·01	·05	—	8
9	·21	·07	—	·36	—	—	·05	·06	·03	—	—	—	9
10	·75	·03	·04	·13	—	—	·14	·01	—	—	—	—	10
11	·28	·02	·03	·13	·10	—	—	—	—	—	—	·16	11
12	·08	—	·04	·27	—	—	·02	—	—	—	·01	·19	12
13	·09	—	·11	·07	·02	—	—	—	—	—	·21	·06	13
14	—	·06	·36	·17	—	—	·06	—	·28	—	·15	·09	14
15	—	·13	·26	·34	—	—	·02	—	·02	·30	·02	·02	15
16	·01	·01	—	—	—	—	·59	—	·06	—	·04	—	16
17	—	—	—	—	·19	—	·03	·14	·11	·02	—	—	17
18	·19	·01	—	·07	·07	·73	·01	·05	·17	—	—	—	18
19	·04	·31	—	·13	—	·07	·04	·08	·22	—	—	—	19
20	·09	·02	—	·16	—	·05	·03	—	—	—	·01	—	20
21	—	—	—	·16	—	—	·29	·43	—	—	—	·02	21
22	·05	·01	—	·15	—	—	·05	—	—	—	·01	—	22
23	—	·01	·02	·17	—	—	·25	—	—	—	·02	·17	23
24	·04	—	·37	·01	—	—	·04	—	—	—	—	·04	24
25	—	·04	·07	·06	—	—	·54	—	—	—	·01	·01	25
26	·05	·05	·24	·01	—	—	·02	—	—	—	—	—	26
27	·24	—	·03	·07	·35	·53	—	—	—	—	·38	·03	27
28	·81	—	·06	·15	—	·01	·10	—	—	—	·08	·08	28
29	·10	—	·11	—	·59	·12	·09	—	—	—	·10	·43	29
30	·05		·01	—	·03	·02	—	—	·11	·01	·17	·12	30
31	·17		·01		·07		·03	—		·04		·15	31
Total	3.35	0.84	1.99	3.31	2.12	1.56	4.64	2.03	1.41	2.28	1.26	2.81	Year's Total 27.60 ✓
Days with ·01 in. or more	20	16	20	24	15	9	27	12	11	10	14	20	198 ✓
Days with ·04 in. or more	17	6	12	20	11	5	19	8	9	6	8	14	135 ✓

3472

DANBY SCHOOL

1919 - 20

FORM A. BRITISH RAINFALL

8 JAN 20

REGI

w.

Kept at The School

A.M.

in the County of Y

by N.E.R

by Mr. J.W.

uge 5 in.

Ground 1 ft. 0½ in.

Sea Level 500 ft.

IMPORTANT NO he result entered to the previous day. If an O rsal rule, he is earnestly requested to add the rea in the space provided for it at the end of this paragraph. Full ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·07	·04	–	·18	–	·65	–	·22	·04	·25	·11	1
2	·08	–	–	–	–	–	1·00	–	·04	–	·22	–	2
3	·79	–	–	–	–	–	·13	–	·04	–	·44	·13	3
4	–	·17	·36	–	·10	·09	–	·13	·10	–	·26	·09	4
5	·75	·14	–	–	–	·03	·06	–	·06	–	·14	·04	5
6	·04	–	·24	–	–	–	–	–	–	·03	·21	·25	6
7	–	–	·13	–	·18	–	–	–	–	–	·20	·37	7
8	·30	–	–	·05	·03	–	–	·03	–	·06	–	–	8
9	–	–	·04	–	–	–	–	–	–	·43	·27	–	9
10	–	–	·03	·02	–	–	–	–	–	·23	·34	·62	10
11	–	–	·52	–	·16	–	·16	–	–	·10	–	–	11
12	–	–	1·60	·05	–	·04	–	–	·13	·35	·40	–	12
13	·27	–	·36	·15	–	·24	·31	·11	–	·15	–	–	13
14	–	–	·07	·40	–	–	–	–	–	·06	·12	·03	14
15	·11	·28	·19	·24	–	–	–	–	–	–	–	1·13	15
16	–	·03	–	·10	–	–	–	–	–	·08	·09	–	16
17	–	·05	–	·01	·07	–	–	·07	–	–	·17	–	17
18	–	–	–	–	–	–	–	·39	–	–	–	·09	18
19	·07	·28	·46	·04	–	–	–	–	·47	–	·07	·02	19
20	·40	·08	–	–	–	–	·46	–	·07	–	–	·17	20
21	·04	·12	·14	–	–	–	–	–	–	–	·04	·12	21
22	–	·16	·05	–	–	–	–	–	–	–	–	·09	22
23	–	–	·06	·07	–	·37	·57	·05	·13	–	·11	–	23
24	–	–	·06	–	–	·11	·06	–	–	·80	·06	–	24
25	–	·12	–	·09	–	·29	–	·37	–	·85	·09	–	25
26	–	·26	·32	·18	–	·02	–	·40	–	·22	·43	·63	26
27	·16	–	–	·53	–	–	–	–	–	1·32	–	–	27
28	·13	–	–	·20	–	–	·20	1·15	–	·72	–	·37	28
29	·31	–	·11	·04	–	·18	–	–	–	1·69	–	·19	29
30	·09	×	–	·20	–	·59	–	·13	–	·31	·41	·27	30
31	·16	×	·35	×	–	×	·12	–	×	·33	×	·17	31
Total	3·95	1·76	5·13	2·37	·72	1·96	3·42	2·83	1·26	7·77	4·32	4·89	YEAR'S TOTAL 40·68
Rain Days.	16	12	19	16	6	10	11	10	9	18	20	19	166

W, 6,500, VII. 18. W W C

REGI

FORM A. BRITISH RAINFALL.

8 JAN 20

Kept at The School House, Danby

in the County of York

by Mr. J.W. Lynas.

W.

Time of Observation 9-0 A.M.

Nearest Railway Station Danby N.E.R.

Diameter of Funnel of Rain Gauge 5 in. "

Height of top of Gauge above Ground 1 ft. 0½ in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·07	·04	–	·18	–	·65	–	·22	·04	·25	·11	1
2	·08	–	–	–	–	–	1·00	–	·04	–	·22	–	2
3	·79	–	–	–	–	–	·13	–	·04	–	·44	·13	3
4	–	·17	·36	–	·10	·09	–	·13	·10	–	·26	·09	4
5	·75	·14	–	–	–	·03	·06	–	·06	–	·14	·04	5
6	·04	–	·24	–	–	–	–	–	–	·03	·21	·25	6
7	–	–	·13	–	·18	–	–	–	–	–	·20	·37	7
8	·30	–	–	·05	·03	–	–	·03	–	·06	–	–	8
9	–	–	·04	–	–	–	–	–	–	·43	·27	–	9
10	–	–	·03	·02	–	–	–	–	–	·23	·34	·62	10
11	–	–	·52	–	·16	–	·16	–	–	·10	–	–	11
12	–	–	1·60	·05	–	·04	–	–	·13	·35	·40	–	12
13	·27	–	·36	·15	–	·24	·31	·11	–	·15	–	–	13
14	–	–	·07	·40	–	–	–	–	–	·06	·12	·03	14
15	·11	·28	·19	·24	–	–	–	–	–	–	–	1·13	15
16	–	·03	–	·10	–	–	–	–	–	·08	·09	–	16
17	–	·05	–	·01	·07	–	–	·07	–	–	·17	–	17
18	–	–	–	–	–	–	–	·39	–	–	–	·09	18
19	·07	·28	·46	·04	–	–	–	–	·47	–	·07	·02	19
20	·40	·08	–	–	–	–	·46	–	·07	–	–	·17	20
21	·04	·12	·14	–	–	–	–	–	–	–	·04	·12	21
22	–	·16	·05	–	–	–	–	–	–	–	–	·09	22
23	–	–	·06	·07	–	·37	·57	·05	·13	–	·11	–	23
24	–	–	·06	–	–	·11	·06	–	–	·80	·06	–	24
25	–	·12	–	·09	–	·29	–	·37	–	·85	·09	–	25
26	–	·26	·32	·18	–	·02	–	·40	–	·22	·43	·63	26
27	·16	–	–	·53	–	–	–	–	–	1·32	–	–	27
28	·13	–	–	·20	–	–	·20	1·15	–	·72	–	·37	28
29	·31	–	·11	·04	–	·18	–	–	–	1·69	–	·19	29
30	·09	X	–	·20	–	·59	–	·13	–	·31	·41	·27	30
31	·16	X	·35	X	–	X	·12	–	X	·33	X	·17	31
Total	3·95	1·76	5·13	2·37	·72	1·96	3·42	2·83	1·26	7·77	4·32	4·89	YEAR'S TOTAL 40·68
Rain Days.	16	12	19	16	6	10	11	10	9	18	20	19	166

W, 6,500, VII. 18, w w c

3187

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The School House, Danby
in the County of York
by Mr. J. W. Lynas.

Lat. 54½ Long. 1 W.
Time of Observation 9-0 A.M.
Nearest Railway Station Danby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0½ in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·40	·25	–	·29	–	–	·52			1
2	–	–	·15	·31	·11	–	·41	–	·23	·14			2
3	–	·06	–	·36	–	·07	·80	·14	·11	·36		·40	3
4	·15	–	–	·06	·02		·95	·65	–	·93		·50	4
5	–	–	·06	–	·07		·40	–	·13			·07	5
6	–	–	·18	·11	·02		·08	·20				·08	6
7	–	–	–	·04	–		·08	–				·10	7
8	·07	–	–	·24	·12		·35	·09		·01			8
9	·10	·03	–	·46	–		·17	·34					9
10	·80	·05	·09	·30	–		·06	–					10
11	·24	·02	–	·15	·08		–	·05					11
12	·13	–	·15	·17	–		·04	–					12
13	·17	–	·20	·10	·03		–	–				1·20	13
14	–	·11	·55	·23	–		·09	–	·23	·10	·20		14
15	–	·14	1·	·29	–		·04	–	·05	·15			15
16	–	–	–	·14	–		·44	–	·12				16
17	–	–	–	–	·14		–	·36	·05	·10			17
18	·20	·06	–	–	·14		·07	·24	·24				18
19	–	·41	–	·32	–		–	·21	·14				19
20	·11	·08	–	·04	–	·09	–	–		·03			20
21	–	–	–	·13	–		·37	·54				·16	21
22	·06	–	–	·11	–		·11	–					22
23	–	–	·03	–	–		·32	–					23
24	·04	–	·76	·13	–		·05	–				·20	24
25	·04	·09	·15	·09	–		·54	–				·01	25
26	·09	·06	·35	·12	–		·11	–					26
27	·51	–	–	·05	·18	·38	–	–			·21		27
28	·42	–	·13	·05	–	·02	·04	–				·16	28
29	1·09	–	·06	–	·86	·10	·03	–	·02		·12	·52	29
30	–		–	–	·02	·02	–	–	·27		·35	·22	30
31	(·41)		–		·03		–	–				–	31
Total	4·33	1·11	3·86	4·38	2·07	·68	5·84	2·82	1·59	2·34	·88	3·62	YEAR'S TOTAL 33·52
Days with ·01 in. or more	17	11	14	24	14	6	23	10	11	9	4	12	155
·04	17	9	13	23	10	4	22	10	10	8	4	11	140

probably acc. [illegible] 17.12.60

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DANBY PASSONAGE
YORKSHIRE

1916, 17, 1918,

4 JAN 1917

Re

Kept at Danb Bird

in the County of Yo a.m

IMPORTANT NO ible, and the result entered to the previous

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1													1
2													2
3											·28	20	3
4											·65		4
5											·18	15.	5
6											·70	"	6
7											nil	"	7
8											"	20	8
9											"	16.	9
10											"	22	10
11											—	20	11
12											"		12
13											"	22	13
14											"	25	14
15											"		15
16											"		16
17											"	32	17
18											"	—	18
19											·62	20	19
20											65.	~~20~~ 15	20
21											"	~~15~~ -	21
22											"	·42	22
23											"	—	23
24											"	—	24
25											..	-	25
26											·40.	-	26
27											..	·22	27
28											..	—	28
29											..	·01	29
30											..	—	30
31											"		31
Total											~~4·38~~ 3·78	~~2·91~~ 2·92	TOTAL for year
No. of Rain Days													

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE TWOPENCE.

Register of Rainfall in 19

4 JAN 1917

Kept at Danby Parsonage *by* Rev George Bird

in the County of York NR *Time of Observation* 9.0. a.m

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3											·28	20	3
4											·65	-	4
5											·18	15.	5
6											angle ·70	"	6
7											nil	"	7
8											"	20	8
9											"	16.	9
10											"	2.2	10
11											—	2.0	11
12											"		12
13											"	22	13
14											"	25	14
15											"		15
16											"		16
17											"	·32	17
18											"	–	18
19											·62	20	19
20											65.	~~20~~15	20
21											"	~~15~~ -	21
22											"	·42	22
23											"	–	23
24											"	–	24
25											..	-	25
26											·40.	-	26
27											..	·22	27
28											..	–	28
29											..	·01	29
30											..	–	30
31											"		31
Total											~~4.38~~ 3.78	~~2.91~~ 2·92	TOTAL for year
No. of Rain Days													

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE TWOPENCE.

Ecd 4/5

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

8 JAN 1918

Kept at Danby Parsonage

in the County of York

by Rev Geo Bird

Lat. 54½ Long. 1 W

Time of Observation 9 a m

Nearest Railway Station Danby N E R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0½ in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·30	–	~~·30~~	.	1.62	·37	–	·08	–	1
2	·05	–	–	·32	–	–	–	·66	·15	–	–	–	2
3	–	·31	·11	·30	–	–	–	·12	–	·02	–	·02	3
4		–	–	·08		–	–	–	–	–	–	·20	4
5	.	–	–	·30	–	–	.	–	–	·08	·14	–	5
6	–	–	–	–	–	–	–	–	–	–	·16	–	6
7	·70	–	–	–	–	·04	.	–	–	·64	–	·15	7
8	1.01	–	–	·10	–	–	–	·82	–	·38	–	–	8
9	·11	–		·03	–	–	–	1.12	·01	·15	·07	–	9
10	·11	–	·84	·24	·02	–	–	·46	–	·25	·45	–	10
11	·25	–	–	–	–	–	–	·12	–	·45	·50	–	11
12	1.65	–	–	–	·12	–	–	–	–	·25	–	–	12
13	·27	–	–	·30	·43	–	–	·13	·10	·20	–	–	13
14	·50	–	–	·20	·16	–	–	·34	–	·02	–	·23	14
15	·22	–	–	·23	–	–	·12	·05	–	·02	–	·30	15
16	·2	–	–	·20	–	–	–	·04	–	–	–	·50	16
17	·08	–	–	·09	–	·11	–	·24	–	–	–	–	17
18	·08	·12	–	·10	·18	–	·32	·08	·07	–	–	–	18
19	·2	·06	–	–	·06	·36	–	–	–	–	–	–	19
20	·1	–	·70	·04	–	·70	–	·04	–	–	–	–	20
21	–	·26	·13	–	–	–	–	·03	·07	~~·06~~	–	·02	21
22	–	·20	·30	·05	–	–	–	·05	·03	·05	–	–	22
23	–	·06	–	–	–	–	–	·12	–	·08	–	–	23
24	–	–	–	–	–	–	–	·03	–	–	·29	–	24
25	–	–	–	–	–	.	–	–	–	·20	–	·40	25
26	–	–	·39	–	–	–	–	·64	·10	·08	·32	·03	26
27	–	–	–	–	–	~~·40~~	·40	·56	–	·20	–	·15	27
28	–	–	·12	–	–	~~·42~~	·42	·71	–	·20	–	–	28
29	·09	–	·01	·06	–	–	·18	·11	–	·58	–	–	29
30	·05	✕	–	–	–	–	·21	–	–	·03	–	·08	30
31	–	✕	–	✕	·15	✕	·12	·02	✕	–	✕	·13	31
Total	5.66 √	1.01 √	2.60 √	2.94 √	1.12 √	1.36 √	1.77 √	8.11 √	·90 √	3.88 √	2.01 √	2.21 √	YEAR'S TOTAL 33.57
Rain Days.	17 √	6 √	8 √	13	7 √	5 √	7 √	23 √	8 √	19 √	8 √	12 √	~~14~~

W. 8,000, VIII. 16

1.36

133

Small 75

Ex 9112

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

29 1 19

Kept at Danby Parsonage
in the County of York N
by Revs J Bird + Sydney Smith

Lat. 54½ Long. 1W
Time of Observation 9.0 a m
Nearest Railway Station Danby N.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0½ in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·01	—	—	—	—	·01						1
2	·12	–	·05	·10	—	—	—						2
3	–	—	·06	–		—	—						3
4	–	·12	—	·10	} ·60	—	—						4
5	—	—	·10	—	–	—	—	2·0					5
6	–	–	—	·51	–	·17	—						6
7	–	·26	—	—	–	—	—						7
8	·15	·01	·13	—	–	–	·37						8
9	–	·38	—	—	–	–	·25						9
10	–	·01	—	·04	–	–	·10						10
11	–	·03	—	·03	·24	—	·01						11
12	·25	·23	·10	·05	·5	—							12
13	–	·02	—	·09	·10	—							13
14	—	–	–	·15	—	—							14
15	—	—	–	·04	—	·42							15
16	–	–	·02	—	—	·05							16
17	·10	–	—	—	·22	—							17
18	·40	–	·09	—	–	—							18
19	—	—	·03	—	–	—							19
20	·50	·39	—	·60	–	—							20
21	·21	·01	—	—	} ·60	—							21
22	–	—	–	—		—							22
23	–	—	—	·03	·33	—							23
24	—	·13	—	—	—	–							24
25	—	—	·06	—	–	·09							25
26	—	—	—	—	–	–							26
27	–	·05	—	—	—	·05							27
28	·10	·22	·80	—	—	–						·65	28
29	–	—	·09	—	—	–						·80	29
30	–	X	·12	—	—							—	30
31	–	X	·13	X		X			X		X		31
Total	1·87	1·87	1·48	1·74	2·14	·78							YEAR'S TOTAL
Rain Days.	9	14	13	11	8	5							

W. 8,000, IX. 17.

R ... 11

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at Lockwoo...

in the County of York...

by William P...

...ve Ground ...ft. ...in.

...Sea Level ...ft. 3478

before

Name

Distance Direction

IMPORTANT NO... previous day. If an C... requested to add the re... for it at the end of th... the selection and plac... Organization are given i... Dr. H. R. Mill, 62, Camden Square, London, N.W.

...d the result entered to the ...iversal rule, he is earnestly ...year in the space provided ...ement of rain, ...British Rainfall ...application to

Jan. 1, following.

GUISBOROUGH
LOCKWOOD RES
YORKSHIRE

1911 - 1920

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09(s)	.	.	.	-	.	·05	·17	-	.	-	-	1
2	·46(s)	.	·02	.	·03	.	·38	.	-	·15	·04	·14	2
3	·06	·01	.	·02	·33	.		.	-	·10	.	.	3
4	·09	.	·27	·25(s)	.	.	.	·08	-	·07	·04	·32	4
5	·10(s)	.	.	·09	.	.	.	·37	-	·12	.	.	5
6	·26(s)	.	·18	.	.	.	.	·10	-	·01	·01	·37	6
7	·08(s)	·02	·04	.	.	.	.	.	.	.	·04	·01	7
8	.	.	·22	·02	.	·09	.	.	-	·02	·03	·31	8
9	.	.	.	·05	.	.	.	.	-	·03	·01	·06	9
10	.	.	.	.	.	·04	.	.	-	.	·01	·56	10
11	·60	.	.	·03	.	·02	.	·02	-	.	·19	·14	11
12	·56(s)	.	·11	.	·04	·14	.	·01	·70	.	·31	·01	12
13	-	·10	·29	.	·10	·14	.	·01	·09	.	·04	·36	13
14	-	·30	·14	.	·18	·05	·15	.	·14	.	·02	·54	14
15	-	·02	·23	·04	.	.	.	·01	·09	·03	·24	·37	15
16	-	.	·18(s)	·06	.	.	·12	.	.	·01	·03	·04	16
17	.	.	·40	.	.	·26	.	.	.	·01	·18	·14	17
18	-	·13	·21	.	.	·11	.	.	.	-	1·12	·22	18
19	-	.	·02	.	.	.	.	·09	·05	·13	·97	·01	19
20	-	·04	.	.	.	.	·12	·61	.	.	·14	·36	20
21	-	·29	.	.	.	.	.	·46	.	·24	·56	·06	21
22	·19	.	.	·02	.	.	.	·53	.	.	·15	·01	22
23	·02	·25	.	.	.	1·54	.	.	·23	·02	.	·07	23
24	-	.	·02	.	-	2·15	.	.	.	·09	.	·05	24
25	-	·18	.	·17	.	1·24	.	.	·24	·25	·05	·15	25
26	-	.	.	·03	·03	·01	·03	.	.	·56	·63	·06	26
27	-	·03	·04	·11	.	.	.	·15	·09	·01	·02	·04	27
28	-	·06	·03	·18	.	·04	.	.	.	·06	·02	·09	28
29	-	.	·02	·01	·13	·06	·25	.	·61	·14	-	·05	29
30	-	.	·03	.	·24	·01	.	.	·30	·09	·01	-	30
31	-	.	·01	.	.	-	.	.	-	·17	-	·05	31
Total	2·50	1·43	2·46	1·08	1·08	5·90	1·10	2·61	2·54	2·31	4·86	4·59	TOTAL for year 32·46
No. of Rain Days.	11	12	19	14	8	15	7	13	10	21	24	27	181.

W. 8,000, X. '11.

F 11

FORM A2. BRITISH RAINFALL. 5 JAN 1912

Kept at Lockwood Reservoir

in the County of York (North Riding) 5

by William I'Anson C.E.

Rain Gauge	Pattern	as before
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft. 3478
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09(s)						·05	·17					1
2	·46(s)		·02		·03		·38			·15	·04	·14	2
3	·06	·01		·02	·33					·10			3
4	·09		·27	·25(s)				·08		·07	·04	·32	4
5	·10(s)			·09				·37		·12			5
6	·26(s)		·18					·10		·01	·01	·37	6
7	·08(s)	·02	·04								·04	·01	7
8			·22	·02		·09				·02	·03	·31	8
9				·05						·03	·01	·06	9
10						·04					·01	·56	10
11	·60			·03		·02		·02			·19	·14	11
12	·56(s)		·11		·04	·14		·01	70		·31	·01	12
13		·10	·29		·10	·14		·01	·09		·04	·36	13
14		·30	·14		·18	·05	·15		·14		·02	·54	14
15		·02	·23	·04				·01	·09	·03	·24	·37	15
16			·18(s)	·06			·12			·01	·03	·04	16
17			·40			·26				·01	·18	·14	17
18		·13	·21			·11					1·12	·22	18
19			·02					·09	·05	·13	·97	·01	19
20		·04					·12	·61			·14	·36	20
21		·29						·46		·24	·56	·06	21
22	·19			·02				·53			·15	·01	22
23	·02	·25				1·54			·23	·02		·07	23
24			·02			2·15				·09		·05	24
25		·18		·17		1·24			·24	·25	·05	·15	25
26				·03	·03	·01	·03			·56	·63	·06	26
27		·03	·04	·11				·15	·09	·01	·02	·04	27
28		·06	·03	·18		·04				·06	·02	·09	28
29			·02	·01	·13	·06	·25		·61	·14		·05	29
30			·03		·24	·01			·30	·09	·01		30
31			·01							·17		·05	31
Total	2·50	1·43	2·46	1·08	1·08	5·90	1·10	2·61	2·54	2·31	4·86	4·59	TOTAL for year 32·46
No. of Rain Days.	11	12	19	14	8	15	7	13	10	21	24	27	181.

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

11 JAN 1913

3478

REGISTER OF RAINFALL IN 1912

Kept at Lockwood Reservoir

in the County of York (North Riding) N5

by William I'Anson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	·19(s)	·14	·01	·02	·12	·25	1·50	·06	·14	.	·12(s)	1
2	-	·05(s)	·03	·03	·05	·14	1·33	·34	.	·17	.	-	2
3	·10	·05(s)	-	.	.	·73	·10	·21	·19	·11	.	·14	3
4	·13	-	·45	-	.	·63	.	·34	.	·01	·36	-	4
5	.	-	.	-	·15	·21	.	·01	.	.	·05	-	5
6	·59(s)	·12	·03	-	.	·06	.	·13	.	.	.	-	6
7	-	·08	.	-	·11		.	·01	·47	.	·02	-	7
8	·17(s)	·13	·09	-	.		·01	-	·31	.	·19	·02	8
9	·08	-	·10	·01	.		.	-	·39	.	.	-	9
10	-	-	.	·04(s)	.		.	-	·28	.	·04	-	10
11	·07	·06	.	.	.		.	-	·12		·15	·11	11
12	·04	·17	·02	-	.		·39	-	.	.	·71	.	12
13	.	·02	.	.	.	·52	·01	·11	.	·03	·57	-	13
14	·18	-	·37	·02	.	·05	.	·10	·01	.	·17	·12	14
15	·04	-	·36	.	·65	·11	.	-	.	.	.	·17	15
16	·02	-	.	.	·26	.	·06	.	.	·06	·02	-	16
17	.	·05	·20	.	.	·48	·11	·07	.	.	.	·02	17
18	·05	·02	.	.	.	.	·23	·19	.		.	.	18
19	·09	·18	·02	.	.	.	·66	·13	.	·11	·02	.	19
20	·02	·25	·02	.	·26	·13	·63	·06	.	·22	.	.	20
21	·04	.	·17	.	·11	.	·08	.	.	·08	·03	-	21
22	·05	.	·13	.	·96	·65	-	·02	.	-	.	-	22
23	·02	·03	·02	.	·41	.	·04	·55	.	·37	·11	-	23
24	·82(s)	.	.	.	.	.	·31	·05		·10	.	·15	24
25	·44	.	.	.	.	·19	.	·50	.	.	·11	.	25
26	·04	·07	·05	.	.	·04	.	·37	.	·54	·08	·24	26
27	.	-	·09	.	.	·19	·54	·03	.	·36	·14(s)	·10	27
28	.	-	·01	·05	.	·06	·09	·20	.	·14	·16(s)	.	28
29	-	-	·22	·03	.	·09	·22	·01	·47	·02	-	-	29
30	.	X	·04	-	.	·03	·04	·09	·31	·11	-	-	30
31	·08(s)	X	·42	X	·03	X	·96	·29	X	·31	X	·01	31
Total	3·07	1·47	2·98	0·19	3·01	4·43	6·06	5·31	2·61	2·88	2·93	1·20	YEAR'S TOTAL 36·14
Rain Days.	20	15	21	7	11	18	19	23	10	17	17	11	189

W. 7,500, XI. ·12

3478

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Amended

Kept at Lockwood Reservoir

in the County of York – North Riding

by William I'Anson, C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

unchanged

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	1·85	·51	—	·05	·08	·14	1
2	—	—	—	—	—	—	1·14	·21	—	·02	·46	·17	2
3	—	—	·09	—	·12	—	·14	—	—	—	·27	·36	3
4	—	—	—	—	·13	—	—	—	—	—	·02	·68	4
5	—	—	·07	·11	·06	·08	—	—	—	·01	·51	—	5
6	·01	·04	—	·06	·06	—	·02	—	—	—	—	·12	6
7	—	·05	—	—	·18	·12	—	—	—	—	—	·12	7
8	·47	—	·15	·02	·58	·71	—	—	—	·07	—	·04	8
9	·32	·01	·01	·16	·10	1·87	—	—	·65	·04	·17	·03	9
10	·14	·19	·06	—	—	—	—	—	·05	—	—	·02	10
11	—	·26	·06	—	·32	·12	—	—	·04	—	·28	·47	11
12	·07 S	·06	—	—	·01	·03	—	—	·10	—	—	·87	12
13	·07	·04	·17	—	—	—	—	—	—	—	·18	·39	13
14	·11	·31	—	—	—	—	·04	—	·03	·18	·04 S	·29	14
15	·03	·01	·29	—	—	·02	·52	—	—	—	·66	·08	15
16	·02	—	·13	—	—	—	2·80	—	·14	—	·26	·02	16
17	·10	·09	—	—	—	—	—	—	·71	—	—	·04	17
18	·03	·16	·12	—	—	2·67*	—	—	·14	—	—	·25	18
19	·03	—	·05	—	—	—	·16	—	·37	—	·16	—	19
20	·03	·19	·61	—	—	·26	·01	—	·04	·06	—	—	20
21	·02	·29	·09	—	—	·03	—	—	—	·04	·09	—	21
22	·01	·14	·03	·03	·04	·03	—	·07	—	·06	·06	·12	22
23	—	·02	·01	·04	·71	·15	—	—	—	—	—	·41	23
24	—	—	—	·21	·02	—	—	·12	—	—	·17	—	24
25	—	·14	—	—	—	—	·04	—	—	·39	·01	·29	25
26	—	—	·09	—	—	—	·46	·03	—	·30	·09	·35	26
27	·01	—	—	—	—	—	·01	—	—	—	·02	·48	27
28	—	·04	—	—	—	—	·15	—	—	—	·16	·26	28
29	—	X	·02	—	—	—	·02	·09	—	·94	·03	—	29
30	—	X	·03	·08	·04	—	—	·06	—	·20	·06	·37	30
31	·14	X	—	X	—	X	·15	—	X	·38	X	—	31
Total	1·61	2·04	2·08	·71	2·37	6·09	7·51	1·09	2·27	2·74	3·78	6·37	YEAR'S TOTAL 38·66
Rain Days.	17	17	18	8	13	12	15	7	10	14	21	24	176

W. 8,000. X. 14.

* 18 June – this rain fell in about 3 hours. A cloud burst on the crest of the hill south of the reservoir – the portion that flowed down the Esk Valley towards Whitby did a lot of damage in that valley and considerable damage was also done between our reservoir and the Sea at Skinningrove

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 FEB 1914
3478

Kept at Lockwood Reservoir
in the County of York (N. Riding) 5
by William I'Anson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	.	·06	·60	.	-	.	.	·82	·04	·02	.	1
2	-	-	·02	.	-	·10	-	-	.	·06	·05	.	2
3	·02	-	·17	.	·02	.	·07	-	·02	-	.	·02	3
4	·24	-	·04	.	.	-	·07	-	·05	1·01	·08	·03(s)	4
5	·71	·06	·07	.	-	·10	·36	·12	.	·18	.	·08(s)	5
6	·06	·15	·16	.	·29	·33	·23	·03	.	-	·17	.	6
7	-	·23	.	·07	·04	·08	·10	.	.	·88	.	-	7
8	-	-	.	·04	·74	·06	·08	.	·14	·23	-	-	8
9	-	·12	·08	·09	·19	·04	-	-	.	.	·04	-	9
10	-	·08	·08	·08	-	-	·07	-	-	04	·28	-	10
11	·24(s)	.	.	·21(s)	.	·19	.	.	-	.	·04	-	11
12	·19(s)	.	.	-	-	.	-	-	·08	-	·23	.	12
13	-	-	.	·02	-	-	-	·12	.	.	·33	-	13
14	·09	·08	·07	·03	-	-	-	.	·03	·12	.	·02	14
15	·22	·02	·28(s)	·36	.	.	-	.	.	.	·01	·03	15
16	-	.	.	.	.	-	.	-	-	.	·07	-	16
17	·02	·04	·16(s)	·08	-	·02	.	·03	-	.	·04	·03	17
18	·01	.	·38	·14	-	·46	-	.	·01	.	·03	·04	18
19	·18	.	·03	·02	·03	.	-	-	-	.	.	.	19
20	·58	-	·09	.	-	-	-	-	08	·11	·35	-	20
21	·10	.	-	-	·02	-	·08	·15	.	.	-	.	21
22	·03	.	·44	-	·04	-	·07	·30	·05	·20	-	-	22
23	·12	.	·09	-	-	·03	·45	-	·08	·07	·01	-	23
24	·51	-	.	-	-	·35	·01	·31	-	.	.	·05	24
25	.	.	-	-	-	·05	.	.	·21	.	.	·12	25
26	.	-	.	·56	-	.	-	-	·07	·34	·17	·30	26
27	-	·13	.	·47	·12	·17	-	-	.	.	·05	·05	27
28	·10	·14	·19	·33	·02	.	-	-	.	·03	.	·26	28
29	-	.	·28	·17	·07	-	-	·29	-	·09	·06	1·15(s)	29
30	·30	.	·07	-	-	.	-	·01	-	·48	.	·40(s)	30
31	·03	-	-	-	·04	-	-	·40	-	-	-	=	31
Total	3·82	1·05	2·76	3·27	1·62	1·98	1·59	1·76	1·64	3·88	2·03	2·58	YEAR'S TOTAL 27·98
Rain Days.	20	10	19	16	12	13	11	10	12	15	18	14	170

W.7,000, XI. 13

Encd. [illegible]

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL FORM A.
3478
9. FEB 1917

Kept at Lockwood Reservoir
in the County of York (North Riding)
by W. M. I'Anson, C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.
as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	.	.15	-	-	.12	.11	.	-	-	.01	.	1
2	.01	.06	.22	-	-	.01	-	-	.05	.02	-	.	2
3	-	.21	.38(s)	.10	-	-	.04	.06	.47	.11	.20	.03	3
4	.02	.35	.12	.09	.68	.27	.	.	.07	.94	.22	.45	4
5	.12	.03	.31(s)	.02	.41	.20	-	-	.	.26	.41	-	5
6	.	.50	.15(s)	.03	.48	.09	.13	.03	.	.08	.20	.04	6
7	.	.	.14	.04	.08	.27	.03	—	.	.15	.	.20	7
8	-	.04	.40(s)	-	.06	.23	-	—	.	.	.	-	8
9	.	.	.13(s)	-	.36	-	.06	—	.	.	-	.28	9
10	.24	-	.	.06	.	.04	.20	—	.	.	-	.30	10
11	.01	.62	.57(s)	.34	-	.22	.18	—	.09	.07	-	.28	11
12	.06	.	.42(s)	.02	.46	.17	.46	—	.	.	-	.44	12
13	.	-	.15	.03	.17	.03	.03	.27	.08	.40	.03	.35	13
14	-	.17	.07	.	.08	.22	.	.34	.	.26	.	.48	14
15	.11	.22	.31	-	.	-	-	.52	.	.	.	.30	15
16	.	.05	.09	.19	-	.	.18	.11	.	.01	.	.35	16
17	.02	-	.	.16	.02	-	.	.14	.19	.11	.06(s)	-	17
18	-	.25	.03	.66	.	.03	.12	.20	.12	.08	1.70	-	18
19	.10	.04	.04	.30	.	-	-	-	.11	.04	.85	.10	19
20	.06	-	.37	.07	-	-	.16	.24	.	-	.10	.12	20
21	.04	.23(s)	.08	.02	.02	.	.04	.	.	-	.	.	21
22	.07	.22(s)	.02	.	-	-	-	.	.	.02	.	.	22
23	.03	.06(s)	.	.	.	-	-	-	.	.03	.10	.50	23
24	-	05(s)	.19(s)	.	-	.22	-	.08	.	-	.	.08	24
25	-	.09(s)	.04	.01	-	-	-	.22	.	.24	.	.07	25
26	.19	.18(s)	.05	.	-	-	-	.	.	-	.30	-	26
27	-	.38(s)	.11	-	-	.04	-	.53	.	.28	.09	-	27
28	-	.29	-	.	.16	.04	-	.23	.	.09	.07	.23	28
29	-	.27	-	-	-	.02	-	.	.	.07	-	-	29
30	-	✕	.04	.02	.07	.10	.07	-	.14	.25	.02	-	30
31	.02	✕	-	✕	.01	✕	-	-	✕	.17	✕	-	31
99 Total	1.33	4.31	4.58	2.16	3.06	2.32	1.81	2.97	1.32	3.68	4.36	4.60	YEAR'S TOTAL 36.50
Rain Days.	16	21	25	17	14	18	14	13	9	21	15	18	201

W. 8,000, VIII. 16

3692
3478

FORM A.
BRITISH RAINFALL.

15. JAN 1916

REGISTER OF RAINFALL IN 19*15*

Kept at *Lockwood Reservoir*

in the County of *York (North Riding)* 5

by *William M. I'Anson C.E., F.S.A.*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

of before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·10	·03	-	·28	.	.	·40	·19	.	·06	·22	1
2	–	·28	·15	·06	.	·04	·04	·21	·17	.	·35	·08	2
3	·83	·01	·09	·10		.	·29	·36	·03	.	·22	·60	3
4	·26	.	·04	.	.	.	·31	·01	.	.	·26	1·15	4
5	·10	.	·02	.	·06	.	·01	.	.	·24	·05	·34	5
6	·05	·47	·12	·11	·55	.	1·37	·05	.	·08	.	·11	6
7	·30	·44	·11	.	.	.	·27	·15	.	.	.	.	7
8	·08	·13	·01	.	.	.	·07	·11	.	.	·08	.	8
9	-	·06	.	.	.	.	·02	·07	.	·04	·03	·29(s)	9
10	·15	.	.	.	.	.	.	·06	.	.	.	·18	10
11	·06	·48(s)	·04	·02	·70	.	·09	·01	.	.	.	·18(s)	11
12	·25	·06	.	·34	·13	.	·18	·15	.	·07	1·06(s)	·18(s)	12
13	·01	·37	.	.	.	.	.	·01	.	.	.	.	13
14	.	·36(s)	.	.	·15	.	.	·01	·01	.	.	·05	14
15	·25	·05	.	.	.	.	·19	·40	.	·32	·08(s)	·06	15
16	·02	·45	.	.	.	.	1·27	·20	·01	·44	·15(s)	.	16
17	·35(s)	·26	·01	.	.	.	·42	.	·04	·01	·37	·14	17
18	.	·04	·22(s)	.	.	.	.	.	·07	·01		·05	18
19	.	·02	·05(s)	.	.	.	·06	.	.	·24		.	19
20	·08	.	.	·06	.	.	.	.	.	·09		·59	20
21	·25	·02(s)	.	·17	.	.	.	.	.	.		·08	21
22	·15	.	·01	.	.	-	·01	·03	.	.		·13	22
23	·24	·15(s)	·01	.	.	.	·16	.	.			·06	23
24	·02	.	·37	·09	.	·01	·12	.	·42	·06	·09	·12	24
25	.	.	·02	.	.	·12	·13	.		·06	·34(s)	·01	25
26	.	·17	·12(s)	·11	.	·28	·27	.	·19	·26	·12(s)	·13	26
27	·02	·31(s)	·16(s)	.	.	·04	·04	.	·06	·08	.	·35	27
28	.	·04(s)	·22(s)	.	·19	.	·10	·92	.	·18	.	·08	28
29	·07	-	.	.	·44	.	·03	·02	·91	·01	·12	·35	29
30	.	X	·02	·14	.	.	·01	.	·26	·01	·01	·03	30
31	·16	X	.	X	.	X	-	·38	X	·07	X	·20	31
Total	4·02	4·27	1·82	1·20	2·50	0·49	5·46	3·55	2·36	2·27	3·39	5·76	YEAR'S TOTAL 37·09
Rain Days.	22	21	20	10	8	5	23	19	12	18	16	26	200

W. 8,000. X. 15.

3478

FORM A.
BRITISH RAINFALL
29.1.19

REGISTER OF RAINFALL IN 1918

Kept at Lockwood Reservoir near Boosbeck
in the County of York, N.R.
by William M. I'Anson, C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·01	-	-	-	·02	-	·18	·02	·27	·05	1
2	·05	·05	-	·11	-	-	·02	-	·02	·01	-	·20	2
3	·04	-	·12	-		-	-	·19	-	·05	·36	-	3
4	-	-	·07	-	·25	-	-	-	·13	·08	·24	·06	4
5	-	-	·08	-	·27	-	-	·50	-	·05	·01	-	5
6	-	·18	-	·82	-	·16	-	·68	-	·18	-	·02	6
7	·08	·10	-	·03	-	·14	·02	-	-	·02	·35	-	7
8	-	·01	·03	-	-	-	·22	-	·09	-	-	-	8
9	·04	·30		·03	-	-	·19	-	·76	·25	-	·04	9
10	-	-		·06	-	-	·10	-	·09	-	-	-	10
11	·20	·03	-	·04	·18	-	-	-	-	-	-	·09	11
12	-	·19	·12		·04	-	·03	-	·11	·26	-	·03	12
13	-	·01	-	·11	·18	-	-	-	·07	·05	-	-	13
14	·02	-	-	·10	-	·02	·06	-	·68	·03	-	-	14
15	-	-	-	·02	-	·08	·30	-	·95	-	-	1·01	15
16	-	-	·04	-	-	·04	·19	·20	·26	-	-	·22	16
17	·10	-	-	-	·31	-	·30	·04	-	·81	-	·22	17
18	·51	-	·12	·06	-	·01	·29	-	·45	·05	-	·17	18
19	·19	-	·02	·17	-	-	·11	·17	·01	~~·45~~	-	-	19
20	·09	·50	-	·29	-	·06	·85	-	·07	·21	-	-	20
21	·08	·01	-	·09	·41	-	·18	-	·10	·31	-	-	21
22	·02	-	-	·05	·09	·01	·08	-	-	-	-	·25	22
23	·11	-	-	·01	·43	-	·28	-	·02	-	-	-	23
24	-	·12	-	-	-	-	·03	-	·13	·02	-	-	24
25	-	-	-	-	-	·05	·02	·04	·03	-	-	·10	25
26	-	-	-	-	-	-	·04	·07	·37	-	·14	·05	26
27	-	·06	-	-	-	·12	-	·50	·18	-	·05	·11	27
28	-	·08	·60	-	-	-	·01	·01	-	-	·02	·41	28
29	-	X	·07	-	-	-	-	-	·13	-	·03	·09	29
30	-	X	·02	·02	-	-	-	-	·18	-	·10	·53	30
31	-	X	·17	X	-	X	-	·08	X	-	X	·23	31
99 Total	1·56	1·64	1·47 ✓	2·01	2·16	·69	3·34	2·48	5·01	2·85	1·57	3·88	YEAR'S TOTAL 28·66
Rain Days.	14	13	13	16	9	10	21	11	22	17	10	19	175

W, 6,500, VII. 18. W W C

3478

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

19 JAN 1918

Kept at Lockwood Reservoir

in the County of York (North Riding)

by W. M. I'Anson, C.E.

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.01	-	.29	.	.11	.	.83	.24	-	.10	.12	1
2	.03	.	-	.07	.	-	-	.48	.07	-	.03	.	2
3	-	.	-	.15	.	-	-	.14	.	-	-	.	3
4	-	-	-	.11	.	.	.02	.20	-	.03	.06	.	4
5	-	-	.04	.40	.	-	-	.02	-	-	.05	.	5
6	-	-	-	.	.	-	-	:	-	-	.15	.	6
7	.74	-	-	-	.	-	-	.01	-	.14	.	.06	7
8	.52	-	.06	.07	.	-	-	.91	.02	.38	.08	.	8
9	.31	-	.02	.05	.	.	-	.67	.04	.10	.37	.05	9
10	-	-	.66	.14	.06	-	-	.33	-	.22	.70	-	10
11	.25	-	-	-	-	-	-	.31	-	.13	.	-	11
12	1.35	-	.02	.41	.13	-	-	.06	-	.37	.	.04	12
13	.14	-	.	.11	.10	-	-	.09	.20	[illegible]	.	.08	13
14	.28	-	.	.30	.37	-	.09	.12	.	-	.	.06	14
15	.08	-	.	.05	.06	-	-	.18	-	.02	-	.02	15
16	.10	-	-	.24	.	-	.	.03	-	-	-	.36	16
17	.10	-	-	.04	.04	.09	-	.34	-	-	-	.28	17
18	.07	-	-	.22	.17	.	.26	.16	-	-	-	.	18
19	.15	.12	.13	.	.04	.21	-	.	-	-	-	.	19
20	.09	.23	.21	.02	.	.51	-	.12	-	.	.54	.07	20
21	-	.19	.17	.02	.	.	-	.	-	-	.01	.	21
22	-	.	.25	.	.	.02	-	.04	-	-	-	.	22
23	.07	.03	.09	.	.20	.	-	.06	-	-	-	.02	23
24	-	.07	-	.	.19	.	.05	.03	-	.27	.27	.15	24
25	-	.08	.09	.	.	.25	.06	.	-	.09	-	.21	25
26	-	.	.14	.	.	.05	-	.39	.12	.04	.25	.05	26
27	-	-	.17	.	.	.27	.35	.58	.	-	.	.18	27
28	-	-	.08	.	.	.10	.17	.98	-	.09	-	-	28
29	.04	X	.06	.13	.	-	.17	.37	-	.42	-	-	29
30	.07	X	.10	-	.	-	.16	-	-	.02	-	.17	30
31	.21	X	.11	X	.01	X	.08	-	X	-	X	.12	31
49 Total	4.60	0.73	2.40	2.82	1.37	1.61	1.41	7.45	0.69	2.73	2.61	2.04	YEAR'S TOTAL 30.46
Rain Days.	18	7	17	18	11	9	10	25	6	15	12	17	165

W. 8,000, IX. 17.

3191
3478

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Lockwood Reservoir
in the County of York (N.R)
by W. M. I'Anson, C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

or before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
~~0·33~~

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.	.	·43	·21	.	·23	.	.	·42	.	·01	1
2	-	-	·21	·40	·02	-	·47	.	·47	·30	.	·26	2
3	-	·04	.	·34	.	·14	·61	·06	·15	·14	.	·23	3
4	·09	.	-	·06	.	.	1·11	·41	.	1·01	.	·01	4
5	-	-	·62	.	·08	.	·44	·10	·10	.	.	·11	5
6	-	.	·15	.	·05	.	·24	·04	.	.	.	·06	6
7	·07	-	.	·07	.	.	·10	.	.	.	.	·03	7
8	-	.	.	·20	·10	.	·20	·10	.	.	·02	.	8
9	·02	-	.	·34	.	.	·11	·44	.	.	.	-	9
10	·92	.	.	·34	.	.	·03	·03	.	.	.	.	10
11	·24	-	.	·10	·06	.	.	·09	.	.	.	·34(s)	11
12	·17	.	·11	·15	.	-	·03	.	.	.	.	·36(s)	12
13	·12	-	·08	·02	.	.	.	.	.	-	.	·07(s)	13
14	·05	.	·65	·11	.	.	·15	.	·23	·14	·12	·12(s)	14
15	.	·19	·36	.	.	.	.	.	·01	·11	·08	·04(s)	15
16	-	.	.	·12	.	.	·34	.	·08	.		-	16
17	-	-	.	.	·08	.	.	·19	·02	·04		·04(s)	17
18	·40	·05	.	.	·21	.	·06	·36	·07	.		-	18
19	.	·66	.	·18	.	.	.	·11	·02	.		-	19
20	·14	·03	.	·02	.	·14	.	.	·05	.		·01	20
21	-	.	.	·11	.	.	·36	·42	·25	.		·05	21
22	-	.	.	·05	-	.	·02	.	-	.		.	22
23	·07	.	·02	.	-	.	·36	.	.	.		·08	23
24	·05	.	·49	·11	.	.	·14	.		.		·02	24
25	·04	·12	·12	·03	.	.	·59	.	-	.	·06	-	25
26	·02	.	·33	·11	.	.	·05	.	.	.	.	.	26
27	·34	.	·03	·13	·26	·61	.	.	.	.	·17	·02	27
28	·72	.	·08	·03	·02	.	.	.	.	.	·06	·23	28
29	·15	.	·09		·61	·05	·05	.	.	.	·04	·39	29
30	·01		·01		·31	·02	.	.	·24	.	·20	·03	30
31	·15		-		·01		.	.		·07		·03	31
99 TOTAL	3·77	1·09	2·75	3·45	2·02	0·96	5·69	2·35	1·69	2·23	0·45	2·54	YEAR'S TOTAL 29·29
Days with ·01 in. or more	19	6	15	22	13	5	21	12	12	8	8	22	163
Days with ·04 in. or more	16	5	11	18	10	4	18	11	9	8	7	14	131

~~XP~~ BR

3478
JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Lockwood Reservoir
in the County of York, N.R.
by Wm M. I'Anson, C.E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.
as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·11	-	-	·25	.	-	,	·42	,	·35	·02	1
2	-	·10	·04	-	-	-	-	.	·03	.	·18	.	2
3	·50	-	.	·01	·11	-	·02	.	·04	,	·27	·05	3
4	·80	·02	·34	.	·16	·11	·12	·08	·15	.	·17	·02	4
5	·56	·23	-	.	-	·01	·05	,	·04	-	·06	-	5
6	-	-	·33	-	.	,	·01	.	.	·10	·28	·23	6
7	-	-	·24	.	·07	.	-	,	.	.	.	·32	7
8	·14	-	-	·06	·10	,	-	,	,	·04	-	·08	8
9	-	-	·19	.	.	.	-	.		·26	·11	·03	9
10	-	.	·02	.	.	,	-	-	.	·25	·25	·15	10
11	-	-	·90	.	·07	.	·23	.	.	·08	·21	·03	11
12	-	.	·92	·17	,	.	·01	.	·15	·31	·06	·01	12
13	·07	.	·42	·01	.	·30	·20	·06	·01	·23	·01	-	13
14	·14	-	·05	·38	.	.	,	·12	,	·03	·40	·01	14
15	·05	·13	·14	·14	.	,	.	,	.	.	·12	·53	15
16	-	·04	.	·03	.	-	.	.	,	·03	.	·07	16
17	.	.	-	.	·06	.	.	·04	.	.	·22	.	17
18	-	-	-	-	.	.	.	·06	.	.		·11	18
19	·04	·10	·43	·06	.	.	·36	·28	·12	-	.	·02	19
20	·15	·27	-	.	.	·06	·17	·01	·19	.	·26	·25	20
21	·08	·09	·01	.	.	·04	-	·04	·06	.	·05	·08	21
22	.	·14	·09	.	,	.	·24	·01	·04	.	·08	·09	22
23	.	.	·06	-	-	·25	·13	·12	.	1·05	·07	·01	23
24	-	-	·05	·12	.	·12	·07	.		1·30	·06	-	24
25	.	·15	.	·08	.	·17	.	·58	.	.	·05	-	25
26	-	·19	·12	·07	.	·02	.	·13	·01	0·16	.	·25	26
27	·04	·18	-	·43	.	·01	·14	·15	.	·96	·18	.	27
28	·12	·01	-	·09	-	.	·11	1·40	.	·49	·03	13	28
29	·33	X	·02	·04	-	·15	·03	·02	.	1·24	-	·15	29
30	·01	X	-	·25	-	·61	-	·05	-	·25	·21	·14	30
31	·04	X	·36	X	.	X	·17	-	X	·21	X	·21	31
99 TOTAL	3·27	1·76	4·73	1·94	0·82	1·85	2·06	3·15	126 ~~1·23~~	6·99	3·68	299 ~~2·93~~	YEAR'S TOTAL 3450 ~~34·43~~
Days with ·01 in. or more	16	14	19	15	7	12	16	16	12.	17	23	24	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made

CASTLEFORD
SECONDARY SCH
1911 – 1916-18, 20

REG

FORM A.
BRITISH RAINFALL.

9 JAN 1912

Kept at Castleford W. ord. N.E.

in the County of York

by ~~E. Featherstone~~

in.

d 1 ft. — in.

evel 100 ft.

NOTE.—Rain should be mea ctions for the measurement of rain and particulars as to the ent post-free on application to Dr. H. R. Mill, 62, Camden

Date.	Jan.	Feb.	March.	April.	May.						Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.			in.	in.	in.	
1											·04	—	1
2											·02	·03	2
3											·05	—	3
4											·05	·09	4
5											·11	—	5
6											·16	·24	6
7											·63	—	7
8											·01	·22	8
9											—	—	9
10											·01	·30	10
11											·52	·06	11
12											·13	·01	12
13											·08	·50	13
14											·01	·64	14
15											—	·15	15
16											·12	·08	16
17											·12	·08	17
18											·21	·05	18
19											·48	·62	19
20											—	·17	20
21											·04	·15	21
22											·05	·05	22
23											—	·25	23
24											—	·05	24
25											·01	—	25
26											·31	·43	26
27											·01	·01	27
28											·10	·13	28
29											·01	·02	29
30											·02	—	30
31												·01	31
Total											2·70	3·74	TOTAL for year
No. of Rain Days											25	24	

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

REG

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Castleford Secondary School

in the County of Yorkshire (W. R.)

by ~~E Featherstone~~ . ~~E Jennings~~ E. J. Castle

Lat. 53°43'23" Long. 1°20'24" W.

Nearest Railway Station Castleford

Time of Observation 9.0 a m

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " Sea Level 100 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·04	—	1
2											·02	·03	2
3											·05	—	3
4											·05	·09	4
5											·11	—	5
6											·16	·24	6
7											·63	—	7
8											·01	·22	8
9											—	—	9
10											·01	·30	10
11											·52	·06	11
12											·13	·01	12
13											·08	·50	13
14											·01	·64	14
15											—	·15	15
16											·12	·08	16
17											·12	·08	17
18											·21	·05	18
19											·48	·02	19
20											—	·17	20
21											·04	·15	21
22											·05	·05	22
23											—	·25	23
24											—	·05	24
25											·01	—	25
26											·31	·43	26
27											·01	·01	27
28											·10	·13	28
29											·01	·02	29
30											·02	—	30
31												·01	31
Total											2·70	3·74	TOTAL for year
No. of Rain Days											25.	24	

1,000, IX. '10.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6. FEB 1917

Kept at Castleford. Park Avenue
in the County of Yorkshire W.R.
by Mr. E. P. Wilson

Lat. 53°30' Long. 1° W
Time of Observation 9 a.m
Nearest Railway Station Castleford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					—	·1	·21	—	·01	·01	·2	—	1
2				(–)	—	—	·01	—	·21	·11	·01	—	2
3					—	—	—	—	·92	·26	·06	—	3
4				·015	·79	·26	—	—	·24	·2	·41	—	4
5				—	·03	·16	—	—	—	·33	·25	—	5
6				·07	·27	—	·14	—	—	·02	·31	·04	6
7				—	·09	—	·23	—	—	·04	·02	·3	7
8				—	·02	—	—	—	·03	·02	·06	·15	8
9				—	·4	·2	—	—	·29	—	·04	·25	9
10				·03	—	·14	—	—	—	·01	·02	·06	10
11				·14	·02	·05	—	—	·05	·04	—	·19	11
12				·04	·37	—	·62	—	—	—	—	·03	12
13				—	·04	—	·09		—	·74	·01	·03	13
14				—	·09	—	—	1·2	·01	·06	·01	·05	14
15				—	—	—	·16		—	—	·01		15
16				·03	—	—	·01	·03	—	—	—		16
17				·12	—	—	—	·01	·08	·19	·01	1·58	17
18				·09	—	·05	·02	—	·17	·03	1·28		18
19				·21	—	—	—	·1	·02	—	·39		19
20				—	—	—	—	·2	·24	·02	·02		20
21				·01	—	—	·08	—	—	·03	—	·28	21
22				·03	—	·08	—	—	—	·08	·02	—	22
23				·1	—	·01	—	·03	—	·01	·07	—	23
24				·03	—	·01	·01	·15	—	·02	·03	—	24
25				—	·06	—	—	—	—	·09	·07	·1	25
26				—	·01	—	—	—	·01	·08	·01	·05	26
27				—	—	—	—	—	—	·24	·01	·31	27
28				—	·05	·09	—	—	—	·08	—	·14	28
29				—	—	·13	—	—	—	·31	—	—	29
30		X		—	·05	—	—	—	—	·08	—	·03	30
31		X		X	—	X	—	—	X	·14	X	—	31
Total				·915	2·29	1·28	1·58	1·75	2·28	3·24 3·24	3·32	3·59	YEAR'S TOTAL ~~20·225~~
Rain Days.				13	14	12	11	9	13	26	~~22~~ 23	21	~~141~~

W. 8,000. X. 15.

Exd HW

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5. JAN. 1918

Kept at Castleford
in the County of York
by Mr. S. Ede

Lat. 53°30′N Long. 1° W
Time of Observation 9 a.m.
Nearest Railway Station M.E.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·07	—	—	—	·14	·16	—	·14	·21	1
2	—	—	—	—	—	·07	—	·05	·13	—	—	—	2
3	—	—	—	—	—	—		·05	—	·09	—	—	3
4	·09	—	·12	—	—	—		—	—	·14	·05	—	4
5	·13	—	·125	·21	—	—	—	·19	·01	·05	·04	—	5
6	·16	—	—	—	—	—	—	·21	—	·30	·04	—	6
7	·37	—	·005	—	—	—	—	·17	—	·51	—	—	7
8	·51	—	—	·10	—	—	—	·22	—	·37	·09	—	8
9	·09	—	·05	—	—	—	—	—	—	·24	·12	—	9
10	·08	—	·56	·24	·085	—	—	·17	—	·02	—	—	10
11	·05	·01	—	·32	—	—	—	·12	—	—	—	—	11
12	·08	—	—	·01	·25	—	—	·18	—	·24	—	—	12
13	·11	—	—	·01	·24	—	—	·29	·09	·13	—	—	13
14	·05	—	—	·02	—	—	—	·03	—	·19	—	·05	14
15	·08	—	—	·06	—	—	·26	—	—	—	—	—	15
16	·11	·065	—	·09	—	·08	·07	·05	·03	·02	—	·25	16
17	—	·10	—	·13	·7	—	—	·17	·19	—	—	—	17
18	—	—	—	·065	·05	—	·46	·03	·01	—	—	—	18
19	·01	·11	·175	—	·83	·35	—	—	·01	—	—	—	19
20	—	·185	·02	—	·11	·67	—	·04	—	·21	·02	—	20
21	·035	·03	·06	—	—	—	—	·02	·01	·11	—	—	21
22	—	—	·09	—	—	—	—	·06	—	·32	—	·2	22
23	·005	—	—	—	·08	—	·03	—	—	—	—	—	23
24	—	—	—	—	—	·16	—	·26	—	—	—	—	24
25	—	—	·03	—	—	—	—	·37	—	—	—	—	25
26	—	—	—	—	—	·07	—	—	·07	·21	—	—	26
27	—	—	·07	—	—	·26	·02	·03	—	·07	—	—	27
28	—	—	·09	—	—	—	—	[illegible]	—	·12	—	—	28
29	—	X	—	—	—	—	·1	—	—	—	—	·3	29
30	·015	X	·06	—	—	—	—	—	—	·05	—	·15	30
31	·015	X	·38	X	—	X	—	·21	X	—	X	·07	31
Total	1·99	·50	1·835	1·325	2·345	1·66	·94	3·28	·71	3·35	·53	1·23	YEAR'S TOTAL 19·695
Rain Days.	18	6	14	12	8	7	6	23	10	19	4	7	137

W. 8,000, VIII. 16

176

FORM A.
BRITISH RAINFALL.
25. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Castleford

in the County of Yorks W

by Slee

Lat. 53°40′ Long. 1°24′

Time of Observation 9 a.m

Nearest Railway Station Castleford N.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·2	—	—	—	—	—	—	—	·09	—	·01	1
2	—	·21	·02	·08	—	—	—	—	—	—	—	—	2
3	—	·19	—	—	—	—	—	—	—	·03	—	·00	3
4	—	[illegible]	·03	—	1·02	—	—	—	—	·02	·31	·24	4
5	—	—	—	·15	·62	·17	—	·27	—	·2	·24	·31	5
6	·13	—	—	·41	—	—	—	·34	·06	·06	·06	—	6
7	·32	·05	—	·26	—	—	—	·05	—	·23	·31	·09	7
8	—	·1	—	—	—	—	—		—	·32	·12	·1	8
9	—	·25	—	·44	—	·42	·23		·21	·21	—	—	9
10	·06	·03	—	·31	—	—	·32	—	·46	—	—	·35	10
11	—	·05	—	—	·47	—	·01	—	·15	—	—	—	11
12	—	·07	·16	—	—	—	—	—	1·2	·02	—	—	12
13	—	—	—	·08	·61	—		—	·6	—	—	·06	13
14	—	—	—	·05	—	—	·64	—	1·7	—	—	·21	14
15	·19	—	—	·24	—	—	·4	—	·4	—	—	·52	15
16	·12	—	—	—	—	·31	[illegible]	—	—	·18	—	·21	16
17	—	—	—	—	—	·17	·64	—	·9	·09	—	·12	17
18	·33	—	·15	—	—	·02	·46	—	·38	·34	·33	·15	18
19	·32	—	·18	—	—	·12	·31	·04	·08	—	—	·21	19
20	·05	·12	—	—	—	·15	·02	—	·14	—	·06	—	20
21	·10	·05	—	—	·34	·04	·27	—	·21	—	·09	—	21
22	·04	—		—	—	·21	·35	—	·04	·06	·42	·38	22
23	·02	—	—	—	·8	—	·65	·13	—	·19	—	—	23
24	—	—	—	—	—	—	·03	—	—	·02	·21	—	24
25	—	—	—	—	—	1·12	—	[illegible]	·43	—	·27	—	25
26	—	—	—	—		—	—	[illegible]	—	—	—	—	26
27	—	—	—	—	—	—	—	·1	·75	—	—	·09	27
28	—	—	·45	—		—	—	—	—	—	—	·75	28
29	—		—	—	—	—	·03	—	·18	·09	·4	·57	29
30	—		·51	—	—	—	—	—	—	—	—	·11	30
31	—		·34				—	·24		—		—	31
Total	1·68	1·34	1·84	2·01	3·93	2·74	4·86	1·99	8·13	2·15	2·31 ?	4·48	YEAR'S TOTAL 37·47? ~~37·37~~
Rain Days.	11	12	8	9	6	10	15	9	17	16	12	18	143

W. 8,000, IX. 17.

Aug & Sept — partly distributed.

2 JAN 1921

Form A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Castleford

in the County of Yorkshire

by S. Gee

Lat. 53° 43' 16" Long. 1° 30' 20" W

Time of Observation 9 a.m.

Nearest Railway Station Castleford N.E.R.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·16	·30		·33			·12	·125		1
2			·05	·20			·58		✓+	·29		·21	2
3				·05	·015	·03	·98	·75	(22)+	·15		·14	3
4	·01			·025			·36	·11	~~·52~~ +	·71		·2	4
5			·015				·03		·058	·03			5
6			·02		·15		·075						6
7	·08		·22	·015			·39						7
8	·015			·43			·155						8
9	·16	·10		·48				·09					9
10	·20	·22		·17			·6	+ ✓					10
11	·315		·04	·13	·135	·065						·17	11
12	·095		·06	·32				+ ✓			·07		12
13	·05	·015	·07	·087		·35							13
14			·45	·11		·215	·04		·25	·09	·18		14
15		·07	·19	·095				(·30)		·11			15
16									·11		·07		16
17					·115		·83						17
18	·10			·10	·05	·02		+ ✓	·38				18
19		·90		·065		·185		+					19
20	·015	·10		·172		·08	·10						20
21				·052			·67	+ ✓					21
22				·26			·03						22
23							·28					·43	23
24	·055		·19	·02								·11	24
25		·055	·03				·71						25
26	·08		·08				·11						26
27	·17	·025		·04		·41					·09	·15	27
28	1·00		·10	·10	·31							·09	28
29	·12		·115		1·00	·05	·04				·15	·51	29
30	·21			·05		·07			·18		·11	·215	30
31	·065		·075		·14					·38		·05	31
Total	2·74 ✓	1·485 ✓	1·735 ✓	3·131 ✓	2·215 ✓	1·475 ✓	6·310 ✓	(1·25) ~~·95~~ ✓	(1·195) ·495 ✓	1·88 ✓	·995 ✓	2·275 ✓	Year's Total 26·686
Days with ·01 in. or more	17 ✓	8 ✓	16 ✓	22 ✓	9 ✓	10 ✓	18 ✓	(8)	(8)	8 ✓	7 ✓	11 ✓	(142) ~~135~~ ✓
	14	6	12	19	8	8	16	(7)	(7 ✓)	7	7	11	(122) ~~147~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W

and for W.D.

REGIST

14.

CAWT~~HOR~~NE

CANNON HALL

1914 - 1920

Kept at Cannon Hall, Cawt

in the County of York W.R.

by The Head Gardener. (

ong. 1 36 E.

9 a.m.

ion Darton L. & Y.

ge 5 in.

ge above Ground - ft. 11 in.

" Sea Level 417.7 ft.

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

IMPORTANT NOTE.—I and the result entered to the previous day. If an Observe universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.08	.04	.02				.16			.24	.19	1
2			.03				.89	.48		.01		.40	2
3			.01				.14	.18			.32	.14	3
4	.04		.04		.05		.01	.04			.11	.45	4
5	.42		.19	.15	.19	.04					.41	.51	5
6	.16		.13	.17	.16	.01					.30	.28	6
7			.01	.34	.12		.04	.01			.02	.06	7
8		.02	.22	.11	.04	.03						.06	8
9	.09		.04		.10	.58	.07	.06	.30			.03	9
10	.34			.07	.04	.95		.11	.01		.01		10
11	.19	.13							.04		.13		11
12		.41	.19			.10	.13		.11		1.05	.48	12
13		.12	.07		.01	.03	.05		.36		.12	.72	13
14		.11	.21	.04			.02			.01	.37	.33	14
15	.04	.19	.04						.09	.15	.40	.33	15
16		.12	.20		.01				.01	.06	.09	.02	16
17			.05				.44		.23				17
18	.07	.28	.07				.06		.28			.35	18
19			.02			.29			.05			.10	19
20			.07				.02		.01		.06	.14	20
21		.14	.09						.04	.04		.05	21
22		.55				.12	.01	.15		.05	.05	.06	22
23		.04	.06		.21	.08	.01	.03		.24		.01	23
24			.03		.38	.01	.03				.05	.02	24
25			.70	.02	.04		.18	.08			.08	.06	25
26	.03						.13	.16		.51	.03	.10	26
27			.10					.35		.14	.03	.19	27
28	.06									.05	.25	.82	28
29	.04		.03							.03	.08	.14	29
30	.04	✕	.17					.05		.50	.12	.05	30
31		✕	.03	✕		✕		.05	✕	.10	✕	.23	31
	.08	.04	.02	-	-	-	.16	-	-	.24	.19	-	YEAR'S TOTAL
Total	~~1.52~~ 1.60	~~2.19~~ 2.15	~~2.84~~ 2.82	~~.92~~ .90	1.35	2.24	~~2.23~~ 2.39	~~1.91~~ 1.75	1.53	~~1.89~~ 2.13	~~4.32~~ 4.27	~~6.32~~ 6.13	29.26
Rain Days.	~~12~~ 13	12	26	~~8~~ 7	12	11	~~16~~ 17	~~14~~ 13	12	~~13~~ 14	22	~~28~~ 27	186

W. 8,000. X. 14.

and for W.D.

REGIST 14.

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at Cannon Hall, Cawthorne, BARNSLEY.

in the County of York W.R.

by The Head Gardener. (Mr H. G. Kitchen)

Lat. 53 N Long. 1 36 E.

Time of Observation 9 a.m.

Nearest Railway Station Darton L. & Y.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

" " " " Sea Level 417.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.08	.04	.02				.16			.24	.19	1
2			.03				.89	.48		.01	–	.40	2
3			.01				.14	.18			.32	.14	3
4	.04		.04		.05		.01	.04			.11	.45	4
5	.42		.19	.15	.19	.04					.41	.51	5
6	.16		.13	.17	.16	.01					.30	.28	6
7			.01	.34	.12		.04	.01			.02	.06	7
8		.02	.22	.11	.04	.03						.06	8
9	.09		.04		.10	.58	.07	.06	.30			.03	9
10	.34			.07	.04	.95		.11	.01		.01		10
11	.19	.13							.04		.13		11
12		.41	.19			.10	.13		.11		1.05	.48	12
13		.12	.07		.01	.03	.05		.36		.12	.72	13
14		.11	.21	.04			.02			.01	.37	.33	14
15	.04	.19	.04						.09	.15	.40	.33	15
16		.12	.20		.01				.01	.06	.09	.02	16
17			.05				.44		.23				17
18	.07	.28	.07				.06		.28			.35	18
19			.02			.29			.05			.10	19
20			.07				.02		.01		.06	.14	20
21		.14	.09						.04	.04		.05	21
22		.55				.12	.01	.15		.05	.05	.06	22
23		.04	.06		.21	.08	.01	.03		.24		.01	23
24			.03		.38	.01	.03	-			.05	.02	24
25			.70	.02	.04		.18	.08			.08	.06	25
26	.03						.13	.16		.51	.03	.10	26
27			.10					.35		.14	.03	.19	27
28	.06									.05	.25	.82	28
29	.04		.03							.03	.08	.14	29
30	.04		.17					.05		.50	.12	.05	30
31			.03					.05		.10		.23	31
	.08	.04	.02	–	–	–	.16	–	–	.24	.19	–	YEAR'S TOTAL
Total	~~1.52~~	~~2.19~~	~~2.84~~	~~.92~~	1.35	2.24	~~2.23~~	~~1.91~~	1.53	~~1.89~~	~~4.32~~	~~6.32~~	29.26
	1.60	2.15	2.82	.90			2.39	1.75		2.13	4.27	6.13	
Rain Days.	~~12~~ 13	12	26	~~8~~ 7	12	11	~~16~~ 17	~~14~~ 13	12	~~13~~ 14	22	~~28~~ 27	18 6

W. 8,000. X. 14.

✓ corr for W.D. 2.V.16

3354

FORM A.
BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Cannon Hall, Nr. BARNSLEY.

in the County of Yorks, W.R.

by The Head Gardener.

for J H. Pardoe

Lat. 53 N Long. 1 36 E

Time of Observation 9 a.m.

Nearest Railway Station Darton L.&.Y.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 11 in.

" " " " Sea Level 417.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .25

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.09	.48	-	-	-	.05	.03	.17	-	.34	-	1
2	.28	.14	.03	-	.26	-	.10	.02	.05	-	.01	.04	2
3	.03	.14	.05	.16	-	-	.07	.41	-	.04	-	.01	3
4	.97	-	-	.05	-	-	.11	.43	-	-	.01	.63	4
5	.09	.02	-	-	.13	-	.60	-	-	-	-	1.15	5
6	.07	.37	.01	-	-	-	-	.02	-	.04	.01	.48	6
7	.11	.21	.06	.20	-	-	.62	.01	-	-	-	.26	7
8	.47	.31	.01	.11	-	-	.09	.78	-	-	-	.15	8
9	.25	.16	.01	.15	-	-	.03	.17	-	-	.08	-	9
10	.03	.03	-	-	-	-	-	.11	-	.07	.10	.73	10
11	.44	-	.02	-	-	-	-	.05	-	-	-	.11	11
12	.07	-	.02	.01	.75	-	.05	.02	-	.01	.41	.46	12
13	.02	-	-	.11	.19	-	.01	.02	-	.05	1.45	-	13
14	.03	.80	-	-	-	-	-	-	-	-	-	.10	14
15	.08	.01	-	-	.02	-	.02	.02	-	-	-	.26	15
16	1.03	-	-	-	-	-	.04	.54	-	-	.20	.14	16
17	-	.25	-	-	.23	-	1.31	.15	-	.02	.02	-	17
18	-	.11	.02	-	-	-	.02	.08	-	-	-	.01	18
19	-	.12	.01	-	-	-	-	-	-	-	-	-	19
20	-	.04	.01	-	-	-	.09	-	-	.02	-	-	20
21	.03	-	-	-	-	-	-	-	-	-	-	.24	21
22	.06	.01	-	.09	-	-	.15	-	-	-	-	.08	22
23	-	-	.13	.01	-	-	.10	-	-	-	-	-	23
24	.07	-	.10	-	-	-	.46	-	-	.30	-	.13	24
25	-	-	.20	.04	-	-	-	-	.62	.01	-	.16	25
26	-	-	-	.02	-	.14	-	-	.20	.01	-	.48	26
27	.02	.47	-	-	-	.08	.40	-	-	-	-	.58	27
28	-	.40	-	-	-	.14	.09	-	-	.35	-	.31	28
29	-		.02	-	-	.10	-	.43	-	.11	-	-	29
30	-	✕	-	-	.17	.06	-	.02	-	-	.07	.92	30
31	.06	✕	-	✕	-	✕	-	-	✕	.01	✕	-	31
	.09	.48	-	-	-	.05	.03	.17	-	34	-	.25	YEAR'S TOTAL
Total	~~4.21~~	~~3.68~~	~~1.18~~	~~.95~~	~~1.75~~	~~.52~~	~~4.41~~	~~3.31~~	~~1.04~~	~~1.04~~	~~2.70~~	~~7.43~~	~~32.22~~
Rain Days.	4·30	4·07	·70	·95	1·75	·57	4·39	3·45	·87	1·38	2·36	7·68	32·47 ✓
	~~20~~ 21	18	~~16~~ 15	11	7	~~5~~ 6	20	18	~~4~~ 3	~~13~~ 14	~~11~~ 10	~~22~~ 23	~~165~~ 166 ✓

W. 8,000. X. 15.

3277

FORM A.
BRITISH RAINFALL.
6 JUN 1917

cwd for W.D.

REGISTER OF RAINFALL IN 1916.

Kept at Cannon Hall, Near Barnsley.

in the County of Yorks W.R.

by The Head Gardener.

Lat. 53 N Long. 1 36 E
Time of Observation 9 a.m.
Nearest Railway Station Darton L. & Y.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 417.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .19

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25	.	.46	.	.	.	.04	.	.	.	.56	.	1
2	.45	.	.26	.	.	.16	.15	.	.	.	.10	.	2
3	.34	.04	.24	.	.	.	.03	.	.09	.14	.	.	3
4	.	.09	.	.	.	.	.	.	.41	.18	.14	.	4
5	.26	.55	.	.	.87	.25	.	.	.04	.12	.38	.	5
6	.01	.08	.	.	.15	.12	.	.	.	.31	.50	.	6
7	.28	.33	.17	.	.37	.14	.30	.	.	.05	.48	.	7
8	.04	.05	.09	.	.02	.	.17	.	.	.17	.	.26	8
9	.	.10	.45	.	.	.	.02	.	.	.02	.15	.05	9
10	.	.01	.18	.	.47	.20	.	.	.35	.	.10	.15	10
11	.	.04	.04	.11	.	.55	.	.	.06	.09	.	.48	11
12	.	.38	.28	.14	.06	.50	.	.	.08	.	.	.15	12
13	.04	.03	.61	.06	.30	.	.20	.05	.	.04	.	.	13
14	.	.14	.36	.08	.03	.	.	.06	.	.29	.01	.09	14
15	.	.31	.06	.16	.12	.	.	.35	.	.11	.01	.12	15
16	.	.38	.86	.02	.	.	.08	.39	.	.	.	.	16
17	.	.41	.45	.04	.	.	.04	.09	.	.08	.	.	17
18	.	.15	.02	.20	.	.	.07	.	.13	.25	.	.	18
19	.	.43	.02	.04	.	.13	.	.38	.17	.10	.59	.	19
20	.19	.03	.32	.23	.	.	.	.14	.04	.	.95	.	20
21	.25	.	.33	.08	.	.	.04	.02	.	.	.	.12	21
22	.25	.	.08	.05	.	.	.15	.	.	.	.	.	22
23	.01	.03	.01	.	.	.02	.	.	.	.10	.	.01	23
24	.01	.04	.02	.03	.	.	.	.05	.	.	.19	.27	24
25	.	.47	.	.	.	.39	.	.18	.	.06	.	.10	25
26	.	.06	.26	.	.26	.	.	.09	.	.11	.03	.	26
27	.01	.17	.18	.	.	.	.	.	.	.17	.01	.	27
28	.	.27	.01	.	.	.	.	.	.	.52	.	.	28
29	.	.30	.	.	.	.03	.	.	.	.04	.	.09	29
30	.	×	.	.	.	.25	.	.	.	.36	.	.34	30
31	.	×	.	×	.	×	.	.	×	.34	×	.01	31
	– ✓	.46 ✓	– ✓	– ✓	– ✓	.04 ✓	– ✓	– ✓	– ✓	.56	– ✓	.19 ✓	YEAR'S TOTAL
Total	~~2.39~~	~~4.89~~	~~5.76~~	~~1.24~~	~~2.65~~	~~2.74~~	~~1.29~~	~~1.80~~	~~1.37~~	~~3.65~~	~~4.20~~	~~2.24~~	~~34.22~~ ✓
	2·14	5·35	5·39	1·24	2·65	2·78	1·25	1·80	1·37	4·21	3·64	2·43	34·16 ✓
Rain Days.	13	26	23	13	10	13	11	11	9	23	14	15	181 ✓

W. 8,000, VIII. 16

3128

FORM A. BRITISH RAINFALL.

3. JAN 1918

Entd

REGISTER OF RAINFALL IN 1917

Kept at Cannon Hall, Nr. BARNSLEY.

in the County of Yorks W.R.

by Captain J.H.Pardoe.

Lat. 53 N Long. 1 36 E

Time of Observation 9 a.m.

Nearest Railway Station Darton L.& Y.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 417.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.19	-	-	.33	-	-	-	-	.03	-	-	.01	1
2	.01	-	-	.22	-	.01	-	.25	.19	-	.19	.15	2
3	.10	-	-	.21	-	-	-	.04	.01	-	.03	-	3
4	-	-	-	-	-	.03	-	-	-	.13	.13	-	4
5	.19	-	.26	-	-	-	-	.01	-	.14	-	-	5
6	-	-	.20	.24	-	-	-	.04	-	.10	.08	-	6
7	.20	-	-	-	-	.01	-	-	-	.23	.13	.01	7
8	.59	-	-	-	-	.31	-	-	-	.46	-	.10	8
9	.01	-	-	.16	-	-	-	.70	-	.55	.21	.09	9
10	.09	-	.02	.20	-	-	-	-	-	.11	.42	-	10
11	.01	-	.75	.20	.18	-	-	.07	-	.04	.01	-	11
12	.05	-	-	.52	-	-	-	-	-	.30	-	-	12
13	.06	-	-	-	.27	-	-	.11	-	.17	-	.05	13
14	.09	-	-	.14	.24	-	-	.38	.11	.07	-	.01	14
15	.11	-	-	.18	-	-	-	.03	-	-	-	.30	15
16	.09	-	-	-	-	-	-	-	.0 1	.02	-	.06	16
17	.04	.12	.06	.29	-	.06	.05	.13	-	-	-	.55	17
18	.02	.09	.07	.09	.90	.18	.01	.18	.09	.02	-	.12	18
19	.04	-	-	.04	.06	-	.36	}	.27	.01	-	-	19
20	.04	.26	.20	-	.20	.29	-	}	-	-	-	-	20
21	-	.17	-	-	.47	.23	-	}	.15	-	.01	-	21
22	-	.07	.18	-	.25	.07	-	.34)	-	.03	-	-	22
23	-	-	.15	-	-	-	-	.11	.03	.02	.01	-	23
24	-	.04	-	-	.14	.09	.01	.05	-	.04	-	.01	24
25	-	.01	-	-	-	.80	-	.05	-	.57	.35	-	25
26	-	-	.17	-	-	-	-	.01	.07	.40	.09	-	26
27	-	-	-	-	-	.01	-	.48	-	.27	.05	-	27
28	-	-	.04	-	-	.30	.04	.68	-	.01	.04	.01	28
29	-	-	.19	-	-	.10	.15	.30	-	.04	.05	.17	29
30	-		.09	-	-	-	.14	-	-	.36	.06	.22	30
31	-		.11		-		-	.07		.03		.02	31
	-	-	·33	-	-	-	-	·03	-	-	·01	·10	YEAR'S TOTAL
Total	~~1.93~~	~~.76~~ ✓	~~2.49~~ ✓	~~2.82~~ ✓	~~2.71~~ ✓	~~2.49~~ ✓	~~.76~~ ✓	~~4.03~~ ✓	~~.96~~ ✓	~~4.12~~ ✓	~~1.86~~	~~1.88~~ ✓	~~26.81~~ ✓
Rain Days.	1·74 18 7 ✓	·76 7 ✓	2·82 14 5 ✓	2·49 13 2 ✓	2·71 9 ✓	2·49 14 ✓	·76 7 ✓	4·06 20 4 ✓	·93 10 9 ✓	4·12 24 ✓	1·87 16 ✓	1·97 16 ✓	26·72 171 ✓

W. 8,000, IX. 17.

26·72

~~RL~~ CPL [illegible] WD

108

REGISTER OF RAINFALL IN 19 18.

FORM A.
BRITISH RAINFALL.
10.1.19

Kept at Cannon Hall, Nr. Barnsley.
in the County of Yorkshire, W.R.
by Head Gardener.

Lat. 53 N. Long. 1.36 E.
Time of Observation 9 a.m.
Nearest Railway Station Darton L. & Y.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 11 in.
" " " " Sea Level 417.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	.	.12	.06	.	.	.	.	.05	.	.	.03	1
2	.02	.04	.04	.	.03	.	.	.	.28	.08	.27	.	2
3	.	.08	.	.	.	.	.	.07	.11	.	.	.14	3
4	.	.	.06	.	.67	.	.	.21	.	.04	.14	.	4
5	.	.	.05	.03	.05	.	.	.01	.25	.01	.30	.32	5
6	.	.	.04	.22	.35	.	.	.28	.24	.23	.	.01	6
7	.	.73	.03	.16	.	.15	.	.	.05	.13	.	.	7
8	.13	.02	.	.	.	.	.	.	.33	.30	.23	.	8
9	.	.06	.	.04	.	.	.24	.	.67	.02	.02	.02	9
10	.11	1.00	.	.32	.	.08	.	.	.67	.	.10	.05	10
11	.04	.10	.	.02	.	.	.31	.	.53	.	.16	.05	11
12	.20	.09	.03	.	.10	.	.02	.	.07	.	.	.02	12
13	.01	.05	.13	.11	.01	.	.38	.	.11	.	.	.05	13
14	.11	.	.	.07	.02	.	.	.	.31	.08	.	.01	14
15	.36	.	.	.	.	.06	.21	.	.77	.	.	.24	15
16	.33	.	.	.	.	.02	.41	.	1.22	.	.	.13	16
17	.	.	.	.	.	.08	.15	.	.18	.04	.	.22	17
18	.25	.	.	.	.08	.08	.26	.06	.03	.25	.	.28	18
19	.44	.	.02	.	.	.03	.11	.	.37	.01	.	.19	19
20	.26	.	.17	.14	.	.	.24	.	.50	.11	.	.30	20
21	.05	.35	.	.02	.	.13	.02	.	.13	.16	.	.	21
22	.16	.27	.	.	1.08	.07	.	.	.27	.07	.	.	22
23	.02	.	.	.	.22	.02	.02	.	.02	.	.	.61	23
24	.01	.	.	.	.50	.	.15	.	.	.	.04	.	24
25	.	.07	.	.	.	.	.02	.	.04	.	.05	.	25
26	.	.	.	.	.01	.40	.06	.14	.02	.	.	.	26
27	.	.	.	.	.	.	.60	.03	.21	.	.02	.13	27
28	.	.09	.02	.	.	.	.03	.35	.36	.01	.11	.11	28
29	.	.	.	.	.	.	.	.48	.	.	112	.36	29
30	.	X	.09	.	.	.	.	.	.10	.	.	.17	30
31	.	X	.35	X	.	X	.	.01	X	.	X	.21	31
	– ✓	.12	.06	– ✓	– ✓	– ✓	– ✓	.05	–	– ✓	.03	–	YEAR'S TOTAL
Total	~~2.60~~ 2.50	~~2.95~~ 3.07	~~1.15~~ 1.09 ✓	~~1.19~~ 1.13	3.12 ✓	1.12 ✓	3.23 ✓	~~1.64~~ 1.69 ✓	~~7.89~~ 7.84	1.54	~~1.56~~ 1.59	~~3.65~~ 3.62	31.54 ~~32.64~~ 31.63
Rain Days.	~~17~~ 16	~~13~~ 14	13 ✓	~~11~~ 10	12 ✓	11 ✓	17 ✓	~~10~~ 11	~~27~~ 26	~~15~~ 1.54	~~12~~ 13	~~22~~ 21	~~180~~ 179

W. 6,500, VII. 18. W W C

corrd for WD CX 912 2907

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Cannon Hall,
in the County of Yorkshire
by The Head Gardener

Lat. 53 N. Long. 1.36 E.
Time of Observation 9 a.m.
Nearest Railway Station Darton (L. H)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft 11 in.
" " " " Sea Level 417.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	-	.02	.07	-	.10	.03	-	-	.08	.20	1
2	.50	.02	.02	-	.33	-	.20	-	.06	.06	.06	.10	2
3	.20	-	.13	-	.02	-	.20	-	-	-	.06	.01	3
4	1.02	-	-	-	.01	.08	.70	-	.06	-	.26	.14	4
5	.35	-	.16	-	.01	.09	-	.24	.08	-	.10	.23	5
6	.09	-	.07	-	.09	-	-	-	.03	-	.06	.36	6
7	.04	-	.07	-	.54	-	-	-	-	-	-	.09	7
8	.09	-	.05	-	.05	-	-	-	-	-	-	-	8
9	.15	-	.01	-	-	.03	-	-	-	-	.10	-	9
10	.17	-	-	-	-	-	-	-	-	-	.06	-	10
11	-	-	.15	.02	-	-	-	-	-	-	-	.10	11
12	-	-	1.15	.09	.03	-	-	-	-	-	-	-	12
13	-	-	.63	.07	-	-	-	-	.30	-	-	-	13
14	.16	-	-	.14	-	-	.10	-	.58	.08	-	-	14
15	.17	-	-	.32	-	-	-	-	-	-	.05	-	15
16	.11	.13	.07	.08	-	-	-	-	-	-	.10	.36	16
17	.10	.90	-	-	-	.30	-	.06	-	.03	-	-	17
18	.01	.40	-	-	-	-	-	-	-	-	.20	-	18
19	-	-	.35	-	.01	.03	-	.34	.07	-	-	.30	19
20	.05	.32	.65	-	-	-	1.60	.30	-	-	.30	-	20
21	.28	.13	.06	-	-	-	.53	.14	-	-	.19	.10	21
22	.14	.35	.05	-	-	.08	.23	-	.10	-	-	.20	22
23	-	.13	.04	-	-	-	-	-	.20	-	-	.38	23
24	-	-	-	.01	-	-	-	-	-	1.00	.10	.32	24
25	-	-	-	.18	.04	.05	-	-	-	.56	.04	.23	25
26	.03	-	-	.24	.06	.02	-	.40	-	-	.10	-	26
27	-	.04	.42	.03	-	.02	-	.26	.04	-	.06	.45	27
28	.01	-	-	.42	-	-	-	-	-	-	-	.23	28
29	-		-	.06	-	-	-	1.04	-	.06	-	.30	29
30	.14	╳	-	.04	-	-	-	-	-	1.20	-	.10	30
31	.02	╳	.05	╳	-	╳	-	-	╳	.09	╳	.17	31
	.04	-	.02	.07	-	.10	.03	-	-	.08	.20	-	
TOTAL	~~3.83~~ 3.87	~~2.46~~ 2.42	~~4.13~~ 4.15	~~1.72~~ 1.77	~~1.26~~ 1.19	~~.70~~ .80	~~3.66~~ 3.59	~~2.81~~ 2.78	1.52	~~3.08~~ 3.16	~~1.92~~ 2.04	~~4.37~~ 4.17	YEAR'S TOTAL 31.46
Days with ·01 in. or more	22	9 ~~10~~	19	14	11 ~~12~~	10 ~~9~~	8	8 ~~9~~	10	9 ~~8~~	17	19 ~~20~~	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cnf W.D.

mthly obs

1 FEB 1921

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cannon Hall, Barnsley

in the County of Yorks W.R.

by The Head Gardener

Lat. 53 N Long. 1.36 E.

Time of Observation 9 am.

Nearest Railway Station Darton L. & Y.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 414.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.18	-	.20	.14	.04	.03	-	-	.16	.65	.15	1
2	-	-	-	.20	.38	-	.13	.08	.18	.16	.22	.03	2
3	-	-	-	.40	.03	-	.09	-	.26	.28	-	.24	3
4	-	.09	-	.09	.16	.05	.40	.08	.05	.12	-	.80	4
5	-	-	-	.10	-	-	.25	.10	-	.58	.03	.08	5
6	-	-	.03	-	-	-	.02	.44	-	.07	-		6
7	-	-	.40	.10	.09	-	.03	-	-	-	-	.80	7
8	.05	-	.10	-	-	-	.50	.03	-	.02	-	-	8
9	.10	.05	-	.40	-	-	.50	-	-	.04	-	-	9
10	.24	.20	-	.50	-	-	-	.06	.01	-	-	-	10
11	.35	.80	-	.20	-	-	.32	.06	-	-	-	.30	11
12	.60	.03	.07	.20	.22	.37	-	-	-	-	-	.40	12
13	.10	.05	.15	.40	-	.20	-	.16	-	-	.02	.20	13
14	.13	.06	.18	.05	-	.94	-	-	-	-	.01	.30	14
15	-	-	.30	.15	-	.50	-	-	.24	.09	.47	.20	15
16	-	.10	.40	.23	-	-	-	-	-	.44	.13	-	16
17	-	-	.01	-	.08	-	.40	-	.10	.04	.25	-	17
18	-	-	-	-	.05	-	-	-	.25	.10	.01	.07	18
19	.10	-	-	.07	.03	-	-	-	.40	-	-	-	19
20	.09	1.02	-	.03	.19	.21	-	.12	-	-	-	-	20
21	.03	.35	-	.26	-	.05	.08	-	-	-	-	.03	21
22	-	-	-	-	-	.02	.60	.08	-	-	-	.13	22
23	.04	-	-	.23	-	-	.21	.23	-	-	-	-	23
24	-	-	-	-	-	-	.30	-	-	-	-	.43	24
25	-	-	.19	-	-	-	-	-	-	-	-	.10	25
26	.05	.08	.18	.15	-	-	.74	-	-	-	-	-	26
27	.09	.07	.13	.13	-	-	.31	-	-	-	-	-	27
28	.24	-	.03	.15	.70	.32	-	-	-	-	.19	.15	28
29	.81	-	.05	.10	.23	-	-	-	.01	-	-	.10	29
30	.20	╳	.15	-	2.30	-	.03	-	.01	-	.13	.77	30
31	.20	╳	-	╳	.01	╳	-	-	╳	-	╳	.35	31
Total	.18 ~~3.42~~ 3.60	- ~~3.08~~ 2.90	.20 ~~2.37~~ 2.57	.14 ~~4.34~~ 4.28	.07 ~~4.61~~ 4.54	.03 ~~2.73~~ 2.69	- ~~5.24~~ 5.21	1.44	.16 ~~1.51~~ 1.67	.65 ~~2.10~~ 2.59	.15 ~~2.11~~ 1.61	.10 ~~2.96~~ 2.91	Year's Total 36.01 ~~38.88~~
Days with ·01 in. or more	18 ~~17~~	12 ~~13~~	16 ~~15~~	22	14	10	17 ~~18~~	11	11 ~~10~~	12	11	20	~~173~~ 174
Days with ·04 in. or more	17 ~~16~~	11 ~~12~~	13 ~~12~~	21	11	8 ~~9~~	14	10	8 ~~7~~	11	7	18	~~148~~ 149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

B.R.
FORM C I

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

PLEASE fill in name of place and month

RAINFALL at Cannon Hall in the County of Yorks W.R.

In the Month of December 1920

Date.	Inches.	Remarks on the Days.
1		[illegible]
2		
3		
4	80	— ?.08
5		
6		
7	80	— ?.08
8		
9		
10		
11	30	— ?.03
12	70	— ?.01
13	20	— ?.02
14	30	— ?.03
15	20	— ?.02
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
TOTAL		

Days with ·01 in. or more........

Days with ·04 in. or more........

1st of following month. ·10

Checked

Corrected

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this form.

PRINTED PAPER.

ON HIS MAJESTY'S SERVICE

ADDITIONAL REMARKS.

Signed..

No writing on this side of the line.

Postage ½d.
or, if containing anything in the nature of a letter
1d.

THE SUPERINTENDENT,
British Rainfall Organization,
62, Camden Square,
LONDON, N.W. 1.

1921

The Rainfall at Cannon Hall, Barnsley

measured on the morning of January 1st, 1921

was ·10

Signed J. W. Pardoe
Agent

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

ON HIS MAJESTY'S SERVICE

Postage ½d.
if containing
nothing in
the nature
of a letter.

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

CHAPLETOWN
POTTER HILL

1911- 1920

R

Kept at Potter Hill

in the County of York

by David Bell

/
and can in cyl
8 in.
Ground ~~582~~ 5 ft. — in.
Sea Level 582 ft.
1 1 0
Name Westwood
Distance 1⅝ mile Direction N by E

IMPORTANT NOT … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … year in the space provided for it at the end of th … ment of rain, the selection and placin … ritish Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	—	—	·01	·04	—	—	·03	—	1
2	S ·20	—	—	—	·10	—	—	—	—	—	—	·07	2
3	—	—	—	S ·01	·35	—	—	—	—	·02	·18	—	3
4	·03	—	·04	S ·12	—	—	—	—	·13	·18	·43	·16	4
5	—	—	·01	S ·06	—	—	—	·04	—	·31	—	—	5
6	·16	—	·04	—	—	—	—	·10	—	·09	·40	·47	6
7	—	—	—	—	—	—	—	—	—	—	·10	—	7
8	·08	—	·05	—	—	—	—	—	·06	·04	·06	·28	8
9	—	—	—	—	—	·04	—	—	—	—	—	·05	9
10	·03	—	·02	—	·01	—	—	—	—	—	—	·52	10
11	·22	—	—	—	·01	—	—	·02	—	—	·62	·02	11
12	S ·07	—	·08	—	·06	—	—	—	·60	—	·29	—	12
13	—	—	S ·04	—	—	·01	—	—	—	·01	·03	·40	13
14	—	·04	S ·03	—	·28	—	·04	—	—	—	·03	·60	14
15	—	·15	S ·12	·01	·11	—	—	—	—	·09	—	·09	15
16	—	·16	S ·06	·03	—	·08	—	—	—	·08	·14	·06	16
17	—	·07	·05	—	—	·29	—	—	—	—	·16	·17	17
18	—	·32	·02	·03	—	·05	—	—	—	·02	·18	·08	18
19	—	·13	·01	·02	—	·02	—	—	·01	·19	·50	·03	19
20	—	·06	—	·21	—	—	·01	·67	·14	—	—	·16	20
21	—	·28	·01	—	—	·02	—	·57	·01	·25	—	—	21
22	·02	·10	—	—	—	—	·06	·14	—	·13	·02	·19	22
23	—	·33	·01	—	—	·36	—	·01	·17	·01	—	·13	23
24	·03	·06	S ·04	—	—	1·26	—	·01	—	·04	—	·23	24
25	·02	·23	—	·03	—	—	—	—	·23	—	·02	·20	25
26	—	·04	—	·04	·11	—	—	—	—	·34	·43	·35	26
27	—	·07	S ·10	·22	—	—	—	·60	·31	—	·01	·02	27
28	—	·21	·02	·15	—	·02	—	·02	·02	·01	·06	·03	28
29	—		·03	·07	—	·01	·01	·07	·12	·36	·01	·03	29
30	—		—	·01	·21	·09	—	—	—	·30	—	—	30
31	—		·25		—		—	—		·08		—	31
Total	·8~~2~~6	2·25	1·09	1·01	1·24	2·25	·13	2·29	1·80	2·55	3·70	4·34	TOTAL for year 23·51
No. of Rain Days.	10	15	21	14	9	12	5	12	11	19	20	23	171

W. 8,000, X. '11.

R

and can in cy

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Potter Hill.

in the County of York West Riding

by David Bell

RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground ~~582~~ 5 ft. — in.
" " " Sea Level 582 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Westwood
Distance 1⅝ mile Direction N by E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	—	—	—	·01	·04	—	—	·03	—	1
2	S ·20	—	—	—	·10	—	—	—	—	—	—	·07	2
3	—	—	—	S ·01	·35	—	—	—	—	·02	·18	—	3
4	·03	—	·04	S ·12	—	—	—	—	·13	·18	·43	·16	4
5	—	—	·01	S ·06	—	—	—	·04	—	·31	—	—	5
6	·16	—	·04	—	—	—	—	·10	—	·09	·40	·47	6
7	—	—	—	—	—	—	—	—	—	—	·10	—	7
8	·08	—	·05	—	—	—	—	—	·06	·04	·06	·28	8
9	—	—	—	—	—	·04	—	—	—	—	—	·05	9
10	·03		·02	—	·01	—	—	—	—	—	—	·52	10
11	·22	—	—	—	·01	—	—	·02	—	—	·62	·02	11
12	S ·07	—	·08	—	·06	—	—	—	·60	—	·29	—	12
13	—	—	S ·04	—	—	·01	—	—	—	·01	·03	·40	13
14	—	·04	S ·03	—	·28	—	·04	—	—	—	·03	·60	14
15	—	·15	S ·12	·01	·11	—	—	—	—	·09	—	·09	15
16	—	·16	S ·06	·03	—	·08	—	—	—	·08	·14	·06	16
17	—	·07	·05	—	—	·29	—	—	—	—	·16	·17	17
18	—	·32	·02	·03	—	·05	—	—	—	·02	·18	·08	18
19	—	·13	·01	·02	—	·02	—	—	·01	·19	·50	·03	19
20	—	·06	—	·21	—	—	·01	·67	·14	—	—	·16	20
21	—	·28	·01	—	—	·02	—	·57	·01	·25	—	—	21
22	·02	·10	—	—	—	—	·06	·14	—	·13	·02	·19	22
23	—	·33	·01	—	—	·36	—	·01	·17	·01	—	·13	23
24	·03	·06	S ·04	—	—	1·26	—	·01	—	·04	—	·23	24
25	·02	·23	—	·03	—	—	—	—	·23	—	·02	·20	25
26	—	·04	—	·04	·11	—	—	—	—	·34	·43	·35	26
27	—	·07	S ·10	·22	—	—	—	·60	·31	—	·01	·02	27
28	—	·21	·02	·15	—	·02	—	·02	·02	·01	·06	·03	28
29	—		·03	·07	—	·01	·01	·07	·12	·36	·01	·03	29
30	—		—	·01	·21	·09	—	—	—	·30	—	—	30
31	—		·25		—		—	—		·08		—	31
Total	·8~~2~~6	2·25	1·09	1·01	1·24	2·25	·13	2·29	1·80	2·55	3·70	4·34	TOTAL for year 23·51
No. of Rain Days.	10	15	21	14	9	12	5	12	11	19	20	23	171

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Potter Hill. High Green. Sheffield
in the County of York. West Riding W.7
by David Bell

Lat. 53·30 Long. 1·30
Time of Observation 9 a.m
Nearest Railway Station Westwood. G.C.Ry.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	S ·17	·10	—	—	·37	·01	—	·07	—	—	·28	1
2	—	S ·05	·02	—	—	·20	·74	—	·13	—	—	·06	2
3	·04	S ·02	—	—	·04	·25	·01	·78	·25	—	—	·04	3
4	·09	—	·52	·02	·13	·53	—	·42	—	—	·07	—	4
5	·26	S ·08	—	—	·08	·14	—	·06	—	—	—	—	5
6	S 1·06	·09	—	—	—	·04	—	·70	—	—	—	—	6
7	—	·03	—	—	·01	·04	—	·09	—	—	—	·01	7
8	S ·25	·25	·10	·06	—	—	·01	·01	·20	—	—	—	8
9	·07	·12	·10	·16	—	—	—	·08	·01	—	·02	·08	9
10	—	·02	·01	·01	—	·15	—	·30	—	—	·46	—	10
11	·12	·09	—	·01	—	—	—	—	—	—	·09	·36	11
12	·08	·37	·03	—	—	·13	·57	—	—	—	—	—	12
13	—	·12	—	—	—	—	—	—	—	·04	·10	·04	13
14	·05	—	·19	·01	—	·03	—	·04	—	—	—	·09	14
15	·13	·06	·13	—	·51	·02	—	—	—	—	—	·14	15
16	S ·87	—	·12	—	·03	·20	—	·03	—	·02	—	·13	16
17	S ·10	·03	·11	—	—	·22	·10 ~~·44~~	·15	—	—	—	·27	17
18	S ·16	·01	·12	—	—	—	—	·16	—	·01	—	·05	18
19	·30	·14	·09	—	—	·02	·78	·33	—	·02	—	—	19
20	·26	—	S ·07	—	·27	—	·10	·08	—	·20	—	—	20
21	—	—	·46	—	·62	—	·71	—	—	·04	—	—	21
22	·04	·08	—	—	1·30	·06	·10	·44	—	·01	—	·04	22
23	·07	·02	·28	—	·07	—	·73	·33	—	·01	·08	·01	23
24	S ·31	—	—	—	·07	—	·19	·29	—	—	—	·18	24
25	—	—	·03	—	—	·23	—	·02	—	—	·38	·08	25
26	S ·05	·15	·03	—	—	—	·33	1·10	—	1·31	·18	·30	26
27	—	—	·05	—	—	·27	·66	—	—	·66	·01	·12	27
28	—	—	·03	—	—	·06	·26	·35	·02	·09	S·49	—	28
29	—	—	·08	·01	—	·05	·06	—	·53	·03	S·02	·15	29
30	S ·10		·02	—	—	—	—	—	·07	—	—	—	30
31	—		·15		·19		·14	·20		·05		—	31
Total	4·41	1·90	2·84	·28	3·32	3·01	5·50	5·96	1·28	2·49	1·90	2·45	YEAR'S TOTAL 35·34
Rain Days.	20	19	23	7	12	19	17	21	8	13	11	19	189

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Exd DG

Kept at Potter Hill, High Green, Wr Sheffield

in the County of York, West Riding

by David Bell

Lat. 53.30 Long. 1·30

Time of Observation 9 AM

Nearest Railway Station Westwood G C Ry

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·04	·13	—	—	—	—	·16	·03	·11	—	1
2	—	·10	·08	·02	—	·01	—	—	—	·02	·03	·02	2
3	·03	·03	·20	—	·34	—	·02	—	·02	·42	—	·33	3
4	·68	·04	·02	—	·07	·04	·10	—	·06	·01	·12	·26	4
5	·05	·03	·09	—	—	·13	·20	—	·08	1·12	—	—	5
6	·02	·06	·19	—	·51	·03	·59	—	—	·99	—	—	6
7	—	·30	S ·01	—	·19	·12	—	—	—	·87	·01	—	7
8	—	·03	·02	—	·48	·14	—	·12	—	·21	·15	—	8
9	—	·19	·02	·01	·12	·11	·13	·06	—	—	·12	·02	9
10	S ·05	·01	—	·10	·02	—	·03	—	—	·08	·20	—	10
11	S ·66	—	—	S ·32	—	·05	—	·02	—	·01	·24	—	11
12	—	—	—	—	·02	—	—	—	—	—	·18	—	12
13	S ·08	—	·05	·01	—	—	—	·01	·17	—	·04	—	13
14	·06	·02	·24	·04	—	—	—	—	—	·06	·11	—	14
15	·13	·05	·29	·39	—	—	—	—	—	—	·25	—	15
16	·01	·02	S ·21	·02	—	—	—	·10	·22	—	·03	—	16
17	·03	·03	S ·04	·13	·02	—	—	—	2·09	—	·06	—	17
18	—	—	·25	·20	—	—	·06	—	·01	—	·11	·03	18
19	·14	—	·06	·14	—	—	·01	—	·08	—	—	—	19
20	·32	—	·11	·06	—	—	—	—	—	·03	·14	—	20
21	·02	·01	·02	—	·15	—	·20	·01	—	—	·12	—	21
22	S ·08	—	·75	—	—	—	—	·55	·19	—	—	—	22
23	·05	—	—	—	—	·03	—	·18	·12	·02	—	—	23
24	·27	—	—	·01	—	—	—	·01	—	—	—	—	24
25	·02	—	—	·01	—	—	—	—	·08	—	—	·03	25
26	—	—	·16	·17	—	—	—	—	—	·13	—	·47	26
27	—	—	·02	·27	—	—	—	—	—	—	—	S ·28	27
28	·23	—	·25	·25	—	—	—	—	—	·03	—	S ·04	28
29	·02		·61	·42	·02	—	—	·35	—	—	—	S ·11	29
30	·30		—	—	—	—	—	—	—	·48	·06	S ·09	30
31	S ·03		·03		·11		—	—		—		—	31
Total	3·29	·92	3·76	2·70	2·05	·66	1·34	1·41	3·28	4·51	2·08	1·68	YEAR'S TOTAL 27·68
Rain Days.	23	14	24	19	12	9	9	10	12	16	18	11	177

W. 7,500, XI. ·12

EHMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Potter Hill Chapeltown W. Sheffield

in the County of York. West Riding

by Chas Wm Frost

Lat. 53' 28" 15" N. Long. 1' 29" 45" W.

Time of Observation 9 am

Nearest Railway Station Westwood

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. in.

" " " " Sea Level 582-38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01				·97	·21			·02	·30	1
2							·37	·10			·25	·15	2
3	·01				·07		·03	·18			·07	·67	3
4	·31		·16	·10	·07						·42	·27	4
5	S·12		·11	·28	·05	·02					·22	·29	5
6			·02	·24	·08		·07				·01	·07	6
7		·01	·18	·11	·04	·01						·09	7
8	·01		·02		·05	·65	·01	·11	·48			·06	8
9	·35			·05		·97		·22					9
10	·25	·11		·06	·06	·01			·04		·06	·02	10
11		·16	·29	·03		·61			·15	·01	·87	·43	11
12		·09	·06			·03	·01		·23	·02	·10	·46	12
13	S·03	·10	·13			·02			·01	·35	·35	·26	13
14	·03	·18	·06				·05		·14	·04	·01	·33	14
15	·01	·10	·10					·01	·01		·37	·03	15
16	·03	·01	·03		·01		·33		·21		·01		16
17	·02	·34	·08				·04		·18			·40	17
18	·04		·01			·16	·01					·20	18
19			S·53				·02				·05	·11	19
20		·22	·03							·07			20
21		·47				·09		·02	·01	·11	·01	·11	21
22		·01			·16	·10	·10			·12			22
23			·04		·38		·01			·01	·01	·02	23
24			·39	·01	·01		·14	·21			·02		24
25	·02						·02	·14		·59	·01	·34	25
26			·06					·07		·12	·09	·26	26
27	·03									·01	·20	·69	27
28	·06	·06	·01							·09	·08	·23	28
29	·04		·18							·65	·07		29
30		X	·01					·02		·13	·10	·18	30
31	·10	X		X		X			X	·21	X	·01	31
Total	1·46	1·86	2·51	·88	·98	2·67	2·18	1·29	1·46	2·53	3·40	5·98	YEAR'S TOTAL 27·20
Rain Days.	17	13	22	8	11	11	15	11	10	15	23	25	181

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Potter Hill High Green Sheff^d.

in the County of York. West Riding

by C. W. Frost

Lat. 53·28'·15" N Long. 1·29'·45" W

Time of Observation 9 am

Nearest Railway Station Westwood

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·30			·21		·06	·02	·08		·06	·11	1
2	·05	·21	·05	·22			·03	·42					2
3	·95			·09			·25	·50	·02		·04	·58	3
4	·04	·02			·05		·67					1·23	4
5	·10	·30	·01			·02		·03		·08	·02	·70	5
6	·10	·22	·04	·15			·52	·02				·20	6
7	·33	·38	S. ·04	·16			·06	·62				·08	7
8	·27	·15	·02	·20				·11			·18		8
9	·03	·01						·12		·05	·25	S. ·66	9
10	·46		·10					·02				·05	10
11	·23		·09		·65		·25	·01			·50		11
12	·02			·10	·24					·08	1·70	S. ·28	12
13		·85											13
14	·02	·02						·13	·02			·30	14
15	·84							·40			S ·25	·12	15
16	·02	·25			·30		1·70	·01		·03		·01	16
17		·20					·12	·01				·02	17
18		·12	S. ·05								·02		18
19		·08					·05			·03			19
20												·18	20
21	·03			·10			·10					·07	21
22	·02		·15	·02			·32					·02	22
23	·07	·30	·06				·16			·32	·01	·09	23
24			·22						·60			·22	24
25				·09		·21				·03		·07	25
26		·40				·18	·08					·55	26
27		·16				·06	·06			·50		·40	27
28		·33				·17		·41		·20		·01	28
29					·08	·27		·02			·15	·81	29
30	·04	X				·09						·01	30
31	·10	X		X		X	·01	·12	X	·30	X	·34	31
Total	3·98	4·20	·83	1·13	1·53	1·00	4·44	2·97	·72	1·62	3·18	7·11	YEAR'S TOTAL 32·71
Rain Days.	20	18	11	9	6	7	16	17	4	10	11	25	154

W. 8,000. X. 15.

3239

FORM A.
BRITISH RAINFALL.

3 JAN 1917

[illegible]

REGISTER OF RAINFALL IN 1916

Kept at Potter Hill High Green Sheffield
in the County of York West Riding
by Charles William Frost

Lat. 53° 28' 15" N Long. 1° 29' 45" W
Time of Observation 9 am
Nearest Railway Station Westwood
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32		·26			·16	·12				·12		1
2	·35	·11	S ·30				·01		·18	·15	·02		2
3	·01	·22				·01	·08		1·35		·10		3
4	·03	·13			·72	·40		·01	·12	·12	·49		4
5		·07			·12	·16				·43	·43		5
6	·10	·48	S ·20		·49	·02	·28			·08	·42		6
7	·05	·03	S 05		·12		·18			·25	·02	·28	7
8		·01	S ·48		~~·46~~	~~·05~~	·02		~~·19~~	01	·08	S ·05	8
9			S ·09		·46	·05			·19		·03	·29	9
10		·05	S ·03	·05		·31	·04		·08	·06	·01	S ·20	10
11	·05	S ·47	S ·40	·06	·01	·13			·06			·11	11
12			S+R ·56	·03	·46	·04	·12	·01		·01		·05	12
13			·40	·01	·03		·05	·46		·15	·02	·06	13
14		·25	·05	·13	·05		·01	·15	·01	·08	·03	·08	14
15		·38	·82	·01		·02	·09	·11		·08			15
16		·48	·50	·09			·04	·10					16
17	·02	·20		·12				·05	·08	·28			17
18		·32		·02		·04		·15	·21	·07	1·00	S ·11	18
19	·11		·36	·22		·01		·12	·04		·45	S ·10	19
20	·20	·04	·28	·13	·02							·05	20
21	·08		·09	·09	·12		·06					·08	21
22		S ·05	·02	·01		·05				·15		S ·65	22
23		S ·06	·01	·06		·03		·04			·17	S ·25	23
24		S ·45		·03		·01		·11		·07	·03	S ·06	24
25		S ·02	·16		·10			·23		·13	·23	S ·10	25
26			S ·06					·14		·14	·03		26
27		S ·28			·44		·02	·05		·40			27
28		S ·35	·02						·03	·03		·08	28
29		·36	·06			·40		·01	·01	·46		·42	29
30		✕			·02	·07				·25			30
31		✕		✕		✕			✕	·27	✕	·11	31
Total	1·32	4·81	5·20	1·06	3·16	1·91	1·12	1·74	2·36	3·67	3·68	3·13	YEAR'S TOTAL 33·16
Rain Days.	11	22	22	15	14	17	14	15	12	22	18	19	201

W. 8,000, VIII. 16

3091

card for [illegible]

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Potter Hill Chapeltown

in the County of York

by C. W. Frost

Lat. 53·28·15 N Long. 1·29·45 W

Time of Observation 9 am

Nearest Railway Station Westwood

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 5 ft. in.

„ „ „ „ Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07			S ·35		·03		·28	·24		·13		1
2	·02					·01		·09			·03		2
3	·02					·04				·02	·12		3
4			S ·08					·09		·07			4
5	·33		S ·16	S+R ·20				·03		·19			5
6	·02							·01		·12	·08		6
7	·33					·32				·61		10	7
8	S+R 65			·18				·75		·57	·08	S ·07	8
9	S ·07			S 0·2						·10	·08		9
10	S ·20		·85	S 0·8				·17		·03	·23		10
11				S ·40	·09			·04		·34			11
12	S ·12				·32			·09		·12			12
13	S ·15			S ·10	·01			·28	·09	·06		·05	13
14	S ·50			·10				·02				·22	14
15	S ·07				·01		·29	·02		·05		S 0·6	15
16	S ·10			·12		·12	·01	·11				S ·30	16
17	[illegible]	·20	·01	·10	·53		·04	·30	·06	·03		·02	17
18	·03			·05	·07		·36	·02	·23	·02			18
19		·22	·23		·15	·38		·02	·01				19
20	·15	·16	·02		·51	·78			·15				20
21		·07	S ·09		·10	·02		·03		·04			21
22		·02	S ·10					·04					22
23		·25				·02		·20	·02				23
24					·10		·01	·04		·56	·35		24
25			·07			·09	·01	·02		·10			25
26						·11	·01	·40	·11	·12	·03		26
27			·05			·22	·08	·53			·09	·05	27
28			·10			·03		·24			·01		28
29			·06				·05	·01	·01	·28		·42	29
30		╳	S+R ·45		·01			·06		·03		·01	30
31		╳	S ·32	╳	·01	╳	·01	·02	╳		╳		31
Total	2·83	92	2·59	1·70	1·91	2·17	87	3·91	92	3·46	1·23	~~1·40~~ 1·30	YEAR'S TOTAL 23·81
Rain Days.	16	6	14	11	12	13	10	27	9	20	11	10	159

W. 8,000, IX. 17.

73

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Potter Hill Chapeltown
in the County of Yorkshire W.R. w Sheffield
by C. W. Frost

Lat. 53° 28′ 15½″ Long. 1° 29′ 45″ W.
Time of Observation 8·30 a m
Nearest Railway Station Westwood G C
Diameter of Funnel of Rain Gauge 8″ in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 582·38 ft. ft.

4 6 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	·08	·03					·10	·04			1
2		·07		·05				·11		·02	·13	·28	2
3			·07		·61			·17	·40	·01	·16		3
4			·05		·26			·05	·14	·12	·16	·30	4
5				·02	·19			·26	·02	·26			5
6	Snow	·56	·06	·31	·01	·02		·03	·70	·12			6
7	·09	·02		·19			·02		·42	·11	·14		7
8	·01		·20	·02			·22		·12	·11	·03		8
9		·94		·39		·05	·05		·10			·02	9
10	·13	·05		·03			·11		·01		·04	·02	10
11	·14	·03		·02	·10		·07		·06			·02	11
12		·06		·10			·28		·04	·05		·03	12
13	S ·12			·09	·20				·30	·02			13
14	S ·15	·62	·04	·04		·04			60 ·60				14
15	·28			·01			·09		1·20	·03		·26	15
16			·02			·01	·38		·19	·12		·18	16
17	·24		·03		·02		·08	·02	·61	·01		·16	17
18	·34					·07	·38		·09	·12		·20	18
19	·16		·37	S ·11					·06	·30		·18	19
20	·06	·21		S ·05		·17	·08		·30	·13		36	20
21	·08	·21			·33	·04	·12		·30	·03			21
22	·03			·01	·05	·02		·01	·03				22
23				·01	·35		·07	·01			·02	·43	23
24	·03						·20				·04	·02	24
25		·04					·08	·18	·05	·01			25
26							·01		·03	·01	·05	·14	26
27							·16	·32	·16			·08	27
28			·21					·41	·30		·15	·28	28
29								·01	·05			·06	29
30		✕	·33					·02	·06		·02	·21	30
31		✕	·08	✕		✕		·24	✕		✕		31
Total	1·86	2·86	1·54	1·48	2·12	~~·50~~ ·42	2·40	1·84	~~6·34~~ 6·44	1·62	·94	3·23	YEAR'S TOTAL 26·75
Rain Days.	14	12	12	17	10	8	17	14	27	19	11	19	180

2935

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Potter Hill, High Green, Sheffield,
in the County of Yorkshire,
by W. C. W. Frost,

Lat. 53° 28' 15" N Long. 1° 29' 45" W
Time of Observation 9 a.m.
Nearest Railway Station Chapeltown
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. — in.
" " " " Sea Level 583·38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	—	—	—	·19	·08	·48	—	·10	·08	·13	·15	1
2	·19	·07	—	—	—	—	—	—	·05	·02	·09	·01	2
3	Snow ·54	—	—	—	—	·06	·68	—	·09	—	Snow ·02 ·27	·10	3
4	Snow ·10	—	—	—	·05	—	·06	·22	·24	—	·08	·24	4
5	·02	—	—	—	—	—	—	—	·16	—	·02	·20	5
6	—	—	·42	—	·68	—	—	—	—	·06	·01	·08	6
7	·02	—	—	—	—	—	—	—	—	—	·02	—	7
8	·17	—	—	—	—	·04	—	—	—	—	·04	—	8
9	·06	—	·25	—	—	—	—	—	—	—	·04	—	9
10	—	—	·09	·04	—	—	—	—	—	·01	Snow ·04	·07	10
11	—	—	Snow + Rain 1·20	—	·05	—	·08	—	—	—	—	—	11
12	—	—	Snow + Rain ·56	—	·08	·05	·10	—	·05	·02	—	·02	12
13	—	—	—	·07	—	·02	—	—	1·25	·05	Snow ·02	—	13
14	—	—	—	·27	—	—	—	—	·06	·01	Snow ·12	·06	14
15	·50	·20	—	·04	—	—	—	—	—	—	Snow ·04	1·01	15
16	·12	Snow ·54	—	·10	—	·01	—	—	—	—	Snow ·10	·02	16
17	·14	Snow + Rain ·87	—	·02	—	·05	—	—	—	—	·20	—	17
18	—	—	—	—	·10	—	·04	—	·01	—	—	·20	18
19	—	·20	Snow ·83	—	—	·06	1·98	·15	·04	—	·19	·01	19
20	·38	—	—	—	—	·01	·79	·56	—	—	·18	·10	20
21	·16	·30	·08	—	—	·04	·19	·13	·04	—	·02	·12	21
22	—	·03	—	—	—	—	—	—	·16	—	·03	·14	22
23	—	—	Snow ·20	—	—	·01	—	—	—	·86	·02	·09	23
24	—	—	·08	—	·05	·05	·02	—	·01	·65	·02	·14	24
25	—	·02	—	·20	·11	·08	—	—	—	—	·11	—	25
26	—	—	—	·10	·01	·02	—	·48	·03	—	·05	·56	26
27	·11	—	—	Snow ·22	·01	—	—	·24	—	—	·07	—	27
28	·04	—	—	·04	—	—	—	—	—	·07	—	·45	28
29	·14	—	—	—	—	—	—	1·17	—	1·16	—	·18	29
30	—	✕	·11	·04	·05	·09	—	·04	—	·05	·10	·23	30
31	—	✕	·03	✕	—	✕	·06	—	✕	·05	✕	—	31
TOTAL	3·24	2·23 ✓	3·85 ✓	1·14 ✓	1·38 ✓	·67 ✓	4·48 ✓	2·99 ✓	2·29 ✓	3·09 ✓	2·03 ✓	4·18 ✓	YEAR'S TOTAL 31·57
Days with ·01 in. or more	16 ✓	8 ✓	11 ✓	11 ✓	11 ✓	15 ✓	11 ✓	8 ✓	14 ✓	13 ✓	25 ✓	22 ✓	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2818

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Potter Hill Chapeltown
in the County of Yorkshire
by C. W. Frost.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Chapeltown
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1921: ·18

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·30			·23	·02	·02	·12	·18	·06	1
2			·02	·30			·12		·22	·32		·21	2
3				·20	·06	·11	1·51		·07			·21	3
4				·12			·36	·36		·56			4
5		·02			·02		·03		·01	·04		·03	5
6			·03	·05	·05		·06	·02				·02	6
7		·03	·26	·02									7
8	·22	·20	·06 s	·46	·03		·61	·04		·02			8
9	·21	·52		·56			·03						9
10	·28	·11	·11	·26			·12	·04					10
11	·62		·12	·20	·23	·57	·01					·22 Snow	11
12	·06		·03	·36		·27		·24			·01		12
13	·03	·05	·16	·09		·70			·23				13
14	·02		·06	·10		·55	·01				·39		14
15		·06	·06	·16					·09		·05		15
16		·02	·02	·04	·02		·40			·07	·03		16
17			·02		·09		·05		·16	·02			17
18	·04			·05	·11					·12			18
19	·06	S+R 1·64		·06	(·12)			·13					19
20		·08 Snow		·26		·22	·04					·01	20
21				·11			·41					·06	21
22	·09			·28			·15	·14					22
23							·29					·36	23
24			·21	·01									24
25	·02	·04		·02			·65					·05	25
26	·14	·04	·15	·04	·02		·15						26
27	·26		·11	·12	·40	·42						·21	27
28	·73 snow		·05	·15	·07	·01	·02						28
29	·13				1·98	·02	·02				·39	·14	29
30	·11			·06	·02	·02			·16		·13	·65	30
31			·15		·03		·02			·46		·40	31
TOTAL	3·05	2·81	1·62	4·38	3·25	2·89	5·29	·99	·96 ~~·86~~	1·73	1·18	2·63	YEAR'S TOTAL 30·18 ~~30·65~~
Days with ·01 in. or more	17	12	17	26	15	10	22	8	8	9	7	14	165
Days with ·04 in. or more	13	9	12	23	9	7	15	6	7	7	5	11	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS

FORM A.
BRITISH RAINFALL.

CLECKHEATON

WHITCLIFFE MOUNT SCH

1915 - 1919

Kept at Whitcliffe Mo

in the County of York

by Walton Clif

aton L&Y.

5 in.

1 ft. 4 3/4" in.

vel 435 ft.

IMPORTANT NOT ult entered to the previous day. If an Obs le, he is earnestly requested to add the readi e space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										—	—	·03	1
2										—	—	—	2
3										—	—	·63	3
4										—	—	1·00	4
5										—	—	·72	5
6										·02	—	·29	6
7										—	—	·20	7
8										—	·08	—	8
9										—	·08	·12	9
10										·05	—	·65	10
11										—	·30	—	11
12										·10	1·34	—	12
13										—	—	·47	13
14										—	—	·12	14
15										—	—	·23	15
16										—	—	—	16
17										—	—	—	17
18										—	—	—	18
19										—	—	—	19
20										—	·01	·20	20
21										—	—	·07	21
22										—	—	·01	22
23										·215	—	·02	23
24										·025	—	·17	24
25										·04	—	·12	25
26										—	—	·57	26
27										·65	—	·13	27
28										·13	—	·01	28
29										·065	·10	·71	29
30		X								·04	—	—	30
31		X		X		X			X	·16	X	·09	31
Total										1·495 ✓	1·91 ✓	5·56 5·56	YEAR'S TOTAL
Rain Days.										11 ✓	6 ✓	22	

W. 8,000. X. 15.

REGI

FORM A.
BRITISH RAINFALL.

9 JUN

Kept at Whitcliffe Mount School Cleckheaton
in the County of Yorkshire WR
by Walton Cliffe A.M.I.M.E

Lat. 53° 43′ 30″ Long. 1° 43′ 36″
Time of Observation 9 a m
Nearest Railway Station Cleckheaton L&Y.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 3/4″ in.
" " " " Sea Level 435 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										—	—	·03	1
2										—	—	—	2
3										—	—	·63	3
4										—	—	1·00	4
5										—	—	·72	5
6										·02	—	·29	6
7										—	—	·20	7
8										—	·08	—	8
9										—	·08	·12	9
10										·05	—	·65	10
11										—	·30	—	11
12										·10	1·34	—	12
13										—	—	·47	13
14										—	—	·12	14
15										—	—	·23	15
16										—	—	—	16
17										—	—	—	17
18										—	—	—	18
19										—	—	—	19
20										—	·01	·20	20
21										—	—	·07	21
22										—	—	·01	22
23										·215	—	·02	23
24										·025	—	·17	24
25										·04	—	·12	25
26										—	—	·57	26
27										·65	—	·13	27
28										·13	—	·01	28
29										·065	·10	·71	29
30		✕								·04	—	—	30
31		✕		✕		✕			✕	·16	✕	·09	31
Total										1·495 ✓	1·91 ✓	5·56 ·56	YEAR'S TOTAL
Rain Days.										11 ✓	6 ✓	22	

W. 8,000. X. 15.

W.C.Y.E

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Whitcliffe Mount School Cleckheaton Spenborough
in the County of WR Yorkshire
by Walton Cliffe A.M.I.M.E

Lat. 53·7 Long. 1·7
Time of Observation 9 AM
Nearest Railway Station Cleckheaton L&YRly.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level between 425/450 say 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	–	·20	–	–	·09	·20	–	–		·07	–	1
2	·06	·03	·13	–	–	–	–	–	·18	·25	–	·02	2
3	–	·07	–	–	–	–	·01	–	·20	·16	·12	–	3
4	·10	·45	·01	–	·62	·34	–	–	·16	·53	·23	–	4
5	·07.	·08	–	–	·04	·16	–	–	–	·38	·33	–	5
6	·32	·42	·18	·03	·28	–	·34	–	–	·06	·26	·03	6
7	·10	·04	·02	–	·06	–	·09	–	–	·16	–	·27	7
8	–	·22	·21	–	–	·01	–	–	–	·02	·11	·22	8
9	02	~~·02~~	·16	–	·27	·04	·01	–	·20	–	·10	·17	9
10	·08	·04	·03	·07	–	·47	·01	–	–	·15	–	·06	10
11	–	·57	·47	·23	·03.	·11	·01	–	·04	–	–	·15	11
12	·05	·06	·45	·12	·35	·01	·32	·02	–	·02	–	·01	12
13	–	·08	·21	·04	–	–	·15	·25	–	·74	·01	·12	13
14	–	·19	·02	·15	·27	–	–	·10	–	·11	·01	·01	14
15	–	·48	·67	·04	–	–	·12	·16	–	·01	–	–	15
16	–	·23	·48	·07	–	–	·07	·60	–	–	–	–	16
17	·01	·21	–	·16	–	–	·05	~~[illegible]~~	·21	·20	–	–	17
18	–	·40	–	·01	–	–	·01	·04	·28	·07	·98	·22	18
19	·17	–	·25	·21	–	–	–	·10	·01	–	·46	·02	19
20	·10	–	·29	·08	–	–	·06	–	–	–	·03	·01	20
21	·25	–	·02	·12	·16	–	–	–	–	–	–	–	21
22	–	·07	–	–	–	·12	–	–	–	·07	–	·03	22
23	–	·02	·10	·04	–	·02	–	·11	–	–	·15	·25	23
24	–	·28	·01	–	–	·09	–	·13	–	·07	–	·11	24
25	·01	·14	·12	–	·03	–	–	·11	–	·10	·11	·04	25
26	–	·08	·11	–	–	–	–	–	–	·06	·01	–	26
27	–	·34	–	–	·18	–	·21	·03	–	·36	–	·01	27
28	–	·22	·05	–	(·03)	·06	–	–	–	·37	–	·14	28
29	–	·35	–	–	–	·10	–	–	–	·29	–	·25	29
30	–	✕	–	–	·07	·01	–	–	–	·42	–	·05	30
31	–	✕	–	✕	·01	✕	–	–	✕	·13	✕	·12	31
Total	1·69	5·07	4·19	1·37	2·40	1·63	1·66	1·65	1·28	4·73	2·98	2·31	YEAR'S TOTAL 30·96
Rain Days.	14	24	22	14	14	14	15	11	8	23	15	22	196

W. 8,000. X. 15.

3197

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Whitcliffe Mount School Cleckheaton
in the County of York W.R.
by Walton Cliffe A.M.I.M.E

Lat. 53° 42' Long. 1° 40'
Time of Observation 9 am daily
Nearest Railway Station Cleckheaton L.&Y.R.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·04	-	·34	-	·04	-	·12	·22	-	·26	·15	1
2	·23	-	-	·33	-	·01	-	·02	-	-	Trace	-	2
3	·01	·02	-	·02	-	·05	-	·02	-	·22	·09	-	3
4	-	-	·10	-	-	-	Trace	-	-	·15	-	-	4
5	·23	-	·15	·28	-	-	-	·36	-	·10	·06	·02	5
6	-	-	-	-	-	·13	Trace	·01	-	·30	·18	·02	6
7	·47	-	-	-	-	·23	-	·03	-	·50	Trace	·03	7
8	·54	-	-	·10	-	-	-	·86	-	·68	·10	·05	8
9	·01	-	-	·08	-	-	-	·11	-	·12	·31	-	9
10	·21	-	·86	·13	·13	-	-	·09	-	·03	-	-	10
11	·02	-	-	·25	-	-	-	·03	-	·23	-	-	11
12	·02	-	-	·05	·35	-	-	·30	-	·37	-	·06	12
13	·04	-	-	·06	·36	·36	-	·34	·20	·04	Trace	·13	13
14	·08	-	·02	·18	-	-	-	·89	-	-	-	·21	14
15	·13	-	-	·02	-	-	·27	-	·02	-	-	·07	15
16	·05	·10	·01	·10	-	-	-	·05	·02	-	-	·55	16
17	·01	·06	·03	·10	·63	·04	·20	·60	·01	·01	-	·12	17
18	·07	-	·03	·02	·07	-	·27	·14	·10	-	-	·03	18
19	·07	·16	·30	-	·27	·27	-	-	-	-	·02	-	19
20	·01	·32	·02	-	·20	·21	-	·05	·04	-	·03	-	20
21	-	·09	·10	-	·06	-	-	·14	-	·04	-	-	21
22	-	-	·09	-	-	Trace	-	·08	·07	·02	·01	-	22
23	·05	·06	-	-	·15	·10	·01	·12	-	·03	·08	-	23
24	-	-	-	-	-	·05	-	·18	-	·60	·33	·01	24
25	-	·01	·06	-	-	-	-	·02	-	·42	·01	-	25
26	-	-	-	-	-	·17	-	·80	·02	·30	·12	-	26
27	-	-	-	-	-	·18	·09	·88	-	·02	·12	·03	27
28	-	-	·27	-	-	-	·04	·14	-	·08	·02	·08	28
29	-		·08	-	·05	-	·28	Trace	-	·19	·21	·19	29
30	-	×	·29	-	-	-	-	Trace	-	·10	·04	·01	30
31	-	×	·36	×	-	×	-	·26	×	-	×	·07	31
Total	2·27	0·86	2·77	2·06	2·27	1·84	1·16	6·64	0·70	4·55	1·99	1·83	YEAR'S TOTAL 28·94
Rain Days.	19	9	16	15	10	13	7	26	9	22	17	18	181

W. 8,000, IX. 17.

177

FORM A.
BRITISH RAINFALL
2.1.19

REGISTER OF RAINFALL IN 1918.

Kept at Whitcliffe Mount School Cleckheaton
in the County of Yorks. W.R.
by Walton Cliffe. A.M.I.M.E.

Lat. 53° 42′ Long. 1° 42.
Time of Observation 9 am
Nearest Railway Station Cleckheaton L&YR.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	0·05	0·11	—	0·05	—	—	—	0·35	0·05	0·16	0·02	1
2	0·02	0·12	0·02	0·01	—	—	—	—	0·03	0·01	—	0·12	2
3	—	Trace	0·03	—	0·65	—	—	0·22	0·02	0·11	0·06	0·02	3
4	—	0·01	0·03	—	0·01	—	—	0·02	0·13	0·06	0·22	0·41	4
5	Trace	—	0·09	0·09	0·27	—	—	0·29	0·15	0·17	—	—	5
6	0·06	0·82	0·02	0·17	—	0·11	—	0·09	Trace	0·16	—	0·02	6
7	0·04	0·06	—	0·15	—	—	—	—	0·25	0·30	0·06	—	7
8	—	0·08	0·15	—	—	—	0·20	—	0·28	0·10	0·04	—	8
9	0·22	0·84	Trace	0·15	—	0·07	—	—	0·92	0·20	0·03	0·05	9
10	0·04	0·21	Trace	Trace	—	—	0·12	—	0·54	0·05	0·14	0·03	10
11	0·24	0·09	0·05	0·02	0·05	—	0·01	—	0·15	—	—	0·07	11
12	Trace	0·08	0·03	0·01	0·02	0·01	0·35	—	0·04	—	—	0·18	12
13	0·04	Trace	—	0·06	0·09	0·01	—	—	0·17	0·11	—	—	13
14	0·17	—	—	Trace	0·04	0·02	0·11	—	0·56	0·09	—	0·17	14
15	0·13	—	—	—	—	0·02	0·58	—	1·36	—	—	0·28	15
16	—	—	—	—	—	0·04	0·07	—	0·20	0·08	—	0·22	16
17	0·30	—	—	—	0·23	0·03	0·17	0·02	0·01	0·17	—	0·22	17
18	0·43	—	0·04	—	—	0·07	0·17	—	0·52	—	—	0·36	18
19	0·22	—	0·15	0·07	—	0·01	0·61	0·06	0·48	0·10	—	1·05	19
20	0·11	0·44	—	0·06	—	0·05	0·81	—	0·17	0·02	—	—	20
21	0·15	0·22	—	—	0·40	0·08	—	—	0·14	0·18	—	—	21
22	0·03	0·01	—	—	0·48	0·06	0·31	—	Trace	—	—	0·62	22
23	0·01	—	—	—	0·69	—	0·21	—	—	—	0·01	0·03	23
24	—	—	—	—	—	—	0·06	0·15	0·04	—	0·03	—	24
25	—	Trace	—	—	—	0·63	0·02	0·07	0·12	—	—	—	25
26	—	0·04	—	—	—	—	0·02	0·02	0·15	—	0·05	0·03	26
27	—	0·07	0·10	—	—	—	—	0·60	0·50	—	0·11	0·24	27
28	—	0·10	0·23	—	—	—	—	Trace	0·03	—	0·10	0·62	28
29	—		—	—	—	—	—	—	0·20	—	—	0·22	29
30	—	X	0·37	—	—	—	—	0·10	—	—	0·02	0·32	30
31	—	X	0·10	X	—	X	—	0·04	X	—	X	—	31
Total	2·28	3·24	1·52	0·79	2·98	1·21	3·82	1·68	7·51	1·96	1·03	5·30	YEAR'S TOTAL 3332
Rain Days.	17	16	15	10	12	14	16	12	26	17	13	22	190

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Whitcliffe Mount Secondary School Cleckheaton
in the County of Yorkshire W.R.
by Walton Cliffe A.M.I.M.E

Lat. 53° 42' Long. 1° 40'
Time of Observation 9. A.M.
Nearest Railway Station Cleckheaton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
„ „ „ „ Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	–	·01	–	·32	–	·21	·01	·14	·11	·09	·02	1
2	·26	–	·11	–	·04	–	·21	–	–	–	·06	·01	2
3	·85	–	–	–	·03	·13	·52	–	·03	–	·25	·23	3
4	·25	–	·25	–	–	–	·05	·14	·33	–	·02	·35	4
5	·17	·03	–	–	·06	–	–	–	–	–	·03	·13	5
6	·02	–	·21	–	·65	–	–	–	–	–	–	·07	6
7	·06	–	·18	·03	·07	–	–	–	–	–	·02	–	7
8	·05	–	·10	·01	·01	·05	–	–	–	–	–	–	8
9	·18	–	·04	Trace	–	–	–	–	–	–	·07	–	9
10	–	–	·26	·04	·52	–	–	–	–	–	·01	·10	10
11	–	–	1·00	·08	·06	–	·05	–	–	–	–	–	11
12	–	–	·43	·05	–	·03	·07	–	·07	–	·11	–	12
13	·10	–	–	·09	–	–	–	–	·01	30	–	·04	13
14	·18	–	–	·12	–	–	–	·02	–	–	·07	·07	14
15	·16	·10	·04	·06	–	–	–	–	–	–	·04	·20	15
16	·22	·79	–	·04	–	–	–	–	–	–	·09	·01	16
17	–	·13	–	–	·01	·07	–	·05	–	–	·40	–	17
18	–	–	·05	–	·01	–	·03	·48	·03	–	–	·28	18
19	·03	·24	1·04	–	–	·04	·85	·09	·02	–	·21	·07	19
20	·88	·29	·09	–	–	·04	·23	·09	·01	–	·13	·25	20
21	·10	·33	·03	–	–	·01	·18	–	–	–	–	·22	21
22	–	·22	Trace	–	–	·02	–	·04	·09	–	·04	·44	22
23	–	–	–	·06	–	·03	–	–	–	·61	·05	·16	23
24	–	–	–	·09	·02	–	–	·02	·06	·36	·07	·58	24
25	·05	·01	–	·21	·03	·01	–	·60	–	–	·08	–	25
26	·05	–	·31	·04	–	·01	–	·22	·01	–	·03	·42	26
27	·10	–	·01	·22	–	–	–	–	–	–	·05	·10	27
28	–	–	–	·08	–	–	–	·62	–	·05	–	·34	28
29	·07	✕	–	·03	–	–	–	·01	–	·74	–	·06	29
30	–	✕	·03	·02	–	·10	–	–	–	·05	·16	·22	30
31	·04	✕	–	✕	–	✕	·11	·01	✕	·04	✕	·01	31
TOTAL	4·27	2·14	4·19	1·27	1·83	·54	2·51	2·40	·80	2·26	2·08	4·32	YEAR'S TOTAL 28·61
Days with ·01 in. or more	21	9	18	17	13	12	11	14	11	8	22	24	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

and pr W.D. 24.IV.15 ✓ M

W.D. ✓ written 19.IV.15

REGI

CLIFTON CASTLE GDNS

YORKS

1914 - 1920

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Clifton Ca … a.m.

in the County of Yor … Masham.

… in.

by James Robb … Ground ft. in.

Sea Level ft.

IMPORTANT NOTE … the result entered to the previous day. If an Obs… …ersal rule, he is earnestly requested to add the readi… … in the space provided for it at the end of this … …ent of rain, the selection and placing … …ish Rainfall Organization are given in … …pplication to Dr. H. R. Mill, 62, Camd…

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
1		0.33			0.03			0.34			0.41	0.23	
2		0.01				0.03	0.47	0.05				0.31	
3	0.54						0.56	0.87			0.52	0.11	3
4					0.22		0.02				0.22	0.75	4
5	0.07		0.05	0.18	0.26						0.13	068	5
6				0.22	0.05	0.04				0.08	0.63	0.16	6
7		0.02		0.15	0.03							0.16	7
8		0.05	0.26	0.02	0.04	0.13					0.03	0.50	8
9			0.02		0.04	0.25	0.01	0.09				0.14	9
10		0.07				0.88			0.01		0.07		10
11	0.23	0.30			0.08				0.07		0.11		11
12		0.06							0.05		0.33	0.29	12
13		0.17	0.22				0.11		0.04		0.07	0.36	13
14		0.19	0.21				0.02		0.01		0.30	0.39	14
15	0.11	0.48	0.02				0.12					0.33	15
16		0.07	0.10								0.76		16
17	0.13		0.03				0.73		0.33		0.17	0.02	17
18	0.04	0.17	0.05				0.06		0.57			0.20	18
19		0.09	0.03			0.65						0.08	19
20	0.03		0.03				0.04				0.08	0.10	20
21		0.13	0.04			0.02							21
22		0.59				0.12				0.16	0.05		22
23		0.04			0.22	0.21		0.03		0.10	0.02	0.06	23
24			0.02		0.35	0.06						0.25	24
25			0.08		0.15			0.12			0.08		25
26								0.12		0.55	0.01	0.51	26
27			0.18				0.11			0.17	0.17	0.43	27
28	0.05									0.03	0.29	0.40	28
29			0.03					0.03		0.02	0.13	0.14	29
30	0.02	✕	0.15		0.02			0.20		0.24	0.10		30
31	0.15	✕	0.10	✕		✕		0.07	✕	0.14	✕	0.45	31 ✓
Total	~~1.37~~ ·33	~~2.77~~	~~1.62~~	~~0.57~~ ·03	~~1.49~~	~~2.39~~	~~2.25~~ ·34	~~1.92~~	~~1.08~~	~~1.49~~ ·41	~~4.68~~ ·23	~~7.05~~	YEAR'S TOTAL 28,68 ✓
Rain Days.	1·70 ~~10~~ 11	2·44 ~~16~~ 15	1·62 18	·60 ~~4~~ 5	1·46 ~~12~~ 11	2·39 10	2·59 ~~11~~ 12	1·58 ~~10~~ 9	1·08 9	1·90 ~~9~~ 10	4·50 21	6·82 ~~24~~ 23	153 ✓

W. 8,000. X. 14.

WD written 19·IV·15

and pr W. D.

REGI

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Clifton Castle Gardens
in the County of Yorkshire
by James Robt Gardiner

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Masham.
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
1		0.33			0.0.3			0.34			0.41	0.23	
2		0.0.1				0.0.3	0.47	0.0.5				0.31	
3	0.54						0.56	0.87			0.52	0.11	3
4					0.22		0.0.2				0.22	0.75	4
5	0.0.7		0.0.5	0.18	0.26						0.13	0.68	5
6				0.22	0.0.5	0.0.4				0.0.8	0.63	0.16	6
7		0.0.2		0.15	0.0.3							0.16	7
8		0.0.5	0.26	0.0.2	0.0.4	0.13					0.0.3	0.50	8
9			0.0.2		0.0.4	0.25	0.0.1	0.0.9				0.14	9
10		0.0.7				0.88			0.0.1		0.0.7		10
11	0.23	0.30			0.0.8				0.0.7		0.11		11
12		0.0.6							0.0.5		0.33	0.29	12
13		0.17	0.22				0.11		0.0.4		0.0.7	0.36	13
14		0.19	0.21				0.0.2		0.0.1		0.30	0.39	14
15	0.11	0.48	0.0.2				0.12					0.33	15
16		0.0.7	0.10								0.76		16
17	0.13		0.0.3				0.73		0.33		0.17	0.0.2	17
18	0.0.4	0.17	0.0.5				0.0.6		0.57			0.20	18
19		0.0.9	0.0.3			0.65						0.0.8	19
20	0.0.3		0.0.3				0.0.4				0.0.8	0.10	20
21		0.13	0.0.4			0.0.2							21
22		0.59				0.12				0.16	0.0.5		22
23		0.0.4			0.22	0.21		0.0.3		0.10	0.0.2	0.0.6	23
24			0.0.2		0.35	0.0.6						0.25	24
25			0.0.8		0.15			0.12			0.0.8		25
26								0.12		0.55	0.0.1	0.51	26
27			0.18				0.11			0.17	0.17	0.43	27
28	0.0.5									0.0.3	0.29	0.40	28
29			0.0.3					0.0.3		0.0.2	0.13	0.14	29
30	0.0.2	X	0.15		0.0.2			0.20		0.24	0.10		30
31	0.15	X	0.10	X		X		0.0.7	X	0.14	X	0.45	31
Total	.33 1,37	2.77	1.62	·03 0.57	1.49	2.39	·34 2,25	1,92	1.08	·41 1.49	·23 4,68	7,05	YEAR'S TOTAL 28,68
Rain Days.	1·70 ~~10~~ 11	2·44 ~~16~~ 15	1·62 18	·60 ~~4~~ 5	1·46 ~~12~~ 11	2·39 10	2·59 ~~11~~ 12	1·58 ~~10~~ 9	1·08 7	1·90 ~~9~~ 10	4·50 21	6·82 ~~24~~ 23	153

W. 8,000. X. 14.

Memorandum.

Station—MASHAM.
Telegrams—MASHAM.

CLIFTON CASTLE GARDENS,
BEDALE,
YORKS.

20 April 1915

H. R. Mill. Esq.
62 Camden Square
London. N.W.

Dear Sir/.

In answer to yours of todays, I beg to inform you that I did not measure any rainfall on the 1st of Jan this year, so our rainfall will be right for 1914,
hoping this will meet your requirements

yours faithfully

J R Gardiner.

3631

FORM A.
BRITISH RAINFALL.

3 JAN 1916

cnd pr W.D. (by Obs)

REGISTER OF RAINFALL IN 1915

Kept at Clifton Castle. Bedale
in the County of Yorkshire N1
by J R Gardiner for Lady Cowell

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Masham
Diameter of Funnel of Rain Gauge ~~6~~ 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2	0.54	0.29			0.06		0.10	0.13	0.0.4		0.19	0.23	2
3		0.18	0.32	0.13	—		0.0.5	0.87		—			3
4	0.93	0.0.1		0.18			0.33	0.56			0.0.2	0.76	4
5	0.19	0.0.6			0.0.6		0.0.4				0.0.1	1.12	5
6	0.13	0.20										1.18	6
7	0.17	0.42	0.0.5	0.20			1.60		0.0.1			0.0.8	7
8	0.0.8	0.70		0.0.3			0.21	0.45				0.11	8
9	0.26	0.23	0.13	0.0.3			0.0.1	0.0.8			0.14		9
10	0.0.2	0.0.3					0.0.3	0.0.3		0.10	0.0.1		10
11	0.19		0.0.6					0.16		0.0.4		0.55	11
12	0.0.6	0.0.3			0.80			0.0.5			0.0.9		12
13	0.0.7			0.10	0.0.9		0.27	0.0.2		0.0.7	0.80		13
14		0.10											14
15	0.13	0.0.7		0.0.1	0.0.5			0.15				0.14	15
16	0.57							0.14		0.15		0.20	16
17		0.54			0.0.3		0.82	0.31		0.0.9			17
18		0.38	0.0.7									0.0.3	18
19									0.11	0.14			19
20		0.17	0.34				0.14			0.0.2	0.37		20
21	0.0.2				0.80					0.0.3		0.44	21
22	0.0.4	0.02					0.0.1					0.17	22
23	0.0.5		0.0.8				0.0.3					0.17	23
24	0.0.6		0.0.5	0.0.7			0.0.4			0.10		0.0.2	24
25	0.0.1		0.16						0.52	0.0.3		0.35	25
26						0.0.5			0.0.3				26
27	0.0.2	0.40				0.20	0.10					0.55	27
28		0.25				0.0.1	0.17			0.41		0.29	28
29			0.0.9		0.19			0.43		0.0.5		0.0.4	29
30	0.0.2	X			0.24	0.28	[illegible]	0.0.5			0.30	0.66	30
31	0.0.9	X		X		X	0.11	0.36	X	0.0.2	X	0.31	31
Total	3,65	4,08	1,35	0.75	2.32	0.54	4.06	3.79	0.71	1.25	1.93	7,40	YEAR'S TOTAL 31,83
Rain Days.	21	18	10	8	9	4	17	15	5	13	9	20	149

W. 8,000. X. 15.

ind pr WD Exd

35 4

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

22. JAN 1917

Kept at Clifton Castle, Bedale
in the County of Yorkshire NR
by J R Gardiner, Head Gardener

Lat. .... Long. ....
Time of Observation 9. A.M.
Nearest Railway Station Masham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	0.62		0.0.7				0.23				0.0.1		2
3	0.0.4	0.0.8	0.24			0.0.5			0.23	0.0.8	0.0.2	0.0.2	3
4	0.0.3	0.23	0.0.5	0.0.4			0.50	0.0.1	2.00	0.0.5	0.44		4
5	0.0.5	0.27			0.67	0.21	0.0.1			0.24	0.41		5
6		0.10			0.26	0.18				0.49	0.37		6
7	0.0.4	0.28		0.0.5	0.57		0.10			0.0.7	0.47		7
8					0.11	0.0.8	0.48			0.11	0.0.1	0.18	8
9		0.22	0.40		0.0.1					0.0.2	0.0.1	0.0.8	9
10			0.0.9		0.21	0.18			0.0.4			0.30	10
11	0.0.2					0.13				0.12	0.0.1		11
12		0.35	0.15	0.0.9	0.0.1	0.0.8			0.0.1	0.0.2		0.0.9	12
13			0.38		0.31		0.43					0.0.9	13
14		0.12	0.37				0.10	0.30		0.70	0.0.6	0.13	14
15		0.16	0.15		0.0.5			0.18	0.0.1	0.21	0.0.1	0.0.5	15
16		0.34	1,08				0.0.8	0.30					16
17		0.14	0.30	0.0.8			0.11	0.0.3				0.0.5	17
18	0.0.3			0.0.6			0.0.1	0.14	0.0.4	0.15			18
19		0.35		0.0.6			0.0.1	0.11	0.11	0.0.3	0.80		19
20	0.25		0.14	0.32				0.0.1			0.62		20
21	0.11		0.26	0.0.6			0.30	0.18			0.0.8		21
22	0.13		0.0.2	0.25	0.0.5								22
23				0.0.2		0.11				0.13			23
24				0.0.2							0.14		24
25		0.0.6	0.21	0.0.4		0 13		0.26			0.0.7	0.57	25
26			0.17		0.14			0.49	0.0.4	0.16	0.0.5		26
27		0.0.7	0.0.9							0.0.7			27
28		0.17	0.0.3					0.0.8		0.64			28
29		0.51	0.0.6	0.0.4				0.0.1		0.0.8	0.0.2	0.45	29
30		×			0.0.5	0.06				0.23		0.0.6	30
31		×		×		×	0.0.3		×	1.0.2	×		31
Total	1.32	3.45	4.26	1.13	2.44	1.21	2.39	2.10	2.48	4.62	3.60	2.07	YEAR'S TOTAL 31.07
Rain Days.	10	16	19	13	12	10	13	13	8	20	18	12	164

W. 8,000, VIII. 16

and pr pars. WD [illegible]

3411

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

12 JAN 1918

Kept at Clifton Castle Gardens

in the County of Bedale. Yorks.

by J. R. Gardiner

Lat. .... Long. ....

Time of Observation 9. PM

Nearest Railway Station Masham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											0.15	0.0.7	1
2						0.14		0.35	0.30		0.0.2		2
3	0.0.1							0.17		0.0.6	0.0.4		3
4				0.51		0.0.1		0.0.7	0.0.2	0.0.7			4
5								0.0.7			0.0.9	0.0.1	5
6	0.15			0.27						0.20	0.18		6
7										0.21		0.11	7
8				0.0.2		0.86		0.33		0.18	0.0.6		8
9	1.43			0.1.0				1.67		X	0.0.3		9
10				0.0.9				0.49		0.0.5		0.10	10
11	0.21		1.30	0.30	0.06			0.18		0.0.9			11
12	0.12			0.0.5				0.0.1		0.84		0.12	12
13				0.0.1	0.25			0.0.6	0.12	0.0.3			13
14				0.13		0.45		0.38				0.0.7	14
15			0.19	0.20	0.0.9			0.14		0.0.3			15
16				0.0.7	0.0.1		0.31	0.0.6					16
17				0.15		1.07		0.0.6		0.0.2			17
18		0.0.2		0.13	0.60			0.48					18
19				0.0.2	0.41		0.24	0.24			0.0.1	0.75	19
20	0.63	0.22			0.23	0.0.5	0.0.1		0.20		0.0.1		20
21		0.60	0.0.7			0.30		0.0.7		0.0.2			21
22		0.10						0.0.3					22
23			0.20			0.10		0.0.5		0.0.4	0.0.2		23
24		0.0.3			0.21	0.0.6	0.0.2	0.0.4		0.60	0.33		24
25							0.0.1			0.30			25
26			0.0.3				0.0.1	0.0.1	0.0.5	0.22	0.0.8		26
27						0.57		0.63		0.0.3	0.0.1	0.23	27
28			0.0.9			0.28	0.31	1.12		0.0.1	0.0.1	0.0.1	28
29	0.40		0.15				0.0.4	0.0.3		0.36	0.0.3		29
30		X	0.0.3				0.24			0.0.6	0.0.3	0.0.1	30
31	0.15	X		X		X		0.0.3	X		X	0.0.7	31
Total	3.10	0.97	2.06	2.05	1.86	3.89	1.19	6.77	0.69	342	1.10	155	YEAR'S TOTAL 28.65
Rain Days.	8	5	8	14	8	11	9	25	5	20	16	11	140

W. 8,000, IX. 17.

St. 976 Ca. for auth & part WD. 9

FORM A. BRITISH RAINFALL.

17 6.19

REGISTER OF RAINFALL IN 1918

Days in year

Kept at Clifton Castle Gardens

in the County of Bedale Yorkshire N.R.

by J R Gardiner

Lat. 54. 14 Long. 1. 38. W.

Time of Observation 9 AM

Nearest Railway Station Masham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. (.01)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.0.1	0.0.5	0.17	0.0.1	0.0.1					0.0.1	~~0~~	0.0.5	1
2		0.10							0.22	0.15	0.35		2
3		0.0.1	0.0.3		0.16				0.15		0.0.1	0.0.9	3
4		0.0.6	0.0.7		0.32					0.0.4	0.0.5		4
5		0.0.1	0.0.1	0.0.2	0.74		0.0.1	0.14	0.30	0.10	0.4.8	0.0.7	5
6		0.48	0.0.1	0.21		0.0.2	0.0.1	0.87		0.30	0.0.9	0.0.1	6
7		0.0.1		0.26	0.0.1			0.17	0.0.9	0.28		0.0.8	7
8		0.0.7	0.27					0.0.1	0.19	0.40	0.45		8
9	0.13	0.58		0.11		0.0.1	0.42		0.15	0.0.3	0.0.9		9
10		0.35	0.0.1	0.0.3					0.76	0.29	0.15	0.0.2	10
11	0.12			0.0.1	0.10		0.24		0.10	0.0.4	0.0.9		11
12	×	0.11		0.0.1	0.0.1		0.1.3	0.0.1	0.0.7	0.15		0.0.4	12
13	×	0.0.1		0.16	0.0.8		0.42		0.0.1	0.0.1		0.0.1	13
14	×	0.0.1							0.25	0.28			14
15	×			0.0.8		0.0.1	0.0.4		0.75	0.0.3		0.18	15
16	×		0.0.2		0.0.1	0.0.1	0.85		1.11			1.05	16
17	×				0.0.9	0.24	0.0.8	0.0.3	0.31			0.15	17
18	× 1,40		0.02			0.0.8	0.40		0.0.1	0.45		0.33	18
19	0.43		0.0.9	0.10		0.0.2	0.16		0.29	0.0.9		0.0.5	19
20	0.29	0.51		0.0.8		0.0.7	0.49	0.10	0.25	0.33		0.29	20
21	0.60	0.11				0.0.3	1.28		0.14	0.0.5			21
22	0.02				0.35	0.0.1	[illegible]		0.23	0.16			22
23	0.0.2			0.0.2	0.85	0.0.6	0.22		0.0.5			0.33	23
24		0.0.1					0.12		0.0.1				24
25					0.0.3		0.0.7		0.15		0.0.7	0.0.2	25
26						0.0.1	0.0.3	0.41	0.0.4				26
27		0.0.3			0.0.1		0.10	0.60	0.40			0.0.7	27
28		0.11	0.21				0.0.1		0.15		0.10	0.0.7	28
29								0.0.5	0.0.2		0.0.6	0.50	29
30		×	0.0.9						0.25	0.0.4		0.25	30
31		×	0.19	×		×			×		×	0.30	31
Total	3.02	2.62	1.19	1.10	2.77	0.57	— 5.08	— 2.39	.01 ~~6.45~~	— ~~3.23~~	.05 ~~1.99~~	(.01) 3.96	YEAR'S TOTAL ~~34.38~~
Rain Days	(15~~9~~)	18	13	13	14	12	19	10	28	~~20~~19	12	21	~~188~~
									6.46	3.22	2.04	3.92	19~~5~~ 34.38

W, 6,500, VII. 18. W W C

24 RR

3235

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

26 JAN 20

Kept at Clifton Castle Gdns
in the County of Yorkshire Bedale.
by J R Gardiner

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Masham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.0.5						1.06		017	010	0.0.3	007	1
2	0.25	0.0.2	0.0.3		0.27		0.42		010		002		2
3	0.15		0.0.2		004	009	009				006	013	3
4	0.17				026		001	0.0.6	001		013	008	4
5	0.52				003						007	008	5
6	0.52	0.0.9	0.70		007					004	010	005	6
7	0.0.7		0.14		023								7
8	0.0.3				013			002		001	017	001	8
9	0.21		0.0.1		0.24	008					002		9
10	0.46		0.17	0.0.2								021	10
11			0.77		007		005		0.10			002	11
12			0.40	0.0.2	006	009	008		015	012	0.16		12
13				0.22			007			016	012	007	13
14	0.16			0.36			006	018					14
15	0.18		0.0.8	0.13				001				0.77	15
16	0.0.7	0.30		0.0.6							0.37		16
17	005	0.57		0.0.2				004			015		17
18		0.0.5					003	036				009	18
19			1.28	0.0.2			0.16	009	002		0.38	002	19
20		0.23	0.10			0.0.7	012	004	001		001	013	20
21	0.55	0.21	0.0.1					003				020	21
22	0.15	0.18	0.0.4					002	003			015	22
23		0.21								096	012	012	23
24			001	0.11		0.34			001	078	012		24
25				0.0.4	001			0.50	001		015		25
26	0.0.1	0.0.4	0.26			003		004	002	002	023	067	26
27		0.25		0.20						003	031	005	27
28	0.15			0.27				1.10		0.65		035	28
29										1.26		015	29
30	0.16			0.0.7		0.26				0.0.8	037	041	30
31			0.0.1				005			0.24		002	31
TOTAL	3.91 ✓	2.15	4.03	1.54 ✓	1.41 ✓	0.96 ✓	2.20 ✓	249	0.63	4.45 ✓	3.09	385 ✓	YEAR'S TOTAL 30.71 ✓
Days with ·01 in. or more	19 ✓	11 ✓	16 ✓	13	11 ✓	7 ✓	12 ✓	13	11 ✓	13 ✓	20	22 ✓	168 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4.03

3112

8 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Clifton Castle Gardens Bedale
in the County of Yorkshire
by J R Gardiner

Lat. 54.14.N Long. 1.38.W
Time of Observation 9 AM
Nearest Railway Station Masham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.12	0.40	0.76		0.38			0.12		0.0.2	1
2		0.0.1	0.0.7	0.27	0.0.6		0.39		0.13	0.0.4		0.42	2
3	0.0.1	0.0.1		0.43	0.0.7	0.0.7	0.39	0.0.9	0.0.8	0.58		0.31	3
4	0.0.4			0.0.2			0.63	0.52	0.11	0.90		0.14	4
5			0.0.1		0.0.2		0.13	0.0.1		0.0.7		0.0.1	5
6			0.0.9	0.0.3	0.0.2		0.0.7					0.0.5	6
7	0.21		0.0.2	0.0.1			0.60				0.0.1	0.0.1	7
8	0.0.8	0.0.2		0.34	0.10		0.22	0.0.1			0.16		8
9	0.0.5	0.30		0.53			0.15	0.0.8		0.0.3			9
10	0.92	(0.25)	0.0.2	0.70			0.16	0.0.7					10
11	0.45	0.0.1		0.16	0.21	0.01							11
12	0.13	0.0.1	0.39	0.29	0.0.2		0.0.3				0.0.2		12
13	0.16	0.0.8	0.0.3	0.15	0.0.2	0.23					0.13		13
14			0.20	0.31			0.0.3		0.0.8	0.36	0.60		14
15		0.0.9	0.39	0.22						2.72	0.10		15
16	0.0.1				0.0.2		0.56		0.18		0.0.9		16
17	0.0.2				0.0.9			0.0.3	0.0.5				17
18	0.20			0.11	0.40	0.0.5		0.0.1	0.0.6				18
19		0.45		0.21	0.0.1	0.0.3		0.0.9					19
20	0.0.1	0.0.2		0.33		0.0.1	0.0.1		0.0.7			0.76	20
21	x			0.0.6			0.43	0.16	0.10			0.0.5	21
22	0.10			0.18			0.0.3						22
23							0.21					0.23	23
24	0.0.7		0.62				0.18				0.0.3	0.10	24
25	0.0.1	0.0.7	0.23				0.55	0.0.1					25
26	0.0.5	0.0.3	0.57				0.12					0.0.1	26
27	0.28		0.0.2	0.10	0.38	0.55	0.0.1				0.20	0.0.4	27
28			0.24	0.28							0.0.2	0.11	28
29	0.80		0.14		1.31	0.0.3	0.0.2		0.0.3		0.10	0.70	29
30		✕	0.0.6			0.0.3			0.0.6		0.14	0.20	30
31	0.19	✕	0.13	✕		✕			✕	0.33	✕	0.13	31
TOTAL	3.79	1.35	3.35	5.13	3.49	1.01	5.30	1.08	0.95	5.15	1.60	3.29	YEAR'S TOTAL 35.49
Days with ·01 in. or more	20	13	18	21	15	9	22	11	11	9	12	17	178
Days with ·04 in. or more	15	6	13	18	9	4	16	6	10	8	8	13	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COLD KIRBY
THE SCHOOL
~~ST. MICHAELS~~
YORKSHIRE
1918 - 1920

FORM A.
BRITISH RAINFALL.

RE (Aug 1st to Dec 31st)

Kept at St Michael's, 0'-44" W.

in the County of Yor wold or Helmsley 6 mls.

ge 5 in.

by John ound 1 ft. 0 in.

a Level 465 ft.

IMPORTANT N result entered to the previous day. If an l rule, he is earnestly requested to add the r the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								—	·16	·12	·31	·08	1
2								·01	·12	·01	—	·24	2
3								·06	—	·09	·25	—	3
4								·16	·18	·02	·24	·32	4
5								·80	·01	·05	·01	·01	5
6								·15	·01	·09	·01	·04	6
7								—	·15	·09	·23	—	7
8								·01	·11	·08	·02	—	8
9								—	·95	·31	·07	·11	9
10								—	·09	—	·11	·06	10
11								·02	·02	—	—	·04	11
12								—	·24	·13	—	·01	12
13								—	·41	·20	—	—	13
14								—	·36	·05	—	·05	14
15								—	·83	—	·01	·54	15
16								·15	·26	—	—	·33	16
17								·14	·12	·20	—	·35	17
18								—	·50	·05	—	·12	18
19								·15	·01	·11	—	·01	19
20								—	·13	·05	·01	—	20
21								—	·15	·14	—	—	21
22								—	·01	—	·01	·44	22
23								—	·08	—	·02	—	23
24								·36	·20	·01	·03	—	24
25							·05	·11	·19	—	—	·11	25
26							·33	·39	·26	·01	·15	·06	26
27							·01	—	·19	—	·22	·16	27
28							—	—	—	—	·05	·44	28
29							—	—	·35	—	·02	·13	29
30							—	—	·16	·01	·15	·52	30
31							—	—		—		·04	31
Total							~~·30~~	2·51	6·25	1·85	1·95	4·36 ~~4·46~~	YEAR'S TOTAL ~~19·02~~
Rain Days.							~~3~~	13	28	20	19	23	~~103~~

W, 6,500, VII. 18. W W O

RE … g 1st to Dec 31st)

FORM A. BRITISH RAINFALL.

Kept at St Michael's, Cold Kirby, Thirsk

in the County of York - North Riding

by John Sanders.

Lat. 54 " 15 " 12 N. Long. 1 " 10' - 44" W.

Time of Observation 9 a.m

Nearest Railway Station Coxwold or Helmsley 6 mls.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 465 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								—	·16	·12	·31	·08	1
2								·01	·12	·01	—	·24	2
3								·06	—	·09	·25	—	3
4								·16	·18	·02	·24	·32	4
5								·80	·01	·05	·01	·01	5
6								·15	·01	·09	·01	·04	6
7								—	·15	·09	·23	—	7
8								·01	·11	·08	·02	—	8
9								—	·95	·31	·07	·11	9
10								—	·09	—	·11	·06	10
11								·02	·02	—	—	·07	11
12								—	·24	·13	—	·01	12
13								—	·41	·20	—	—	13
14								—	·36	·05	—	·05	14
15								—	·83	—	·01	·57	15
16								·15	·26	—	—	·33	16
17								·14	·12	·20	—	·35	17
18								—	·50	·05	—	·12	18
19								·15	·01	·11	—	·01	19
20								—	·13	·05	·01	—	20
21								—	·15	·17	—	—	21
22								—	·01	—	·01	·47	22
23								—	·08	—	·02	—	23
24								·36	·20	·01	·03	—	24
25							·05	·11	·19	—	—	·11	25
26							·33	·39	·26	·01	·15	·06	26
27							·01	—	·19	—	·22	·16	27
28							—	—	—	—	·08	·44	28
29							—	—	·35	—	·02	·13	29
30		✕					—	—	·16	·01	·15	·52	30
31		✕		✕		✕	—	—	✕	—	✕	·07	31
Total							·30	2·51	6·25	1·85	1·95	4·36 ~~4·46~~	YEAR'S TOTAL 19·02
Rain Days.							3	13	28	20	19	23	103

W. 6,500, VII. 18. W W C

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Michael's, Cold Kirby, Thirsk
in the County of York - North Riding
by John Sanders

Lat. 54°-15'-12" Long. 1°-10'-52"
Time of Observation 9 a.m
Nearest Railway Station Coxwold or Helmsley 6 mls
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 463 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·01	·01	—	·30	—	·32	—	·40	·10	·03	·02	1
2	·16	·01	·06	—	·02	—	·63	—	·02	·03	·08	—	2
3	·44	—	—	—	·21	·12	·04	—	·03	—	·13	·08	3
4	·13	·06	·30	—	·04	·02	—	·23	·43	—	·11	·03	4
5	·28	·02	·04	—	—	—	—	—	·02	—	·12	·06	5
6	·16	·01	·18	—	·01	—	·01	—	—	·02	·08	·03	6
7	·02	—	—	—	·12	—	—	—	—	—	—	·12	7
8	·12	—	·01	·10	·02	·03	—	·02	—	·08	·14	·09	8
9	·03	—	·09	·01	—	·05	·01	—	—	·02	·09sn	·04	9
10	—	·01	·06	·08	·01	—	·01	—	—	·09	·18sn	·21	10
11	·01	—	·60	—	·14THs	—	·34	—	·01	·04	·14sn	·03	11
12	·01	—	·29	·03	—	·14	·03	—	·02	·38sn	·03	·01	12
13	·14	·01	·11	·06	—	·03	·16	·04	—	·16	—	·02	13
14	·30	—	·03	·56	—	—	—	—	—	—	·15sn	·05	14
15	·08	·03	·15	·16	—	—	—	—	—	·01	—	1·06	15
16	·01	·32	·01	·01	—	—	—	—	—	—	·04sn	·01	16
17	—	·03	—	·02	·02	·02	—	·05	—	—	·24th	—	17
18	—	·01	·03	—	—	—	·05	·40	·04	—	·01	·02	18
19	·10	·22	·51	—	—	·02	·61	·03	·22sn	—	·14	·04	19
20	·82	·18	—	—	—	·08	·10	·01	·08	—	·04	·23	20
21	·24	·24	·03	—	—	·09	—	—	·14	—	·04	·02	21
22	—	·15	·02	—	—	·03	·25	·06	·09	—	·01	·26	22
23	—	—	·02	·02	—	·31	·08	—	—	·54	—	—	23
24	·01	—	—	·02	·02	·06	—	—	—	·36	·08	·03	24
25	·08	·03	—	·14sn	·01	·03	—	·59	—	—	·02	—	25
26	—	·02	·15	·18sn	—	·01	—	·63	·08	·22	·26sn	·48	26
27	·29	·01	—	·25sn	—	·05	·02	—	—	1·18sn	·08	·01	27
28	·09	—	—	·14	—	—	—	·54	—	·44	—	·32	28
29	·04	✕	·06	·01	—	·04	·01	·01	—	·95	·03	·19	29
30	·02	✕	·05	·25	—	·34	—	—	—	·06	·14	·40	30
31	·02	✕	·01	✕	—	✕	·20	—	✕	·13	✕	—	31
TOTAL	3·93	1·34	2·82	2·04	·92	1·56	2·90	2·64	1·58	4·90	2·56	3·86	YEAR'S TOTAL 31·08
Days with ·01 in. or more	25	18	23	14	12	18	14	12	13	18	25	24	225

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3173

10 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St Michael's, Cold Kirby
in the County of York - N. Riding
by John Sanders

N. Lat. 54°-15'-12" Long. 1°-10'-52" W
Time of Observation 9 a.m.
Nearest Railway Station Coxwold 6 mls
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 463 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ×

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·10	·20	·52	·05	·48	—	—	·21	—	·02	1
2	·09	—	·03	·08	·02	—	·33	·05	·26	·26	—	·41	2
3	·02	·05	—	·01	—	·01	·19	·23	·12	·51	—	·30	3
4	·05	·01	—	—	·01	—	·40	1·26	·06	1·24	—	·68	4
5	—	—	·05	—	·12	—	·21	·09	·02	·01	—	·04	5
6	—	—	·20	·14	·12	—	·10	·01	—	—	—	·06	6
7	·06	·02	·08	—	·01	—	·28	—	—	—	—	·04	7
8	·01	·02	—	·20	·08	—	·30	·35	—	·02	—	—	8
9	·40sn	·14	·01	·36	·01	—	·08	·16	·03	·01	·03	—	9
10	·68	·03	·06	·24	—	—	·21	—	—	—	—	—	10
11	·26	·04	·06	·18	·10	—	—	—	—	—	—	·38sn	11
12	·12	—	·04	·33	·03	·02TH	·05	—	·02	—	·02	·26sn	12
13	·12	·02	·17	·19	—	·01	—	—	—	—	·08	·25	13
14	·01	·13	·21	·24	—	—	·15	—	·32	·02	·26	—	14
15	—	·15	·45	·34	—	—	·02	—	·02	·44	·02	·02	15
16	·01	—	·01	·01	·02	—	·45	—	·12	—	·04	—	16
17	—	·01	—	—	·20	—	—	·36	·15	·04	—	—	17
18	·24	·01	—	·16	·13	·46TH	·14	·01	·19	—	—	—	18
19	·01	·30	—	·30	—	·09	—	·14	—	·01	·01	—	19
20	—	·04	—	·19	—	·10	·03	—	—	—	·01	·02	20
21	·18	·02	—	·35	—	—	·35	·46	·03	—	—	—	21
22	·06	—	—	·23	—	—	·16	—	—	—	·02	—	22
23	—	·01	·03	·15	—	—	·35	—	—	—	—	—	23
24	·04	—	·62	·02	—	—	·04	—	—	—	—	·33	24
25	·01	·06	·17	·03	—	—	·59	—	—	—	—	·01	25
26	·04	·08	·32	·01	·01	—	·01	—	—	—	·02	·03	26
27	·28	—	·03	·05	·21	·59	·02	—	—	·01	·46	·03	27
28	·34sn	·01	·05	·15	—	·13	·04	—	·01	—	·12	·15	28
29	·18	—	·10	·01	·88	·05	·11	—	·02	·01	·14	·64	29
30	·26	×	·01	—	·01	·04	—	—	·18	—	·28	·40	30
31	·02	×	·01	×	·08	×	·04	—	×	·03	×	·02	31
Total	3·49	1·19	2·48	4·20	2·56	1·55	6·09	3·12	1·55	2·85	1·51	4·09	Year's Total 34·98
Days with ·01 in. or more	24	20	22	25	18	11	26	11	15	14	14	20	220
Days with ·04 in. or more	14	9	15	19	10	8	22	9	8	6	4	13	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3073

COLNE No. 1 G.

LANESHAW RESERVOIR

1911 - 20

FORM A2.
BRITISH RAINFALL
28 FEB 1912

R

Kept at Lanes

in the County of —

by Reservoir Keeper,

owdon

5 in.

Ground 1 ft. 0 in.

Sea Level 842 ft.

am

Name Colne

Distance 4 mi Direction West.

IMPORTANT NO the result entered to the previous day. If an Observer prefers not to conform to this ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
\

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·74	—	—	—	·05	·04	—	—	·18	—	1
2	·09	—	·03	—	·07	—	—	·02	—	·08	·13	·15	2
3	·07	—	·33	—	·49	—	—	—	—	·07	·27	·03	3
4	—	—	·14	·07	·03	—	—	·16	·08	·02	·57	·44	4
5	·11	—	·02	·02	—	—	—	·56	—	·02	·10	·10	5
6	·32	—	·07	·06	—	—	—	·45	—	·12	·32	·57	6
7	·08	—	—	—	—	—	—	—	—	·10	·06	—	7
8	·18	—	·23	—	—	—	—	—	—	—	—	·75	8
9	·02	—	·07	—	—	—	—	—	—	—	—	·26	9
10	·23	·05	·04	·07	—	—	—	—	·07	—	—	·80	10
11	·19	—	·03	—	—	—	—	·07	—	—	·50	·08	11
12	·07	—	·18	—	·19	—	—	—	1·06	—	·39	·07	12
13	·02	—	—	—	·31	—	—	—	—	—	·08	·55	13
14	·05	·63	·02	—	·30	—	—	—	·02	—	·02	·38	14
15	—	·31	·14	·03	—	—	—	—	—	·07	·28	·39	15
16	·07	·98	·05	—	—	·15	·03	—	—	·08	·15	·07	16
17	·05	·04	·08	—	·09	·73	·03	—	—	—	·13	·05	17
18	—	·55	·06	—	—	·30	·07	·03	—	·07	·07	·14	18
19	—	·07	·02	·08	—	·04	·08	—	·55	·18	·07	·30	19
20	—	·11	—	·40	—	·03	·08	·35	·13	·02	—	·16	20
21	—	·91	—	·02	—	—	·06	·05	·02	·25	—	·09	21
22	·14	·06	—	·07	—	·02	—	·15	—	·29	·02	—	22
23	·03	·37	—	—	·22	·73	—	—	·10	·09	—	·15	23
24	·27	·21	·07	·10	—	1·56	—	·05	—	·09	—	·07	24
25	·07	·43	—	·28	—	·12	—	—	·57	·11	—	·22	25
26	·07	—	—	·20	·02	·07	—	·18	—	·99	·23	·31	26
27	·07	·26	·07	·21	·03	—	—	·37	·35	—	·02	·05	27
28	—	·37	·07	·33	—	·27	—	—	·12	—	—	·39	28
29	—		—	·32	—	·75	—	—	·30	·60	—	·13	29
30	—		—	·07	02	·03	—	—	—	·24	—	—	30
31	—		·05		·08		—	—		·09		—	31
Total	1·90	5·29	2·21	2·09	1·85	4·74	·34	2·42	3·31	3·46	3·53	6·64	TOTAL for year 37·78
No. of Rain Days.	20	15	21	16	12	13	7	13	12	20	19	26	194

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
28 FEB 1912

REGISTER OF RAINFALL IN 1911.

Kept at Laneshaw Reservoir

in the County of York - 2

by Reservoir Keeper, Colne Corporation Waterworks -

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 842 ft.

Time of Observation 9 am

Nearest Railway Station
Name Colne
Distance 4 mi Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·74	—	—	—	·05	·04	—	—	·18	—	1
2	·09	—	·03	—	·07	—	—	·02	—	·08	·13	·15	2
3	·01	—	·33	—	·49	—	—	—	—	·01	·27	·03	3
4	—	—	·14	·01	·03	—	—	·16	·08	·02	·57	·44	4
5	·11	—	·02	·02	—	—	—	·56	—	·02	·10	·10	5
6	·32	—	·01	·06	—	—	—	·45	—	·12	·32	·57	6
7	·08	—	—	—	—	—	—	—	—	·10	·06	—	7
8	·18	—	·23	—	—	—	—	—	—	—	—	·75	8
9	·02	—	·01	—	—	—	—	—	—	—	—	·26	9
10	·23	·05	·04	·01	—	—	—	—	·01	—	—	·80	10
11	·19	—	·03	—	—	—	—	·01	—	—	·50	·08	11
12	·01	—	·18	—	·19	—	—	—	1·06	—	·39	·01	12
13	·02	—	—	—	·31	—	—	—	—	—	·08	·55	13
14	·05	·63	·02	—	·30	—	—	—	·02	—	·02	·38	14
15	—	·31	·14	·03	—	—	—	—	—	·07	·28	·39	15
16	·01	·98	·05	—	—	·15	·03	—	—	·08	·15	·07	16
17	·05	·04	·08	—	·09	·73	·03	—	—	—	·13	·05	17
18	—	·55	·06	—	—	·30	·01	·03	—	·01	·01	·14	18
19	—	·01	·02	·08	—	·04	·08	—	·55	·18	·07	·30	19
20	—	·11	—	·40	—	·03	·08	·35	·13	·02	—	·16	20
21	—	·91	—	·02	—	—	·06	·05	·02	·25	—	·09	21
22	·14	·06	—	·01	—	·02	—	·15	—	·29	·02	—	22
23	·03	·37	—	—	·22	·73	—	—	·10	·09	—	·15	23
24	·27	·21	·01	·10	—	1·56	—	·05	—	·09	—	·07	24
25	·01	·43	—	·28	—	·12	—	—	·57	·11	—	·22	25
26	·01	—	—	·20	·02	·01	—	·18	—	·99	·23	·31	26
27	·07	·26	·01	·21	·03	—	—	·37	·35	—	·02	·05	27
28	—	·37	·01	·33	—	·27	—	—	·12	—	—	·39	28
29	—		—	·32	—	·75	—	—	·30	·60	—	·13	29
30	—		—	·01	·02	·03	—	—	—	·24	—	—	30
31	—		·05		·08		—	—		·09		—	31
Total	1·90	5·29	2·21	2·09	1·85	4·74	·34	2·42	3·31	3·46	3·53	6·64	TOTAL for year 37·78
No. of Rain Days.	20	15	21	16	12	13	7	13	12	20	19	26	194

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
11 JAN 1913

Kept at Laneshaw Reservoir
in the County of York. W.R.
by J. T. Bedford W. 2

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Colne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	—	·19	—	—	·23	·26	·04	·28	—	—	·23	1
2	·05	·04	·17	·02	·09	·21	·42	—	·08	—	—	—	2
3	·24	—	·24	—	—	·54	—	·60	·60	—	—	·12	3
4	·57	—	·71	·33	·04	·78	—	·88	·02	—	·32	—	4
5	·16	—	·03	·03	·22	·39	—	·13	·04	·07	·02	—	5
6	·46	·11	·07	—	·06	—	—	·58	—	—	·07	—	6
7	—	·16	—	·04	·11	·07	—	·27	·16	—	·14	—	7
8	·17	·18	·17	·21	·03	·05	·08	·07	·08	—	·07	—	8
9	·20	·13	·12	·24	—	·38	—	·02	—	—	·06	·09	9
10	·12	·03	—	·05	—	·44	·07	—	—	—	·53	—	10
11	·10	·06	—	—	—	—	—	·03	—	—	—	·44	11
12	·06	·19	·11	—	—	·66	·49	—	—	—	—	·13	12
13	—	·07	·03	—	—	·02	—	·12	·07	·23	·07	·73	13
14	·12	—	·58	—	—	·30	—	·11	—	—	—	·55	14
15	·33	·11	·04	—	·33	·27	—	·02	—	—	—	·12	15
16	·85	·02	·08	—	·04	·29	—	·04	—	·16	·02	·03	16
17	·02	·12	·03	—	·02	·59	—	·24	—	—	·11	·55	17
18	·02	·03	·05	—	—	·16	—	·15	—	·38	·02	·08	18
19	·08	·10	·18	—	—	—	·02	·27	—	·57	·22	—	19
20	·29	—	·07	—	·32	·03	—	·06	—	·32	·03	·02	20
21	—	·07	·23	—	·08	—	·02	·04	—	·18	—	·20	21
22	·08	·07	—	—	·49	·36	·07	·42	—	—	·03	—	22
23	—	—	·15	—	—	·08	·42	·48	—	—	·30	·04	23
24	·10	—	·06	—	—	·02	·04	·13	—	·24	·20	·11	24
25	·02	·02	·04	—	—	·32	·18	·02	—	—	·50	·14	25
26	—	·18	·13	—	—	·04	·31	·26	—	1·48	·37	·32	26
27	—	·19	·39	—	·07	·16	·25	·07	—	·23	·07	·16	27
28	—	—	·07	—	—	·18	·42	·40	·06	·30	·17	·04	28
29	—	·03	·08	—	—	·07	·40	·04	·49	·28	—	·29	29
30	—		·27	—	·07	—	·05	—	·13	·03	—	·02	30
31	—		·10		·22		1·16	·32		—		·07	31
Total	4·00	1·79	4·27	·92	2·13	6·52	4·60	5·69	1·95	4·35	3·26	4·48	YEAR'S TOTAL 43·96
Rain Days.	21	20	27	7	15	25	17	27	11	13	20	22	225

W. 7,500, XI. 12

✓ Ex JL 3073

FORM A. BRITISH RAINFALL.
8- JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Laneshaw Reservoir

in the County of York - W.R. 2

by J. T. Bedford

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Colne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·04	·24	·16	–	–	–	–	–	–	·04	–	1
2	–	·13	·35	·02	–	·10	–	–	–	–	·20	·20	2
3	·02	·35	·24	–	·42	–	–	–	–	·07	·05	·26	3
4	·35	·17	·13	–	·04	·03	·05	–	·03	–	·02	·38	4
5	·20	·08	·14	–	·10	·08	·10	–	·11	·09	–	–	5
6	·08	·28	·30	–	·93	–	·36	–	–	·20	·05	–	6
7	–	·29	·04	–	·37	·17	·02	–	–	·62	·04	·07	7
8	–	·11	·04	–	·13	·13	–	·07	–	·05	·17	·06	8
9	–	·19	·46	–	·11	·53	–	·08	–	–	·12	·17	9
10	·02	·03	·35	·04	·01	–	·04	–	·01	–	·10	–	10
11	·13	·02	–	·26	–	·17	–	–	–	·06	·17	·07	11
12	–	–	–	–	–	–	·04	–	·09	–	·29	·04	12
13	–	–	·44	–	–	–	–	·04	·26	–	·17	–	13
14	·13	–	·16	·22	–	–	–	–	–	·29	·10	·02	14
15	·10	·02	·43	·73	–	–	–	·07	–	–	·40	·05	15
16	–	–	·06	·08	–	–	·02	–	–	–	·30	·04	16
17	–	–	–	·15	·07	·06	·16	–	·07	–	·17	–	17
18	·20	–	·31	·23	·05	·09	·04	–	–	–	·26	·02	18
19	·30	–	·04	·14	–	·04	–	–	·05	·04	·27	–	19
20	·21	–	·06	–	·02	–	–	–	·03	·20	·59	–	20
21	·02	–	·05	–	·08	–	·17	·15	–	–	·03	–	21
22	·31	–	·53	–	·11	–	–	·53	·07	–	–	–	22
23	·23	–	·04	–	·30	·18	–	·25	·13	–	·12	·04	23
24	·40	–	–	–	–	·22	–	·03	–	–	·02	–	24
25	–	–	–	·07	–	–	–	–	·40	·01	·08	·31	25
26	–	–	·09	·55	–	–	–	–	·14	·06	–	·50	26
27	–	–	–	·41	–	–	–	–	–	·32	·02	·12	27
28	·44	–	·24	·27	–	–	–	–	–	·06	·02	·13	28
29	·04		·40	·56	·07	–	–	·30	–	·01	·20	·03	29
30	·46		·02	–	·59	–	–	–	·01	·28	·09	–	30
31	·15		·06		·13		–	–		–		–	31
Total	3·91	1·71	5·22	3·89	3·53	1·80	1·00	1·52	1·40	2·36	4·09	2·51	YEAR'S TOTAL 32·94
Rain Days.	20	12	25	15	17	12	10	9	13	15	27	18	193

W.7,000, XI. 13

Exd DM

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Laneshaw Reservoir

in the County of York WR 2

by J. J. Bedford

Lat. Long.

Time of Observation 9am

Nearest Railway Station Colne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	—	—	—	·52	·14	—	·02	—	·22	1
2	·02	—	·06	—	—	—	·20	·61	—	·04	·36	·12	2
3	·20	—	·14	—	·36	—	—	·30	—	·04	—	·81	3
4	·33	—	·26	·30	·14	—	—	·01	—	—	·09	·46	4
5	·05	—	·58	·18	·04	·17	—	—	—	·02	·34	·16	5
6	—	—	·06	·08	·14	—	—	·08	—	—	·19	·08	6
7	·06	·03	·20	·07	·19	—	—	·01	—	—	·02	·23	7
8	·64	—	·05	·02	·21	·11	—	·19	·02	—	·09	·10	8
9	·53	·10	—	·08	—	·65	—	·18	·02	—	·27	·02	9
10	·04	·17	—	—	·01	—	—	—	·06	—	·30	·02	10
11	—	·10	·38	—	·08	—	·02	—	·11	—	·80	·47	11
12	—	·19	·07	—	·03	—	·26	—	·53	—	·42	·50	12
13	—	·18	·17	—	·02	—	—	—	·09	—	·53	·36	13
14	·05	·25	·13	—	—	—	·01	—	·21	—	·17	·39	14
15	—	·02	·37	—	—	—	—	—	·12	·01	·29	—	15
16	·02	—	·05	—	—	—	·87	—	·42	—	—	·05	16
17	·05	·21	·11	—	—	—	·11	—	·40	—	—	·42	17
18	—	·22	·06	—	—	·06	—	—	·01	—	—	·10	18
19	—	·05	·08	—	—	—	·06	—	—	—	—	·14	19
20	—	·11	·05	—	—	—	—	—	—	—	—	—	20
21	·02	·57	—	—	—	·19	—	·05	—	·06	·04	·18	21
22	—	·19	—	·03	·04	·37	—	·04	—	·16	—	—	22
23	—	—	·07	·09	·23	·04	·05	—	—	—	—	·05	23
24	·18	—	·30	·05	·36	·03	·25	·33	—	—	·10	—	24
25	·05	—	·09	—	—	—	·08	·11	—	·80	·05	·30	25
26	·04	—	·12	—	—	—	—	—	—	·27	·46	·28	26
27	—	—	—	—	—	—	—	—	—	·25	·40	·69	27
28	·15	·20	·13	—	—	—	—	—	·01	·02	·43	·03	28
29	·09	✕	·07	—	·06	—	—	·02	—	·24	·12	—	29
30	·04	✕	·44	·02	—	—	—	·04	—	·13	·22	·24	30
31	·44	✕	·34	✕	—	✕	·20	—	✕	·27	✕	—	31
Total	3·00	2·53	4·43	·92	1·91	1·62	2·63	2·11	2·00	2·33	5·69	6·42	YEAR'S TOTAL 35·59
Rain Days.	19	15	26	10	14	8	12	14	12	14	21	25	190

W. 8,000. X. 14.

✓ est 8 3246

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL. 7 JAN 1916

Kept at Laneshaw Reservoir

in the County of York W.R. 2

by J. F. Bedford

Lat. 53·7 N. Long. 2·3 W.

Time of Observation 9am

Nearest Railway Station Colne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·38	·02	—	·33	—	—	·23	·21	—	·02	·03	1
2	—	·35	·19	·28	—	·03	·43	·14	·01	—	—	—	2
3	·65	·04	·12	·28	—	—	·20	·18	—	·01	—	·52	3
4	·10	·30	·01	—	·04	·02	·19	—	—	—	—	·59	4
5	·23	·34	·22	—	·08	·06	—	—	—	—	—	·57	5
6	·26	·19	—	·26	—	—	·43	·09	—	—	—	·22	6
7	·61	·68	·05	·33	—	—	·33	·39	—	—	—	·21	7
8	·30	·26	—	·17	—	—	·09	·07	—	—	·36	—	8
9	·02	·06	—	—	—	—	·01	·11	—	·03	·35	·50	9
10	·60	—	·04	—	—	—	·02	·19	—	·06	—	·28	10
11	·10	—	—	—	·81	—	·15	·29	—	—	·07	·22	11
12	·13	·02	—	·13	·09	—	·09	·05	—	·24	·64	—	12
13	·27	·50	—	·04	—	—	—	·05	·04	·02	—	—	13
14	·17	·01	—	·03	·03	—	·31	·19	·02	—	—	·20	14
15	·96	—	—	·02	—	—	·04	—	·03	—	·21	·16	15
16	—	·75	—	·03	·09	—	·55	·99	—	—	—	—	16
17	—	·32	—	—	—	—	·02	·01	—	—	—	—	17
18	—	·23	·10	—	—	—	—	—	·01	—	—	—	18
19	·04	·10	·04	·15	·06	—	·23	·03	—	·04	—	—	19
20	·36	·03	—	—	·09	—	·18	—	—	—	—	·29	20
21	·06	·02	—	·01	—	—	·05	—	—	—	—	·13	21
22	—	—	—	·01	—	—	·07	—	—	·01	—	·09	22
23	—	·01	·16	—	—	—	·04	—	·01	·16	—	·18	23
24	—	—	—	·04	—	—	·01	—	·40	·08	—	·26	24
25	—	—	—	—	—	·01	·04	—	·10	—	—	·16	25
26	·10	·20	—	—	—	·10	·16	—	—	—	—	·35	26
27	—	·08	—	—	—	—	·04	—	—	·44	—	·25	27
28	—	·20	—	—	·01	·15	—	·39	—	·24	—	·04	28
29	—	✕	—	—	·22	·02	—	—	—	—	·15	·52	29
30	·13	✕	—	·11	—	·28	—	—	—	—	—	·02	30
31	·18	✕	—	✕	—	✕	—	·33	✕	·08	✕	·20	31
Total	5·47	5·07	·95	1·89	1·85	·67	3·68	3·73	·83	1·41	1·80	5·99	YEAR'S TOTAL 33·34
Rain Days.	20	22	10	15	11	8	23	17	9	12	7	23	177

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Laneshaw Reservoir
in the County of York W.R.
by J. F. Bedford, Water Engineer.

Lat. 53°52 Long. 2°5' W.
Time of Observation 9 am.
Nearest Railway Station Colne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·10	·10	—	—	·13	·41	—	—	—	—	—	1
2	·10	·15	·04	—	—	·05	—	—	·23	·09	·04	—	2
3	—	·17	—	—	—	·06	·38	—	·98	·12	·24	—	3
4	·11	·26	—	—	·53	·55	—	—	—	·66	·30	—	4
5	·10	·33	—	—	·07	·25	—	—	—	·68	·55	—	5
6	·62	·34	·02	—	·28	·07	·11	—	—	·16	·44	—	6
7	·11	·13	·02	—	·18	·04	·39	—	—	·29	·05	·39	7
8	—	·15	·07	·07	·07	·03	—	—	—	·09	·32	·06	8
9	·06	—	—	—	·52	·30	·03	—	·28	—	·24	·36	9
10	·09	—	—	·15	—	·36	·09	—	—	·72	·04	·07	10
11	·02	·55	·21	·40	·03	·05	·08	—	·12	·06	—	·12	11
12	·17	·19	·19	·13	·33	—	·59	·05	—	·20	·02	—	12
13	—	·06	·18	·11	—	—	—	·40	—	1·06	—	·15	13
14	·05	·09	·03	·09	·35	—	—	·26	·05	·13	—	—	14
15	·04	·57	·49	·03	—	—	—	·60	·03	·05	—	—	15
16	·05	·14	·58	·21	—	—	·13	·57	·02	·05	—	—	16
17	·10	·18	—	·38	—	—	·11	—	·42	·22	—	—	17
18	—	·55	—	·07	—	—	—	—	·32	·14	·42	·10	18
19	·20	·05	·25	·33	—	—	—	·39	·09	—	·34	—	19
20	·23	—	·15	·20	—	—	·09	—	—	—	·05	·16	20
21	·53	—	·07	·02	·02	—	—	—	—	—	—	—	21
22	—	—	—	·03	—	·05	—	—	—	·31	—	—	22
23	·07	—	·07	·10	—	—	—	—	—	·08	—	·24	23
24	—	·09	·02	—	—	·19	—	·16	—	·03	·11	—	24
25	·18	·03	·16	—	·06	—	—	·30	—	·12	·30	·11	25
26	·13	·02	·18	—	—	·02	·04	·04	—	·04	·03	—	26
27	—	·22	·02	—	—	—	—	·03	—	·63	—	—	27
28	·02	·04	—	—	—	·10	—	—	—	·79	·05	·67	28
29	—	·34	—	—	—	·14	—	—	—	·35	—	·58	29
30	·02	X	—	—	—	—	—	—	—	·80	·03	·24	30
31	—	X	—	X	·05	X	—	·03	X	·22	X	·28	31
Total	3·46	4·69	2·79	2·26	2·43	2·33	2·45	2·77	2·54	8·09	3·57	3·53	YEAR'S TOTAL 40·91
Rain Days.	22	23	19	15	12	16	12	11	10	26	18	14	198

W. 8,000, VIII. 16

3028

FORM A.
BRITISH RAINFALL.

11 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Laneshaw Reservoir
in the County of York W.R.
by J. T. Bedford

Lat. 53°52′ Long. 2°5′
Time of Observation 8·30 am
Nearest Railway Station Colne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·03	—	·15	—	—	·34	—	·20	·19	1
2	·54	—	—	·06	—	·06	—	·02	—	—	·01	—	2
3	·20	·06	—	·05	—	·24	—	—	—	·38	·11	—	3
4	—	·03	·12	—	—	—	—	—	—	·21	—	—	4
5	·19	—	·08	·26	—	—	—	—	·04	·05	·16	·03	5
6	·07	—	—	—	—	·05	—	—	—	·30	·34	·20	6
7	·28	—	—	—	—	·10	—	—	—	·48	·04	·04	7
8	·18	—	—	·16	—	—	—	·88	·04	·72	·11	·14	8
9	—	—	·02	·10	—	—	—	·14	—	·04	·45	—	9
10	·15	—	1·21	·10	·16	—	—	·09	—	—	—	—	10
11	—	—	—	·02	·02	—	—	·04	—	·19	—	—	11
12	—	—	—	—	·40	·09	—	·80	—	·72	—	·08	12
13	·10	—	—	·22	·03	·03	—	·10	·59	·11	—	·23	13
14	·15	—	—	·26	·01	—	—	·44	—	—	—	·17	14
15	·05	—	—	·03	—	—	·55	·05	·22	·04	—	·15	15
16	·06	·02	·05	·21	—	—	—	·15	·01	—	—	·23	16
17	—	·08	·16	·12	·45	—	·06	·84	·01	·13	—	·10	17
18	—	—	·06	—	·07	—	·52	·17	·28	·04	·02	—	18
19	·06	·12	·21	·04	·24	·10	—	·01	—	—	·04	·02	19
20	·04	·20	·02	—	·32	·39	—	·02	·33	—	·13	—	20
21	—	—	·08	—	·08	·01	—	·21	—	—	—	—	21
22	—	—	·04	—	—	—	—	—	·17	·17	·06	—	22
23	—	·05	—	—	·24	·60	·01	·30	·05	·08	·06	—	23
24	—	—	—	—	—	·09	·01	·27	—	·64	·42	—	24
25	—	·07	·07	—	—	—	—	·04	—	·31	·02	—	25
26	—	—	—	—	—	·11	—	·44	·16	·35	·31	—	26
27	—	—	—	—	—	·14	·37	·74	—	·10	·15	·08	27
28	—	·03	·30	—	—	—	—	·09	—	·11	·15	·01	28
29	—	X	·06	—	—	—	·03	·05	—	·46	·39	·12	29
30	·03	X	·15	—	—	—	—	—	—	·10	·19	—	30
31	—	X	·26	X	—	X	—	·12	X	·04	X	—	31
Total	2·15	·66	2·89	1·66	2·02	2·16	1·55	6·01	2·24	5·77	3·36	1·79	YEAR'S TOTAL 32·26
Rain Days.	15	9	16	14	11	14	7	23	12	23	20	15	179

W. 8,000, IX. 17.

10

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918.

Kept at Laneshaw Reservoir

in the County of York W.R.

by J. F. Bedford, A.M.Inst.C.E.

Lat. 53°52′ Long. 2° 5′ W.

Time of Observation 9 a.m.

Nearest Railway Station Colne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov	Dec.	*Date.*
1	·07	·08	—	·06	·09	—	—	—	·43	·05	·38	·31	1
2	—	·07	—	—	—	—	—	—	·22	·08	—	·40	2
3	—	—	·04	—	·42	—	—	·04	—	·23	·02	·09	3
4	·01	·02	·02	—	·13	—	—	·24	·60	·19	·34	·09	4
5	·02	—	—	·15	·19	—	—	·72	·05	·34	·06	—	5
6	·03	1·15	·03	·27	·01	·14	—	·14	·10	·20	—	·04	6
7	·06	·21	—	·20	—	—	—	·02	·15	·26	·26	—	7
8	·04	·16	·07	—	—	—	·08	·02	·30	·13	·07	·02	8
9	·17	·56	—	·14	—	·21	·10	—	·94	·25	·09	·08	9
10	·08	1·12	·04	·02	—	—	—	—	·17	·08	·28	·02	10
11	·27	·16	—	—	·07	—	·08	—	·16	—	—	·15	11
12	·08	·26	—	·03	—	—	·02	—	·09	·03	—	·13	12
13	·01	·03	—	·02	·10	·03	—	—	·23	·16	—	·03	13
14	·34	—	—	—	—	·12	·12	—	·71	·10	—	·28	14
15	·03	—	—	·03	—	·09	·64	—	1·13	—	—	·64	15
16	—	—	—	—	—	·33	·26	·14	·27	·02	—	·23	16
17	·39	—	—	—	·10	—	·34	·17	·06	·41	—	·21	17
18	·46	—	·11	—	—	·02	·21	—	·40	—	—	·29	18
19	·23	—	·08	·04	—	—	·25	·18	·30	·13	—	·63	19
20	·15	·64	—	·03	·01	·10	·80	—	·14	·01	—	—	20
21	·31	·62	—	—	·10	·20	—	—	·27	·09	—	—	21
22	·08	·08	—	—	·45	·19	·15	·03	·05	—	—	1·03	22
23	·06	·02	—	·01	·26	—	·26	—	·16	—	·04	·08	23
24	·02	·16	—	—	—	—	·14	·03	·12	—	·05	·03	24
25	—	—	—	—	—	·45	·20	·18	·11	—	—	—	25
26	—	·15	—	—	—	—	·02	—	·51	—	·24	·11	26
27	—	·19	·27	—	—	·02	—	·35	·72	·10	·17	·56	27
28	—	·04	·30	—	—	—	—	·39	·09	—	·04	·71	28
29	—	X	—	—	—	—	—	—	·11	—	—	·44	29
30	—	X	·26	—	—	—	—	·15	—	—	·07	·27	30
31	—	X	·27	X	—	X	—	·04	X	—	X	—	31
Total	2·81	5·72	1·49	1·00	1·93	1·90	3·67	2·84	8·59	2·86	2·11	6·87	YEAR'S TOTAL 41·79
Rain Days.	21	19	11	12	12	12	16	16	28	19	14	25	205

W. 6,500, VII. 18. W W C

2873

17 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Laneshaw Reservoir
in the County of York, W.R.
by J. F. Bedford, A.M. Inst. C.E.

Lat. 53° 52' N. Long. 2° 5' W.
Time of Observation 9 am.
Nearest Railway Station Colne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	·03	·02	·03	·47	—	·24	·03	·31	·27	·02	·07	1
2	·21	·02	·20	—	·09	—	·14	·03	·04	—	·02	·16	2
3	·47	—	—	—	·13	·10	·74	—	·02	—	·15	·31	3
4	·24	·02	·28	—	—	—	·03	·09	—	—	·07	·10	4
5	—	—	—	—	—	—	—	—	—	—	·04	·36	5
6	·21	—	·58	—	·61	—	—	—	—	—	—	·10	6
7	·10	—	·16	—	·11	—	—	—	—	—	·07	—	7
8	·23	—	·02	·05	·03	·05	—	—	—	—	—	—	8
9	·44	—	·08	—	—	·04	—	—	—	—	·02	—	9
10	—	—	·86	·08	·47	—	—	—	—	—	·04	·09	10
11	·02	—	·47	·07	·07	—	·05	—	—	—	—	—	11
12	—	—	·19	·12	—	·04	·03	—	·07	·03	·17	—	12
13	·19	—	—	·31	—	—	·03	·07	—	·30	—	·01	13
14	·28	—	—	·39	—	—	—	·07	—	—	—	—	14
15	·21	·13	·03	·09	—	—	—	·05	—	—	—	·39	15
16	·20	·44	—	·01	—	·03	—	—	—	—	·10	·02	16
17	—	·07	—	·02	—	·03	—	·26	—	—	·82	—	17
18	—	—	·10	—	—	—	·03	·12	·13	—	·03	·30	18
19	·03	·26	·54	—	—	·09	·40	·10	·05	—	·15	·02	19
20	·30	·11	·04	—	—	·07	·18	·03	—	—	·10	·50	20
21	·09	·30	—	—	—	·03	·13	—	·02	—	·03	·20	21
22	—	·33	—	—	—	·11	—	·15	·30	—	·10	·49	22
23	—	—	—	—	—	·07	—	—	—	·85	·14	·15	23
24	—	—	—	·17	—	·05	—	—	·49	·21	·20	·38	24
25	·15	—	—	·34	·04	·15	—	·76	·04	—	·22	—	25
26	·08	—	·60	·05	—	·05	—	·40	·23	—	·15	·64	26
27	·14	—	—	·10	—	—	—	—	—	—	·04	·08	27
28	—	—	—	·10	—	·02	—	·73	—	·10	—	·44	28
29	·11		—	—	—	—	—	·03	—	·37	—	·28	29
30	—		·07	—	—	·15	—	·02	—	·12	·30	·21	30
31	·02		·10		—		·24	—		·04		·06	31
TOTAL	4·35	1·71	4·34	1·83	2·02	1·08	2·24	2·94	1·70	2·29	2·98	5·36	YEAR'S TOTAL 32·84
Days with ·01 in. or more	21	10	17	15	9	16	12	16	11	9	22	23	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4 RR 2757

25 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Laneshaw Reservoir
in the County of York, W.R.
by J. F. Bedford, A.M.Inst.C.E.

Lat. 53° 52' Long. 2° 5'
Time of Observation 9 a.m.
Nearest Railway Station Colne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 842 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·08	·13	·46	·01	·40	·03	·28	·07	·20	·17	1
2	—	—	·04	·07	·02	—	·55	·03	·28	·17	—	·19	2
3	·02	·05	—	·05	·07	—	·08	·29	·18	·15	—	·27	3
4	—	—	—	·09	·06	—	·24	·39	·06	·65	—	·03	4
5	—	—	·06	·05	·39	—	·14	·24	·09	·36	—	·01	5
6	—	—	·25	·23	·20	—	·05	—	—	·02	·05	·20	6
7	·28	—	·07	·07	·08	—	·46	—	·04	—	·01	—	7
8	·07	·02	—	·28	·15	—	·02	·52	—	—	—	—	8
9	·20	1·22	—	·55	—	—	·05	·01	—	—	·07	—	9
10	·71	·72	·03	·23	—	—	·39	·15	—	—	—	—	10
11	·28	—	·07	·14	·19	·32	—	—	—	—	—	·04	11
12	·17	·21	·26	·47	·08	·07	·10	—	—	—	·18	·04	12
13	·15	·08	·18	·31	·06	·44	·21	—	·05	—	·32	·10	13
14	·02	·06	·12	·23	—	·57	·06	—	·25	·02	·53	—	14
15	—	·18	—	·21	—	—	—	—	·03	·20	·15	—	15
16	—	—	·13	·02	·12	—	·61	—	·19	—	·19	—	16
17	·14	—	—	—	·15	—	—	·27	·13	·02	·01	—	17
18	·20	—	·05	·11	·58	·06	·01	·03	·04	—	—	—	18
19	·10	·43	—	·09	·39	·09	—	·05	·01	—	—	—	19
20	·06	—	—	·22	—	·03	·20	—	·15	—	—	·10	20
21	—	—	—	—	—	—	·60	·07	·02	—	—	·10	21
22	·10	—	—	·33	—	·03	·30	—	—	—	—	·06	22
23	—	—	—	·04	—	—	·26	—	—	—	—	·24	23
24	·09	—	·51	·13	—	—	·18	·01	—	—	—	·23	24
25	—	·10	·15	·04	—	·02	·66	—	—	—	—	—	25
26	·10	·08	·40	·13	·26	—	·06	—	—	—	·02	·01	26
27	·23	·02	·05	·12	·35	·50	—	—	—	—	·20	—	27
28	·19	·02	·33	·24	·05	·01	—	—	—	—	—	·27	28
29	·17	—	·16	·14	1·09	·01	·21	—	—	—	·24	·65	29
30	·25		—	—	·08	·09	—	—	·15	—	·23	·24	30
31	·27		·11		·06		—	—		·57		·10	31
TOTAL	3·80	3·19	3·05	4·72	4·89	2·25	5·84	2·09	1·95	2·23	2·40	3·05	YEAR'S TOTAL 39·46
Days with ·01 in. or more	21	13	19	27	21	14	23	13	16	10	14	19	210
Days with ·04 in. or more	19	10	18	26	20	8	21	8	13	7	11	16	177

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

13 JAN 1912

REGIST

CONISBOROUGH
FIRSBY RES
YORKSHIRE

1911 - 1915, 1917 - 1920

Kept at Firsby, Conisbor Kilnhurst
in the County of WR York A.M.
by Henry Henson 8. in.
ve Ground 1·22 ft. —— in.
Sea Level 189. ft.

NOTE.—Rain should be measured daily l instructions for the measurement of rain and particulars as to the British Rai vers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, Lo

Date.	Jan.	Feb.	March.	April						Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.				in.	in.	in.	
1							·04	·02			·01		1
2	·29.				·05							·03	2
3					·12			·02			·06		3
4	·03		·07	snow. ·11.				·01	·16	·21		·12	4
5	·01			snow. ·08.						·23		·01	5
6	·17		·03	snow. ·02						·06	·26	·33	6
7	·01		·01								·06	·17	7
8	·10		·09.						·09.		·10	·38	8
9						·09					·03	·03	9
10					·02							·33	10
11	·19.							·02			·56	·01	11
12			·07		·11				·46		·15		12
13			·11							·01		·49	13
14	·01		·04		·09		·01.				·02	·62	14
15		·07	·05		·13					·13		·19	15
16		·01	·05			·07				·07	·07	·06	16
17			·14			·19					·16	·16	17
18		·09	·03			·08				·01	·22	·04	18
19		·06	·01						·16		·43.	·01	19
20		·03.		·04			·02	·36	·12	·11	·02	·25	20
21		·15		·05.				·18	·01	·17	·10		21
22		·05	·03					·02		·20	·04	·19	22
23		·14	·08			·34		·01	·31		·01	·17	23
24		·07.	snow. ·01			1·62		·02		·09		·05	24
25		·12.	snow. ·01	·07.		·01			·11		·03	·08.	25
26		·02	snow. ·02	·02	·19					·26	·57	·33	26
27		·07	·15.	·22.				·86	·37	·01		·02	27
28		·03	·03.	·18.				·02			·04	·09	28
29			·02	·02			·07.	·03	·04	·13	·01	·02	29
30			·01	·01.	·24	·12			·07.	·21	·01		30
31			·11		·05.					·06			31
Total	·81	·91	1·17	·82.	1·00	2·52	·14	1·57	1·90	1·96	2·96	4·18	TOTAL for year 19·94
No. of Rain Days	8.	13.	22	11.	9.	8.	4	12	11.	16	22.	25	161

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGIST

FORM A. BRITISH RAINFALL. 19 JAN 1912

Kept at Firsby, Conisborough.

in the County of W R York. 7

by Henry Henson.

Lat. ______ Long. ______

Nearest Railway Station Kilnhurst.

Time of Observation 6 A.M.

Diameter of Rain Gauge 8. in.

Height of top of Gauge above Ground 1·22 ft. —— in.

" " " Sea Level 189. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·04	·02			·01		1
2	·29.				·05							·03	2
3					·12			·02			·06		3
4	·03		·07	snow. ·11.				·01	·16	·21		·12	4
5	·01			snow. ·08.						·23		·01	5
6	·17		·03	snow. ·02						·06	·26	·33	6
7	·01		·01								·06	·17	7
8	·10		·09.						·09.		·10	·38	8
9						·09					·03	·03	9
10					·02							·33	10
11	·19.							·02			·56	·01	11
12			·07		·11				·46		·15		12
13			·11							·01		·49	13
14	·01		·04		·09		·01.				·02	·62	14
15		·07	·05		·13					·13		·19	15
16		·01	·05			·07				·07	·07	·06	16
17			·14			·19					·16	·16	17
18		·09	·03			·08				·01	·22	·04	18
19		·06	·01						·16		·43.	·01	19
20		·03.		·04.			·02	·36	·12	·11	·02	·25	20
21		·15		·05.				·18	·01	·17	·10		21
22		·05	·03					·02		·20	·04	·19	22
23		·14	·08			·34		·01	·31		·01	·17	23
24		·07.	snow. ·01			1·62		·02		·09		·05	24
25		·12.	snow. ·01	·07.		·01			·11		·03	·08.	25
26		·02	snow. ·02	·02	·19					·26	·57	·33	26
27		·07	·15.	·22.				·86	·37	·01		·02	27
28		·03	·03.	·18.				·02			·04	·09	28
29			·02	·02			·07.	·03	·04	·13	·01	·02	29
30			·01	·01.	·24	·12			·07.	·21	·01		30
31			·11		·05.					·06			31
Total	·81	·91	1·17.	·82.	1·00	2·52	·14	1·57	1·90	1·96	2·96	4·18	TOTAL for year 19.94
No. of Rain Days	8.	13.	22	11.	9.	8.	4	12	11.	16	22.	25	161

1,000, IX. '10.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex 32

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 JAN 1913

Kept at Firsby, Conisborough
in the County of York
by Henry Henson

W 7

Lat. Long.
Nearest Railway Station Kilnhurst
Time of Observation 6. A.M.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1·22 ft. — in.
" " " Sea Level 189 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06			·36		·01	·12			·32	1
2		snow ·04				·31	·55		·03			·14	2
3	·09	snow ·04			·03	·40	·12	·68	·28			·05	3
4	·12		·50		·10	·44		·51			·21		4
5	·10	snow ·04	·01		·05	·22		·01					5
6	1·00	·06			·13	·09		·46				·02	6
7		·03			·02	·04		·24				·03	7
8	snow ·30	·19	·12	·02		·03			·22				8
9	·04	·35	·13	·09		·01		·01			·01	·03	9
10		·01	·06			·72		·28			·31		10
11	·11	·03	·01			·01					·07	·63	11
12	·05	·28	·01			·02	·43				·05		12
13		·08				·01		·02		·05	·15	·01	13
14	·04	·01	·24			·02		·05					14
15	·07	·03	·19		·49	·08						·03	15
16	·73	·01	·08		·19	·19		·01		·03			16
17	snow ·05		·07			·23	·01	·25				·30	17
18	snow ·37	·01	·13			·01		·01		·01		·01	18
19	·34	·17	·01	·01			·89	·29			·03		19
20	·19	·04	·02		·09	·02	·08	·06		·17	·01		20
21	·01	·01	·44		·35		·70						21
22	·01	·04	·13		1·75	·65	·12	·25				·10	22
23		·02	·13		·04	·01	·22	·43		·01		·02	23
24	snow ·36				·02	·02	·53	·11			·03	·15	24
25	·01		·01			·12	·01			·01	·15	·06	25
26	·02	·04	·01			·01	·09	·94		1·10	·17	·33	26
27		·02	·01			·20	·50	·01		·71		·04	27
28		·02	·01			·17	·15	·24		·27	snow ·52	·02	28
29			·02			·02		·04	·52	·05	snow ·28	·04	29
30	snow ·02				·73		·01		·13	·04		·01	30
31			·08		·49		·27	·30		·02			31
Total	4·03	1·57	2·48	0·12	4·48	4·41	4·68	5·21	1·30	2·47	1·99	2·34	TOTAL for year 35·08
No. of Rain Days	21	23	24	3	14	27	16	23	6	12	13	20	202

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
1,000, IX. '10.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

TOTALS. 5·60 8·08 8·20 12·68 17·09 21·77 26·98 28·28 30·75 32·74 35·08

Ex DL

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.
13 JAN 1914

Kept at Firsby, Conisborough

in the County of York W7

by Henry Henson.

Lat. Long.

Time of Observation 6 A.M.

Nearest Railway Station Kilnhurst.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1·22 ft. in.

" " " " Sea Level 189. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·01	0·07						0·09	0·01	0·05		1
2		0·03	0·04						0·07		0·06	0·04	2
3	0·04	0·09	0·06		0·37				0·01	0·79		0·16	3
4	0·52	0·04	0·01		0·08	0·01	0·06		0·07	0·02	0·21	0·16	4
5	0·07	0·01			0·04	0·06	0·21		0·09	1·07			5
6	0·02	0·02	0·11		0·63		0·79		0·01	1·01			6
7		0·21			0·07	0·05				0·62			7
8		0·03	0·02	0·01	0·36	0·28		0·02	0·02	0·01	0·08		8
9		0·09			0·16	0·06	0·09	0·06			0·04		9
10		0·04		0·02		0·01	0·11				0·35		10
11	snow 0·65	0·01		snow 0·48				0·01			0·22		11
12		0·02			0·01	0·01					0·27		12
13	snow 0·01	0·01	0·04					0·02	0·17		0·11		13
14	0·13	0·03	0·31	0·01						0·04	0·08		14
15	0·11	0·09	0·22	0·23					0·01		0·19		15
16		0·05	snow 0·06	0·08				0·36			0·03		16
17	0·02		0·16	0·02			0·01		2·14		0·01		17
18			0·10	0·09			0·03				0·02		18
19	0·15		0·12	0·04		0·02	0·07		0·19		0·01		19
20	0·17		0·07	0·03						0·03	0·01		20
21	0·04			0·04	0·10		0·19		0·01		0·35		21
22	snow 0·09		0·35		0·01			0·72					22
23	0·02					0·02		0·08	0·17	0·03			23
24	0·17			0·03				0·09					24
25	0·02								0·07		0·02		25
26			0·14	0·10					0·06	0·20		0·14	26
27		0·02	0·06	0·28		0·02				0·01		0·11	27
28	0·23		0·19	0·38						0·01		snow 0·04	28
29	0·01		0·25	0·43	0·10			0·39		0·01		snow 0·17	29
30	0·25		0·02		0·15					0·47		snow 0·09	30
31	0·01				0·04								31
Total	2·43	0·80	2·40	2·27	2·12	0·54	1·56	1·75	3·18	4·33	2·11	0·91	YEAR'S TOTAL 24·70
Rain Days.	20	17	20	16	13	10	9	9	15	15	18	8	170
		3·53	5·93	8·20	10·32	10·86	12·42	14·17	17·35	21·68	23·79	24·70	

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Firsby, Conisborough
in the County of York. W.R. 7
by Henry Henson

Lat. 53°27' Long. 1°15'
Time of Observation 6 A.M.
Nearest Railway Station Kilnhurst, G.C.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1·22 ft. ~~in.~~
" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1							0·83	0·36			0·01	0·12	1
2							1·37	0·12			0·33	0·08	2
3			0·01		0·05		0·10	0·02			0·13	0·21	3
4	0·09		0·08	0·13	0·14			0·01			0·26	0·32	4
5	0·06		0·13	0·09	0·04	0·01		0·02			0·26	0·09	5
6				0·18	0·10		0·38				0·02	0·08	6
7			0·24	0·04	0·07						0·06	0·06	7
8	0·01		0·05		0·05	0·47	0·04	0·04	0·21			0·06	8
9	0·35		0·02	0·06		0·99		0·19	0·01			0·01	9
10	0·36	0·09	SNOW 0·06	0·03								0·02	10
11		0·05	0·26	0·08	0·01	0·36			0·06		0·31	0·43	11
12		0·03				0·03					0·01	0·35	12
13			0·19								0·12	0·28	13
14	0·03	0·09	0·10				0·04		0·04	0·51	0·19	0·23	14
15			0·06						0·02	0·04	0·17	0·02	15
16			0·05				0·26		0·06				16
17	0·12	0·09	0·06				0·03		0·24			0·05	17
18			0·04									0·36	18
19		0·03	0·05								0·07	0·23	19
20	0·02	0·10	0·03					0·26	0·01	0·02			20
21		0·31	0·06			0·41		0·10		0·04	0·03	0·04	21
22		0·20			0·09	0·06		0·07		0·15		0·03	22
23			0·02		0·42	0·09	0·04					0·01	23
24			0·21	0·01	0·58		0·02	0·22			0·33		24
25		0·03					0·02	0·05		0·61	0·03	0·06	25
26			0·04					0·62		0·04	0·04	0·26	26
27	0·03		0·08							0·06	0·01	0·74	27
28	0·04	0·08								0·04	0·10	0·33	28
29	0·01		0·09		0·01					0·80	0·01		29
30			0·02					0·06		0·07	0·13	0·09	30
31	0·03		0·01				0·15			0·22		0·04	31
Total	1·15	1·10	1·96	0·62	1·56	2·42	3·28	2·14	0·65	2·60	2·62	4·60	YEAR'S TOTAL 24·70
Rain Days.	12	11	24	8	11	8	12	14	8	12	21	27	168

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3314

FORM A.
BRITISH RAINFALL.

22 JAN 1916

REGISTER OF RAINFALL IN 1915

Edlhill

Kept at Kirby Conisborough

in the County of York

by H. Henson

Lat. 53° 27' Long. 1° 15'

Time of Observation 6 A M

Nearest Railway Station Kilnhurst G.C.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1·22 ft. — in.

" " " " Sea Level 189. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·13			·44			·03	·22		·05	·03	1
2	·03	·06	·16	·11		·02	·03	·14		·09			2
3	·78		·02	·09			·29	·53	—		·03	·52	3
4					·01		1·16	·11			·01	1·14	4
5	·04	·35			·27			·04		·01	·05	·42	5
6	·02	·37	·13	·05			·51			·01		·08	6
7	·26	·20	·02	·07			·21	·38			·01	·12	7
8	·04	·10		·06			·12	·16			·11		8
9	·20	·01						·24		·01	·05	snow ·64	9
10	·24							·04				·04	10
11	·24		·06		·52		·12				·31	snow ·24	11
12	·02			·21	·23			·03			1·41		12
13	·01	·71			·02					·02			13
14		·16			·01		·01	·06	·01	·01		·22	14
15	·35				·16			·07		·01	snow ·24	·09	15
16		·12			·01		·98	·03		·01		·01	16
17		·20	·01				·48	·01					17
18		·16	snow ·26								·02		18
19		·06					·22						19
20	·02				·01		·01					·28	20
21	snow ·04				·01	—	·05	·02				·03	21
22	·01		·13	·07			·21					·10	22
23	·01	snow ·03	·05				·14		·02	·22	·01	·04	23
24			·23						·64	·01		·26	24
25			·03							·02		·02	25
26	·01	·30				·22	·06					·36	26
27		snow ·07	·02				·03		·01	·32		·42	27
28		·16	snow ·09			·14		·35	—	·12		·02	28
29					·11	·21		·13			·10	·67	29
30	·04	×		·05		·16						·02	30
31	·05	×		×		×		·12	×	·37	×	·19	31
Total	2·54	3·19	1·21	·71	1·80	·45	4·63	2·49	·90	1·23	2·70	5·96	YEAR'S TOTAL 28·11
Rain Days.	20	17	13	8	12	5	17	18	5	14	13	24	166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Firsby, Conisborough
in the County of York.
by H. Henson.

Lat. Long.
Time of Observation 6·a·m.
Nearest Railway Station Kilnhurst G.C.
Diameter of Funnel of Rain Gauge 8· in.
Height of top of Gauge above Ground 1·22. ft. — in.
" " " " Sea Level 189· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02			Snow ·25		·03		·43	·13		·11	·02	1
2	·03			Snow ·17		·17		·10			·03		2
3				Snow ·03		·03		·19			·03		3
4		Snow ·04	Snow ·09	Snow ·04				·17		·48			4
5	·36		Snow ·05	Snow ·14						·09	·03		5
6						·01			·01		·02		6
7	·26		Snow ·01			·11				·49			7
8	·66			Snow ·17				1·37		·38	·05	·07	8
9	·14		Snow ·05	Snow ·07							·27		9
10	Snow ·17		·68	Snow ·06	·26			·07		·02	·13		10
11	Snow ·04			Snow ·64				·18		·18			11
12	Snow ·05							·20		·12		·01	12
13	Snow ·06			·01				·22	·01	·02	·01		13
14	Snow ·18	·01						·07				·04	14
15	Snow ·16			·04			·12	·01				·18	15
16	Snow ·06	·05		·02								Snow ·50	16
17	Snow ·02	·07	·03	·04	·72	·02	·09	·13	·01	·02			17
18	Snow ·02			·14	·05		·46	·01	·33				18
19	·03		·07		·30	·41			·01				19
20	Snow ·02		Snow ·01		·65	·19		·17	·03		·04		20
21	Snow ·01		Snow ·01		·09			·06					21
22	Snow ·01	·05	Snow ·10					·05		·09			22
23		·05			·16			·09		·01			23
24			Snow ·02		·01	·11		·07		·27	·19		24
25		·02	Snow ·05			·02				·07	·03		25
26								·26	·13	·07			26
27			Snow ·03			·22	·20	·49			·02	·04	27
28			Snow ·12			·08		·19		·01		·16	28
29			Snow ·05		·07					·10		·32	29
30	Snow ·01	X	Snow ·14				·16	·11		·01			30
31	Snow ·02	X	Snow ·05	X		X	·02	·03	X		X		31
Total	2·33	·29	1·56	1·82	2·31	1·40	1·05	4·67	·66	2·43	·96	1·34	YEAR'S TOTAL 20·82
Rain Days.	21	7	17	14	9	12	6	23	8	17	13	9	156

W. 8,000, VIII. 16

74

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Firsby, Conisborough.
in the County of York. W
by H. Henson.

Lat. 53°·27′ Long. 1°·15′
Time of Observation 6 a.m. Conisborough.
Nearest Railway Station ~~Kilnhurst~~. G. C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1·22 ft. – in.
" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·31.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·05	·03	·17		1
2		·18						·10	·13	·07		·22	2
3		·01	·08	·03	·19			·40			·25	·01	3
4			·02		·46			·06	·33	·02	·18	·29	4
5					·21			·04	·25	·21			5
6		·18		·11				·24	·04	·01			6
7	SNOW. ·27			·43		·14		·01	·10	·11	·06		7
8		·04	SNOW ·17	·26			·04		·30		·03		8
9	·03	·29		·19		·04	·14		·51	·16	·01		9
10	·01	·03		·31					·01			·01	10
11	·07	·01		·02	·21		·12		·01			·03	11
12	·01			·11			·73		·02				12
13	·01			·13	·11				·03	·01			13
14	SNOW. ·19			·03		·01	·03		·71	·11		·12	14
15	SNOW. ·21			·05			·18		·85			·17	15
16				·01			·13		·06	·01		·01	16
17	SNOW. ·17					·01	·94		·30	·12		·15	17
18	·16						·06		1·03			·03	18
19	·16		·12	·02			·09	·04	·03	·14		·48	19
20	·05	·11				·14	·07		·01	·02			20
21	·14	·05		·01	·49	·04			·19	·13			21
22	·04				·34		·07		·13			·27	22
23	·05				·37		·10		·01				23
24		·01					·08		·33		·01		24
25					·01	1·06	·06	·34	·01				25
26							·12	·05	·04	·02	·05	·04	26
27							·01	·29	·28		·01	·03	27
28		·19	·21					·13	·02			·22	28
29									·01		·01	·03	29
30			·28						·02		·11	·39	30
31			·04										31
Total	1·57	1·10	·92	1·71	2·39	1·44	2·99	1·70	5·81	1·17	·89	2·50	YEAR'S TOTAL 24·19
Rain Days.	15	11	7	14	9	7	17	11	29	15	11	17	163

W. 8,000, VIII. 16

-2936

FORM A.
BRITISH RAINFALL.

2 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Firsby, Conisborough
in the County of York.
by Henry Henson.

Lat. 53° 27' Long. 1° 15'
Time of Observation 7 a.m.
Nearest Railway Station Kilnhurst
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1·22 ft. in.
" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·31	Snow ·05	·02		·17				·07		·08	·02	1
2	·19	Snow ·02	·07		·05		·22		·46	·03	·06	·19	2
3	Snow ·48	Snow ·04			·02		·79		·11		·38	·02	3
4	Snow ·46		·30			·16	·03	·18	·06		Snow ·07	·04	4
5	·02	Snow ·01							·03		·01	·10	5
6			·01		·30					·02		·05	6
7	·03		·21		·02								7
8	·05				·01						·03		8
9			·02								·08		9
10			·19	·02						·01	·07	·06	10
11			·72	·01	·13		·18						11
12			·97				·10		·19		Snow ·01		12
13	·06								·80	·07	Snow ·01	·02	13
14	·28			·30				·06	·10	·01	Snow ·07		14
15	·16	·15		·09							Snow ·05	·76	15
16	·09	1·10	·10	·03						·01	·07		16
17		·68	·01	·03		·06					·11		17
18			·02				·01	·03				·06	18
19	·03	·21	1·04			·01	1·33	·60	·03		·14	·02	19
20	·31	·16	·12				·68	·27			·03	·07	20
21	·28	·30	Snow ·06			·38	·24		·01			·17	21
22		·20	·01					·01	·21			·29	22
23			·01							·66		·02	23
24				·18		·09	·02			·69		·01	24
25	·04			·07				·54		·01		·17	25
26			·18	·06				·18				·38	26
27	Snow ·11	·01		Snow ·26						·08	·02	·09	27
28	Snow ·11			·20				·86		·01		·37	28
29	·19			·02		·04		·06		1·23		·04	29
30	Snow ·03		·01	·05		·10				·01	·12	·19	30
31	Snow ·01						·16			·08		·05	31
Total	3·24	2·93	4·01	1·32	·70	·84	3·76	2·79	2·07	2·92	1·41	3·19	YEAR'S TOTAL 29·18
Rain Days.	20	12	19	13	7	7	11	10	11	14	18	23	165

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. 13

Price 2d.

2819

FORM A.
BRITISH RAINFALL.

8 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Firsby Reservoir, Conisborough
in the County of York
by F. O. Kirby Borough Surveyor & Water Engineer Doncaster.

Lat. 53° 27′ Long. 1° 15′
Time of Observation 7 a.m.
Nearest Railway Station Kilnhurst
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1·22 ft. — in.
" " " " Sea Level 189 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0·40

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.32	0.24		0.28	0.02	0.04	0.09	0.23	0.02	1
2				0.27			0.05		0.20	0.35		0.12	2
3	0.02			0.21	0.04	0.02	1.04	0.26	0.14	0.17		0.09	3
4				0.13	0.02		0.26			0.79		0.13	4
5			0.01				0.04	0.18	0.02			0.01	5
6					0.03		0.03	0.01					6
7			Snow 0.12	0.03	0.01		0.43						7
8	0.05	0.02		0.60			0.04	0.01		0.01			8
9	0.04	0.02	0.01	0.48	0.02		0.17	0.03					9
10	0.36	0.07		0.30			0.04			0.01			10
11	0.44	0.03	0.01	0.16	0.04	0.22						0.17	11
12	0.01		0.05	0.38	0.02	0.07		0.05				Snow 0.08	12
13	0.01	0.01	0.07	0.15		0.72	0.01					Snow 0.06	13
14			Snow 0.42	0.10		0.42	0.05		0.19	0.09	0.08	Snow 0.01	14
15		0.02	0.48	0.15					0.15	0.10	0.03	Snow 0.01	15
16							0.57		0.03				16
17					0.04		0.08		0.24	0.08		0.01	17
18	0.01			0.01	0.02				0.01				18
19	0.02	Snow 1.65		0.16	0.01			0.06	0.01				19
20		Snow 0.15		0.19		0.53							20
21				0.23			0.28	0.06				0.02	21
22				0.21			0.06			0.01			22
23							0.22					0.32	23
24			0.12									0.04	24
25		0.07	0.01	0.02		0.01	0.35						25
26	0.02		0.09	0.02	0.27		0.10						26
27	0.19	0.02		0.12	0.77	0.51					0.28	0.13	27
28	Snow 1.32		0.12	0.02	0.04	0.02	0.05				0.16	0.16	28
29			0.04	0.06	0.91		0.03			0.01	0.04	0.65	29
30	0.02		0.03	0.02	0.15				0.05		0.13	0.18	30
31	0.17		0.02		0.04		0.03			0.36		0.15	31
Total	2.68	2.06	1.60	4.34	2.67	2.52	4.21	0.68	1.08	2.07	0.95	2.36	YEAR'S TOTAL 27.22
Rain Days.	14	10	15	24	17	9	22	9	11	12	7	19	169
	7	4	9	18	10	6	18	5	7	8	6	13	111

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

COTTINGHAM W.W.

YORKS

1911 - 1920

REG

Kept at Cottingham

in the County of Yorkshi

by C. B. Newton

in.

ound 1 ft. 0 in.

a Level 26 ft.

ame Cottingham

istance Direction

IMPORTANT NOTE. ... he result entered to the
previous day. If an Obser ... sal rule, he is earnestly
requested to add the readin ... r in the space provided
for it at the end of this ... ent of rain,
the selection and placing ... ish Rainfall
Organization are given in " ... plication to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	–	–	–	–	–	·01	·48	–	·01	·01	–	1
2	·14	–	–	–	·07	–	·07	·01	–	·01	–	·08	2
3	·01	·02	–	·17	·08	·02	·02	·13	–	·20	–	–	3
4	·06	–	·15	·16	–	–	–	·01	·16	·06	·23	·19	4
5	·04	–	–	·03	·02	–	–	·02	–	·25	·05	·04	5
6	·18	–	·05	·01	–	–	–	·15	–	·10	·14	·20	6
7	–	–	–	–	–	–	–	–	–	–	·05	·07	7
8	·04	–	·19	–	–	·02	–	–	–	–	·02	·10	8
9	–	–	·10	–	–	–	–	–	–	–	–	·02	9
10	·02	·12	·07	–	–	–	–	–	–	–	·05	·50	10
11	·22	·02	–	–	–	–	–	–	–	–	·30	·01	11
12	·08	–	·10	–	·02	·05	–	–	·62	·01	·36	–	12
13	–	–	·46	–	–	·31	–	–	–	–	·04	·24	13
14	–	·17	·15	–	·05	·06	–	–	–	–	·06	·32	14
15	–	·14	·16	–	–	–	–	–	·03	·01	·01	·14	15
16	–	–	·13	·02	–	·04	·04	–	–	–	·12	·06	16
17	–	–	·05	–	–	·13	·03	–	–	–	·06	·13	17
18	–	·01	·03	–	–	·06	–	–	–	–	·58	·04	18
19	–	–	–	–	–	·25	·04	·26	·10	·10	·49	·06	19
20	·01	·01	–	·20	–	–	·04	·45	·19	·01	–	·41	20
21	–	·29	–	–	–	–	–	·10	·48	·06	·14	·01	21
22	·12	·05	–	·03	–	–	·02	·40	–	·31	·12	–	22
23	·01	·12	·01	–	–	1·07	–	–	·87	·03	·01	·05	23
24	–	·03	·02	·10	–	1·15	–	–	–	·17	–	–	24
25	–	·04	–	·18	–	·20	–	–	·14	·02	·03	·05	25
26	–	–	–	·02	·01	–	·04	–	–	·38	·56	·13	26
27	–	·11	·09	·15	–	–	·12	·56	·23	·02	·01	·01	27
28	–	·12	·02	·25	–	·03	–	–	·01	–	·01	·10	28
29	–		–	·02	–	·04	·32	–	·45	·28	–	·08	29
30	–		·01	–	·19	·07	–	–	·17	·17	–	–	30
31	–		–		·14		–	–		·03		·01	31
Total	1·03"	1·25"	1·78"	1·34"	·58"	3·50"	·75"	2·57"	3·15	2·23"	3·45	3·05	TOTAL for year 24·68
No. of Rain Days.	13	14	17	13	8	15	11	11	12	20	23	25	182

W. 8,000, X. '11.

S. made

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL
13 JAN 1912

Kept at Cottingham Pumping Station

in the County of Yorkshire ER 3

by C. B. Newton M.I.C.E. F.C.S.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 26 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Cottingham
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	–	–	–	–	–	·01	·48	–	·01	·01	–	1
2	·14	–	–	–	·07	–	·07	·01	–	·01	–	·08	2
3	·01	·02	–	·17	·08	·02	·02	·13	–	·20	–	–	3
4	·06	–	·15	·16	–	–	–	·01	·16	·06	·23	·19	4
5	·04	–	–	·03	·02	–	–	·02	–	·25	·05	·04	5
6	·18	–	·05	·01	–	–	–	·15	–	·10	·14	·20	6
7	–	–	–	–	–	–	–	–	–	–	·05	·07	7
8	·04	–	·19	–	–	·02	–	–	–	–	·02	·10	8
9	–	–	·10	–	–	–	–	–	–	–	–	·02	9
10	·02	·12	·07	–	–	–	–	–	–	–	·05	·50	10
11	·22	·02	–	–	–	–	–	–	–	–	·30	·01	11
12	·08	–	·10	–	·02	·05	–	–	168	·01	·36	–	12
13	–	–	·46	–	–	·31	–	–	–	–	·04	·24	13
14	–	·17	·15	–	·05	·06	–	–	–	–	·06	·32	14
15	–	·14	·16	–	–	–	–	–	·03	·01	·01	·14	15
16	–	–	·13	·02	–	·04	·04	–	–	–	·12	·06	16
17	–	–	·05	–	–	·13	·03	–	–	–	·06	·13	17
18	–	·01	·03	–	–	·06	–	–	–	–	·58	·04	18
19	–	–	–	–	–	·25	·04	·26	·10	·10	·49	·06	19
20	·01	·01	–	·20	–	–	·04	·45	·19	·01	–	·41	20
21	–	·29	–	–	–	–	–	·10	·18	·06	·14	·01	21
22	·12	·05	–	·03	–	–	·02	·40	–	·31	·12	–	22
23	·01	·12	·01	–	–	1·07	–	–	·37	·03	·01	·05	23
24	–	·03	·02	·10	–	1·15	–	–	–	·17	–	–	24
25	–	·04	–	·18	–	·20	–	–	·14	·02	·03	·05	25
26	–	–	–	·02	·01	–	·04	–	–	·38	·56	·13	26
27	–	·11	·09	·15	–	–	·12	·56	·23	·02	·01	·01	27
28	–	·12	·02	·25	–	·03	–	–	·01	–	·01	·10	28
29	–		–	·02	–	·04	·32	–	·45	·28	–	·08	29
30	–		·01	–	·19	·07	–	–	·17	·17	–	–	30
31	–		–		·14		–	–		·03		·01	31
Total	1·03"	1·25"	1·48"	1·34"	·58"	3·50"	·75"	2·57"	3·15	2·23"	3·45	3·05	TOTAL for year 24·68
No. of Rain Days.	13	14	17	13	8	15	11	11	12	20	23	25	182

W. 8,000, X. '11.

made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

21 JAN 1913

Kept at Cottingham Pumping Station
in the County of Yorkshire E3
by C. B. Newton M.I.C.E., F.C.S.

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Cottingham
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 26·0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·02	·02	·01	-	·22	·40	·06	·33	·02	·02	·09	1
2	-	·03	·07	-	·01	·22	·40	-	-	·08	-	-	2
3	·11	·05	-	-	-	·66	-	·29	·09	·01	-	·10	3
4	·18	-	·21	-	·06	·23	-	·44	-	-	·26	-	4
5	·01	·04	-	-	·27	·33	-	·03	-	-	-	-	5
6	·81	·15	-	-	·01	-	·12	·11	·11	-	-	-	6
7	·04	·01	·01	-	·03	·02	·07	·10	·06	-	-	-	7
8	·21	·15	·21	·02	-	-	·02	-	·31	-	·07	-	8
9	-	·09	·02	·09	-	·16	-	-	·03	-	-	·05	9
10	-	-	·01	-	·03	·32	-	·06	·07	-	·12	-	10
11	·16	·08	-	-	-	-	-	·04	-	-	·07	·65	11
12	·07	·13	·09	-	-	·44	·35	-	-	-	·70	-	12
13	·02	·02	-	-	-	·12	-	·08	-	·21	·19	-	13
14	·11	·01	·50	-	-	·20	-	·02	·03	-	·02	·08	14
15	·01	·02	·47	-	·48	·12	-	·03	-	·01	-	-	15
16	·09	·01	·18	-	·08	·06	-	·13	-	·09	-	-	16
17	·05	·01	·13	-	-	·35	-	·18	-	-	-	·12	17
18	·15	-	·03	-	-	·03	·02	-	-	·07	-	-	18
19	·32	·16	-	-	-	·01	·49	·52	·01	·07	·04	-	19
20	·09	·03	·01	-	·25	·01	·86	·12	-	·57	-	-	20
21	·01	-	·30	-	·65	-	·10	-	-	·07	·01	-	21
22	·06	·10	-	-	·84	·02	-	·14	-	-	-	·07	22
23	-	·01	·07	-	·01	-	·21	·47	-	-	·09	·01	23
24	·31	-	·01	-	-	·07	·85	·03	-	-	-	·07	24
25	·04	-	-	-	-	·26	·20	·11	-	-	·15	·07	25
26	·02	·18	·04	-	-	·11	·06	·87	-	·75	·14	·32	26
27	-	-	·03	-	-	·10	·26	-	-	·69	-	·08	27
28	-	-	-	-	·11	·08	·11	·33	-	·25	·92	·12	28
29	-	·01	·10	-	-	·07	·09	·04	·63	·14	·18	·13	29
30	·02		·06	-	·03	·01	·04	·01	·13	·06	-	-	30
31	-		·11		·18		·27	·19		·04		-	31
Total	2·89	1·31	2·68.	·12	3·04	4·22	4·92	4·40	1·80	3·13	2·98	1·96	YEAR'S TOTAL 33·45.
Rain Days.	22	21	22	3	15	25	19	24	11	16	15	14	207.

W. 7,500, XI. 12

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 JAN 1914

T+RN

E3

Kept at Cottingham Pumping Station
in the County of Yorkshire
by C. B. Newton M.I.C.E.

Lat. 53°45"N Long. 0·16 W.
Time of Observation 9 am
Nearest Railway Station Cottingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·	·15	·07	·	·	·	·	·14	-	·06	-	1
2	·	·05	·10	·08	·	·02	-	-	·	·	·07	·02	2
3	·01	·05	·12	·	·20	·	-	·	·	·94	·	·16	3
4	·63	·	·04	·	·07	-	·01	·	·03	·57	·23	·20	4
5	·02	·	·19	·	·	·	·11	·04	·	·47	·01	·03	5
6	·02	·	·09	·	·40	·02	·01	-	·	·08	·	·	6
7	·	·09	·	·	·09	·06	-	·	·	·48	·	·	7
8	·	·	·	·	·57	·17	-	·	·04	·03	·02	·	8
9	·	·23 25	·01	·03	·21	·04	-	·	·	·	·08	·	9
10	·	·02	·03	·06	·	·	·06	·	·	·47	·51	-	10
11	·99	·	·	·44	·	·11	·	·	·	-	·07	·	11
12	·09	·	·	·02	·	·08	-	·	-	·	·03	·	12
13	·02	·	·	·01	·	·	·	·03	·02	·	·24	·	13
14	·03	·	·21	·	·	·	·	·	·	·08	·01	·	14
15	·23	·	·18	·12	·	·	·	·	·	·	·24	·	15
16	·	·	·25	·03	·	·	-	·06	·36	·	·08	·	16
17	·04	·02	·18	·12	·	-	·	·	·10	·	·04	·	17
18	·	·	·20	·13	·02	·03	·	·	·	·	·07	·01	18
19	·08	·	·01	·	·04	·	-	·	·	·	·	·	19
20	·07	·	·02	·03	·	·	-	·	·12	·17	·02	-	20
21	·05	·	-	·	·11	-	·05	·08	·01	·	·12	·	21
22	·05	·	·23	·	·	-	·01	·36	·05	·	·	·	22
23	·19	·	·01	·	·	·02	·02	·06	·08	·	·	·	23
24	·17	·	·	·01	·	·16	·	·	-	·	·01	·	24
25	·	·02	·	·10	·	·01	-	-	·06	·	·	·06	25
26	·	·02	·02	·03	·	·	·	·	·01	·32	·05	·21	26
27	·	·02	·01	·	·	·03	-	·	·	-	·01	·04	27
28	·34	·03	·09	·18	-	-	·	·	·	·	-	·17	28
29	·23		·19	·27	1·00	-	-	·	·	·	·	·36	29
30	·39		-	-	·	-	·01	·	·	·07	-	-	30
31	·		-		·04		-	·		-		-	31
Total	3·67	·55	2·33	1·73	2·73	·75	·28	·62	1·02	3·08	1·97	1·26	YEAR'S TOTAL 19·99
Rain Days.	20	10	21	17	11	12	8	6	12	11	20	10	168.

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 JAN 1915

Kept at Cottingham

in the County of Yorkshire

by C. B. Newton M.I.C.E.

Lat. 53° 45 N Long. 0° 16 W

Time of Observation 9 a m

Nearest Railway Station Cottingham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 26. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	–	–	–	–	·51	·28	–	–	–	·11	1
2	–	–	–	–	–	–	·35	·30	–	–	·15	·07	2
3	–	–	·07	–	·12	–	·37	·16	–	–	·03	·31	3
4	·12	–	·03	·14	·02	–	–	–	–	–	·27	·17	4
5	–	–	·17	·05	·04	–	·50	·01	–	–	·09	·02	5
6	–	·05	–	–	·11	–	·04	–	–	–	·02	·03	6
7	–	·05	·16	·01	·01	·05	–	–	–	–	–	·06	7
8	·24	–	·03	–	·15	·27	–	·07	·03	–	–	·02	8
9	·31	·01	·01	·01	–	·36	–	·23	·30	–	–	–	9
10	·37	·06	–	·01	–	–	–	–	·05	–	–	–	10
11	–	·01	·25	·07	·17	–	–	–	·04	–	·27	·23	11
12	·04	–	·01	–	–	–	·02	–	·21	–	·01	·40	12
13	·02	·02	·29	–	–	–	–	–	–	–	·12	·20	13
14	·02	·11	·01	–	–	–	·04	–	–	·23	·05	·14	14
15	·02	–	·16	–	–	–	·07	–	–	–	·42	·14	15
16	·09	–	·02	–	–	–	·20	–	·26	–	·02	–	16
17	·03	·11	–	–	–	–	–	–	·29	–	·01	·21	17
18	–	–	·05	–	–	–	·02	–	·01	–	·01	·51	18
19	–	–	·09	–	–	·01	–	–	·02	–	·06	·09	19
20	·03	·01	·10	–	·02	·13	–	–	·01	·17	–	–	20
21	·01	·26	·01	–	–	–	–	–	–	·08	·08	·28	21
22	·01	–	–	·03	·37	·03	·01	·02	–	·06	–	·11	22
23	–	·03	·01	·01	·47	·11	–	–	–	–	–	·06	23
24	–	–	–	·03	–	–	·02	·34	–	–	·15	–	24
25	–	·04	–	–	–	–	·37	·06	–	·71	·06	·15	25
26	–	–	·09	–	–	–	·10	·29	–	·18	·08	·44	26
27	–	·01	–	–	–	–	·01	–	–	·01	–	·45	27
28	–	·02	–	–	–	–	–	–	–	·03	·16	·37	28
29	·02		·19	–	·01	–	–	·01	–	·55	·01	–	29
30	–		–	–	–	–	–	·07	–	–	·26	·08	30
31	–		·01		–		·23	–		·14		·01	31
Total	1·34	·79	1·76	·36	1·49	·96	2·86	1·84	1·22	2·16	2·33	4·66	YEAR'S TOTAL 21·77
Rain Days.	15	14	20	9	11	7	16	12	10.	10.	21	25.	170

W. 8,000. X. 14.

Smade ✓ 3598

FORM A. BRITISH RAINFALL.

23 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cottingham Pumping Station
in the County of Yorkshire. E 3
by C B Newton M I C E

Lat. 53°45'N Long. 0·16 W
Time of Observation 9 a.m.
Nearest Railway Station Cottingham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 26. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·45	.	.	·33	.	.	·74	·25	.	·26	·09	1
2	·01	·01	·29	·12	.	.	·06	·10	·01	.	·01	-	2
3	·57	.	·02	·05	.	.	·64	·07	·04	.	·20	·40	3
4	·18	.	.	.	.	.	1·36	·27	.	.	·03	·93	4
5	·20	·01	.	.	·71	.	.	·05	.	·07	·06	·50	5
6	·01	·25	·06	·11	.	.	·73	·01	.	.	.	·16	6
7	·23	·30	·01	.	.	.	·30	·13	.	-	·02	·11	7
8	·01	·13	·01	·01	-	.	·04	·01	.	·01	·07	.	8
9	.	·04	·01	.	.	.	.	·11	.	·02	·03	·44	9
10	·32	·01	.	.	.	.	-	·18	.	-	.	·03	10
11	·01	·01	.	.	·36	.	.	.	.	.	·15	·04	11
12	·09	.	.	·18	·07	.	·14	·06	.	·05	·85	.	12
13	·01	·91	.	.	.	.	.	·13	.	.	·04	·01	13
14	·02	·14	.	.	·05	.	.	·01	.	-	.	·25	14
15	·22	·03	.	.	.	.	·09	·05	.	·10	·16	·15	15
16	.	·25	.	.	·02	-	·59	.	.	·01	·11	·01	16
17	·15	·16	·01	.	.	.	·32	.	.	.	·01	·01	17
18	.	·06	·19	.	.	.	.	.	·01	-	·04	·01	18
19	.	-	·02	.	.	.	·09	.	.	·02	.	.	19
20	·16	·01	.	.	.	.	.	.	.	·04	.	·14	20
21	·11	-	.	·01	·02	.	·03	.	.	.	.	·02	21
22	.	.	·02	.	.	.	·02	.	.	-	·01	·12	22
23	·07	·07	·01	-	.	.	·29	.	·08	-	·02	-	23
24	·01	·01	·10	·02	.	-	.	.	·40	·01	.	·26	24
25	-	.	.	.	.	·06	.	-	.	·12	·03	·02	25
26	·01	·23	·01	.	.	·16	·03	.	.	·02	-	·47	26
27	·04	·09	·02	-	.	.	·34	.	.	·31	.	·12	27
28	.	·05	·05	.	·03	.	-	·24	.	·15	-	·03	28
29	.		.	.	·24	.	.	.	·03	.	·35	·22	29
30	·10		.	·05	.	.	·01	·02	·06	.	·01	·01	30
31	·10		.		.		.	·29		·01		·20	31
Total	2·84	3·22	0·83	0·55	1·83	0·22	5·08	2·47	0·88	0·94	2·46	4·97	YEAR'S TOTAL 26·29
Rain Days.	23	21	15	8	9	2	17	17	8	14	20	26	180.

W. 8,000. X. 14.

3523

FORM A.
BRITISH RAINFALL.
17. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Cottingham Pumping Station
in the County of Yorkshire ER
by C. B. Newton M.I.C.E.

Lat. 53° 45N Long. 0 16 W
Time of Observation 9 a.m.
Nearest Railway Station Cottingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 26. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	.	·06	.	.	·16	·06	.	.	.	·21	.	1
2	·08	·18	·23	.	·38	.	.	.	·05	·09	.	.	2
3	·13	·26	·03	·01	.	.	.	.	·15	·14	·05	.	3
4	·03	·07	·01	.	·46	·29	.	.	·12	·40	·34	·08	4
5	03	.	·23	.	·02	·25	.	.	.	·30	·19	·10	5
6	.	·20	·10	·04	·25	.	·02	.	.	.	·17	·01	6
7	.	.	·12	.	·21	-	·10	.	.	·07	·01	·23	7
8	.	.	·36	.	·04	.	.	.	.	·02	·01	·03	8
9	.	.	·04	.	·52	·35	.	.	·02	.	·01	·23	9
10	·08	·02	·04	·05	.	·38	·16	.	·07	·11	.	·01	10
11	·06	·41	·48	·14	.	·12	·08	.	·04	·14	.	·10	11
12	.	·01	·31	.	·10	·24	1·33	.	.	.	.	·04	12
13	.	·04	·20	.	·28	.	·35	·23	.	·10	.	·02	13
14	.	·10	·01	.	·15	.	·01	05	.	·02	.	.	14
15	·01	·18	·38	.	.	.	·01	1·00	·02	·02	.	.	15
16	·02	·11	·04	·08	.	.	·08	·52	.	.	.	·07	16
17	.	.	.	·19	.	.	·05	·12	·13	·09	·08	·01	17
18	·10	·35	.	·37	.	.	.	·30	·07	·12	·90	.	18
19	·16	-	·01	·01	.	.	.	.	·03	.	·26	·22	19
20	.	.	·21	.	.	·01	·14	·26	.	.	·02	·01	20
21	.	·15	·03	.	.	.	·06	.	.	.	-	·37	21
22	.	11.	·02	.	.	·02	.	.	.	·07	.	·08	22
23	.	·01	.	·01	.	·11	.	·01	.	.	·13	·35	23
24	.	·36	·02	·13	.	·10	.	·10	.	·10	.	·12	24
25	.	·08	·16	.	.	.	.	24	.	·08	·18	·04	25
26	.	·06	·02	.	.	.	.	.	.	.	·03	.	26
27	.	·23	·02	.	.	·01	.	.	.	·12	.	.	27
28	.	·25	·08	.	.	.	.	.	.	.	.	·13	28
29	.	·03	.	.	.	·46	.	·22	.	·12	.	·15	29
30	.		.	.	·01	·03	.	04	.	·14	.	.	30
31	.		.		.		.	.		·07		.	31
Total	·72	3·21	3·21	1·03	2·42	2·53	2·45	3·09	·70	2·92	2·59	2·40	YEAR'S TOTAL 27·27
Rain Days.	11	21.	25	10	11.	14	13.	12.	10	20.	15	21.	183.

W. 8,000, VIII. 16

3382

FORM A.
BRITISH RAINFALL.
26. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Cottingham Pumping Station.

in the County of Yorkshire

by C. B. Newton, M.I.C.E.

Lat. 53° 48' N. Long. 0° 25' W.
Time of Observation 9 a.m.
Nearest Railway Station Cottingham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·18	·	·	·	·57	·15	·	·05	·16	1
2	·03	·	·	·11	·	·02	·	·18	·	-	-	·	2
3	·	·01	·	·09	·	·05	·	·35	·	·07	·01	·	3
4	·	·01	·08	·	·	·	·	·	·	·38	-	·	4
5	·10	·	·02	·12	·	·	·	·	·	·01	·10	·	5
6	·	·	·	·	·	·	·	·	·06	·01	·04	·	6
7	·45	·	·05	·	·	·23	·	·	·	·57	·	-	7
8	·54	·	·	·08	·	·	·	1·04	·	·43	·10	·	8
9	·07	·	·01	·11	·	·	·	·07	·	·	·12	·	9
10	·37	·	·52	·12	·40	·	·	·26	·	·14	·11	·	10
11	·02	·	·	·10	·	·	·	·04	-	·35	·	-	11
12	·19	·	·	·02	·41	·	·	·38	·	·10	·	·01	12
13	·25	·	·	·08	·	·	·	·15	·12	·12	·	-	13
14	·15	·	·	·03	·	·	·	·11	-	·	·	·04	14
15	·06	·	·	·	-	·	·46	·22	·	·04	·	·13	15
16	·13	·06	·	·27	·	·05	·07	·12	·	·	·	·38	16
17	·04	·07	·01	·12	·37	-	·	·13	·25	·07	·	·01	17
18	·06	·	·	·01	·03	·02	·34	·24	·20	·	·	·	18
19	·17	·13	·23	·	·07	·	·02	·	·	·	·	·	19
20	·01	·40	·19	·	·	·26	·	·02	·	·	·26	·	20
21	·	·09	·09	·	·	·	·	·05	·	·	·	·	21
22	·	·	·02	·	·	·01	·	·05	-	·07	·	·	22
23	·	·	·01	·	·09	·	·	·20	-	·	·	·	23
24	·01	·	·	·	·	·36	·01	·05	·	·33	·15	·02	24
25	·	·01	·04	·	·	·	·02	·	·	·17	·09	·10	25
26	·	·	·07	·	·	·	·	1·10	·08	·08	·37	·14	26
27	·	·	·01	·	·	·17	·17	·38	·	·	·	·05	27
28	·	·	·07	·	·	·13	·	·45	·	·	·	·18	28
29	·03		·	·	·	·	·	·05	·	·17	·	·08	29
30	·01	×	·11	·07	-	·	·22	·02	·	·	·01	·	30
31	·01	×	·05	×	·	×	·02	·02	×	·	×	·	31
Total	2·70	·78	1·58	1·51	1·37	1·30	1·33	6·25	·86	3·13	1·41	1·30	YEAR'S TOTAL 23·52
Rain Days.	20 ✓	8 ✓	17 ✓	15 ✓	6 ✓	10	9 ✓	25 ✓	6 ✓	17 ✓	12 ✓	12 ✓	157 ✓

W. 8,000, IX. 17.

B. Made

16

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Cottingham Pumping Station
in the County of Yorkshire E
by C. B. Newton, M.I.C.E.

Lat. 53° 48' N. Long. 0° 25' W.
Time of Observation 9 A.M.
Nearest Railway Station Cottingham.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–		·01	·07	–	–	–	–	·09	·01	·13	·07	1
2	·01	·25	–	·24	–	–	–	·07	·07	·01	–	·37	2
3	–	·05	·02	–	·16	–	–	1·10	–	–	·37	–	3
4	–	·02	·01	–	·09	–	·01	·02	·22	–	·18	·28	4
5	–	–	·01	·02	·25	–	–	1·05	·01	·09	–	–	5
6	–	·32	–	·54	–	·10	–	·01	–	·01	–	·02	6
7	·13	·04	–	·07	–	·09	–	·01	–	·15	·11	–	7
8	–	–	·03	–	–	–	·13	–	·06	·01	–	·01	8
9	·09	·21	–	·01	–	·06	·04	–	·55	·49	–	·03	9
10	–	·03	–	–	–	–	·07	–	·12	·01	–	·06	10
11	·21	·03	–	·03	·49	–	·07	–	·06	–	–	·06	11
12	–	·09	·06	–	·03	–	·17	·01	·03	·07	–	·02	12
13	–	·01	–	·05	·12	–	–	–	·07	–	–	–	13
14	·16	–	–	·02	–	–	·07	–	·46	·02	–	·11	14
15	·10	–	–	·01	–	·01	·15	–	·75	–	–	·37	15
16	–	–	–	·01	–	·01	·31	·01	·12	–	–	·05	16
17	·21	–	–	·01	·33	·02	·71	–	·10	·04	–	·25	17
18	·22	–	·02	·16	–	–	·08	–	·46	–	–	·05	18
19	·11	–	·03	·11	–	–	·01	·07	·05	·08	–	·06	19
20	·02	·18	–	·01	–	·01	·18	–	·05	·01	–	–	20
21	·04	–	–	–	·06	–	·01	–	·23	·08	–	–	21
22	·03	–	–	–	·04	·04	·03	–	·10	·05	–	·45	22
23	·09	–	–	–	·40	–	·14	–	–	–	–	–	23
24	–	·03	–	–	–	–	·08	–	·08	·01	·07	–	24
25	–	–	–	–	–	–	–	·25	·02	–	·03	–	25
26	–	–	–	–	–	–	·20	·03	·26	–	·15	·10	26
27	–	·05	·01	–	–	–	·02	·35	·12	–	·10	·05	27
28	–	·22	·22	–	–	–	–	–	–	–	·05	·22	28
29	–		–	–	–	–	–	–	·07	–	·01	·17	29
30	–		·41	–	–	–	–	–	·09	–	·04	·24	30
31	–		·04		–		–	·01		–		·02	31
Total	1·42	1·53	·87	1·36	1·97	·34	2·48	2·99	4·24	1·14	1·24	3·06	YEAR'S TOTAL 22·64
Rain Days	13	14	12	15	10	8	19	13	25	16	11	22	178

W. 6,500, VII. 18. w w c

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Cottingham Pumping Station
in the County of Yorkshire
by C. B. Newton M.I.C.E.

Lat 53° 45′ N Long 0. 16 W.
Time of Observation 9 A.M.
Nearest Railway Station Cottingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 26. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·05	—	—	·32	—	·17	—	·04	·02	·08	·11	1
2	·09	·03	·01	—	·01	—	·26	—	·13	—	·10	·01	2
3	·56	—	—	—	·03	—	·25	—	·01	—	·29	·25	3
4	·05	·03	·38	—	·06	·10	—	·03	·09	—	·23	·01	4
5	·10	·01	—	—	—	—	—	—	·13	—	·02	·08	5
6	·01	·01	·11	—	—	—	—	—	—	—	·04	·13	6
7	—	—	·16	—	·25	—	—	—	—	—	—	·12	7
8	·06	—	—	—	—	—	·01	—	—	—	·09	·11	8
9	—	—	·01	—	—	—	—	—	—	·01	·18	—	9
10	—	—	·16	—	—	—	—	—	—	·01	·06	·09	10
11	—	—	·54	·01	·28	—	·12	—	—	·01	·01	—	11
12	—	—	·43	·06	—	·13	—	—	·08	·20	·08	·01	12
13	·26	—	—	·02	—	·01	·28	—	·53	·36	—	—	13
14	·31	—	—	·24	—	—	—	·02	·06	·10	·34	—	14
15	·08	·05	·03	·10	—	—	—	·01	—	—	·01	·42	15
16	·06	·67	—	·06	—	—	—	—	—	—	·06	—	16
17	—	·17	—	·01	·02	·11	—	·06	—	—	·20	—	17
18	—	·01	—	—	—	—	·01	·05	—	—	—	·11	18
19	—	·19	·40	—	—	—	·77	·53	·01	—	·01	—	19
20	·32	·16	—	—	—	·01	·18	·22	·05	—	—	·10	20
21	·27	·23	·01	—	—	·07	·08	—	·04	—	—	·25	21
22	—	·11	—	—	—	—	·04	—	·20	—	—	·24	22
23	—	—	·04	—	—	·02	·01	·01	—	·60	·09	·03	23
24	—	—	·01	·01	·03	·03	—	—	—	·15	·04	·10	24
25	·04	—	—	·18	—	·01	—	·63	—	—	·08	—	25
26	—	—	·14	·03	—	—	—	·18	·04	·36	·10	·50	26
27	·08	·02	—	·69	—	—	—	—	—	·54	·01	·01	27
28	·08	—	—	·01	—	—	—	·66	—	·39	·01	·36	28
29	·18	×	—	—	—	·06	—	·01	—	·92	·08	·10	29
30	·06	×	·01	·11	—	·13	—	·01	—	·18	·15	·20	30
31	·05	×	·02	×	—	×	—	—	×	·22	×	·01	31
Total	2·94	1·74	2·46	1·53	1·00	·68	2·18	2·42	1·41	4·07	2·36	3·35	Year's Total 26·14
Days with ·01 in. or more	19	14	16	13	8	11	12	13	13	15	24	23	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3089

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

2 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at Cottingham Pumping Station
in the County of Yorkshire
by C. B. Newton M.I.C.E.

Lat. 53°45'N. Long. 0·16W.
Time of Observation 9 AM.
Nearest Railway Station Cottingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 26 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·27	·34	·02	·46	–	–	·55	–	–	1
2	–	–	·01	·04	–	–	·03	–	·08	·04	–	·33	2
3	–	–	–	·13	·03	·04	·01	–	·06	·06	–	·07	3
4	·01	–	–	·03	·03	–	·44	·62	–	·42	–	·01	4
5	–	–	·01	·01	·37	–	·11	·04	–	–	–	·02	5
6	–	–	·13	·11	·03	–	·09	–	–	–	–	·10	6
7	–	–	·01	·11	–	–	·34	–	–	–	–	·06	7
8	·03	·04	–	·23	·01	–	–	·01	–	–	·07	–	8
9	·19	·01	–	·43	–	–	·16	·64	·01	–	–	–	9
10	·49	·10	·07	·30	–	–	·07	–	–	–	–	·03	10
11	·29	·02	·03	·25	·01	–	–	–	–	–	–	·14	11
12	·10	–	·01	·20	–	·01	–	–	–	–	·01	·19	12
13	·01	·01	·11	·06	–	·02	–	–	·22	–	–	·07	13
14	–	–	·45	·22	–	–	·06	–	·26	·05	·12	·02	14
15	–	·05	·81	·23	–	–	·02	–	·07	–	·02	·02	15
16	–	–	–	·05	·01	–	·33	–	·10	–	–	·05	16
17	–	–	–	–	·16	–	·18	–	·38	·13	–	·06	17
18	·09	–	–	–	·04	·01	·03	·06	·02	–	–	–	18
19	·02	·87	–	·18	·05	–	–	·08	–	–	–	–	19
20	·12	·02	–	·42	–	·56	·01	–	–	–	–	·05	20
21	–	–	–	–	–	–	·22	·13	–	–	–	·08	21
22	·05	–	–	·12	–	–	·03	–	–	–	–	–	22
23	–	–	–	–	–	–	·17	–	–	–	–	·20	23
24	–	–	·27	·05	–	–	·01	–	–	·07	–	·06	24
25	–	·05	·05	–	–	–	·48	–	–	–	–	–	25
26	·03	·01	·01	·19	·02	–	·12	–	–	–	–	–	26
27	·06	·02	–	·18	·59	·34	–	–	–	–	·15	·11	27
28	·65	–	·06	·05	·05	–	·03	–	–	–	·13	·09	28
29	·04	–	·13	–	·88	–	·01	–	–	–	·10	·36	29
30	·04		–	·10	–	–	–	–	·22	–	·10	·23	30
31	·18		–		–		·42	–		–		·09	31
TOTAL	2·40	1·20	2·16	3·96	2·69	1·00	3·83	1·58	1·42	1·26	·64	2·68	YEAR'S TOTAL 24·82
Days with ·01 in. or more	17 5	11 6	15 6	24 2	15 6	7 4	24 9	7 1	10 2	7 1	4 3	23 6	81 168
Days with ·04 in. or more	12	5	9	22	9	3	15	6	8	6	5	17	117

Sample

3425 —

COXWOLD, THE OLD HALL

1915 – ~~30~~ 1920

1928

...15

FORM A.
BRITISH RAINFALL.

1916

Kept at Cox

in the County of

by Herber

...ong.

9 am

...on Coxwold

Rain Gauge .... in.

...above Ground 1 ft. 6 in.

„ Sea Level .... ft.

IMPORTANT ... and the result entered to the previous day. If ... universal rule, he is earnestly requested to add th... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·31	·03	·01	·07	–	·85	·60	·11	–	·18	·10	1
2	–	·13	·25	·15	–	–	·10	·57	–	–	·04	–	2
3	·68	–	·13	·16	–	–	·30	·32	–	–	·15	·40	3
4	·12	–	–	–	–	–	·75	–	–	–	·03	·80	4
5	·23	·12	·03	–	·50	–	–	–	–	–	·03	·87	5
6	·08	·47	–	·17	–	·05	·78	·23	–	·05	–	·10	6
7	·40	·52	·12	–	–	–	·26	·24	·03	–	–	–	7
8	·05	·06	–	–	–	–	·11	–	–	–	·05	–	8
9	–	–	–	–	–	–	–	·04	–	·04	–	·45	9
10	·24	·03	–	–	–	–	–	·12	–	–	–	·16	10
11	–	·14	·08	·06	·70	–	–	–	–	–	–	–	11
12	·15	–	–	–	·04	–	·12	·02	–	·47	1·17	–	12
13	–	·33	–	–	–	–	–	–	–	–	–	–	13
14	·03	·12	–	–	–	–	·05	–	–	·03	–	·18	14
15	·34	–	–	–	–	–	·50	·04	–	–	Snow ·09	·21	15
16	·09	·35	–	–	·07	–	·90	–	–	–	–	·03	16
17	·04	·13	–	–	–	–	·07	–	–	·04	·13	·09	17
18	·11	·13	–	–	–	–	–	–	–	·02	–	–	18
19	–	–	snow ·38	–	–	–	·16	–	–	–	–	–	19
20	·08	–	–	–	–	–	–	–	–	·02	–	·59	20
21	·22	·03	–	–	–	–	–	–	–	–	–	·10	21
22	–	–	·08	·12	–	–	·10	·05	–	–	–	·17	22
23	·16	–	·03	–	–	–	–	–	·04	–	–	·05	23
24	–	–	·08	–	–	–	·17	–	·30	·05	–	·15	24
25	·02	–		–	–	·07	–	–	–	–	–	·03	25
26	·01	·25		–	–	·14	·14	–	–	–	·05	·35	26
27	·01	Snow ·11	Snow	–	–	–	·47	–	–	·35	–	·20	27
28	·01	Snow ·10	·08	–	·05	–	–	·25	–	·31	–	·03	28
29	·02		–	–	·40	–	·07	–	·10	–	·25	·41	29
30	·14	╳	–	·21	–	–	·03	·12	–	–	–	–	30
31	·15	╳	–	╳	–	╳	·07	·37	╳	–	╳	·19	31
Total	3·65	3·33	1·29	·88	1·83	·26	6·00	2·97	·58	1·38	2·17	5·66	YEAR'S TOTAL 30·00
Rain Days.	24	17	11	7	7	3	20	13	5	10	11	22	150

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

Kept at Coxwold

in the County of Yorks

by Herbert Geipel

Lat. ______ Long. ______

Time of Observation 9 am

Nearest Railway Station Coxwold

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·31	·03	·01	·07	-	·85	·60	·11	-	·18	·10	1
2	-	·13	·25	·15	-	-	·10	·57	-	-	·04	-	2
3	·68	-	·13	·16	-	-	·30	·32	-	-	·15	·40	3
4	·12	-	-	-	-	-	·75	-	-	-	·03	·80	4
5	·23	·12	·03	-	·50	-	-	-	-	-	·03	·87	5
6	·08	·47	-	·17	-	·05	·78	·23	-	·05	-	·10	6
7	·40	·52	·12	-	-	-	·26	·24	·03	-	-	-	7
8	·05	·06	-	-	-	-	·11	-	-	-	·05	-	8
9	-	-	-	-	-	-	-	·04	-	·04	-	·45	9
10	·24	·03	-	-	-	-	-	·12	-	-	-	·16	10
11	-	·14	·08	·06	·70	-	-	-	-	-	-	-	11
12	·15	-	-	-	·04	-	·12	·02	-	·47	1·17	-	12
13	-	·33	-	-	-	-	-	-	-	-	-	-	13
14	·03	·12	-	-	-	-	·05	-	-	·03	-	·18	14
15	·34	-	-	-	-	-	·50	·04	-	-	Snow ·09	·21	15
16	·09	·35	-	-	·07	-	·90	-	-	-	-	·03	16
17	·04	·13	-	-	-	-	·07	-	-	·04	·13	·09	17
18	·11	·13	-	-	-	-	-	-	-	·02	-	-	18
19	-	-	snow ·38	-	-	-	·16	-	-	-	-	-	19
20	·08	-	-	-	-	-	-	-	-	·02	-	·59	20
21	·22	·03	-	-	-	-	-	-	-	-	-	·10	21
22	-	-	·08	·12	-	-	·10	·05	-	-	-	·17	22
23	·16	-	·03	-	-	-	-	-	·04	-	-	·05	23
24	-	-	·08	-	-		·17	-	·30	·05	-	·15	24
25	·02	-		-	-	·07	-	-	-	-	-	·03	25
26	·01	·25		-	-	·14	·14	-	-	-	·05	·35	26
27	·01	Snow ·11	Snow	-	-	-	·47	-	-	·35	-	·20	27
28	·01	Snow ·10	·08	-	·05	-	-	·25	-	·31	-	·03	28
29	·02		-	-	·40	-	·07	-	·10	-	·25	·41	29
30	·14	✕	-	·21	-	-	·03	·12	-	-	-	-	30
31	·15	✕	-	✕	-	✕	·07	·37	✕	-	✕	·19	31
Total	3·65	3·33	1·29	·88	1·83	·26	6·00	2·97	·58	1·38	2·17	5·66	YEAR'S TOTAL 30·00
Rain Days.	24	17	11	7	7	3	20	13	5	10	11	22	150

W. 8,000. X. 15.

3566

FORM A.
BRITISH RAINFALL.
11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Old Hall, Coxwold

in the County of Yorks NR

by Herbert Geipel

Lat. Long. Same as last year

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	~~April.~~ May	~~May.~~ April	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21		·02				·16				·09		1
2	·03	·06	·04										2
3		·08	·16		·06		·17		·09	·18	·15		3
4		·24	·05		·02	·56			·14	·35	·36		4
5	·02	·05	·07	·63		·41				·54	·02		5
6		·28	·27	·34	·07		·11			~~·06~~	·32		6
7		·07	·16	·13		·09	·17			·06		·15	7
8		·02	·20	·05		·05					·03		8
9	·01		·04	·30		·14						·38	9
10	·03	·02				·05	·15			·14		·04	10
11	·04	·28	·30		·20	·10	·15			·02	·02	·06	11
12			·19	·68		·07	·72					·05	12
13		·03	·11	·06			·19	·45		·61		·03	13
14		·23	·04	·14				·14		·05		·07	14
15		·13	·61					·71					15
16		·09	·13		·09		·09	·13				·03	16
17	·03			-	·28		·15			·15			17
18		·27			·18			·04	·65	·05	·85		18
19	·04		·08		·06				·03		·05		19
20	·07		·28		·32	·04	·06	·02			·07	Snow ·02	20
21	·04	·05	·05	·10	·07								21
22		·10	·03		·05	·10				·19			22
23		·02	·06		·05	·08					·14	·22	23
24		·04			·04	·46		·22		·05		·11	24
25			·10					·02		·16	·16		25
26	·04	·22	·05			·03							26
27		·35	·05					·06		·24			27
28		·13		·05				·08		·06		·26	28
29		·28				·09				·16		·05	29
30		✕		·30						·27			30
31		✕		✕		✕			✕	·09	✕		31
Total	·56	3·04	3·09	May 2·78	April 1·49	2·27	2·12	1·87	·91	3·37	2·26 2·28	1·47	YEAR'S TOTAL 25·23 25·23
Rain Days.	11	22	23	11	13	14	11	10	4	18 ~~19~~	12	13	162

W. 8,000, VIII. 16

Eng 3421

FORM A.
BRITISH RAINFALL.
24. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Old Hall, Coxwold

in the County of York

by Herbert Geipel

Lat. Long.

Time of Observation As last year

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·18		·07		·24	·38		·13	·12	1
2	·18			·20		·10		·04					2
3								·07		·03			3
4											·03		4
5	·15		·22	·28							·03		5
6								·02			·13		6
7	·69					·09				·70		·15	7
8	·73			·10				1·68		·34	·05		8
9	·10			·05				·50			·60		9
10			·83	·22				·10		·13	·25		10
11	·35			·04	·09			·04		·30			11
12	·60			·08	·14			·45		·50			12
13	·26			·08	·30			·51	·14	·06		·13	13
14	·07			·11	·09			·80					14
15	·25			·09			·20					(Snow) ·20	15
16	·03			·25				·12				(Snow) ·42	16
17	·05		·03	·19	·24			·38				(Snow) 43	17
18	·09			·04	·07		·57	·07	·12				18
19	·10	·15			·12	·21							19
20			·14						·05		·43		20
21	·05	·13	·23					·12					21
22			·17			·11		·06		·07			22
23	·15	·03			·08	·16	·10	·21				·03	23
24						·05		·07		·23	·07		24
25			·06					·05		·17		Snow ·06	25
26		·06	·16			·07		·58	·10	·25	·24		26
27			·04			·09	·26	·55					27
28			·07				·21	·45		·08		·13	28
29			·05				·07			·35	·02		29
30	·09	✕					·02			·03	·04	·08	30
31		✕		✕		✕	·03		✕		✕		31
Total	3·84 ✓	·37 ✓	2·00 ✓	1·91 ✓	1·13 ✓	·95 ✓	1·46 ✓	7·11 ✓	·79 ✓	3·24 ✓	2·02 ✓	1·75 ✓	YEAR'S TOTAL ~~28·21~~ 26·57
Rain Days	17 ✓	4 ✓	11 ✓	14 ✓	8 ✓	9 ✓	8 ✓	22 ✓	5 ✓	14 ✓	12 ✓	10 ✓	134 ✓

W. 8,000, IX. 17.

Exd 9.4.19

19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8. I. 19

Kept at The Old Hall, Coxwold

in the County of York N

by H Geipel

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Coxwold

Diameter of Funnel of Rain Gauge as last in.

Height of top of Gauge above Ground as last ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·04	·03					·30	·08	·28	·09	1
2	·02	·24		·09					·14			·20	2
3	·04	·05	·03		·20			·04		·04	·24		3
4					·14			·23	·23		·20	·30	4
5				·04	·26			·80			·03		5
6		·37		·43		·37		·15	·06	·10		·03	6
7		·04		·04		·08				·12	·25		7
8		·06	·10				·12	·02	·10				8
9	·16	·50				·09			·81	·40		·05	9
10							·15		·04			·05	10
11	·19	·03	·06		·20		·12	·04					11
12		·15	·12		·12		·70	·05	·10	·08			12
13				·06	·06				·35	·16			13
14	·19			·10	~~70~~		·07		·23	·03		·15	14
15					·02		·37		·65			·65	15
16						·40	·24	·09				·50	16
17					·24	·29	·38	·19	·23	·14		·10	17
18	·75		·05	·05	~~·05~~	·04	·19		·50				18
19	·32		·08				·32	·14	·02	·06		·08	19
20	·17	·56		·19	~~79~~	·10	·13		·10	·02			20
21	·21	·03			1·58	·03	·05		·11				21
22	·02					·05	·04					·41	22
23	·07				·62		·20		·08				23
24		·07						·09	·22	·03			24
25			·02				·08	·20	·04			·10	25
26							·15	·02	·32 ~~·04~~		·15		26
27		·09						·35	·22	·05	·20	·10	27
28		·25	·39								·08	·39	28
29			·9					·05	·37		·03	·14	29
30		X	·21						·18		·11	·34	30
31		X	·15	X		X			X		X	·15	31
Total	2·14	2·50	1·34	1·03	3·44	1·45	3·31	2·46	5·40	1·31	1·57	3·83	YEAR'S TOTAL 29·78
Rain Days.	11	14	12	9	10	9	16	15	23	13	10	18	160

W. 8,000, IX. 17.

3246

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

23 1 20

Kept at The Old Hall, Coxwold
in the County of York
by Herbert Geipel

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Coxwold
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground as previous ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27				·29		·28		·32	·10		·04	1
2	·08	·05					·50				·11	~~12~~	2
3	·82										·17	·12	3
4	·05	·08	·20		·18			·09			·11		4
5	·15					·16					·05		5
6	·07		·27								·05	·12	6
7			·08		·08							·07	7
8	·11				·12	·05					·16		8
9			·05			·03				·04	·16		9
10	·02		·07	·21						·10	·17	·24	10
11			·81		·13		·25			·03			11
12	~~14~~		·28			·11				·25	·05		12
13	·14		·06				·09			·12			13
14	·30			·36				·08					14
15	·04	·20	·10	·17								1·05	15
16		·22		·03		·08							16
17											·25		17
18							·05	·30				·02	18
19	·05	·26	·57				·58	·16			·15	·04	19
20	·60	·12					·19		Snow ·27			·21	20
21	·36	·23	·05			·04			·13		·07		21
22		·10					·18					·30	22
23						·24	·03			·60	·05		23
24				·07		·15				·38	·05		24
25	·09			·13				·43			·23		25
26		·05	·18	·02				·80		·32		·68	26
27	·08			Snow ·29		·04				1·12			27
28	·16			·25				·53		·34		·32	28
29	·20					·05				·90		·17	29
30	·03	X		·24		·15				·16	·15	·32	30
31		X	·05	X		X	·24		X	·08	X	·08	31
TOTAL	3.62	1.31	2.77	1.77	.80	1.10	2.39	2.39	.72	4.54	1.98	3.78	YEAR'S TOTAL 27.17
Days with ·01 in. or more	19	9	13	10	5	11	10	7	3	14	16	15	132

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at The Old Hall Coxwold
in the County of Yorks
by Herbert Geipel

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Coxwold
Diameter of Funnel of Rain Gauge as previous
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·31	·45	·06	·46			·18			1
2				·06			·41		·15	·22		·38	2
3		·03	·11						·25	·60		·13	3
4	·05						·59	·21	·05	1·20		·80	4
5					·16		·17	·95				·03	5
6				·15	·07		·08	·05				·06	6
7	·04		·16				·27						7
8				·22	·07		·17	·15					8
9		·12		·26			·13	·07					9
10	1.00		·05	·12			·17						10
11	·36			·18	·10						·11		11
12	·04		·13	·27									12
13	·08		·10	·10								Snow ·75	13
14			·46	·21				·19	·35		·34		14
15		·22	·41	·45			·14				·05		15
16							·65		·09	·25	·02		16
17					·20	·90			·12				17
18	·20			·09	·08		·03		·10	·03			18
19		·35		·30					·10				19
20	·13			·15									20
21				·21			·32	·37					21
22	·05			·25			·10						22
23			·03				·25					·25	23
24			·35	21			·04					·05	24
25	·07	·07	·18				·55						25
26			·27										26
27	1·27 Snow	·07		·15	·23	·67				~~48~~	·48		27
28	·70			·13	·06							·12	28
29	·12		·15		·80	·18	·22			~~14~~	·14		29
30	·13	✕			·07				·20	~~24~~	·24	·41	30
31	·13	✕		✕		✕			✕		✕	·12	31
TOTAL	3·37	·86	2·40	3·82	2·29	1·81	4·75	1·99	1·41	2·48	1·38	3·10	YEAR'S TOTAL 29·86
Days with ·01 in. or more	15	6	12	19	11	4	18	7	9	6	7	11	~~125~~
Days with ·04 in. or more	15	5	11	19	11	4	17	7	9	5	6	10	119

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI

DALTON PARSONAGE

YORKS

1911 - 1920

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at Dalton Parso

in the County of NR York

by (Revd) G H Chilman

...in.

...ound One ft. — in.

Level 87 ft.

...he SESSAY N.E.R

...ance 1 mile Direction ESE

IMPORTANT NOTE.— ... e result entered to the previous day. If an Obser... al rule, he is earnestly requested to add the reading ... in the space provided for it at the end of this pa... of rain, the selection and placing o... Rainfall Organization are given in "R... ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-				01		06	03					1
2	·39				14		09			02		04	2
3	·01				10					12	01		3
4			07	·38				15	01	01	16	23	4
5	·06		03		03			46		04	01		5
6	·11		06					14			13	55	6
7			02								04		7
8			15			02			02		01	46	8
9			01	03							01	04	9
10											01	35	10
11	·11		03								15		11
12	·16		05		02	02			07	01	27	01	12
13		·02	19		03				·64		02	45	13
14			14		13						02	45	14
15		·01	09								15	18	15
16	·01		15			03	·21			01	13	09	16
17			03			09	02				07	06	17
18		·05	03	01		15					13	07	18
19			01			04	11		08	06	38	07	19
20		·09		05			05	1·25	05		01	15	20
21	·01	·23		01				·53		11	05	01	21
22	·12							18		12	03		22
23	·02					1·01			26	03		23	23
24		·13	01			·72		01		17		06	24
25		·03		03		·36	01		38	02		10	25
26				04	05		03	02		·73	23	12	26
27			01	04	01			19	19	·03		04	27
28		·04	01	20		·01		05		04	01	12	28
29				14			03	05	40	34	01	01	29
30					08				07	08		01	30
31					02					·10		05	31
Total	1·00	·60	1·09	·93	·62	2·45	·61	3·06	2·17	2·04	2·04	3·95	TOTAL for year 20·56
No. of Rain Days	10	8	18	10	11	10	9	12	11	18	23	25	165

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at Dalton Parsonage

in the County of NR York 2 (North Riding Yorkshire)

by (Revd) G.H. Chilman

RAIN GAUGE
Pattern
Diameter of top five in.
Height of top above Ground One ft. – in.
" " " Sea Level 87 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name SESSAY N.E.R
Distance 1 mile Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-				01		06	03					1
2	·39				14		09			02		04	2
3	·01				10					12	01		3
4			07	·38				15	01	01	16	23	4
5	·06		03		03			46		04	01		5
6	·11		06					14			13	55	6
7			02								04		7
8			15			02			02		01	46	8
9			01	03							01	04	9
10											01	35	10
11	·11		03								15		11
12	·16		05		02	02			07	01	27	01	12
13		·02	19		03				·64		02	45	13
14			14		13						04	45	14
15		·01	09								15	18	15
16	·01		15			03	·21			01	13	09	16
17			03			09	02				07	06	17
18		·05	03	01		15					13	07	18
19			01			04	11		08	06	38	07	19
20		·09		05			05	125	05		01	15	20
21	·01	·23		01				·53		11	05	01	21
22	·12							18		12	03		22
23	·02					1·01			26	03		23	23
24		·13	01			·72		01		17		06	24
25		·03		03		·36	01		38	02		10	25
26				04	05		03	02		·73	23	12	26
27			01	04	01			19	19	·03		04	27
28		·04	01	20		·01		05		04	01	12	28
29				14			03	05	40	34	01	01	29
30					08				07	08		01	30
31					02					·10		05	31
Total	1·00	·60	1·09	·93	·62	2·45	·61	3·06	2·17	2·04	2·04	3·95	TOTAL for year 20·56
No. of Rain Days	10	8	18	10	11	10	9	12	11	18	23	25	165

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Dalton Parsonage (Thirsk)

in the County of York N 2

by Revd G H Chilman

Rain Gauge
Pattern
Diameter of top five in.
Height of top above Ground one ft. in.
" " " Sea Level 87 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name SESSAY N.E.R.
Distance 1 mile Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·80	06			25	06	19	21	01		15	1
2	·01	·08	18			50	43		05	03			2
3	·13	·08	01		02	77		33	14	02		17	3
4	·35		46		04	52		31	02		45		4
5					19	08					01		5
6	·48	·34				16		26				02	6
7		·05			03			01	14			01	7
8	·44	·18	14			08			12	02	24		8
9		·04	06	·03		59	03		02		03		9
10	·05				02	36				01	20	03	10
11	·14	·01				03		20			20	15	11
12	·04	·02	03			09	88				40	02	12
13		·02				11				12	45	01	13
14	·18		44			20		01			01	03	14
15	·06	·01	17			15					01	03	15
16	·56		15		52	06				08		05	16
17		·04	23			22	02	15			01	06	17
18	·12	·02					03	40		02			18
19		·23					11	44		12	01		19
20	·40				28	13	02			09	01		20
21			29		06		02			14	02		21
22	·02	·09			57	40		30		01		01	22
23	·01		15		06		21	32		01	08		23
24	·12					12	11	04			01	14	24
25	·06		04			48		07		01	11	12	25
26		03					32	10		87	07	12	26
27			03			25	16	01		01	02	10	27
28					05	01	17	57		27	15		28
29						06	07		·60	04	.	05	29
30	·06		11		21				·22	07	.		30
31	~~3·28~~		06	—	02	—	50	39	—	01	—		31
Total	3·23	2·04	2·61	03	2·07	5·62	3·14	4·10	1·52	1·96	2·49	1·27	TOTAL for year 30·08
No. of Rain Days.	18	16	17	1	13	23	16	18	9	20	20	18	189

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Dalton Parsonage Thirsk
in the County of York
by Revd G H Chilmen

N 2

Lat. 54°11' Long. 1°20' W.
Time of Observation 9 am.
Nearest Railway Station Sessay N.E.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03		09	21							04		1
2			07	06		09					06		2
3	01	04			18				01	28			3
4	42	04				01	14		02	04	11	·54	4
5	18	04			22	08	03	05		20	01		5
6	01	12	12		20	17	31				02		6
7		29		01	08	16				32	01		7
8		02	03		46	04			04	31	04		8
9		06		04	07			01			16		9
10		13	02		01						24		10
11	66	01		51	04					01	07		11
12	06								03		24		12
13	08			06					16	03	06		13
14	05	05	12	01			11	05		06			14
15	21	02	27	22							22		15
16	01			03			02				02		16
17			17	01		16	03	03	13		07		17
18	01		27	14						01	06		18
19	15		07		01				22				19
20	03		07	03					03	08	10		20
21	01		01		10		05	10	01				21
22	12		27		05			33	08	01	01		22
23	08		01			07	01	02	08		03		23
24	07			04		30		12		01	01		24
25	01			02					21	02	02		25
26		02	03	23		02			08	22	12	20	26
27			01	34		11				01	01		27
28	31		16	34						01		26	28
29	01		24	52	05			03			02	51	29
30	23		01							56		01	30
31	06			~	02	~			~		~		31
Total	2·81	·84	2·04	2·82	1·49	1·21	·70	·74	1·10	2·18	1·75	1·52	YEAR'S TOTAL 19·20
Rain Days.	23	12	19	18	13	11	8	9	13	17	24	5	172

W. 7,500, XI. ·12

Entered

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

NR 2

Kept at Dalton Parsonage Thirsk
in the County of York
by Revd G H Chelman

Lat. 54° 11'   Long. 1° 20' W
Time of Observation 9 am
Nearest Railway Station SESSAY N.E.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 179 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								50			03	12	1
2							1·41	30		03	23	13	2
3	01		04		·23		·55	03			08	45	3
4			03	14	09						10	54	4
5	01	01	07	~~06~~ ·06	05		02			01	11	01	5
6		03		02	10						04	05	6
7		02			06	31					12	11	7
8	36			03	16	12		04				01	8
9	37	02		22		48		03			04	05	9
10	16	11							09		05		10
11		03	17		07				04		15	13	11
12		01	01						12		06	24	12
13		07	20								05	23	13
14		10	03				07				20	19	14
15	02	04	05				02		02		23	08	15
16			07			as 1·23	1·23		44		05		16
17	07	11	03				02		34			07	17
18	02		05						02		01	11	18
19							01				02	08	19
20		12	20										20
21		34	03							03		04	21
22					06			06		03		09	22
23			01	01	42						01	06	23
24			04	03	33	47		19			28		24
25		03	05					14		61	02	37	25
26			20				13	03		32	17	25	26
27	03		01							07	19	55	27
28		01	01							09	05	10	28
29			11					16		13	05		29
30			07					03		03	19	15	30
31	12						40	06		24			31
Total	1·17	1·05	1·48	·51	1·57	1·38	3·86	1·57	1·07	1·59	2·53	4·21	YEAR'S TOTAL 21·99 ✓
Rain Days.	10	15	21	7	10	4	10	12	7	11	25	25	157

W.7,000, XI. 13

3637

FORM A.
BRITISH RAINFALL.

JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Dalton Parsonage
Thirsk
in the County of York
by Revd G. H. Chilman

N 2

Lat. 54·11 Long. 1°20′ W
Time of Observation 9 am
Nearest Railway Station SESSAY NER.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·24					·46	29	·32		·06	05	1
2		·10	·14	13			·10	20	—				2
3	·48	·01	·09	08		01	·22	06			·06	·55	3
4	·13						·48	10			·02	·31	4
5	·16	·18			02							·82	5
6	·11	·24	·03	11			75		·06	·23		03	6
7	·29	·47	·04				·38	30				02	7
8	·03	·02					·03	02			·04		8
9	·02	·02					·02			·02		34	9
10	·14		·06					35				20	10
11		·12	·02		55						01	05	11
12	·10	·04	·01	27			·10			·12	·42		12
13		·13	·01							·02		02	13
14	·06	·06			02		·05			·01	·57 (Snow)	02	14
15	·38						·13	25		·05		04	15
16		·27	01		05		·51	04				20	16
17	·06	·11	~~·16~~				·01			·01		01	17
18			·16							·04	·01	06	18
19			·09				·05						19
20										·03		50	20
21	·20	·04		03			·01	01				06	21
22			·06				·08					14	22
23	·30	·04	·01	02			·55			·02		01	23
24	·02		04	01					·45			09	24
25						09				·01		05	25
26	·02	·11	·02			18	·22				03	47	26
27		·10	·02			01	·04			·42		·05	27
28	·01	·07	·01		23			24		·07		·01	28
29					17	01			02		·19	31	29
30	·10	X		11							·02		30
31	·10	X		X		X	·08	36	X		X	25	31
Total	2·94	2·37	·82	·76	1·04	·30	4·27	2·22	·85	1·05	1·43	4·66	YEAR'S TOTAL 22·71
Rain Days.	20	19	17	8	6	5	20	12	4	13	11	26	161 days

Apl–Jun very dry & Sept. very dry

W. 8,000. X. 14.

Esc Dal 3564

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Dalton Parsonage Thirsk

in the County of York NR

by Revd G. H. Chilman

Lat. 54'11 Long. 1°20' W

Time of Observation 9 am

Nearest Railway Station Sessay NER

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct. 9 a.m. Sun time	Nov.	Dec.	*Date.*
1	·15		·05				·16				06		1
2	·02	·03	·03			·01			·14	09	07		2
3		·09	·05	·05			·32		1·53	07	09		3
4		·16			·59	·40	·01			22	30		4
5		·04	·06	·01	·34	·48				54	12		5
6		·28	·06	·12	·35	·01	·14			03	27		6
7		·08	·02	·01	·08	·05	·17			03		15	7
8		·04	·09		·18	·09					01	02	8
9					·17	·10			05			18	9
10	·10	·04				·03	·05			07	01	03	10
11		·32	·13	·08		·09	·09		04			07	11
12			·10		·36	·06	·80					06	12
13			18		·04		·60	·27		65	01	11	13
14		·21	·01		·06			·08		02	01	12	14
15		·19	43				·03	·30					15
16		·07	·10	·05			·11	·12		01		02	16
17			·01	18				·02	20	19			17
18		23		·11				·06	16	05	45	13	18
19	·04	·01	·07	·14				·01	03		34		19
20	·09		17	·09			06	·02			04	07	20
21	·03				"10am Summer time" till Sept: 30th						01		21
22		·03		·10	·06	·09				13			22
23			·07	·04		·01		·01		02	11	18	23
24						·11		·29		09		06	24
25			22		·02	·02		·25	01		03		25
26	·03	·01	·05							13			26
27		·25						·03		27		01	27
28		·05			·11					05		18	28
29		·16				·11				15		05	29
30		×			·29	·01				23			30
31		×		×	-	×			×	18	×		31
Total	·46	2·29	1·90	·98	2·65	1·67	2·54	1·46	2·16	3·22	1·93	1·44	YEAR'S TOTAL 22·70
Rain Days.	7	19	19	12	13	16	12	12	8	21	16	16	171

W. 8,000. X. 15.

3419

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

3 JAN 1918

Kept at Dalton Parsonage

in the County of York

by Rev^d G. H. Chilman

Lat. 54° 11′ Long. 1° 20′ W

Time of Observation 9 am

Nearest Railway Station SESSAY N.E.R.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		02		23		12		·29	16		13	04	1
2						03		·08			01		2
3				01		01		·02		01	02		3
4										13			4
5	10			25							02	01	5
6			12			31				12	07		6
7	46							·01		38		14	7
8	34			07				1·69		27	04		8
9			03	07				·42		02	28	05	9
10				14	06			·12		11	04		10
11	29		67	01				·24		21			11
12	28			04	15			·14		79		04	12
13	16			06	40	16		·34	07			09	13
14	08			04				·15				02	14
15				11			14	·01				25	15
16	07	03		17				·09				14	16
17	01	02		20	17			·29		05		25	17
18				03	04		46	·06	08			07	18
19	06				11		03						19
20	03	30	16			13		·03	02		·36	01	20
21	08	12	23			45		·07		01	02		21
22	01		08			08		·06		02			22
23					04	07	03	·04			03		23
24		04				01		·02		25	06		24
25								·04		21		02	25
26			14			17		1·10	03	21	02	07	26
27		03	04			10	20	·42		01		01	27
28			07				19	48		01			28
29			04				11			·43			29
30	03		06							01	05		30
31	03		08				01	15				02	31
Total	2·00	·56	1·72	1·43	97	1·64	1·17	6·36	·36	3·25	1·15	1·23	YEAR'S TOTAL 21·84 21·84
Rain Days.	14	7	12	14	7	12	8	25	5	19	14	16	153

W. 8,000, VIII. 16

Exd. Cfe.

17

FORM A.
BRITISH RAINFALL.
2 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Dalton Parsonage

in the County of York N R.

by Revd G. H. Chilman

Lat. 54 11 Long. 1·20 W

Time of Observation 9 am

Nearest Railway Station Sessay NER

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground One ft. in.

" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	05	02		01				·14	·10	·24		1
2	03	19							·07			·16	2
3		07		02	24					·04	·15		3
4	02	01	01		19		·03	·43	·25	·02	·17	·28	4
5				02	28			70		·04	·02		5
6		36		36		35		·17		·07		·03	6
7	03	04		13		03			·17	·15	·26		7
8	16	06	05	04			·16	·02	·04	·04			8
9		52	01	19		06			·71	·35	·06	·07	9
10		01	01				·46		·04		·05	·03	10
11	09	01	09		16		·23	·02	·03			·05	11
12		15	11		11		·40		·10	·04		·01	12
13				03	19				·22	·18			13
14	24			22		02	·08		32			·06	14
15	02						·40		·80			·75	15
16	02				02	23	·31	·07	·19			·24	16
17	31				1·10	14	·22	·11	·04	·13		·25	17
18	45		·03				·08		·60			·07	18
19	22		06	13			·35	·14	·04	·07		·02	19
20	15	56		07		09	·09		·05	01			20
21	16	02			54	01	·01		·13	·19			21
22				03			03		·04			·30	22
23					26		24						23
24		03					09	·04	·27		·02		24
25							03	·26	·03			·02	25
26		05					29		·26		·19	·10	26
27		10	04					·40	·29		·20	·04	27
28		10	22			02					·05	·44	28
29			08					·02	·22		·01	·12	29
30			17						·11		·04	·23	30
31			16									·07	31
Total	1·92	2·33	1·06	1·24	3·10	·95	3·50	2·38	5·16	1·43	1·46	3·34	YEAR'S TOTAL 27·87
Rain Days.	14	17	14	11	11	9	18	12	25	14	13	21	179

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Dalton Parsonage Thirsk
in the County of York
by Revd G H Chelmyan

Lat. 54°11. N Long. 1°20' W
Time of Observation 9 am
Nearest Railway Station Sessay N.E.R.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·01			30		26		19	08	03	05	1
2							39		02		03	01	2
3	·47				12	10					08	16	3
4	·24	·08 (snow)	32		09	06		11	44		10		4
5	·19	·01	01								01	12	5
6			10		02					01	03	06	6
7			04		15							02	7
8	·11				06						28		8
9	·05					03					09	01	9
10			07	10	09					07	14	22	10
11	·01		75		13		30						11
12			09			06	10		02	22		05	12
13	·11		02	12			08	08		12		01	13
14	·25			34				04			18	04	14
15	·05	·14		43						02		69	15
16		·17		04	03						10	01	16
17		01		03							11	01	17
18			11					38	02			03	18
19		20	49		01	01	69	05	10		13	04	19
20	72	08				09	25					16	20
21	18	16	03				02		09		05	11	21
22		17				·01	04					18	22
23			01	04		04				82	02	05	23
24			01	04	02	31				27		02	24
25	·05	07	19			02		44			12		25
26						01		36		24	27	54	26
27	15			26					01	82	03		27
28	·05			11				78		30		27	28
29	06					01				44		18	29
30				29		18				06	12	28	30
31							05			04		04	31
Total	2·9[illegible]	1·10	2·24	1·80	1·02	·93	2·18	2·24	·89	3·51	1·92	3·36	YEAR'S TOTAL 24·16
Rain Days.	16	11	14	11	11	13	10	8	8	14	19	26	161

W, 6,500, VII. 18. W W C

E X M L

3119

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dalton Parsonage Thirsk

in the County of York

by Revd G. Howard Chilman

Lat. 50° 11 N Long. 1°20' W

Time of Observation 9 am

Nearest Railway Station Sessay NER

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			12	27	39	04	53	-		21		01	1
2			04	03			02	-	12	09		35	2
3		02		03			05	14	22	37		36	3
4	02			03	11		57	79	12	80		34	4
5					05		19	02		02			5
6			10	09	03		05					05	6
7	01	01	07				25						7
8				26	03		13	24			07		8
9	30	08		41				06	02				9
10	77	04	05	22			15	02					10
11	30		04	15	11							12	11
12	0.9			20					07			11	12
13	08		10	08		01					12	16	13
14		07	31	14			07		25		19	01	14
15		16	10	21			01			99	04		15
16					01		57		07	01	02		16
17	01				20			12	17				17
18	24			07	12		03		07				18
19		32		10				04					19
20	07	03		12		17	05		02				20
21				20			33	27				01	21
22	07			13			03		02				22
23	04		03	08			23					21	23
24			34	04			04					05	24
25		06		03			49						25
26	02	03	22	05			04					02	26
27	27			02	27	43	—				32		27
28	69		06	03	19		08					08	28
29	13		10		56		09				12	47	29
30	14	×	03	02	03	41	—		·10		18	31	30
31	04	×		×	12	×	02		×	07	×	01	31
TOTAL	3·29	·82	1·71	3·01	2·22	1·06	4·02	1·70	1·25	2·56	1·06	2·67	YEAR'S TOTAL 25·37
Days with ·01 in. or more	18	10	15	25	14	5	23	9	12	8	8	17	164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

14 6 13 18 10 4 18 7 9 6 7 12 124

(DALTON ON ~~ON~~ TEES)
CROFT
YORKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Dalton
in the County of NR Y
by William

in.
und 2 ft. – in.
Level 170 ft.
9 am
me Croft Spa
tance 1½ Direction North

IMPORTANT N result entered to the previous day. If an al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					01			14					1
2	25				20		08			03		04	2
3			13	02	13		01	01		14	03		3
4	05		07	25	01			25		08	13	19	4
5	02		06	02				30		02	09		5
6	14		03	07				14		05	01	58	6
7	01			01							05		7
8			31			02					15	35	8
9				02								17	9
10	01	08										37	10
11	31		01					03	10		25	01	11
12	25		01		03	03			79		15		12
13		01	14							01	03	43	13
14			24	[illegible]	60					01	01	39	14
15			31	05						02	15	23	15
16	01		40	06		09	12					07	16
17			05			29	01				35	11	17
18		10	04			01					36	26	18
19				01		08		07	08	11	82	11	19
20		04					15	27			08	13	20
21	01							1-14		06	16	01	21
22	18	24						07			29		22
23	03	16				1-06			08	01		11	23
24		02	02			1-00				13		04	24
25		13	01			20			32	13	06	22	25
26					07			05	05	1-20	63	11	26
27		04	01	05	08			25	07	04	02	02	27
28		03	01	25				02				09	28
29			01	13		02	06	01	49	26	01	02	29
30			02		28				08	09	01	01	30
31					12					02		01	31
~~Total~~	1-27	85	1-88	94	1-53	2.80	43	2.75	2.06	2.41	3.84	4.08	TOTAL for year 24.84
No. of Rain Days.	12	10	19	12	10	10	6	14	9	18	22	25	167

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Dalton on Tees Croft

in the County of NR Yorkshire 6

by William Weather

RAIN GAUGE	Pattern	
	Diameter of top	8 in.
	Height of top above Ground	2 ft. – in.
	,, ,, ,, Sea Level	170 ft.

Time of Observation 9 am

Nearest Railway Station: Name Croft Spa; Distance 1½ Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					01			14					1
2	25				20		08			03		04	2
3			13	02	13		01	01		14	03		3
4	05		07	25	01			25		08	13	19	4
5	02		06	02				30		02	09		5
6	14		03	07				14		05	01	58	6
7	01			01							05		7
8			31			02					15	35	8
9				02								17	9
10	01	08										37	10
11	31		01					03	10		25	01	11
12	25		01		03	03			79		15		12
13		01	14							01	03	43	13
14			24	[illegible]	60					01	01	39	14
15			31	05						02	15	23	15
16	01		40	06		09	12					07	16
17			05			29	01				35	11	17
18		10	04			01					36	26	18
19				01		08		07	08	11	82	11	19
20		04					15	27			08	13	20
21	01							1-14		06	16	01	21
22	18	24						07			29		22
23	03	16				1-06			08	01		11	23
24		02	02			1-00				13		04	24
25		13	01			20			32	13	06	22	25
26					07			05	05	1-20	63	11	26
27		04	01	05	08			25	07	04	02	02	27
28		03	01	25				02				09	28
29			01	13		02	06	01	49	26	01	02	29
30			02		28				08	09	01	01	30
31					12					02		01	31
~~Total~~	1·27	·85	1-88	·94	1·53	2.80	·43	2.75	2.06	2.41	3.84	4.08	TOTAL for year 24.84
No. of Rain Days.	12	10	19	12	10	10	6	14	9	18	22	25	167

W. 8,000, X. '11.

Ex 28

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 JAN 1913

Kept at *Dalton on Tees Croft*

in the County of *Yorkshire* N6

by *William Wrather*

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Croft Spa

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	. .	.27	.15		. .	.54	.18	.79	.09	.04	. .	.09	1
2	. .	.07	.10		. .	.50	.20	.46	.03	.08	. .	. .	2
3	.16	.16	. .		. .	.61	.01	.73	.24	.02	. .	.19	3
4	.17	. .	.39		.02	.62	. .	.31	. .	. .	.08	. .	4
5	. .	. .	. .		.15	.17	. .	.01	. .	. .	. .	. .	5
6	.66	.13	. .		. .	.06	. .	.08	. .	. .	. .	. .	6
7	. .	.04	. .		.12	. .	. .	.02	.20	. .	.03	.01	7
8	.28	.10	.08	No Rain fell this month	. .	.03	. .	. .	.27	. .	.21	. .	8
9	. .	. .	.14		. .	.23	. .	. .	. .	. .	.02	. .	9
10	.03	. .	.02		. .	.57	. .	. .	. .	. .	.09	.02	10
11	.03	.09	. .		.01	. .	. .	.17	.02	. .	.24	.02	11
12	.05	.08	.04		. .	.06	1-13	. .	. .	.10	.29	.03	12
13	.01	.02	. .		. .	.08	. .	. .	.01	. .	.24	.01	13
14	.07	. .	.29		. .	.08	. .	.01	. .	. .	. .	.05	14
15	.07	.02	.28		.52	.02	. .	. .	. .	. .	. .	.14	15
16	.09	. .	.05		. .	. .	. .	. .	. .	. .	. .	. .	16
17	. .	.07	.21		. .	.29	. .	.21	. .	.05	. .	.09	17
18	.05	.03	. .		. .	.01	. .	. .	. .	.03	. .	. .	18
19	.09	.26	.03		. .	.01	.13	.23	. .	. .	. .	. .	19
20	.12	.03	. .		.61	.06	.31	.02	. .	.20	.02	. .	20
21	.01	. .	.11		.02	. .	.24	. .	. .	. .	. .	. .	21
22	. .	.07	. .		.52	.53	. .	.21	. .	. .	. .	. .	22
23	.01	. .	.05		.04	. .	.40	.36	. .	.17	.06	.01	23
24	.19	. .	. .		. .	.08	.20	.10	. .	. .	.07	.19	24
25	.29	. .	. .		. .	.41	.01	.45	. .	. .	.11	. .	25
26	.03	.12	.02		. .	.01	. .	.08	. .	.81	.11	.16	26
27	. .	. .	. .		. .	.34	.38	. .	. .	.25	.02	.21	27
28	. .	. .	. .		.05	.23	.22	.42	. .	.24	.17	. .	28
29	.03	. .	.15		. .	.14	.05	.03	.48	.04	. .	.03	29
30	.03	. .	.02		.19	.01	.05	.01	.33	.10	. .	. .	30
31	. .	. .	.13		.02	. .	.61	.21	. .	. .	. .	.03	31
Total	2-47	1-56	2-26	. .	2.27	5-89	4-12	4-91	1-67	2.13	1.76	1-28	YEAR'S TOTAL 30-32
Rain Days.	21	16	18	. .	12	25	15	21	9	13	15	16	181

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept ~~at~~ Dalton on Tees Croft. Darlington
in the County of Yorkshire N 6
by William Wrather

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Croft Spa
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.01	.09	.23					.04		.06		1
2	.05	.03	.14			.01				.02	.03		2
3	.01		.02		.22		.23		.02	.01			3
4	.45	.01			.01	.05	.08			.09		.36	4
5	.70	.02	.10			.11	.02	.21		.18			5
6	.01	.40	.18		.30	.10	.17				.07		6
7	.01	.20			.05	.08				.81		.02	7
8				.01	.55	.02			.04	.26	.07		8
9		.07		.04	.20	.03		.23			.03		9
10		.03	.04	.03	.07		.16				.25		10
11	.48			.54	.19						.05		11
12	.20				.01		.01		.17		.05		12
13				.02				.07	.08	.02	.05		13
14	.05	.10	.36	.03						.04			14
15	.27		.12	.08				.01			.08		15
16	.01		.05	.02							.02		16
17			.09			.02			.02		.04		17
18			.31	.14		.04					.07	.02	18
19	.13		.08						.61	.03	.02		19
20	.47		.07	.03					.57	.15	.33		20
21	.09		.06		.04			.11					21
22	.06		.52					.40	.07	.01	.01		22
23	.13		.01			.04	.01	.02	.07		.05		23
24	.15					.09					.01		24
25				.05		.06			.56	.02			25
26				.56					.39	.12	.13	.25	26
27				.27		.09				.02	.01	.18	27
28	.20		.21	.82	.05					.02		.31	28
29	.01		.27	.44	.03			.48		.02	(.02)	.25	29
30	.15				.08					.24		.10	30
31	.09		.03		.07								31
Total	3.73	.87	2.75	3.31	1.87	.68	.68	1.53	2.64	2.06	1.45	1.49	YEAR'S TOTAL 23.06
Rain Days.	22	9	19	16	14	12	7	8	12	17	21	8	165

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Dalton on Tees Croft
in the County of Yorkshire NR 6
by William Wrather

Lat. ________ Long. ________
Time of Observation 9 am
Nearest Railway Station Croft
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.02	-	-	-	-	.44	.09	-	.01	.01	.16	1
2	-	.01	-	.01	-	-	.54	.47	-	-	.28	.05	2
3	-	-	.02	-	.24	-	-	-	-	-	.02	.47	3
4	.02	.02	-	.13	.12	.02	-	-	-	-	.29	.26	4
5	.06	-	.04	.05	.02	.01	.01	-	-	.04	.24	.03	5
6	-	.02	-	.06	.02	-	-	.04	-	-	.02	.07	6
7	-	.04	.16	.02	.11	.23	-	.05	-	-	.01	.14	7
8	.32	-	.08	-	.09	.58	.09	.07	-	.05	.10	.03	8
9	.43	.04	-	.09	-	1.64	-	-	.05	-	.09	.07	9
10	.09	.13	.01	-	.02	-	-	-	.14	-	.03	-	10
11	-	.03	.15	-	.12	.08	-	-	-	-	.18	.06	11
12	.02	.10	-	-	-	.03	-	-	.03	-	-	.29	12
13	.05	.05	.13	-	-	-	.03	-	.01	-	.06	.20	13
14	.10	.22	-	-	-	-	.09	-	.04	.01	.15	.15	14
15	-	.03	.07	-	-	-	.14	-	.08	-	.24	.02	15
16	.12	-	.05	-	-	-	.90	-	.55	-	.04	.02	16
17	.05	.05	.03	-	-	-	.04	-	.77	-	-	.12	17
18	.02	.02	.03	-	-	.13	-	-	.08	-	.01	.07	18
19	-	-	-	-	-	-	.07	-	.06	-	.05	-	19
20	-	.06	.10	-	-	.12	-	-	-	.04	-	-	20
21	-	.22	.01	-	-	.70	-	-	-	-	.10	.08	21
22	-	-	-	-	.69	.02	-	.07	-	.02	.05	.33	22
23	-	.01	.04	-	.27	.15	-	-	-	-	-	-	23
24	.01	-	.29	.05	-	-	-	.14	-	-	.20	-	24
25	.01	.02	.07	-	-	-	-	.09	-	.42	.04	.36	25
26	-	-	.10	-	-	-	.13	-	-	.17	.03	.22	26
27	.03	-	-	-	-	-	.01	-	-	.04	.17	.32	27
28	-	-	.02	-	-	-		.04	-	.01	.02	.05	28
29	.02	-	.07	-	-	-		.23	-	.59	.10	-	29
30	.02	X	.13	.04	.02	-		.06	-	.11	.19	.26	30
31	.20	X		X	.02	X	.28		X	.30	X	-	31
Total	1.57	1.09	1.60	.45	1.74	3.71	2.77	1.35	1.81	1.81	2.72	3.83	YEAR'S TOTAL 24.45
Rain Days.	17	18	20	~~7~~ 8	12	12	13	11	10	13	26	24	184

W. 8,000. X. 14.

37.00

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF ~~f~~ RAINFALL IN 1915

Kept at Dalton on Tees Croft Darlington
in the County of Yorkshire N6
by William Wrather

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Croft
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.32	.13	.01	- -	.13	- -	.37	.08	.55	- -	.12	.16	1
2	.02	.13	.20	.09	- -	.04	.04	.37	.04	- -	.02	.02	2
3	.50	.02	.02	.16	- -	- -	.28	.06	- -	- -	.25	.73	3
4	.11	.02	- -	- -	.06	- -	- -	.37	- -	- -	.02	.81	4
5	.06	.11	- -	- -	- -	- -	- -	.02	- -	.04	.01	.69	5
6	.07	.19	.06	.03	- -	- -	.58	.02	.10	.02	.01	.06	6
7	.19	.18	.10	- -	- -	- -	.12	.10	- -	- -	- -	.01	7
8	.05	.15	.09	- -	- -	- -	.03	.01	- -	- -	.10	- -	8
9	- -	.01	- -	- -	- -	- -	- -	- -	- -	- -	- -	.52	9
10	.10	- -	.13	- -	- -	- -	- -	.37	- -	- -	- -	.13	10
11	- -	.11	.03	- -	.55	- -	- -	- -	- -	- -	.02	.06	11
12	.10	.07	- -	.16	.04	- -	.06	.04	- -	.04	.93	- -	12
13	- -	.21	- -	- -	- -	- -	.03	.26	.04	- -	- -	.02	13
14	.03	.15	- -	- -	.09	- -	.03	.01	- -	- -	- -	- -	14
15	.17	- -	- -	- -	- -	- -	.18	.30	- -	.02	.11	.13	15
16	- -	.28	- -	- -	- -	- -	.55	.20	- -	.14	- -	- -	16
17	- -	.16	.01	- -	- -	- -	.01	- -	.02	- -	- -	.05	17
18	- -	.22	.36	- -	- -	- -	- -	- -	.10	.18	.04	.06	18
19	- -	- -	.08	- -	- -	- -	.13	- -	- -	.20	- -	- -	19
20	- -	- -	- -	- -	.16	- -	- -	- -	- -	- -	- -	.33	20
21	.10	.02	- -	.08	.96	- -	.02	- -	- -	- -	- -	.13	21
22	.04	- -	.02	- -	- -	- -	.03	- -	- -	- -	- -	.11	22
23	.11	.18	.03	.01	- -	- -	.27	- -	.07	- -	- -	.06	23
24	- -	- -	.23	.06	- -	- -	.01	- -	.40	.03	- -	.26	24
25	- -	- -	- -	- -	- -	.07	.10	- -	.04	.03	- -	.03	25
26	- -	.05	.01	- -	- -	.15	.04	- -	- -	- -	- -	.59	26
27	- -	.08	.11	- -	- -	- -	.42	- -	- -	.24	- -	.12	27
28	- -	.01	.10	- -	.17	- -	- -	.40	- -	.03	- -	.03	28
29	- -	- -	.03	- -	.18	- -	- -	.02	.04	.02	.22	.38	29
30	.08	X	- -	.09	- -	- -	.03	.10	- -	- -	.02	.02	30
31	.08	X	- -	X	- -	X	- -	.40	X	.04	X	.18	31
Total	2-13	2-48	1-62	-68	1-44	-26	3-33	3-13	1-34	1-03	1-87	5-69	YEAR'S TOTAL ✓ 25=00
Rain Days.	17	21	18	8	9	3	21	18	10	13	13	26	✓ 177

W. 8,000. X. 15.

3636

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Dalton on Tees Croft-Darlington
in the County of Yorkshire NR
by William Wrather

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Croft
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.39	.01	.14			.24	.15				.04		1
2	.02	.03	.18	.09		.02			0=12	.06		.03	2
3		.14	.04			.05	.49	.02	1.25	.17	.16		3
4		.23			.66	.19	.01		.02	.03	.28		4
5	.04	.10	.09		.44	.27				.42	.21		5
6	.01	.16	.10	.04	.62	.09	.14			.02	.13		6
7			.12		.20	.09	.12			.05	.03	.21	7
8		.05	.25		.09					.01			8
9			.06		.14	.34					.01	.11	9
10	.03	.02	.02			.25	.05					.10	10
11		.27	.15			.08	.13		.01	.06		.16	11
12		.02	.42		.65	.02	.59					.20	12
13		.02	.26	.07	.14		.23	.36	.01	.30	.01	.07	13
14		.17	.03		.02	.03		.09		.14	.04	.08	14
15		.16	.58				.07	.40					15
16		.10	.21	.10			.08					.06	16
17	.05	.02		.10	.04		.03	.03	.09	.17			17
18		.26		.09		.01	.02	.23	.14	.11	.41	.11	18
19	.07		.10	.27	.03			.02	.01		.42	.02	19
20	.02		.28	.02			.25	.01			.10	.05	20
21	.04	.04	.10	.05	.01		.03				.01		21
22		.17		.01		.08			.01	.08	[illegible]		22
23		.03	.11	.04							.02	.21	23
24						.36		.18				.02	24
25		.13	.12		.06			.28		.13	.02	.03	25
26	.06	.14	.05			.02							26
27		.33					.84	.07		.32			27
28		.26	.04	.03					.02	.03	.02	.15	28
29		.32		.01		.10				.06			29
30		X					.05			.35			30
31	.01	X		X	.05	X			X	.11	X		31
Total	.74	3.18 3.28	3.45	.92	3.15 3.16	2.16	3.28	1.69	1.68	2.62	1.90	1.61	YEAR'S TOTAL 26.48 26.38
Rain Days.	11	24	22	13	14	17	17	11	10	19	16	16	~~189~~ 190

W. 8,000, VIII. 16

Entd GW

3485

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

3. JAN 1918

Kept at Dalton on Tees Croft Darlington
in the County of Yorkshire
by William Wrather

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Croft
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						11		20	22		13	06	1
2	03			23				19	03				2
3				05			02	02	02	02	01		3
4				01				01			03		4
5	15		05	22				02		08	03		5
6						03				32	04		6
7	80		04			03		24		04		11	7
8	47		01	11				1-06		23	03	07	8
9	16		01					49		01	13		9
10	11		63	26	06			14		08	03		10
11	05	04		02	02			01		06	01		11
12	06				15	12		02		36			12
13	42			06	01			30	06	03		07	13
14	45		05	24	41			02				05	14
15	03			05	01		03	08		01		17	15
16	08			21		04		05	02			67	16
17	05	03		17	03	70		28	02			12	17
18	03			03	14		14	12	01				18
19	11	13	13		18	12							19
20	13	31	03	03		21		02	08		18	19	20
21		13	11					03		01			21
22			20			05		04					22
23		01			14	01		05		03	02		23
24		01		01			03	04		32	17		24
25		02	02			02		04		09			25
26			09			07		56	06	13	01		26
27			15			18	49	59		01		14	27
28			10				02	20		03		03	28
29			10				04			23			29
30	04	X	04	01				01		10	04	08	30
31	04	X	15	X		X			X		X	15	31
Total	3=21	=68	1=91	1=71	1-15	1-69	.77	4-83	=52	2-19	=86	1=91	YEAR'S TOTAL 21-43
Rain Days.	18	8	17	16	10	13	7	27	9	20	14	13	172

W. 8,000, IX. 17.

Exd. Cfe

REGISTER OF RAINFALL IN 19*18*

FORM A. BRITISH RAINFALL

Kept at Dalton on Tees

in the County of Yorkshire NR

by William Weather

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Croft

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. = in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.05	.05		.01				.18	.09	.23		1
2		.08		.02					.18	.01		.07	2
3	.01	.01	.04		.10					.01	.07		3
4			.06		.38			.12	.02	.06	.18	.07	4
5			.05	.02	.45			1-05		.07	.11		5
6		.37		.25		.17		.26		.15		.06	6
7	.13			.16		.02			.04	.08	.19	.01	7
8		.07	.20				.13		.06	.06	.03		8
9		.39		.18					.53	.05		.02	9
10		.07		.04			.16		.09				10
11	.21	.05	03	02	.24		.05	03	.01			.06	11
12		.18		01			.09		.31	.02			12
13				.07	.19				.15	.08			13
14	.10			.05			.04		.52	.01		.09	14
15							.51		1-00			.65	15
16			.03		.02	01	.12	.04	.38	.02		.20	16
17	.27				.16	.05	.27		.16	.31		.15	17
18	.84		.08				.37		.28	.09		01	18
19	.29	.01	.09	.23			.45	13		.26			19
20	.11	.47		.28			.99		.03	.03			20
21	.19					04			.20	.16			21
22	.02			.01	.01	.03	.02		.04			31	22
23	.03			.01	.48	.01	.14						23
24		.03							.16		.02	.01	24
25					.07		.03	31	.01				25
26							.03		.28		.05		26
27							.01	.40	.11		.11	.02	27
28		.10	.21									.58	28
29			.04						26			.08	29
30		X							.01		.08	.70	30
31		X	.10	X		X			X		X	.05	31
Total	2=20	1=88	.98	1=35	2.11	.33	3=41	2-34	5=01	1=56	1-07	3=14	YEAR'S TOTAL 25=38
Rain Days.	11	13	12	14	11	7	16	8	24	18	10	18	162

W. 6,500. VIII. 18. w w c

3317

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dalton-on Tees - Croft - Darlington
in the County of Yorkshire
by William Wrather

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Croft Spa
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16			·02	·18		·47		·29	·03	·08	·03	1
2	·09				·02		·37		·03		·20		2
3	·23				·14	·13	·44				·24	·12	3
4	·55	·07	·60		·04		·02	·03	·04		·15	·11	4
5	·05	·04			·06						·09	·02	5
6			·15		·04					·01	·17	·01	6
7	·03		·19		·03						·02	·06	7
8	·12			·05	·47					·03	·36	·09	8
9	·14		·03								·13		9
10	·03		·07	·01	·10					·01	·25	·13	10
11			·74		·21		04		·11	·01	·17		11
12			·30	·03		·01	·10		·06	·24	·01		12
13	04		·01	·05			·11	·11		·12			13
14	·16			·32				·03		·01	·13	·03	14
15	·12	·24	·09	·22				·07			·03	·61	15
16		·21		·08	·01						·04		16
17		·09		·02							·11		17
18	·03		·04		04			·31				·06	18
19	·03	·14	·18	·05			·08	·08	·03		·18	·02	19
20	·18	·15	·04			·01	·10	·04			·05	·08	20
21	·10	·16	·09			·05		·02			·01	·01	21
22		·12	·08					·02				·05	22
23			·03	·03						1-03	·03	·01	23
24			·03	·05		·19				·50	·15		24
25	·05	·07		·05	·01	·07		·38			·16		25
26		·17	·12	·02		·01		·32	·05	·16	·53	·32	26
27	·15			·35					·02	·58	·21		27
28	·13			·21				·88	·03	55		·32	28
29	·12			·02						20		·12	29
30				·10		·21				17	·10	·22	30
31	·13						·07			·21			31
TOTAL	2·64	1-46	2·79	1-68	1-05	·68	1-80	2=23	·66	3=86	3=60	2=42	YEAR'S TOTAL 24=87
Days with ·01 in. or more	21	11	17	18	13	8	10	12	9	16	25	20	180

3-86

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6 X ML 3198

JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dalton on Tees Croft Darlington

in the County of Yorkshire

by William Wrather

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Croft

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.10	.38	.64		47		.03	.11			1
2		.02	.06	.18	.01		.06		.21	04		.34	2
3	.04	.01		.23	.01	.04	.98	02	.13	.34		.15	3
4	03			.05			.45	.67	.03	.67		.25	4
5			.02		.04		.12	.08		.03		.07	5
6			.11	.08	.02		.11	.01				.02	6
7	.10		.01	02			.21						7
8				.21	12		.14				.15		8
9	.12	.02		.32			.45	03					9
10	.98	.05		.38			.12	.03					10
11	.12	.05	.02	.18	.19			.01				.22	11
12	.11		.02	.24		.17	.04				.02	.10	12
13	.12		.03	.03							.01	.13	13
14	.01	.04	.38	.14			.07		.07	.08	.17	.02	14
15		.08	.04	.17						.19	.06		15
16				.01	.03		45		.13		.01		16
17					.08			03	.07				17
18	.17	.01		.02	.13	.14	.56		.09				18
19		.43		.13		.01	.03	.02					19
20	.07	.04		.36		.04			.07			.01	20
21				.06			.31	3.0	.27			.01	21
22	.04			.10			.02						22
23			.02	.07			.23					.12	23
24	.06		.41	.01			.09					.01	24
25		.10	.16				.49						25
26	.02		.39				.05						26
27	.19		.02	.12	.63	.33	.01				.22	.02	27
28	.69		.28	.09	.02		.03				.06	.17	28
29			.08		1-63		.01				.03	.53	29
30	.21	✕	.01		.02	.03			.08		.09	.07	30
31	.03	✕	.08	✕	.07	✕	.03		✕		✕	.07	31
Total	3=13	=85	2=24	3=58	3-64	=76	5=53	1-20	1-18	1-46	-82	2=33	Year's Total 26=72
Days with ·01 in. or more	18	11	19	24	15	7	25	10	11	7	10	18	175
Days with ·04 in. or more	15	7	11	19	9	5	19	3	9	6	6	12	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DARNALL

SHEFFIELD

HIGH HAZELS MUSEUM

YORKSHIRE

1913- 1920

FORM A.
BRITISH RAINFALL.
28 JAN 1914

R

Kept at High Haz

in the County of Yo .... 8 in.

by E Hon .... Ground 1 ft. – in.

Sea Level .... ft.

IMPORTANT ... e result entered to the previous day. If an ... sal rule, he is earnestly requested to add the ... in the space provided for it at the end of ... measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·017	-	0·100	0·104	-	-	-	-	0·113	0·010	0·030	-	1
2	-	0·038	0·055	0·026	-	-	0·011	-	-	0·016	0·122	0·010	2
3	0·035	0·032	0·132	-	0·322	-	0·038	-	-	0·360	-	0·200	3
4	0·578	0·063	-	-	0·060	0·013	0·110	-	0·035	0·058	0·159	0·230	4
5	0·010	-	0·035	-	-	0·055	0·250	-	0·020	0·705	-	-	5
6	-	0·040	0·073	0·010	0·423	-	0·576	-	0·010	0·670	0·010	-	6
7	-	0·230	-	-	0·150	0·210	-	-	-	0·536	0·030	-	7
8	-	0·029	0·013	-	0·360	0·115	-	0·093	-	0·067	0·090	-	8
9	-	0·242	-	-	0·250	0·083	0·221	-	-	-	0·182	0·012	9
10	0·045	0·010	-	0·150	-	-	0·055	-	-	0·069	0·204	-	10
11	0·925	-	-	0·332	-	0·023	-	0·123	-	-	0·215	-	11
12	-	-	-	-	-	0·010	-	-	-	-	0·288	-	12
13	0·077	-	0·032	0·030	-	-	-	0·012	0·160	-	0·053	-	13
14	0·104	0·078	0·380	0·028	-	-	-	-	-	0·052	0·204	-	14
15	0·080	0·038	0·364	0·246	-	-	-	-	0·033	-	0·202	-	15
16	-	0·015	0·244	0·022	-	-	-	0·020	0·367	-	0·022	-	16
17	0·020	0·060	0·073	0·020	-	-	-	-	1·400	-	0·025	-	17
18	-	-	0·164	0·179	0·016	-	0·082	-	-	-	0·088	-	18
19	0·142	-	0·015	0·067	-	-	-	-	0·158	-	-	-	19
20	0·230	-	0·022	0·096	-	-	-	-	0·030	0·028	0·056	-	20
21	0·010	-	0·010	-	0·087	-	0·205	0·010	-	-	0·212	-	21
22	0·136	-	0·550	-	-	-	-	0·675	0·185	-	-	-	22
23	0·026	-	0·010	-	-	0·052	-	0·130	0·090	-	0·011	-	23
24	0·158	-	-	0·024	-	0·016	-	-	-	0·015	-	-	24
25	-	-	-	0·015	-	-	-	-	0·062	-	-	0·027	25
26	-	-	0·170	0·142	-	-	-	-	-	0·134	-	0·345	26
27	0·010	0·020	0·015	0·316	-	-	-	-	-	-	-	0·115	27
28	0·313	-	0·180	0·360	-	0·010	-	-	-	0·018	-	0·054	28
29	0·012		0·390	0·438	0·054	-	-	0·260	0·010	-	-	0·220	29
30	0·215		-	-	0·052	-	-	0·128	-	0·396	0·010	0·067	30
31	-		0·020		0·072		-	-		-		-	31
Total	3·143	0·895	3·047	2·605	1·846	0·587	1·548	1·451	2·673	3·134	2·213	1·280	YEAR'S TOTAL 24·422
Rain Days.	20	13	22	19	11	10	9	9	14	15	20	10	172

W.7,000, XI. 13

✓

R

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at High Hazels Museum,
in the County of York
by E Howarth

W7

Lat. Long.
Time of Observation 9 am
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·017	–	0·100	0·104	–	–	–	–	0·113	0·010	0·030	–	1
2	–	0·038	0·055	0·026	–	–	0·011	–	–	0·016	0·122	0·010	2
3	0·035	0·032	0·132	–	0·322	–	0·038	–	–	0·360	–	0·200	3
4	0·578	0·063	–	–	0·060	0·013	0·110	–	0·035	0·058	0·159	0·230	4
5	0·010	–	0·035	–	–	0·055	0·250	–	0·020	0·705	–	–	5
6	–	0·040	0·073	0·010	0·423	–	0·576	–	0·010	0·670	0·010	–	6
7	–	0·230	–	–	0·150	0·210	–	–	–	0·536	0·030	–	7
8	–	0·029	0·013	–	0·360	0·115	–	0·093	–	0·067	0·090	–	8
9	–	0·242	–	–	0·250	0·083	0·221	–	–	–	0·182	0·012	9
10	0·045	0·010	–	0·150	–	–	0·055	–	–	0·069	0·204	–	10
11	0·925	–	–	0·332	–	0·023	–	0·123	–	–	0·215	–	11
12	–	–	–	–	–	0·010	–	–	–	–	0·288	–	12
13	0·077	–	0·032	0·030	–	–	–	0·012	0·160	–	0·053	–	13
14	0·104	0·078	0·380	0·028	–	–	–	–	–	0·052	0·204	–	14
15	0·080	0·038	0·364	0·246	–	–	–	–	0·033	–	0·202	–	15
16	–	0·015	0·244	0·022	–	–	–	0·020	0·367	–	0·022	–	16
17	0·020	0·060	0·073	0·020	–	–	–	–	1·400	–	0·025	–	17
18	–	–	0·164	0·179	0·016	–	0·082	–	–	–	0·088	–	18
19	0·142	–	0·015	0·067	–	–	–	–	0·158	–	–	–	19
20	0·230	–	0·022	0·096	–	–	–	–	0·030	0·028	0·056	–	20
21	0·010	–	0·010	–	0·087	–	0·205	0·010	–	–	0·212	–	21
22	0·136	–	0·550	–	–	–	–	0·675	0·185	–	–	–	22
23	0·026	–	0·010	–	–	0·052	–	0·130	0·090	–	0·011	–	23
24	0·158	–	–	0·024	–	0·016	–	–	–	0·015	–	–	24
25	–	–	–	0·015	–	–	–	–	0·062	–	–	0·027	25
26	–	–	0·170	0·142	–	–	–	–	–	0·134	–	0·345	26
27	0·010	0·020	0·015	0·316	–	–	–	–	–	–	–	0·115	27
28	0·313	–	0·180	0·360	–	0·010	–	–	–	0·018	–	0·054	28
29	0·012		0·390	0·438	0·054	–	–	0·260	0·010	–	–	0·220	29
30	0·215		–	–	0·052	–	–	0·128	–	0·396	0·010	0·067	30
31	–		0·020		0·072		–	–		–		–	31
Total	3·143 ✓	0·895 ✓	3·047 ✓	2·605 ✓	1·846 ✓	0·587 ✓	1·548 ✓	1·451 ✓	2·673 ✓	3·134 ✓	2·213 ✓	1·280 ✓	YEAR'S TOTAL 24·422 ✓
Rain Days.	20	13	22	19	11	10	9	9	14	15	20	10	172 ✓

W.7,000, XI. 13

Ex 88

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at High Hazels Museum, Sheffield
in the County of Yorkshire WR 7
by E Howarth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	-	-	-	0·760	0·165	-	-	-	0·180	1
2	-	-	-	-	-	-	1·254	0·170	-	-	0·378	0·065	2
3	-	-	0·010	-	0·059	-	0·070	0·012	-	-	0·042	0·424	3
4	0·185	-	0·052	0·150	0·100	-	-	0·010	-	-	0·340	0·254	4
5	0·058	-	0·075	0·170	0·090	0·015	-	-	-	-	0·068	0·085	5
6	-	0·030	0·025	0·266	0·065	-	0·286	-	-	-	-	0·120	6
7	-	0·020	0·238	0·102	0·040	0·030	-	0·032	-	-	0·018	0·050	7
8	0·020	-	0·017	-	0·038	0·696	0·040	0·070	0·800	-	-	0·042	8
9	0·235	-	0·012	0·083	0·019	0·925	-	0·082	-	-	-	-	9
10	0·212	0·142	-	0·097	0·020	0·014	-	-	0·021	0·010	0·020	-	10
11	-	0·110	0·305	0·060	0·012	0·385	-	-	0·072	-	0·575	0·323	11
12	-	0·043	0·095	-	-	0·011	0·012	-	0·172	-	0·064	0·361	12
13	-	0·042	0·154	-	-	-	0·010	-	0·010	0·063	0·167	0·256	13
14	0·044	0·140	0·032	-	-	-	0·073	-	0·023	0·456	0·352	0·250	14
15	0·010	0·022	0·090	-	-	-	-	-	-	0·018	0·185	0·012	15
16	0·070	-	0·031	-	-	-	0·385	-	0·089	-	-	-	16
17	0·048	0·180	0·086	-	-	-	0·012	-	0·160	-	-	0·260	17
18	-	-	-	-	-	0·038	-	-	-	-	-	0·172	18
19	-	-	0·164	-	-	-	0·123	-	0·017	-	0·054	0·141	19
20	0·018	0·114	0·030	-	-	-	-	0·172	0·029	0·090	-	-	20
21	-	0·379	-	-	-	0·106	-	-	-	0·080	0·032	0·075	21
22	-	-	0·012	-	0·170	0·021	0·025	0·018	-	0·120	-	-	22
23	-	0·034	0·045	-	0·370	0·013	0·025	-	-	-	-	0·013	23
24	-	-	0·220	0·015	0·076	-	0·060	0·204	-	0·012	0·100	-	24
25	-	-	-	-	-	-	0·018	0·135	-	0·673	-	0·314	25
26	-	-	0·056	-	-	-	-	0·532	-	0·120	0·071	0·160	26
27	0·036	-	-	-	-	-	-	-	-	-	0·042	0·683	27
28	0·040	0·062	-	-	-	-	-	-	-	0·032	0·036	0·300	28
29	0·021		0·164	-	0·010	-	-	-	-	0·600	0·025	-	29
30	-	×	0·010	-	-	-	-	0·020	-	0·070	0·122	0·185	30
31	0·025	×		×	-	×	0·245	-	×	0·163	×	-	31
Total	1·018	1·318	1·923	0·943	1·069	2·254	3·398	1·622	1·393	2·507	2·691	4·725	YEAR'S TOTAL 24·861
Rain Days.	14	13	22	8	13	11	16	13	10	14	19	23	176

W. 8,000. X. 14.

3296

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 JAN 1916

Kept at High Hazels Museum, Sheffield

in the County of Yorkshire.

by E. Howarth.

Lat. — Long. —

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·185	0·195	-	-	0·360	-	0·040	0·037	0·064	-	0·030	0·231	1
2	0·063	0·054	0·114	0·183	-	0·030	0·010	0·278	-	0·110	0·013	-	2
3	0·623	-	-	0·088	-	-	0·332	0·410	0·047	-	-	0·460	3
4	0·040	-	-	-	0·014	-	0·802	0·115	-	-	-	1·100	4
5	0·013	0·318	-	-	0·032	-	-	0·048	-	0·030	0·052	0·626	5
6	0·029	0·192	0·027	0·090	-	-	0·473	0·023	-	-	-	0·080	6
7	0·150	0·265	0·027	0·041	-	-	0·045	0·530	-	-	-	0·110	7
8	0·088	0·110	-	0·090	-	-	-	0·116	-	-	0·100	-	8
9	0·010	0·016	-	0·010	-	-	-	0·127	-	0·103	0·122	0·693	9
10	0·428	-	0·080	-	-	-	-	0·012	-	0·010	0·089	0·042	10
11	0·095	-	0·016	0·015	0·535	-	0·130	-	-	-	0·407	0·323	11
12	0·010	-	-	0·150	0·235	-	-	-	-	0·080	1·527	-	12
13	-	0·630	-	-	0·020	-	-	-	-	-	-	-	13
14	0·012	0·034	-	-	-	-	-	0·062	0·033	0·010	-	0·290	14
15	0·430	-	-	-	-	-	-	0·736	-	-	0·190	0·088	15
16	-	0·320	-	-	0·115	-	1·760	0·034	-	0·023	-	-	16
17	-	0·167	-	-	-	-	0·132	-	-	-	-	-	17
18	-	0·173	0·215	-	-	-	-	-	-	-	0·015	-	18
19	-	0·045	-	-	-	-	0·088	-	-	0·010	-	-	19
20	-	-	-	0·012	-	-	0·025	-	-	-	-	0·190	20
21	0·037	-	-	0·080	-	-	0·033	0·010	-	-	-	0·076	21
22	-	-	0·200	0·020	-	-	0·258	-	-	-	-	0·041	22
23	0·020	0·020	0·069	-	-	-	0·337	-	0·020	0·185	0·015	0·084	23
24	-	-	0·170	0·040	-	0·021	-	-	0·578	0·010	-	0·265	24
25	-	-	-	0·015	-	0·368	0·042	-	-	0·033	-	0·047	25
26	0·012	0·339	-	-	-	0·150	0·128	-	0·010	-	-	0·460	26
27	-	0·113	-	-	-	0·030	0·012	-	-	0·515	-	0·448	27
28	-	0·254	0·030	-	-	0·792	-	0·352	-	0·105	-	0·030	28
29	-	X	-	-	0·035	0·260	-	-	0·017	-	0·142	0·527	29
30	0·066	X	-	0·018	-	0·332	-	-	-	-	0·010	0·020	30
31	0·045	X	-	X	-	X	-	0·052	X	0·252	X	0·260	31
Total	2·356	3·245	0·948	0·852	1·346	1·983	4·647	2·942	0·769	1·476	2·712	6·491	YEAR'S TOTAL 29·767
Rain Days.	19	17	10	14	8	8	17	16	7	14	13	23	166

W. 8,000. X. 15.

Exd FW

3222

FORM A. BRITISH RAINFALL.

24. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at High Hazels Park, Darnall SHEFFIELD WR
in the County of YORK
by

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Darnall
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·190	0·021	0·468	—	—	0·056	0·100	—	—	—	0·165	—	1
2	0·220	0·069	0·269	—	—	—	—	—	0·127	0·140	0·029	—	2
3	—	0·352	—	0·016	—	—	0·180	—	0·263	0·181	0·144	—	3
4	0·019	0·119	—	0·012	0·700	0·168	—	—	0·221	0·077	0·384	—	4
5	—	—	—	—	0·070	0·115	—	—	—	0·260	0·290	—	5
6	0·068	0·480	0·175	0·018	0·460	—	0·217	—	—	0·018	0·410	0·040	6
7	0·016	—	0·101	—	0·075	—	0·200	—	—	0·080	0·060	0·287	7
8	—	—	0·355	—	—	—	—	—	—	0·015	0·014	0·114	8
9	—	—	0·056	—	0·430	0·140	—	—	0·107	—	0·012	0·108	9
10	—	0·106	0·030	0·033	—	0·220	0·038	—	0·032	—	0·010	0·270	10
11	—	0·355	0·262	0·058	—	0·085	—	—	0·025	—	—	0·067	11
12	0·026	0·030	0·603	0·010	0·559	0·038	0·087	—	—	—	—	0·022	12
13	—	0·038	0·373	—	0·030	—	—	0·131	—	0·062	0·028	0·010	13
14	—	0·128	0·032	0·085	0·021	—	—	0·235	—	0·106	0·023	0·018	14
15	—	0·273	0·702	—	—	—	0·094	0·142	0·015	0·011	—	—	15
16	—	0·345	0·460	0·070	—	—	0·048	0·150	—	0·050	—	—	16
17	0·010	0·115	—	0·096	—	—	0·120	0·010	0·038	0·177	—	—	17
18	—	0·201	0·012	—	—	0·027	—	0·092	0·132	0·054	1·140	0·070	18
19	0·032	0·015	0·310	0·180	—	—	—	0·052	0·040	—	0·373	0·114	19
20	0·090	—	0·198	0·150	0·022	—	0·010	—	—	—	—	0·033	20
21	0·070	—	0·145	0·035	—	—	0·066	—	—	—	—	0·290	21
22	—	0·039	—	0·012	—	0·027	—	—	—	0·118	—	0·267	22
23	—	0·065	0·010	0·029	—	—	—	0·035	—	0·023	0·142	0·198	23
24	—	0·390	—	0·015	—	0·308	—	0·061	—	0·060	—	0·130	24
25	—	0·103	0·250	—	0·053	—	—	0·130	—	0·058	0·150	0·060	25
26	—	0·150	0·025	—	—	—	—	0·100	—	0·090	0·031	—	26
27	—	0·221	0·017	—	—	—	—	0·115	0·012	0·211	—	—	27
28	—	0·345	0·072	0·012	—	0·031	—	—	0·019	—	—	0·076	28
29	—	0·294	—	—	—	0·382	—	0·057	—	0·408	—	0·273	29
30	—	X	—	—	—	0·011	—	—	—	0·088	—	—	30
31	—	X	—	X	0·010	X	—	—	X	0·117	X	0·055	31
Total	0·741	4·284	4·955	0·831	2·430	1·608	1·160	1·310	1·031	2·404	3·405	2·502	YEAR'S TOTAL 26·661
Rain Days.	10	23	22	16	11	13	11	13	12	22	17	20	190

W. 8,000, VIII.-16

and by B thy own stats

3074

REGISTER OF W RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

21 JAN 1918

Kept at High Hazels Museum, Sheffield
in the County of Yorkshire
by E Howarth

Lat. 53.23 N Long. 1.34 W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.012	-	-	0.220	-	0.014	-	0.410	0.192	-	0.180	0.040	1
2	0.041	-	-	0.046	-	0.084	-	0.092	-	-	0.013	-	2
3	0.028	-	-	0.014	-	0.033	-	0.254	-	0.032	0.070	-	3
4	-	-	0.151	-	-	-	-	0.060	-	0.082	-	-	4
5	0.190	-	0.107	0.136	-	-	-	0.024	-	0.082	0.051	-	5
6	-	-	-	-	-	0.170	-	-	-	0.236	0.036	-	6
7	0.387	-	-	-	-	0.092	-	-	-	0.374	-	0.014	7
8	0.560	-	-	0.214	-	-	-	0.992	-	0.530	0.205	0.120	8
9	0.162	-	0.082	0.030	0.028	-	-	-	-	0.096	0.208	-	9
10	0.186	-	0.857	0.055	0.152	-	-	0.120	0.010	0.022	0.017	-	10
11	0.010	-	-	0.437	-	-	-	0.223	-	0.401	-	-	11
12	0.075	-	-	0.035	0.300	-	-	0.261	-	0.043	-	0.034	12
13	0.052	-	-	0.064	-	-	-	0.261	0.050	0.040	-	0.010	13
14	0.250	-	-	0.036	-	-	-	0.139	-	-	-	0.121	14
15	0.031	-	-	0.010	0.014	-	0.037	-	-	-	-	0.078	15
16	0.060	0.118	-	0.052	-	0.067	0.020	0.074	-	-	-	0.361	16
17	0.014	0.035	0.011	0.087	0.450	0.014	0.224	0.120	0.048	0.020	-	0.192	17
18	0.016	0.011	-	0.026	0.054	-	0.245	0.016	0.340	-	-	-	18
19	0.022	0.130	0.132	-	0.222	0.586	-	0.010	0.011	-	-	-	19
20	-	0.128	0.010	-	0.407	0.490	-	-	0.032	-	0.027	-	20
21	0.040	0.033	0.084	-	0.104	0.013	-	0.048	-	0.020	-	-	21
22	0.026	-	0.050	-	-	-	-	0.076	-	0.011	-	-	22
23	-	0.080	-	-	0.114	0.032	-	0.054	0.010	0.034	-	0.010	23
24	-	-	-	-	-	0.096	-	0.033	-	0.452	0.271	-	24
25	-	0.010	0.069	-	-	-	0.018	-	-	0.012	0.083	-	25
26	-	-	-	-	-	0.170	0.021	0.291	0.064	0.045	0.015	-	26
27	-	-	0.064	-	-	0.207	0.181	0.510	-	-	0.010	0.084	27
28	-	-	0.140	-	-	0.038	-	0.120	0.022	-	-	0.143	28
29	0.010		0.012	-	~~0.291~~	-	0.050	-	-	0.204	-	0.206	29
30	-		0.335	-	-	-	0.070	0.151	-	0.022	-	-	30
31	0.015		0.287		-		-	0.047		0.020		0.012	31
Total	2.187	0.545	2.391	1.462	1.845 ~~2.136~~	2.106	0.866	4.386	0.779	2.778	1.186	1.425	YEAR'S TOTAL 21.956
Rain Days.	21	8	15	15	10	15	9	24	10	21	13	14	175

W. 8 000, IX. 17.

56

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
28·1 19

Kept at High Hazels Museum Sheffield
in the County of Yorkshire W
by E Howarth

Lat. 53 23 N Long. 1 24 W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.063	0.020	-	-	-	-	-	0.061	0.062	0.290	-	1
2	-	0.088	-	0.024	-	-	-	0.264	0.062	-	-	0.240	2
3	-	0.010	0.052	-	0.674	-	-	0.235	0.029	-	0.160	-	3
4	-	-	0.035	-	-	-	-	0.040	0.481	0.107	0.232	0.348	4
5	-	-	0.014	0.018	0.278	-	-	0.117	0.161	0.160	-	-	5
6	-	0.229	0.019	0.343	-	0.057	-	0.025	0.010	0.122	-	-	6
7	0.029	0.010	-	0.178	-	-	0.011	-	0.283	0.037	0.130	-	7
8	-	0.132	0.154	0.068	-	-	0.040	-	0.203	0.046	0.020	-	8
9	0.068	0.540	-	0.305	-	0.026	0.101	-	0.525	0.060	0.014	0.010	9
10	0.069	0.035	-	0.015	-	-	0.083	-	-	-	0.040	0.019	10
11	0.103	0.033	-	0.017	0.110	-	0.201	-	0.038	0.018	-	0.024	11
12	0.014	0.079	0.012	0.151	0.033	-	0.746	-	0.104	-	-	0.042	12
13	-	-	-	0.064	0.203	-	-	-	0.422	0.090	0.011	0.060	13
14	0.177	-	-	0.025	-	0.025	0.065	-	0.630	0.022	-	0.216	14
15	0.262	-	-	-	-	0.020	0.352	-	0.888	-	0.010	0.080	15
16	-	-	-	-	-	-	0.125	-	0.223	-	-	0.097	16
17	0.253	-	0.011	0.010	0.019	-	1.350	-	0.134	0.076	-	0.158	17
18	0.230	-	0.018	-	-	0.070	0.107	-	0.932	-	-	0.140	18
19	0.080	-	0.210	0.100	-	-	0.063	-	0.040	0.068	-	0.246	19
20	0.060	0.113	-	0.041	-	0.108	0.038	-	0.520	0.033	-	-	20
21	0.164	0.075	-	0.014	0.453	0.022	-	-	0.177	0.120	-	0.019	21
22	0.030	-	-	-	0.168	0.020	0.050	-	0.113	0.019	0.012	0.450	22
23	0.016	-	-	-	0.290	-	0.134	-	-	-	-	0.028	23
24	-	0.062	-	-	-	-	0.035	-	0.050	-	0.037	-	24
25	-	-	-	-	-	0.026	0.254	0.217	0.040	-	0.014	-	25
26	-	-	-	-	-	-	0.210	0.034	0.031	-	0.070	0.077	26
27	-	0.035	-	-	-	-	-	0.250	0.342	-	0.015	0.084	27
28	-	0.093	0.220	-	-	-	-	0.123	0.027	-	0.130	0.230	28
29	-		-	-	-	-	-	-	0.049	-	-	0.060	29
30	0.012	X	0.354	-	-	-	-	-	0.030	-	0.031	0.260	30
31	-	X	0.072	X	-	X	-	-	X	-	X	-	31
Total	1.567	1.597	1.191	1.373	2.228	0.374	3.965	1.305	6.205	1.040	1.216	2.888	YEAR'S TOTAL 24.949
Rain Days.	15	15	13	15	9	9	18	9	28	15	16	21	183

W. 6,500, VII. 18. w w c

Excel 90

2918

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at High Hazels Museum, Sheffield
in the County of Yorkshire
by E Howarth

Lat. 53 23 N Long. 1 24 W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·412	0·039	0·020	-	0·153	0·010	0·254	-	0·056	0·063	0·050	0·143	1
2	0·154	0·016	-	-	-	-	0·160	-	0·300	0·054	0·132	-	2
3	1·395	-	-	-	0·035	0·150	0·623	-	0·084	-	0·271	0·071	3
4	0·041	-	0·322	-	-	0·030	0·051	0·167	0·087	-	0·030	0·194	4
5	0·077	0·011	-	-	0·015	-	-	-	0·130	-	-	0·334	5
6	-	-	0·080	-	0·520	-	-	-	-	0·056	0·023	0·145	6
7	0·020	-	0·190	-	-	-	-	-	-	-	-	-	7
8	0·203	-	0·019	-	-	0·012	-	-	-	-	0·012	-	8
9	0·017	-	0·038	0·016	-	-	-	-	-	-	0·040	-	9
10	-	-	0·081	0·038	0·096	-	-	-	-	0·010	0·038	0·077	10
11	-	-	1·074	0·020	0·135	-	0·063	-	0·010	-	0·014	~~0·077~~	11
12	-	-	0·660	0·030	-	0·045	0·058	-	0·185	-	0·010	-	12
13	0·180	-	-	0·242	-	-	-	-	1·130	0·051	0·014	0·022	13
14	0·190	-	-	0·140	-	-	-	0·050	0·078	0·012	0·058	~~[illegible]~~	14
15	0·261	0·226	0·010	0·027	-	-	-	-	-	-	0·040	0·630	15
16	0·137	0·960	-	0·040	-	0·035	-	-	-	-	0·103	[illegible]	16
17	0·070	0·535	-	0·020	-	0·036	0·010	0·057	-	-	0·110	-	17
18	-	-	0·150	-	0·037	-	0·014	0·464	-	-	0·014	0·153	18
19	0·069	0·263	0·930	-	-	0·050	1·890	0·352	0·030	-	0·170	0·010	19
20	0·435	0·072	0·156	-	-	-	0·380	0·049	-	-	0·062	0·034	20
21	0·123	0·285	0·022	-	-	0·068	0·179	-	0·010	-	-	0·136	21
22	-	0·100	-	-	-	-	-	-	0·275	-	0·015	0·362	22
23	-	-	-	0·029	-	-	-	-	-	0·820	0·020	0·103	23
24	-	-	-	0·165	0·118	0·018	0·033	0·052	-	0·486	0·031	0·095	24
25	0·012	0·020	-	0·192	0·159	0·047	-	0·580	-	-	0·073	~~[illegible]~~	25
26	-	-	0·173	0·040	-	0·012	-	0·072	0·018	-	0·023	0·540	26
27	0·143	-	0·018	0·203	-	-	-	0·030	-	0·027	0·022	0·049	27
28	0·020	-	-	0·121	-	-	-	1·080	-	0·040	-	0·416	28
29	0·106		-	0·012	-	-	-	0·024	-	1·150	-	0·104	29
30	0·038	X	-	0·060	-	0·075	-	-	-	0·051	0·120	0·180	30
31	0·020	X	0·010	X	-	X	0·036	-	X	0·110	X	0·010	31
Total	4·123	2·527	3·953	1·395	1·268	0·588	3·751	2·977	2·393	2·930	1·495	3·808	Year's Total 31·208
Days with ·01 in. or more	22	11	17	17	9	13	13	12	13	13	25	21	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2801

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

JAN 1921

Kept at High Hazels Museum, Sheffield
in the County of Yorkshire
by E. Howarth

Lat. 53 23 N Long. 1 24 W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 285 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.215	0.225	-	0.217	-	-	0.181	0.145	0.085	1
2	-	-	0.011	0.200	-	-	0.220	-	0.194	0.280	-	0.170	2
3	-	-	-	0.476	0.067	0.083	0.525	0.015	0.081	0.355	-	0.110	3
4	0.019	-	-	0.048	-	-	0.146	0.290	-	0.600	-	0.058	4
5	-	0.010	0.016	-	0.053	-	0.085	0.029	-	0.030	-	0.013	5
6	-	0.010	0.098	0.062	0.026	-	0.048	-	-	-	-	0.062	6
7	0.032	-	0.065	0.029	-	-	0.470	-	-	-	-	-	7
8	0.075	0.026	-	0.610	0.040	-	0.102	0.050	-	0.020	-	-	8
9	0.176	0.093	-	0.595	-	-	0.010	0.052	-	0.014	-	-	9
10	0.212	0.260	-	0.317	-	-	0.077	-	-	-	-	0.016	10
11	0.293	0.067	0.073	0.157	0.230	0.276	-	-	-	-	-	0.114	11
12	0.029	-	0.011	0.358	-	0.208	-	0.160	-	-	0.020	0.073	12
13	0.090	0.040	0.045	0.346	-	0.800	-	-	-	-	0.011	0.079	13
14	0.020	-	0.524	0.110	-	0.740	0.026	-	0.323	0.051	0.246	-	14
15	-	0.051	0.206	0.141	-	-	-	-	-	0.114	0.010	0.028	15
16	-	-	-	-	-	-	0.614	-	0.021	0.058	-	-	16
17	-	-	0.020	-	0.082	-	-	-	0.212	0.053	-	-	17
18	0.022	-	-	-	0.023	-	-	-	-	-	-	-	18
19	0.056	1.820	-	0.246	0.013	0.165	-	0.070	-	-	-	-	19
20	-	0.057	0.010	0.265	-	0.208	0.064	-	-	-	-	0.010	20
21	0.034	-	-	-	-	-	0.283	0.089	-	-	-	0.034	21
22	0.018	-	-	0.273	-	-	0.179	0.006	-	-	-	0.021	22
23	-	-	-	-	-	-	0.063	-	-	-	-	0.423	23
24	-	0.011	0.170	-	-	-	-	-	-	-	-	0.071	24
25	-	0.057	0.054	0.020	-	0.051	0.482	-	0.-	-	-	-	25
26	0.080	0.020	0.072	0.068	0.059	-	0.130	-	0.015	-	-	0.010	26
27	0.266	-	-	0.056	0.323	0.163	-	-	-	0.013	0.254	0.261	27
28	1.165	-	0.146	0.031	0.170	0.012	-	-	0.027	-	0.010	0.081	28
29	0.110	-	0.080	-	1.750	-	0.018	-	0.010	-	0.090	0.578	29
30	0.120		-	0.147	0.062	0.043	-	-	0.140	-	0.172	0.362	30
31	0.107		0.067		0.056		0.024	-		0.353		0.085	31
Total	2.924	2.522	1.671	4.770	3.179	2.729	3.783	0.761	1.023	2.122	0.958	2.724	Year's Total 29.166
Days with ·01 in. or more	19	13	17	22	15	11	20	8	9	13	9	22	178
Days with ·04 in. or more	12	8	12	19	12	10	16	6	5	9	5	15	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

DEIGHTON GROVE
YORKSHIRE
1911, 1919 - 1920

Kept at Deighton
in the County of ERY
by M. L. D

– in.
ground 2 ft. in.
Sea Level 47 ft.
Naburn
me ~~M. L. Whitehead~~
Distance 1¾ miles Direction West

IMPORTANT N e result entered to the previous day. If an not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	-	-	-		-	-	·09	-	·02	-	·005	1
2	·32	-	-	-	·12	-	·59	-	-	·05	-	·125	2
3	·03	-	-	·02	·15	-	-	-	·03	-	·04	·01	3
4	·01	-	·09	·18	-	-	-	-	·16	·12	·15	·12	4
5	·10	-	·05	·04	-	-	-	·05	-	·20	·04	·01	5
6	·24	-	-	·05	-	-	-	·20	-	·03	·08	·28	6
7	-	-	-	-	-	-	-	·22	-	-	·05	·02	7
8	·06	-	·13	-	-	·09	-	-	·07	-	·02	·35	8
9	-	-	-	·02	-	-	-	-	-	-	·25	·04	9
10	·01	-	-	-	-	-	-	-	-	·01	·06	·35	10
11	·18	·02	-	-	·16	-	-	-	·03	·005	·36	-	11
12	·24	·01	·03	·01	·06	·17	-	-	·50	·005	·22	·02	12
13	-	-	·29	-	·28	-	-	-	-	-	·05	·62	13
14	-	·17	·11	-	·05	-	-	-	-	-	·02	·48	14
15	-	·06	·08~~5~~	·01	-	-	-	-	·01	·01	·02	·09	15
16	·01	-	·06~~5~~	·005	-	·03	·11	-	-	-	(·06) ·06	·14	16
17	-	-	·02	·005	-	·06	·05	-	-	·02	·18	·13	17
18	·01	-	·06	·04	-	·08	-	-	-	-	·28	·08	18
19	-	·03	·01	-	-	·08	-	-	·10	·15	·44	·09	19
20	·01	·07	-	·18	-	-	·15	·42	·07	·02	·03	·28	20
21	-	·21	-	-	-	-	·02	·14	·01	·29	·23	·02	21
22	·09	-	-	-	-	-	-	·07	-	·55	·04	·01	22
23	·01	·13	-	·01	-	·65	-	·01	·40	-	·01	·31	23
24	·06	-	·07	·05	-	1·32	·02	-	-	·13	-	·04	24
25	-	·03	-	·10	-	·23	·03	-	·49	·02	·01	·13	25
26	·01	-	·01	·06	·17	-	·65	-	·01	·43	·25	·21	26
27	-	·09	·04	·07	-	·01	-	·39	·21	·04	·01	·02	27
28	-	·05	·03	·26	-	·01	-	·11	·01	·01	·07	·13	28
29	·02	-	·01	·05	-	·01	·07	-	·50	·31	·01	·06	29
30	-	-	-	-	·15	·08	-	-	·09	·17	·02	·01	30
31	-	-	·02			-		·01	-	·06		·02	31
Total	1·51	·87	1·11	1·16	1·14	2·82	1·69	1·71	2·69	2·65	3·00	4·19	TOTAL for year 24·54
No. of Rain Days.	18	11	17	~~16~~ 17	8	~~2·82~~ 13	~~1·69~~ 9	11 ~~·71~~	~~2·69~~ 16	~~20~~ 21	27	30	198

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Deighton Grove - York

in the County of E.R. Yorkshire

by M. L. Whitehead

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 47 ft.

Time of Observation 10 a.m.

Nearest Railway Station
Name ~~M. L. Whitehead~~ Naburn
Distance 1¾ miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	–	–	–		–	–	·09	–	·02	–	·005	1
2	·32	–	–	–	·12	–	·59	–	–	·05	–	·125	2
3	·03	–	–	·02	·15	–	–	–	·03	–	·04	·01	3
4	·01	–	·09	·18	–	–	–	–	·16	·12	·15	·12	4
5	·10	–	·05	·04	–	–	–	·05	–	·20	·04	·01	5
6	·24	–	–	·05	–	–	–	·20	–	·03	·08	·28	6
7	–	–	–	–	–	–	–	·22	–	–	·05	·02	7
8	·06	–	·13	–	–	·09	–	–	·07	–	·02	·35	8
9	–	–	–	·02	–	–	–	–	–	–	·25	·04	9
10	·01	–	–	–	–	–	–	–	–	·01	·06	·35	10
11	·18	·02	–	–	·16	–	–	–	·03	·005	·36	–	11
12	·24	·01	·03	·01	·06	·17	–	–	·50	·005	·22	·02	12
13	–	–	·29	–	·28	–	–	–	–	–	·05	·62	13
14	–	·17	·11	–	·05	–	–	–	–	–	·02	·48	14
15	–	·06	·08~~5~~	·01	–	–	–	–	·01	·01	·02	·09	15
16	·01	–	·06~~5~~	·005	–	·03	·11	–	–	–	(·06) ·06	·14	16
17	–	–	·02	·005	–	·06	·05	–	–	·02	·18	·13	17
18	·01	–	·06	·04	–	·08	–	–	–	–	·28	·08	18
19	–	·03	·01	–	–	·08	–	–	·10	·15	·44	·09	19
20	·01	·07	–	·18	–	–	·15	·42	·07	·02	·03	·28	20
21	–	·21	–	–	–	–	·02	·14	·01	·29	·23	·02	21
22	·09	–	–	–	–	–	–	·07	–	·55	·04	·01	22
23	·01	·13	–	·01	–	·65	–	·07	·40	–	·01	·31	23
24	·06	–	·07	·05	–	1·32	·02	–	–	·13	–	·04	24
25	–	·03	–	·10	–	·23	·03	–	·49	·02	·01	·13	25
26	·01	–	·01	·06	·17	–	·65	–	·01	·43	·25	·21	26
27	–	·09	·04	·07	–	·01	–	·39	·21	·04	·01	·02	27
28	–	·05	·03	·26	–	·01	–	·11	·01	·01	·07	·13	28
29	·02	–	·01	·05	–	·01	·07	–	·50	·31	·01	·06	29
30	–	–	–	–	·15	·08	–	–	·09	·17	·02	·01	30
31	–	–	·02			–	–	·01	–	·06		·02	31
Total	1·51	·87	1·11	1·16	1·14	2·82	1·69	1·71	2·69	2·65	3·00	4·19	TOTAL for year 24·54
No. of Rain Days.	18	11	17	~~16~~ 17	8	~~2·82~~ 13	~~1·69~~ 9	11 ~~·71~~	~~2·69~~ 16	~~20~~ 21	27	30	198

W. 8,000, X. '11.

cont for auth

3191

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Deighton Grove

in the County of E. R. Yorks

by E. Hayton for M. L. Whitehead

Lat. 53°54' Long. 1°3

Time of Observation 10 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·02	·02		·29		·36	·02	·23	·07	·025	·03	1
2	·04		·11				·54		·015		·05		2
3	·12				·04	·05	·69		·07		·30	·19	3
4	·05		·29			·30		·21	·115		·08	·03	4
5	·05								·10		·04	·065	5
6	·02				·04					·01	·03	·03	6
7	·03		·26					·01				·02	7
8	·07				·20						·09	·03	8
9			·22								·10		9
10			·18		·06	·14	·17			·02	·07	·16	10
11			·84		·12					·07	·06	·005	11
12			·42	·02			·04			·18		·015	12
13	·17			·04			·28	·08	·12	·23	·01	·015	13
14	·20			·24			·04			·01	·15		14
15	·07	·04		·07				·02				1·06	15
16		·40			·09	·08					·14	·005	16
17		·04			·01			·03				·005	17
18		·14	·02		·03		·02	·41	·02			·025	18
19		·25	·70				1·46	·16	·08		·02	·03	19
20	·84	·15	·02				·24	·02	·03			·295	20
21	·16	·24					·11		·035		·06	·07	21
22		·14					·11				·02	·26	22
23						·18			·15	·78	·07	·005	23
24					·01	·08		·05		·25	·02	·20	24
25	·02	·10		·13				·46		·02			25
26			·14	·05				·44		·15	·085	·46	26
27	·01			·20				·01		·74	·04	·01	27
28				·12				·73		·12		·24	28
29	·12					·05				·85		·115	29
30				·22		·05		·02		·15	·16	·15	30
31							·02			·13		·04	31
TOTAL	2·34	1·52	3·22	1·09	·89	·93	4·08	2·67	·965	3·78 ~~3·76~~	1·62	3·56	YEAR'S TOTALS 26.665 ~~26645~~
Days with ·01 in. or more	16	10	12	9	10	8	13	15	11	16	21	25 ~~24~~	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

corrd for readings to ·005 .

3070

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Deighton Grove, York.
in the County of E. R. Yorkshire
by Miss M. L. Whitehead

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·135	·22	·31		·30			·215		·02	1
2			·02	·19			·12		·11	·29		·28	2
3		·015		·02			1·89	·04	·185	·31		·12	3
4	·01			·01	·07		·45	·88	·10	1·03		·03	4
5			·03		·13		·17	·03	·015	·015		·015	5
6		·02	·145	·18	·07		·04					·05	6
7			·03		·05		·36			·015	·04	·01	7
8		·01		·31	·015		·065	·29		·015		·01	8
9	·26	·08		·42			·045	·13	·02			·005	9
10	·50	·07	·05	·16			·29					·04	10
11	·27	·03	·02	·18	·05			·03				·12	11
12		·02		·18	·01		·02			·01	·04	·17	12
13	·09	·01		·14		·37			·17		·03	·16	13
14		·05	·24	·14		·02	·045		·32	·03	·17	·02	14
15		·08	·28	·215			·02			·01	·03	·01	15
16							1·05		·11		·02	·01	16
17		·01			·14			·04		·085	·005		17
18	·095			·12	·08	1·08		·01	·27	·01	·005		18
19	·015	·63		·27		·12		·09	·03				19
20				·23		·12	·12	·01	·06		·01	·015	20
21	·12			·08			·475	·20			·01	·01	21
22	·05	·01		·22			·05			·015	·01		22
23		·01	·01	·055			·24		·01	·02	·015	·225	23
24	·02		·33	·03			·02		·01		·005	·06	24
25		·05	·06	·01			·77		·01	·02	·01	·015	25
26	·04	·02	·14	·015			·01		·005	·02	·01	·05	26
27	·13			·05		·71	·02		·01	·01	·33	·08	27
28	·84		·11	·15	·37	·02	·03		·005	·01	·115	·07	28
29	·11		·20	·04	·76	·05	·09		·01	·01	·125	·57	29
30	·17	✗	·01			·04			·08		·14	·29	30
31	·08	✗	·03	✗	·09	✗	·06		✗	·07	✗	·07	31
TOTAL	2·80 ~~2·78~~	1·115 ~~1·11~~	1·84	3·635 ~~3·63~~	2·145 ~~2·14~~	2·53	6·75 ~~6·74~~	1·75	1·53	2·21	1·12	2·525 ~~2·52~~	YEAR'S TOTAL 29·95 ~~29·90~~
Days with ·01 in. or more	16	16	17	25 ~~26~~	13	9	25	11	18 ~~19~~	20	18	26 ~~27~~	214
	13	6	9	20	11	7	19	7	9	6	7	15	129

(44,283). Wt.21,958—218 7500. 10/19. Gp.132. A.&E.W.

DENSHAW

NEW YEARS BRIDGE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIS

Snowden

Kept at New Years

in. Ground 4 ft. 0 in.

in the County of WR Yo

Sea Level 1012 ft.

by Oldham Corp

Name Delph

Distance 7 m Direction S

IMPORTANT NOTE.— the result entered to the previous day. If an Observe ersal rule, he is earnestly requested to add the reading ear in the space provided for it at the end of this paragraph. Full instructions for ment of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	·88	"	·01	"	17	·06	"	"	·46	·01	1
2	04	"	·06	"	·27	"	·04	·01	"	·01	·13	·09	2
3	"	"	·12	"	·48	"	"	"	"	"	·50	"	3
4	·02	"	·19	·12	·02	"	"	·03	·07	·34	·66	·11	4
5	·05	"	·03	·04	"	"	"	·94	"	·07	·10	·02	5
6	·42	"	·05	·07	"	"	"	·74	"	·53	·59	·20	6
7	·08	"	"	·01	"	"	"	"	"	·06	·23	"	7
8	28	"	·33	"	"	"	"	"	·06	07	·03	·38	8
9	·01	"	"	"	"	"	"	"	"	"	"	·18	9
10	·27	·06	·09	"	"	"	"	"	"	"	"	·43	10
11	·23	"	"	"	01	"	"	"	·04	"	·94	·22	11
12	·04	"	·27	"	"	"	"	"	1·43	"	·60	"	12
13	"	"	"	"	·55	"	"	"	"	"	·18	·31	13
14	·02	·65	·04	"	·09	"	"	"	"	"	·08	·11	14
15	"	·29	·02	·01	"	"	"	"	"	·10	·14	·40	15
16	"	1·20	·02	"	"	·14	·01	"	"	·02	·20	·18	16
17	·01	05	·02	"	·01	·33	"	"	"	"	·20	·06	17
18	"	·42	·01	"	"	·25	"	·04	"	·06	·02	·20	18
19	"	·10	·02	·10	"	·16	·08	"	·30	·15	·08	·08	19
20	"	·08	"	·33	"	·01	·05	·84	·10	·12	"	·42	20
21	"	·85	·03	"	"	"	·07	·14	·01	·12	"	·37	21
22	·02	·07	"	·10	"	·01	·01	"	"	·30	·07	·05	22
23	"	·33	"	"	·05	·38	"	"	·32	·08	.	·43	23
24	·12	·17	"	·17	"	1·25	"	·02	"	·40	"	·20	24
25	·02	·55	"	·33	"	·01	·10	"	·92	·03	"	·25	25
26	"	·02	"	·29	·01	·06	"	·02	"	·48	·27	·40	26
27	·03	·30	·02	·71	"	"	"	·67	·53	"	·04	·07	27
28	"	·28	"	·32	"	·24	"	·07	·05	"	·05	·60	28
29	"		·01	·55	"	·43	"	·01	·70	·64	"	·12	29
30	"		"	"	·09	·35	"	"	"	·54	"	"	30
31	"		·11		·07		"	"		·05		·03	31
Total	1·66	5·42	2·32	3·15	1·61	3·62	·48	3·59	4·53	4·12	5·57	5·92	TOTAL for year 41·99
No. of Rain Days.	16	16	19	14	12	13	8	13	12	20	21	27	191

W. 8,000, X. '11.

✓

REGIS

FORM A2. BRITISH RAINFALL.
4 - JAN 1912

Kept at New Years Bridge

in the County of WR Yorkshire 4

by Oldham Corporation

RAIN GAUGE
Pattern Snowden
Diameter of top 8 in.
Height of top above Ground 4 ft. 0 in.
" " " Sea Level 1012 ft.

Time of Observation

Nearest Railway Station
Name Delph
Distance 2 Mls Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	·88	"	·01	"	17	·06	"	"	·46	·01	1
2	04	"	·06	"	·27	"	·04	·01	"	·01	·13	·09	2
3	"	"	·12	"	·48	"	"	"	"	"	·50	"	3
4	·02	"	·19	·12	·02	"	"	·03	·07	·34	·66	·11	4
5	·05	"	·03	·04	"	"	"	·94	"	·07	·10	·02	5
6	·42	"	·05	·07	"	"	"	·74	"	·53	·59	·20	6
7	·08	"	"	·01	"	"	"	"	"	·06	·23	"	7
8	28	"	·33	"	"	"	"	"	·06	·02	·03	·38	8
9	·01	-	"	"	"	"	"	"	"	"	"	·18	9
10	·27	·06	·09	-	"	"	"	"	"	"	"	·43	10
11	·23	"	"	"	01	"	"	"	·04	"	·94	·22	11
12	·04	"	·27	"	"	"	"	"	1·43	"	·60	"	12
13	"	"	"	"	·55	"	"	"	"	"	·18	·31	13
14	·02	·65	·04	"	·09	"	"	"	"	"	·08	·11	14
15	"	·29	·02	·01	"	"	"	"	"	·10	·14	·40	15
16	"	1·20	·02	"	"	·14	·01	"	"	·02	·20	·18	16
17	·01	05	·02	"	·01	33	"	"	"	"	·20	·06	17
18	"	·42	·01	"	"	·25	"	·04	"	·06	·02	·20	18
19	"	·10	·02	·10	"	·16	·08	"	·30	·15	·08	·08	19
20	"	·08	"	·33	"	·01	·05	84	·10	·12	"	·42	20
21	"	85	·03	"	"	"	·07	·14	·01	·12	"	·37	21
22	02	·07	"	·10	"	·01	·01	"	"	·30	·07	·05	22
23	"	·33	"	"	·05	·38	"	"	·32	·08	"	43	23
24	12	·17	"	·17	"	1·25	"	·02	"	·40	"	·20	24
25	·02	·55	"	33	"	·01	10	"	·92	·63	"	·25	25
26	"	·02	"	·29	01	·06	"	·02	"	·48	·27	·40	26
27	·03	·30	02	·71	"	"	"	·67	·53	"	·04	·07	27
28	"	·28	"	·32	"	·24	"	·07	·05	"	·05	·60	28
29	"		·01	·55	"	·43	"	·01	·70	·64	"	·12	29
30	"		"	"	·09	·35	"	"	"	·54	"	"	30
31	"		·11		·07		"	"		·05		·03	31
Total	1·66	5·42	2·32	3·15	1·61	3·62	·48	3·59	4·53	4·12	5·57	5·92	TOTAL for year 41·99
No. of Rain Days.	16	16	19	14	12	13	8	13	12	20	21	27	191

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
4 JAN 1913

8098

REGISTER OF RAINFALL IN 1912

W4

Kept at New Years Bridge (Denshaw)
in the County of Yorkshire
by Oldham Corporation

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Delph
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	.28	"	"	.14	.18	.01	.29	"	"	.57	1
2	"	.08	18	.10	.11	.06	.35	"	.06	"	.01	.16	2
3	52	.02	.05	"	04	.65	"	1.17	.63	"	.01	.14	3
4	.44	"	.50	.49	.05	.58	"	.86	.05	"	.49	"	4
5	.23	.02	.02	.02	57	.19	"	.04	.14	"	.04	.02	5
6	.36	.30	"	"	.09	.02	"	.20	"	.02	"	"	6
7	"	.04	.07	.05	.11	01	.02	.18	.40	"	.01	.07	7
8	.22	.29	.08	.22	.04	.01	.08	.11	.25	"	.13	"	8
9	.25	.04	.08	.30	.01	.07	"	.01	"	"	.10	.15	9
10	.20	01	"	.03	"	.40	.10	.17	.01	"	.66	"	10
11	.23	.06	"	"	"	"	.02	.15	"	"	"	1.12	11
12	.10	.70	.24	"	"	.10	.37	"	"	"	"	.10	12
13	"	.02	.02	"	"	"	"	.27	"	.24	.04	.51	13
14	.25	"	1.18	"	.06	.10	"	.33	"	"	"	58	14
15	02	.12	.38	"	.68	.15	"	.08	"	"	"	.18	15
16	.56	"	.42	"	.11	.07	"	.13	"	.30	"	.12	16
17	06	.11	.12	"	.02	1.12	"	.51	"	"	.09	.43	17
18	.08	.02	"	"	"	.15	"	.05	"	.64	.02	.11	18
19	23	.08	.40	"	"	"	.26	.25	"	.32	.05	"	19
20	.18	"	.04	"	.38	02	.01	.52	"	.43	"	.04	20
21	"	"	.04	"	.55	"	.06	.08	"	.22	.01	18	21
22	"	.39	.07	"	.92	.48	09	.33	"	"	"	.15	22
23	"	"	.18	"	"	.01	.50	1.60	"	"	.37	.07	23
24	.06	"	.04	"	"	.08	"	.13	"	"	.04	.10	24
25	"	.04	.05	"	"	40	.08	.01	"	"	.63	18	25
26	"	.17	.15	"	"	.01	.24	.76	"	1.74	.26	.26	26
27	"	.02	.38	"	"	.53	.55	"	"	.73	.04	.26	27
28	"	.02	.02	"	"	.36	.30	.87	.14	.40	.32	.01	28
29	"	.04	.02	"	"	"	.40	.02	.20	.33	.01	.23	29
30	.02		.17	"	.03	.10	.07	.01	.05	.07	"	"	30
31	"		.07		1.18		2.33	.53		"		.01	31
Total	4.01	2.59	5.25	1.21	4.95	5.81	6.01	9.38	2.22	5.44	3.33	5.69	YEAR'S TOTAL 55.89
Rain Days.	18	21	27	7	17	25	19	28	11	12	20	25	230

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Denshaw (New Years Bridge)
in the County of Yorks W4
by Oldham Corporation

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Delph
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·02	·18	·23	"	"	"	"	·01	"	·08	·01	1
2	·01	·12	·50	·65	"	·17	"	"	"	·02	·06	·12	2
3	"	·13	18	"	·67	"	"	"	·01	·07	·01	·30	3
4	·76	·17	·05	"	·04	·02	·11	"	·01	·01	·19	·40	4
5	·09	·09	·25	"	·09	·26	·19	"	·18	·38	·01	"	5
6	·06	·11	·12	"	·63	·19	·34	"	"	·72	·02	·01	6
7	"	·10	·09	"	·26	·30	·01	"	"	·86	"	·04	7
8	"	·08	·06	"	·05	·02	"	·45	·01	·11	·24	·05	8
9	·01	·26	·51	·02	·10	·76	"	·14	"	"	·12	·26	9
10	·01	·04	·27	·04	·04	·02	·14	"	·05	"	·14	"	10
11	·20	"	·01	·20	"	·19	"	"	"	·02	·12	·08	11
12	·05	"	"	"	"	"	"	"	·10	"	·44	·02	12
13	"	"	·52	·04	"	"	·07	·06	·32	"	·34	"	13
14	·02	"	·18	·26	"	"	·03	·01	·01	·53	·40	·04	14
15	·09	·01	·24	·66	"	"	·01	·09	·01	·01	·35	·09	15
16	·01	·02	·04	·05	"	"	·04	·05	"	"	·38	"	16
17	·03	·01	"	·29	·07	·02	·23	"	·67	"	·22	"	17
18	·07	"	·24	·43	·11	·07	·08	"	"	"	·48	"	18
19	·02	"	·02	·02	·02	·06	·01	"	·13	·13	·26	"	19
20	·17	"	·04	·04	·04	"	·01	"	·62	·05	·60	"	20
21	·02	"	·17	"	·22	"	·19	·15	"	"	·25	"	21
22	·35	"	·60	"	·12	"	"	1·15	·15	"	"	"	22
23	·32	"	·05	"	·43	·58	"	·71	·20	"	·26	·05	23
24	·52	·65	"	·23	·07	·29	"	·26	"	"	·08	·02	24
25	"	"	"	·08	"	"	"	"	·35	·04	·06	·63	25
26	"	·07	·13	·54	"	"	"	"	·03	·10	"	·66	26
27	"	·01	·01	·45	"	"	"	"	"	·06	·03	·10	27
28	·31		·17	·66	·02	"	"	"	"	·02	·02	·06	28
29	"		·44	·76	·08	"	"	·18	"	·01	·03	·08	29
30	·52		·02	"	·02	"	"	"	"	·46	·26	"	30
31	·04		·10		·05		"	"		"		"	31
Total	3·75	1·29	5·19	5·05	3·08	2·95	1·46	3·19	2·26	3·60	5·45	3·02	YEAR'S TOTAL 40·29
Rain Days.	23	16	27	19	20	14	14	11	17	18	27	19	225

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at New Years Bridge Denshaw
in the County of Yorks WR 4
by Oldham Corporation

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Delph
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 1017 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	〃	.03	〃	〃	.01	.97	.31	.	.02	.01	.36	1
2	.01	.	.07	.04	.	.	.24	.83	.	.04	.21	.19	2
3	.10	.	.32	〃	.58	.	.08	.21	.	.06	.03	.60	3
4	1.08	〃	.55	.36	.20	.	.	.	.	.	.26	.36	4
5	.08	.	.58	.22	.24	.27	.13	.	.	.01	.15	.16	5
6	.	.02	.04	.24	.19	.01	.01	.02	.	.	.05	.01	6
7	.06	.03	.15	.01	.47	.13	.	.03	.	.	.04	.19	7
8	.86	〃	.04	.06	.26	.76	.01	.45	.04	.01	.06	.05	8
9	.58	.12	〃	.30	.06	1.31	.	.52	.01	.	.18	.	9
10	.09	.04	.	.18	.03	.	.	.	.10	.	.11	.01	10
11	〃	.40	.29	.04	.04	.09	.29	.	.34	.	1.45	.23	11
12	.	.16	.07	.	.06	.01	.35	.	.96	.	.55	.36	12
13	.	.18	.24	.06	.01	.	.05	.	.15	.	.57	.24	13
14	.06	.46	.25	.	.	.	.06	.	.19	.05	.18	.28	14
15	.	.04	.41	.	.	.	.	.	.13	.06	.11	.	15
16	.03	.01	.08	.	.	.	.85	.	1.03	.	.	.01	16
17	.08	.56	.13	.	.	.40	.13	.	.70	.	.	.98	17
18	〃	.	.09	.	.	.52	.	.	.04	.	.	.26	18
19	.	.03	.01	.	.	.	.10	.	.08	.	.02	.29	19
20	.01	.15	.11	.	.	.	.	.	.	.03	.	.	20
21	.	.32	.03	.	.	.02	.	.01	.	.10	.	.06	21
22	.	.35	.01	.02	.08	.47	.	.10	.	.07	.	.	22
23	.	.02	.13	.19	.30	.20	.26	.	.	.	.	.06	23
24	.08	〃	.61	.09	.20	.03	.44	.59	.	.	.22	.	24
25	.13	.	.	.	.	.	.23	.30	.	.91	.10	.52	25
26	.10	.	.10	.	.	.	.06	.04	.	.41	.35	.30	26
27	.10	.02	〃	.	.	.	.	.	.	.47	.27	.82	27
28	.07	.28	.08	.	.	.01	.21	.	.02	.01	.26	.02	28
29	.21		.16	.03	.04	.	.	.06	.	.67	.11	.04	29
30	.02	✕	.18	.02	.	.	.	.07	.	.03	.28	.20	30
31	.68	✕	.64	✕	.02	✕	.60	.	✕	.16	✕	.	31
Total	4.49	3.19	5.40	1.86	2.78	4.24	5.07	3.54	3.79	3.11	5.57	6.60	YEAR'S TOTAL 49.64
Rain Days.	21	18	27	15	16	15	19	14	13	17	23	25	223

W. 8,000. X. 14.

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

6 JAN 1915

RAINFALL IN 1914

At New Years Bridge

In the County of Yorks W

Rain Gauge { Diameter of Funnel 8" in.

Height of Top { *Above Ground* 4 ft. 0 in.

Above Sea Level 1012 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	4·49	1·08	4th	21
FEB.	3·19	·56	17th	18
MAR.	5·40	·64	31st	27
APR.	1·86	·36	4th	15
MAY	2·78	·58	3rd	16
JUNE	4·74	1·31	9th	15
JULY	5·07	·97	1st	19
AUG.	3·54	·83	2nd	14
SEPT.	3·79	1·03	16th	13
OCT.	3·11	·91	25th	17
NOV.	5·57	1·45	11th	23
DEC.	6·60	·98	17th	25
Total	49·64	1261		223

Signed Chas. J. Batley

Please fill in the other side also.

W. 17,000. X.14.

Exd [illegible]

3273

FORM A. BRITISH RAINFALL. 13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at New Year's Bridge Denshaw

W 4

in the County of Yorkshire

by Oldham Corporation

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station Delph

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·55	"	"	·46	"	·08	·49	25	"	"	·10	1
2	"	·43	·20	·28	"	·06	·55	·45	02	·05	"	·01	2
3	·68	"	·10	·26	"	"	·26	·15	"	·01	·01	·56	3
4	·01	·04	·01	"	·20	"	·60	"	01	"	"	1·46	4
5	·18	·02	·27	"	·02	·03	"	·02	"	"	"	·52	5
6	·42	·02	·02	·40	"	"	·70	·25	"	·02	"	·63	6
7	·66	·58	"	·09	·09	"	·35	·88	"	"	"	·20	7
8	·23	·02	"	·05	"	"	"	·18	"	"	·25	"	8
9	"	·01	"	·10	"	"	·02	·15	"	·03	·40	·30	9
10	·80	"	·05	·02	"	"	·04	1·20	"	·05	·04	·36	10
11	·26	"	·10	"	·74	"	·16	·35	"	"	·15	·40	11
12	·19	"	"	·30	·10	"	·10	·20	"	·39	·80	"	12
13	·20	·46	"	"	"	"	·02	·10	"	·02	"	·04	13
14	·20	"	"	·04	"	"	·05	·06	07	·04	"	·30	14
15	1·25	·01	"	"	"	"	·10	·06	04	"	·33	·21	15
16	"	·30	"	·04	·30	"	1·50	·70	"	·04	"	·02	16
17	"	·40	·07	"	"	"	·07	"	"	"	"	"	17
18	·01	30	48	"	"	"	"	"	"	"	·01	"	18
19	·02	·19	·12	·03	·10	"	·25	"	"	·02	"	"	19
20	·35	·02	·02	·06	·10	"	·17	·04	"	"	"	·26	20
21	·22	·03	"	·02	"	"	·30	"	"	"	"	·10	21
22	"	"	·08	·02	"	"	·26	"	"	"	"	·36	22
23	·02	·02	·09	"	"	·01	·08	"	"	·13	"	·10	23
24	"	"	·12	·02	"	·04	"	"	·40	·01	"	·55	24
25	"	"	"	"	"	·15	"	"	·14	·03	"	·26	25
26	·03	·48	"	"	"	·35	·60	"	·08	"	"	·43	26
27	"	·12	"	"	"	·03	·10	"	"	·40	"	·38	27
28	"	·18	·02	"	·01	·09	·06	·58	"	·36	"	·06	28
29	·03		"	"	·12	·20	"	"	"	"	·10	·52	29
30	·21	X	"	·07	"	·11	"	·03	"	"	"	"	30
31	·15	X	"	X	"	X	·02	·90	X	·53	X	·28	31
Total	6·44	4·18	1·75	1·80	2·24	1·07	6·44	6·79	1·01	2·13	2·09	8·41	YEAR'S TOTAL 44·35
Rain Days.	22	20	15	16	11	10	24	19	8	16	9	25	195

W. 8,000. X. 15.

Ezre DL

3204

FORM A.
BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at New-Years-Bridge

in the County of Yorkshire W.R.

by Oldham Corporation Waterworks
Observer- Chas H Battey

Lat. Long.

Time of Observation

Nearest Railway Station Delph

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·09	·21	〃	〃	·65	1·08	·09	〃	〃	·38	〃	1
2	·31	·23	·08	〃	〃	·08	·03	〃	·22	·13	·01	·01	2
3	〃	·13	·01	·02	〃	〃	·01	〃	·89	·20	·19	·02	3
4	·25	·35	〃	〃	·55	1·00	〃	〃	·08	·30	·17	〃	4
5	·24	·36	〃	〃	·09	·40	〃	〃	〃	1·28	·30	〃	5
6	·89	·55	·06	〃	·46	·07	·15	〃	〃	·36	·33	·02	6
7	·09	·05	·10	〃	·20	·05	·14	〃	〃	·46	·15	·50	7
8	·02	·10	·32	〃	·02	·01	〃	〃	〃	·14	·60	·04	8
9	·18	〃	·04	〃	·30	·24	·02	〃	〃	〃	·53	·16	9
10	·03	·08	·02	·15	〃	·25	·09	〃	·08	·16	·02	·04	10
11	·10	·43	·12	·54	·01	·09	·04	〃	·25	〃	〃	·15	11
12	·27	·22	·16	·18	·40	〃	1·08	·06	·03	·16	·02	·02	12
13	〃	·15	·09	·24	〃	〃	〃	·43	〃	1·73	〃	·15	13
14	·02	·16	·03	·07	·55	〃	〃	·20	·04	·33	〃	·02	14
15	·01	·40	·56	·03	〃	〃	·04	·40	·24	·03	〃	〃	15
16	〃	·15	·60	·36	·02	〃	·46	·96	·03	·08	〃	〃	16
17	·23	·15	〃	·56	〃	〃	·23	·05	·86	·14	〃	〃	17
18	〃	·43	·01	·13	〃	〃	·01	·40	·40	·19	·29	·24	18
19	·38	·10	·28	·18	〃	〃	〃	·15	·04	〃	·13	·12	19
20	·28	〃	·20	·38	·08	〃	·01	·01	〃	〃	·04	·05	20
21	·15	〃	·03	·01	·03	〃	·02	〃	〃	〃	〃	〃	21
22	〃	·01	〃	〃	·03	·08	〃	〃	〃	·10	〃	·01	22
23	·02	〃	·12	·09	〃	·02	〃	·10	〃	·02	·25	·12	23
24	〃	·30	〃	·05	〃	·58	〃	·06	〃	〃	〃	·06	24
25	·16	·10	·15	〃	·06	·01	〃	·19	〃	·06	·49	·05	25
26	·07	·20	·16	〃	〃	·03	〃	·08	〃	·04	〃	〃	26
27	〃	·16	·04	〃	·12	〃	〃	·56	·01	·38	〃	〃	27
28	·02	·10	·01	〃	·08	·03	〃	·03	〃	·51	·06	·35	28
29	〃	·33	〃	〃	〃	·18	〃	〃	〃	·40	〃	·75	29
30	·01	X	〃	〃	〃	·05	·01	〃	〃	·68	·06	·08	30
31	〃	X	〃	X	·02	X	·01	·07	X	·24	X	·25	31
Total	4·08	5·33	3·40	2·99	3·02	3·82	3·43	3·84	3·17	8·12	4·02	3·21	YEAR'S TOTAL 48·43
Rain Days.	22	25	23	15	17	18	17	17	13	24	18	22	231

W. 8,000, VIII. 16

3056

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 5. JAN 1918

Kept at New Years Bridge
in the County of Yorkshire
by Oldham Corporation

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Delph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	,,	,,	·16	,,	1·07	,,	·25	·54	,,	·20	20	1
2	·50	,,	,,	·08	,,	·22	,,	·02	·02	·04	·02	,,	2
3	·10	·24	,,	,,	,,	·17	,,	,,	,,	·36	·08	·03	3
4	·06	·04	·04	,,	,,	,,	,,	,,	,,	·80	·01	,,	4
5	·40	,,	·02	·23	,,	,,	,,	·21	,,	·20	·26	·02	5
6	·07	,,	,,	,,	,,	·03	,,	,,	,,	·19	·27	·18	6
7	·72	,,	·01	,,	,,	·23	,,	,,	,,	·97	·05	·08	7
8	·53	,,	,,	·25	,,	,,	,,	·46	·03	1·04	·28	·10	8
9	· ,,	,,	·04	·08	,,	,,	,,	·20	,,	·22	·53	,,	9
10	·22	,,	·78	·12	·38	,,	,,	·06	,,	·04	,,	,,	10
11	·10	,,	,,	·16	,,	,,	,,	·12	,,	·46	·01	,,	11
12	·03	,,	·01	,,	·62	,,	,,	·32	,,	·40	,,	·05	12
13	·04	,,	,,	·37	·12	,,	,,	·11	·59	·09	·03	·45	13
14	·08	,,	,,	·16	,,	,,	,,	·37	,,	·05	,,	·20	14
15	·08	,,	,,	·04	·02	,,	·50	·05	·12	·10	,,	·16	15
16	·01	·10	,,	·24	,,	,,	·02	·27	·03	·04	·02	·33	16
17	,,	·08	·34	·22	·30	,,	·26	1·78	·06	·17	·02	·04	17
18	·02	,,	·08	·10	·07	,,	·81	·54	·27	·20	,,	,,	18
19	·04	·10	·19	,,	·27	·10	,,	·01	,,	,,	·04	,,	19
20	·03	·25	·02	,,	·07	·35	,,	·02	·05	,,	·35	,,	20
21	,,	·02	·16	,,	·05	·02	,,	·26	,,	·08	·02	,,	21
22	,,	,,	·02	,,	,,	,,	,,	·02	·23	·24	·14	,,	22
23	,,	·07	,,	,,	·21	·10	,,	·59	·04	·08	·01	·08	23
24	,,	,,	,,	,,	,,	·20	,,	·35	,,	·52	·23	·03	24
25	,,	·07	·08	,,	,,	,,	,,	·17	·01	·15	·02	,,	25
26	,,	,,	,,	,,	,,	·01	,,	·51	·25	·07	·45	,,	26
27	,,	,,	·02	,,	·01	·20	·20	·47	,,	·09	·18	·04	27
28	,,	·05	·28	,,	,,	·02	,,	·37	·01	·07	·07	·04	28
29	·01		·08	,,	·03	,,	·06	·13	,,	·31	·12	·06	29
30	·04	×	·22	,,	,,	,,	,,	·06	,,	·21	·08	·01	30
31	,,	×	·32	×	·01	×	,,	10	×	,,	×	·02	31
Total	3·24	1·02	2·71	2·21	2·16	2·72	1·85	7·82	2·25	7·19	3·79	2·12	YEAR'S TOTAL 39·08
Rain Days.	20	10	18	13	13	13	6	27	14	27	25	19	205

W. 8,000, IX. 17.

Exd 911 JJ

38

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at New Years Bridge
in the County of Yorkshire W
by Chas. J. [illegible].

Lat. Long.
Time of Observation 8 A.M.
Nearest Railway Station Delph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·14	〃	·09	·05	〃	〃	〃	·49	·12	·07	·35	1
2	·01	·37	〃	·11	〃	〃	〃	·02	·19	·09	〃	·68	2
3	〃	·03	·02	〃	·16	〃	〃	·13	〃	·27	·02	·04	3
4	·04	·04	·03	〃	·12	〃	〃	·30	·17	·28	·40	·44	4
5	·03	·01	·07	·30	·20	〃	〃	·75	·10	·46	·14	·02	5
6	·02	1·60	·01	·34	〃	·22	〃	·27	·10	·18	〃	·03	6
7	·03	·19	〃	·46	〃	·02	〃	·03	·25	·40	·20	〃	7
8	·06	·12	·10	〃	〃	〃	·59	·10	·95	·15	·09	·10	8
9	·24	·82	〃	·02	〃	·27	〃	〃	1·08	·60	·03	·12	9
10	·06	·47	·04	·03	〃	〃	·08	〃	·75	·10	·19	·03	10
11	·28	·19	·08	·01	·11	〃	·04	〃	·55	〃	〃	·15	11
12	·04	·40	·01	·20	〃	·01	·48	〃	·34	·01	〃	·48	12
13	·02	·01	〃	·03	·22	·02	〃	〃	·24	·14	〃	〃	13
14	·50	〃	·01	〃	·02	·09	·15	〃	·90	·22	〃	·17	14
15	·16	〃	〃	〃	·03	·03	·78	〃	2·00	〃	〃	1·03	15
16	·04	〃	〃	〃	〃	·15	·12	·04	·25	〃	〃	·46	16
17	·19	〃	〃	〃	·14	·06	·17	·18	·13	·11	〃	·33	17
18	·43	〃	·12	〃	〃	·03	·25	·05	·52	〃	〃	·49	18
19	·29	·07	·15	·12	〃	〃	·39	·23	·44	·08	〃	·75	19
20	·16	·55	〃	·05	〃	·17	·60	·01	·83	·06	〃	〃	20
21	·15	·61	〃	·04	·46	·24	·01	〃	·55	·03	〃	〃	21
22	·06	·07	〃	〃	·65	·03	·54	·02	·03	·01	〃	·75	22
23	·06	·02	〃	〃	·55	〃	·17	〃	·20	〃	·07	·02	23
24	〃	·08	〃	〃	〃	〃	·03	·20	·19	·01	·06	·12	24
25	〃	〃	〃	〃	〃	·05	·15	·47	·08	〃	·02	〃	25
26	〃	·15	〃	〃	〃	〃	·14	·14	·65	·04	·14	·20	26
27	〃	·18	·09	〃	〃	·02	〃	·44	·48	·03	·30	·58	27
28	〃	·11	·78	〃	〃	〃	〃	·10	·12	〃	·25	·52	28
29	〃		〃	〃	〃	〃	〃	〃	·18	〃	〃	·28	29
30	〃	X	·25	〃	〃	〃	〃	·17	〃	·02	·15	·37	30
31		X	·33	X	〃	X	〃	·13	X	·02	X	〃	31
Total	2·90	6·23	2·09	1·80	2·41	1·41	4·69	3·78	12·76	3·43	2·13	8·51	YEAR'S TOTAL 52·44
Rain Days	22	22	15	13	12	15	17	20	28	23	15	25	227

W. 6,500, VII. '18. w w c

9 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at New Years Bridge
in the County of Yorkshire
by Oldham Corporation Water Works

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Delph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·	·06	·02	·61	·	·26	·05	·27	·42	·17	·18	1
2	·25	·	·46	·	·04	·	·18	·06	·05	·05	·09	·19	2
3	·92	·	-	·	·06	·17	·29	·01	·06	·	·31	·15	3
4	·24	·02	·28	·	·02	·04	·26	·30	·18	·	·06	·14	4
5	·01	·	·01	·02	-	·	·	·	·08	·	·07	·31	5
6	·03	·	·66	-	·89	·	·	·	·	·01	-	·14	6
7	·04	·	·59	·02	·	·	·	·	·05	·	·18	·	7
8	·11	·	·04	·01	·	·10	·	·	·	·	·07	·	8
9	·38	·	·10	·01	·	·	·	·	·	·	·03	·	9
10	·01	·	1·19	·13	·01	·	·	·	·	-	·	·46	10
11	·01	·	·50	·13	·12	-	·15	·	·	·06	·	·	11
12	·02	·	·10	·14	·03	·21	·15	·	·05	·04	·05	·01	12
13	·42	·	·	·08	·	·03	·04	·06	·02	·30	·	·11	13
14	·41	·01	·	·38	·	·	·	·03	-	·	·04	·01	14
15	·34	·02	·03	·04	·	·	·	·	·	·	·08	·35	15
16	·13	·22	·	·01	·	·04	-	·	-	·	·18	·02	16
17	·14	·04	-	·07	·	·21	·	·27	-	·	1·06	·03	17
18	·	·	·20	·	·	·	·05	·43	·12	·	·03	·39	18
19	·02	·14	·22	·	·	·17	·54	·22	·02	·	·10	·04	19
20	·33	·13	·08	·	·	·28	·13	·15	·03	-	·07	·85	20
21	·09	·40	·	·	·	·17	·28	-	·06	·	·02	·08	21
22	·	·21	·01	·	·	·07	-	·10	·48	·	·05	·80	22
23	·	-	·	·	·	·17	·	·01	-	1·10	·12	·37	23
24	·	·	·	·17	·03	·05	·	·01	·29	·67	·30	·13	24
25	·25	·01	·	·29	·15	·13	·	·63	-	·	·25	·02	25
26	·06	·01	·67	·16	·	·07	·05	·80	·16	·	·08	·89	26
27	·24	·	·02	·24	·	·02	-	·03	·	·	·06	·13	27
28	·	·	·	·10	-	·01	·	·61	·	·05	·	·40	28
29	·09		·	·02	·	·02	-	·09	·	·96	·	·07	29
30	·04		·08	·13	·	·14	·	-	-	·25	·20	·26	30
31	·02		·04		·		·37	-		·05		·04	31
TOTAL	5·08	1·21	5·34	2·17	1·96	2·70	2·75	3·86	1·92	3·96	3·61	6·57	YEAR'S TOTAL 40·53
Days with ·01 in. or more	26	11	20	20	10	19	13	18	15	12	24	27	215

2785

10 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at New Years Bridge Denshaw

in the County of Yorkshire

by Oldham Corporation

Lat. Long.

Time of Observation 8 am

Nearest Railway Station Delph

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 1012 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	″	″	·07	19	·46	·01	1·12	·11	·11	03	18	06	1
2	·	″	·02	·24	·04	″	·62	·05	27	13	·	23	2
3	·	·07	01	16	·09	07	1·04	17	15	01	-	16	3
4	·	·	″	·22	·02	·	19	1·19	07	43	-	16	4
5	·	·	11	·01	·57	·	26	29	16	41	·	05	5
6	″	-	64	29	19	·	·08	02	·01	·	03	23	6
7	16	·02	08	07	·03	·	·28	″	·	·	01	-	7
8	·24	·09	″	30	15	·	19	15	·	01	·	-	8
9	·34	·83	02	40	·	·	63	03	04	01	03	·	9
10	·76	·88	10	·06	″	-	72	·	-	·	·	-	10
11	·37	·05	″	·05	29	14	02	·	·	·	·	06	11
12	17	·20	10	16	05	05	09	07	·	-	16	06	12
13	12	·10	·18	12	·02	73	03	-	-	·	16	02	13
14	05	·13	·10	12	″	55	01	-	·65	10	76	·	14
15	01	·18	·04	61	″	·	07	·	·06	32	17	·	15
16	·	·	·14	·20	03	·	83	·	14	02	15	-	16
17	09	·	·06	″	21	·	01	22	26	05	·	01	17
18	·22	·	·	08	49	-	19	04	40	-	·	·	18
19	·04	1·08	·	08	61	17	01	30	·01	·	·	·	19
20	17	·02	·	25	·	12	34	″	-	-	·	13	20
21	05	·	·	03	·	-	70	05	·	01	·	24	21
22	07	-	·	40	·	08	27	02	-	01	-	06	22
23	″	-	02	04	·	·	63	02	-	″	01	24	23
24	06	·	56	14	″	-	02	·	-	01	·	27	24
25	·	·07	·02	08	·	04	1·02	·	-	·	·	·	25
26	21	·12	·38	34	12	·	14	·	-	-	02	·	26
27	·05	·03	·02	19	1·76	63	02	·	-	-	16	12	27
28	·48	·03	·23	37	40	13	05	·	-	·	03	22	28
29	·04	″	·20	12	86	10	41	-	·	-	22	69	29
30	·30	✕	·03	20	19	14	″	-	22	-	06	45	30
31	·48	✕	·12	✕	21	✕	02	-	✕	31	✕	23	31
TOTAL	4·48	3·90	3·25	5·52	6·79	2·96	10·01	2·73	2·55	1·86	2·15	3·69	YEAR'S TOTAL 49·89
Days with ·01 in. or more	22	16	23	29	21	14	30	15	14	15	15	20	234
Days with ·04 in. or more	21	12	16	27	17	13	22	11	12	7	9	18	185

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

23 MAY 1914

RE 3242

DEWSBURY, MITCHELL LAITHES
S.W.
1913 – ~~30~~
1915 – 29

Kept at Mitchell La... a.m Earlsheaton

in the County of Y... 5 in.

by Henry Dea... ...e Ground 1 ft. 6 in.

Sea Level 115 ft.

IMPORTANT N... the result entered to the previous day. If an ... versal rule, he is earnestly requested to add the r... ...ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				—	—	—	—	—	—	—	0·04	—	1
2				—	—	0·01	—	—	—	—	0·12	—	2
3				—	0·34	—	0·09	—	—	0·49	0·03	0·56	3
4				—	0·02	—	0·04	—	0·05	0·01	0·15	0·22	4
5				—	—	0·17	0·12	0·02	0·10	0·19	—	—	5
6				—	0·52	—	0·50	—	—	0·15	—	—	6
7				—	0·10	0·15	—	—	—	0·34	0·02	—	7
8				—	0·42	—	—	0·05	—	0·14	0·04	—	8
9				—	0·22	0·07	—	0·02	—	—	0·09	0·02	9
10				0·08	0·01	—	0·03	—	—	0·02	0·22	—	10
11				0·29	0·03	—	—	—	—	0·04	0·05	—	11
12				—	—	0·02	—	0·02	—	—	0·13	—	12
13				0·01	—	—	—	—	0·15	—	0·08	—	13
14				0·04	—	—	—	—	—	0·05	0·17	—	14
15				0·33	—	—	—	—	0·01	—	0·28	—	15
16				0·04	—	—	—	0·11	0·01	—	0·08	—	16
17				0·07	0·02	0·03	—	—	0·71	—	0·02	—	17
18				0·12	0·02	—	0·05	—	—	—	0·07	0·01	18
19				0·15	—	—	—	—	0·03	—	0·01	—	19
20				0·10	—	—	—	—	—	0·11	0·12	—	20
21				—	0·05	—	0·15	0·15	—	—	0·06	—	21
22				—	—	—	—	0·36	0·09	—	—	—	22
23				—	0·03	0·11	—	0·17	0·16	0·02	0·02	—	23
24				—	—	0·06	—	0·12	—	—	—	—	24
25				0·02	—	—	—	—	0·09	—	—	0·03	25
26				0·06	—	—	—	—	0·04	0·10	—	0·36	26
27				0·10	—	—	—	—	—	—	—	0·09	27
28				0·19	—	—	—	—	—	0·04	—	0·08	28
29				0·37	0·03		—	0·32	—	—	—	0·05	29
30				—	—	—	—	—	—	0·50	0·01	—	30
31				—	—	—	—	—	—	—	—	—	31
Total				1·97	1·81	0·62	0·98	1·34	1·44	2·20	1·81	1·42	~~YEAR'S TOTAL~~ ~~13·59~~
Rain Days.				15	13	8	7	10	11	14	21	9	9 months Total

W.7,000, XI. 13

Gauge fixed at the commencement of April

REC

FORM A.
BRITISH RAINFALL.

23 MAY 1914

Kept at Mitchell Laithes Pumping Station

in the County of Yorkshire

by Henry Dearden, Boro Surveyor
Dewsbury See MS.

Time of Observation 9 a.m.
Nearest Railway Station Earlsheaton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 115 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				—	—	—	—	—	—	—	0·04	—	1
2				—	—	0·01	—	—	—	—	0·12	—	2
3				—	0·34	—	0·09	—	—	0·49	0·03	0·56	3
4				—	0·02	—	0·04	—	0·05	0·01	0·15	0·22	4
5				—	—	0·17	0·12	0·02	0·10	0·19	—	—	5
6				—	0·52	—	0·50	—	—	0·15	—	—	6
7				—	0·10	0·15	—	—	—	0·34	0·02	—	7
8				—	0·42	—	—	0·05	—	0·14	0·04	—	8
9				—	0·22	0·07	—	0·02	—	—	0·09	0·02	9
10				0·08	0·01	—	0·03	—	—	0·02	0·22	—	10
11				0·29	0·03	—	—	—	—	0·04	0·05	—	11
12				—	—	0·02	—	0·02	—	—	0·13	—	12
13				0·01	—	—	—	—	0·15	—	0·08	—	13
14				0·04	—	—	—	—	—	0·05	0·17	—	14
15				0·33	—	—	—	—	0·01	—	0·28	—	15
16				0·04	—	—	—	0·11	0·01	—	0·08	—	16
17				0·07	0·02	0·03	—	—	0·71	—	0·02	—	17
18				0·12	0·02	—	0·05	—	—	—	0·07	0·01	18
19				0·15	—	—	—	—	0·03	—	0·01	—	19
20				0·10	—	—	—	—	—	0·11	0·12	—	20
21				—	0·05	—	0·15	0·15	—	0—	0·06	—	21
22				—	—	—	—	0·36	0·09	—	—	—	22
23				—	0·03	0·11	—	0·17	0·16	0·02	0·02	—	23
24				—	—	0·06	—	0·12	—	—	—	—	24
25				0·02	—	—	—	—	0·09	—	—	0·03	25
26				0·06	—	—	—	—	0·04	0·10	—	0·36	26
27				0·10	—	—	—	—	—	—	—	0·09	27
28				0·19	—	—	—	—	—	0·04	—	0·08	28
29				0·37	0·03		—	0·32	—	—	—	0·05	29
30				—	—	—	—	—	—	0·50	0·01	—	30
31				—	—	—	—	—	—	—	—	—	31
Total				1·97	1·81	0·62	0·98	1·34	1·44	2·20	1·81	1·42	~~YEAR'S TOTAL~~ ~~13·59~~
Rain Days.				15	13	8	7	10	11	14	21	9	9 months Total

W.7,000, XI. 13

Gauge fixed at the commencement of April

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Mitchell Laithes Pumping Stn.
in the County of Yorkshire
by County Borough of Dewsbury.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTA
previous day.
requested to
for it at th
the selecti
Organiza
Dr. H

22 MAY 1915

H.M.C. Cor. fa. auth. 4.V.15

Observations of Rainfall at Mitchell Laithes Pumping Station for the year 1914.

Jan.	Feb.	Mch.	Apr.	May	June	July	Aug	Sept	Oct.	Nov.	Dec.	Dates
·04	—	—	—	—	—	1·27	·68	—	—	—	·30	1
—	—	—	—	—	—	·09	·34	—	—	·19	·07	2
·01	—	·01	—	·02	—	—	·14	—	—	·05	·47	3
·26	—	·07	·17	·04	—	—	—	—	—	·29	·33	4
·13	—	·25	·10	·02	—	—	·03	—	—	·10	·30	5
—	—	·03	·24	·12	—	—	·02	—	—	·12	·03	6
—	—	·20	—	·07	·02	—	—	—	—	·01	·23	7
·20	—	—	—	·06	·42	·23	—	·11	—	—	·02	8
·20	·01	—	·04	·02	·65	—	·05	—	—	·01	—	9
·05	·06	—	·03	·01	—	—	—	·04	—	·15	—	10
—	·39	·16	·02	—	·06	—	—	·07	—	·23	·26	11
—	·04	·15	~~·01~~	—	—	—	—	·24	—	·04	·23	12
—	·08	·07	·01	—	·01	·07	—	·04	—	·17	·07	13
·03	·14	·01	—	—	—	·08	—	·07	·03	·23	·25	14
—	·02	·15	—	—	—	—	—	—	·04	·03	·03	15
—	—	·02	—	—	—	·56 ·56	—	·10	—	—	—	16
·05	·09	·09	—	—	—	·04	—	·40	—	—	·10	17
—	—	·02	—	—	·08	—	—	—	—	—	·13	18
—	—	—	—	—	—	·03	—	—	—	·03	·09	19
·01	·08	·03	—	—	—	—	—	—	·01	—	—	20
—	·46	—	—	—	·12	—	·01	—	·08	·01	·02	21
—	—	—	—	·19	·11	·02	—	—	—	—	·01	22
—	—	·04	—	·20	·04	·03	·03	—	·04	—	·01	23
—	—	·36	—	·02	—	·08	·15	—	—	·06	—	24
·04	—	—	—	—	—	·03	·36	—	·67	—	·27	25
—	—	·09	—	—	—	—	·06	—	·27	·07	·07	26
·03	—	—	—	—	—	—	—	—	·05	·13	·58	27
·01	·03	·03	—	—	—	—	—	—	·02	·04	·02	28
—	—	·11	·08	—	—	—	—	—	·37	·03	—	29
—	—	—	—	—	—	—	—	—	·05	·12	·03	30
·04	—	·04		·01		·25	—		·28	[illegible]	—	31
1·10	1·40	1·93	·69	·78	1·51	~~2·58~~ 2·78	1·87	1·07	1·91	~~2·14~~ 2·11	3·92	
14	11	20	8	11	9	13	11	8	12	21	24	

Year 21·07
Days 162

County Borough of Dewsbury:
Boro' Engineer's Office. May 1915.

Date

													YEAR'S TOTAL
Total													
Rain Days.													

W. 8,000. X. 14.

11.

FORM A.
BRITISH RAINFALL.
13 JAN 1912

DONCASTER
S. W.
YORSHIRE

Kept at Sewage

in the County of

by H. G

ng.

on Doncaster

9 am

ge 8 in.

e above Ground ft. 14 in.

" Sea Level 30. ft.

NOTE.—Rain should be
of rain and particulars as to
to Dr. H. R. MILL, 62, Cam

Full instructions for the measurement
Observers," sent post-free on application

Date.	Jan.	Feb.	M						t.	Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	·01												1
2	·34											·02	2
3	·02			·03	·12			[illegible]	[illegible]	·08	·06		3
4	·04		·04	·21				·07	·12	·10	·15	·14	4
5	·02			·05				·04		·20	·02		5
6	·14		·01					·04		·25	·29	·41	6
7											·06		7
8	·08		·10						·04	~~·07~~	·04	·25	8
9						·04				~~·04~~			9
10												·42	10
11	·32							·06			·51	·02	11
12	·18		·12		·04				·68		·09	·01	12
13			·17			·02					·02	·59	13
14		·14	·05		·04		·01				·02	·50	14
15		·02	·09							·07		·07	15
16			·07	·02		·07	·03			·04	·12	·08	16
17		·01	·03			·11					·08	·15	17
18		·06	·02			·42				·02	·32	·05	18
19			·02				·07		·13	·10	·45	·06	19
20		·06		·04			·04	·75	·11			·25	20
21		·16	·02					·18		·41	·12		21
22		·03					·01	·02		·24	·04	·09	22
23		·20	·12			·76			·41			·11	23
24		·08	·03	·03		1·91		·02		·06		·04	24
25		·13		·21		·05			·10	·10	·05	·11	25
26				·02	·29			·01		·26	·41	·36	26
27		·05	·08	·17				·82	·39	·01	·02	·02	27
28		·04	·03	·15		·02		·01	·02		·07	·08	28
29			·02	·03		·01	·10	·06	·16	·07	·02	·04	29
30					·04	·16			·05	·24			30
31			·11							·10			31
Total	1·15	0·98	1·73	0·96	0·62	3·57	0·26	2·19	2·22	2·35	2·96	3·87	TOTAL for year 22·26
No. of Rain Days	9	12	18	11	6	11	6	14	12	17	21	23	22·26

1,000, IX. '10.

1·13

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

166

Price 2d.

9 11.

ng.

FORM A.

BRITISH RAINFALL.
13 JAN 1912

Kept at Sewage Pumping Works

in the County of WR York. 7

by H. G. Wilson

Nearest Railway Station Doncaster

Time of Observation 9 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 14 in.

" " " Sea Level 30. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·06					1
2	·34				·09							·02	2
3	·02			·03	·12			·05	·01	·08	·06		3
4	·04		·04	·21				·07	·12	·10	·15	·14	4
5	·02			·05				·04		·20	·02		5
6	·14		·01					·04		·25	·29	·41	6
7											·06		7
8	·08		·10						·04	~~·07~~	·04	·25	8
9						·04				~~·04~~			9
10												·42	10
11	·32							·06			·51	·02	11
12	·18		·12		·04				·68		·09	·01	12
13			·17			·02					·02	·59	13
14		·14	·05		·04		·01				·02	·50	14
15		·02	·09							·07		·07	15
16			·07	·02		·07	·03			·04	·12	·08	16
17		·01	·03			·11					·08	·15	17
18		·06	·02			·42				·02	·32	·05	18
19			·02				·07		·13	·10	·45	·06	19
20		·06		·04			·04	·75	·11			·25	20
21		·16	·02					·18		·41	·12		21
22		·03					·01	·02		·24	·04	·09	22
23		·20	·12			·76			·41			·11	23
24		·08	·03	·03		1·91		·02		·06		·04	24
25		·13		·21		·05			·10	·10	·05	·11	25
26				·02	·29			·01		·26	·41	·36	26
27		·05	·08	·17				·82	·39	·01	·02	·02	27
28		·04	·03	·15		·02		·01	·02		·07	·08	28
29			·02	·03		·01	·10	·06	·16	·07	·02	·04	29
30					·04	·16			·05	·24			30
31			·11							·10			31
Total	1·15	0·98	1·73	0·96	0·62	3·57	0·26	2·19	2·22	2·35	2·96	3·87	TOTAL for year 22·26
No. of Rain Days	9	12	18	11	6	11	6	14	12	17	21	23	22·26

1·13

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1600

Price 2d.

Ex 9L

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Sewage Pumping Works, Doncaster
in the County of York W7
by H. G. Wilson

Lat. ______ Long. ______
Nearest Railway Station ______
Time of Observation ______
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 14 in.
" " " Sea Level ______ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·19			·35	·06		·13			·23	1
2						·05	·54		·01			·08	2
3	·10	·10			·04	·46		·60	·25			·06	3
4	·10		·40		·10	·65		·48			·45		4
5	·09	·05			·08	·26		·03					5
6	·89	·06	·07		·04	·02	·02	·55					6
7		·03				·06		·10				·02	7
8	·37	·20	·09						·20				8
9	·03	·10	·24	·15		·18		·03				·02	9
10		·01	·04	·04		·56		·14			·27		10
11	·07	·05				·02					·05	·65	11
12	·05	·20	·05			·03	·06				·08		12
13		·04						·06		·07	·16		13
14	·10		·29			·04		·04					14
15	·02	·05	·17		·42	·04						·02	15
16	·74		·14			·10		·04		·06		·04	16
17	·14	·01	·09			·23		·27				·17	17
18	·18		·15			·03	·01			·03		·02	18
19	·34	·15	·03	·02			·67	·24		·06	·03		19
20	·16				·27	·01	·06	·07		·33			20
21		·01	·44		·55		·65						21
22	·02	·07	·02		1·11	·64	·12	·44		·04		·06	22
23	·03	·03	·19		·03		·23	·32			·02	·02	23
24	·38					·01	·13	·13				·16	24
25						·13		·19			·13	·09	25
26	·02	·13	·03				·25	·78		·85	·15	·23	26
27			·02			·16	1·04			·71	·01	·05	27
28					·04	·04	·25	·29	·02	·32	·70	·03	28
29			·03			·13	·04		·45	·06	·07		29
30	·08		·08		·55	·04			·08				30
31			·04		·23		·41	·31		·01			31
Total	3·91	1·29	2·80	0·21	3·46	4·24	4·54	5·11	1·14	2·54	2·12	1·95	TOTAL for year 33·31
No. of Rain Days	20	17	21	3	12	24	16	20	7	11	12	17	180
Totals		5·20	8·00	8·21	11·67	15·91	20·45	25·56	26·70	29·24	31·36	33·31	Total

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 JAN 1914

Kept at Sewage Pumping Works
Doncaster.
in the County of York. W 7
by H. G. Wilson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Doncaster
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·05	0·12					0·10		0·03		1
2		0·05	0·02	0·01							0·01		2
3			0·05		0·30		0·03			0·26		0·15	3
4	0·47		0·02		0·07		0·08	0·01	0·01	0·12	0·10	0·17	4
5	0·03					0·08	0·07		0·01	0·30			5
6		0·03	0·08		0·48	0·03	0·26	0·02		0·45			6
7		0·11			0·05	0·22				0·60			7
8		0·01			0·30	0·10		0·07	0·02	0·03	0·14		8
9		0·18		0·01	0·02		0·01	0·03			0·12		9
10		0·01		0·05			0·05			0·02	0·18		10
11	0·87			0·43						0·07	0·28		11
12						0·01					0·20		12
13	0·04		0·03	0·06				0·02	0·08		0·10		13
14	0·08	0·08	0·27							0·06	0·10		14
15	0·08		0·11	0·24					0·08		0·13		15
16		0·02	0·17	0·01					0·37		0·02		16
17	0·04	0·01	0·14	0·01					6·06				17
18			0·13	0·03			0·02				new g.		18
19	0·10		0·03	0·01		0·01			0·06				19
20	0·16		0·03	0·08						0·05	0·03		20
21	0·02				0·08		0·11				0·26		21
22	0·11		0·25					0·59	0·13				22
23	0·18				0·02			0·05	0·09				23
24	0·06					0·03							24
25				0·01					0·09				25
26			0·12	0·05					0·02	0·20	0·06	0·10	26
27		0·02		0·20		0·08					0·02	0·07	27
28	0·24		0·18	0·21								0·09	28
29	0·01		0·18	0·49	0·09			0·26		0·03		0·14	29
30	0·19				0·21					0·30	0·02	0·22	30
31					0·03								31
Total	2·68	0·52	1·86	2·02	1·65	0·56	0·63	1·05	7·12	2·49	1·80	0·94	YEAR'S TOTAL 23·32
Rain Days.	16	10	17	17	11	8	8	8	13	13	17	7	145
W.7,000, XI. 13		3·20	5·06	7·08	8·73	9·29	9·92	10·97	18·09	20·58	22·38	23·32	

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at Sewage Pumping Works, Doncaster
in the County of York, W. R. 7
by H. G. Wilson

Lat. 53° 32′ Long. 1° 7′
Time of Observation 9 a. m.
Nearest Railway Station Doncaster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							0·98	0·25		0·02	0·02	0·15	1
2							1·68	0·29		0·02	0·20	0·05	2
3					0·04		0·09				0·06	0·55	3
4	0·10		0·04	0·13	0·09						0·29	0·20	4
5	0·09		0·15	0·07	0·06	0·02	0·08				0·06	0·19	5
6				0·06	0·13		0·22					0·02	6
7		0·01	0·21	0·01	0·11	0·03		0·06			0·04	0·07	7
8	0·05		0·01		0·07	0·23	0·05	0·05	0·03			0·01	8
9	0·25			0·06		0·58		0·16	0·04				9
10	0·20	0·09		0·07					0·09	0·05		0·01	10
11		0·05	0·20	0·04	0·01	0·32			0·03		0·19	0·29	11
12		0·02	0·06						0·32			0·27	12
13		0·02	0·13						0·07		0·09	0·08	13
14	0·03	0·06					0·10		0·02		SNOW 0·23	0·18	14
15		0·08	0·09							0·26	0·21		15
16	0·02		0·03				0·18		0·12				16
17	0·05	0·10	0·04						0·18			0·12	17
18												0·38	18
19						0·02	0·06				0·01	0·21	19
20		0·06	0·04							0·06			20
21		0·36				0·04		0·60		0·09	0·05	0·06	21
22					0·19	0·02		0·08		0·07		0·01	22
23		0·01	0·02		0·39		0·06						23
24			0·03	0·01	0·24			0·28			0·28		24
25								0·10		0·52	0·03	0·25	25
26			0·16					0·34		0·17	0·04	0·15	26
27	0·01										0·04	0·51	27
28	0·04	0·04								0·36	0·03	0·27	28
29			0·08							0·36			29
30		X								0·06	0·20	0·06	30
31		X		X	0·01	X	0·25		X	0·10	X	0·08	31
Total	0·84	0·90	1·29	0·45	1·34	1·26	3·75	2·21	0·90	2·14	2·07	4·17	YEAR'S TOTAL 21·32
Rain Days.	10	12	15	8	11	8	11	10	9	13	18	24	149

W. 8,000. X. 14.

3341

FORM A.
BRITISH RAINFALL.

22 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pumping Station, Doncaster

in the County of York. W.R. 7

by F. Oscar Kirby.

[illegible] Lat. 53°·32′ Long. 1°·7′

Time of Observation 9.0 a.m.

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 6. in.

" " " " Sea Level 30. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·05			·34.		·03.	·24	·09.		·02.	·03	1
2		·03	·09	·14		·05	·02	·10					2
3	·66		·04	·06			·30	·06.			·04	·37	3
4	·16						1·01					·97.	4
5	·02	·27	·03		·36.			·02			·02.	·37.	5
6	·02	·23	·09.	·02.			·39.	·10				·03	6
7	·29	·21		·05			·19.	·45			·02	·06.	7
8	·02	·14					·07.	·03			·03		8
9								·22.			·03	snow. ·59.	9
10	·10		·02.				·	·06.		·01		·03	10
11			·03.	·01	·36.		·07.				·29.	·18.	11
12	·02			·24	·09.					·05	·96.		12
13		·50											13
14		·01					·05	·10				·22.	14
15	·27	·01			·15		·01	·17.			Snow. ·19.	·07.	15
16		·18					1·01						16
17		·09					·20.						17
18		·14	Snow. ·11								·02.		18
19							·04	·02.					19
20												·38	20
21	snow ·11			·02	·01		·16.	·01				·13	21
22			·16.				·14	·01				·02.	22
23	·01	snow ·01	·07.				·25		·02.	·11		·02.	23
24			·14						·45			·19.	24
25				·02.		·17				·01		·10	25
26	·01	·814				·02	·07.					·38	26
27		·12.					·10.			·39.		·23	27
28		·17	Snow. ·04.			·13		·30.		·05		·02.	28
29					·14.	·16				·01	·13.	·57.	29
30	·08	✕		·06.		·16						·01	30
31	·05	✕		✕		✕		·15	✕	·14.	✕	·18.	31
Total	1·89.	2·30.	·82.	·62.	1·45	·69.	4·11	2·04	·56.	·77.	1·75	5·15	YEAR'S TOTAL 22·15
Rain Days.	15	16.	11	9.	7	6.	18.	16.	3	8.	11	23	143

W. 8,000. X. 15.

3117

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at The Sewage Pumping Station Doncaster

in the County of York.

by H. G. Wilson for the Corporation of Doncaster.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Doncaster.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. 6. in.

" " " " Sea Level 30. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01.		·21		·02		·32	·09.		·11	·02	1
2	·03.			·19		·13		·14					2
3						·01		·24.		·10			3
4			SNOW. ·10					·05		·17			4
5	·27		SNOW. ·05.	·16				·01.		·07	·10		5
6						·15.				·16	·01		6
7	·26									·31		·01.	7
8	·33			·15				·70		·37.	·11		8
9	·02			·09				·01		·02.	·30		9
10	·12.		·65.	·09.	·16			·04			·06.		10
11	·01			·31				·14		·25			11
12	·17			·02	·49			·10		·12.			12
13	·06.			·02				·21	·05				13
14	·13			·02				·32				·02	14
15	·04						·09	·14				·03	15
16	·08	·04		·05			·07	·05				·42	16
17	·02	·09	·04	·11	·49		·08	·05	·02			·12.	17
18	·04	·01		·03	·03		·27.	·08	·28				18
19	·04	·09	·07.		·31	·26		·07.					19
20	·02	·18			·03	·09			·01		·09.		20
21	·01	·04	·04					·03		·01			21
22			·11					·01		·03			22
23					·26.			·06	·03	·03		·05.	23
24						·15		·01		·17.	·13		24
25			·04				·04			·07.			25
26			·01			·05	·01	·30	·08.	·10	·05		26
27			·04			·17	·15	·70				·04	27
28			·08			·14	·08	·21		·02		·06.	28
29	·02				·23		·02			·12		·11.	29
30	·02	☒	·05				·06	·06		·01.	·05.		30
31	·02	☒	SNOW. ·18	☒		☒		·03	☒		☒		31
Total	1·71	·46	1·46	1·45.	2·00.	1·17.	·87.	4·08	·56	2·13	1·01	·88.	YEAR'S TOTAL 17·78
Rain Days.	20	7	13	13.	8	10.	10.	26	7.	18.	10.	10.	152

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

See July

98

FORM A.
BRITISH RAINFALL.

17·1 19

Kept at Sewage Pumping Station. Doncaster
in the County of York (W.R)
by H. G. Wilson for Corporation of Doncaster

Lat. 53°. 32′ Long. 1°. 17′
Time of Observation 9. a.m.
Nearest Railway Station Doncaster.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 30. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05							·08	·03	·18		1
2		·15		·02				·07	·02	·01			2
3			·03		·72			·60			·26	·12	3
4			·01		·06			·08	·30	·11	·15		4
5					·18			·38	·02	·16		·29	5
6		·31		·44		·12				·08			6
7	snow. ·13			·07			·01			·07	·08		7
8			snow. ·07	·01			·03		·40	·03			8
9	·01	·28		·17		·02	·17		·33	·24	·05	·02	9
10	·01	·03					·01		·06			·02	10
11	·11	·01		·04	·22		·16		·01			·02	11
12		·12	·02	·09			·39		·04			·04	12
13		·01		·06	·10				·26	·10			13
14	snow. ·09			·01			·03		·32	·09		·17	14
15	snow. ·15				·01		·15		·68			·06	15
16							·08		·17			·08	16
17	snow. ·20				·01	·20	·42	·03	·04	·08		·15	17
18	·27		·03				·09		·60			·11	18
19	·06		·03	·02			·04		·02	·07		·56	19
20	·02	·13				·09	1·19						20
21	·08				·56	·02			·08	·26			21
22	·12			·02			·03		·04	·01		·18	22
23	·04				·42		·13						23
24		·04					·05		·13	·01	·06		24
25						·41	·07	·28	·01				25
26							·10	·10		·03	·06	·02	26
27		·02				·02	·05	·33	·21		·05	·05	27
28		snow. ·13	·17						·01		·08	·30	28
29									·03			·07	29
30		X	·27					·02	·03		·13	·27	30
31		X	·02	X		X			X		X		31
Total	1·29	1·28	·65	·95	2·28	·88	3·20	1·89	3·89	1·38	1·10	2·53	YEAR'S TOTAL 21·32
Rain Days.	13.	12.	9.	11.	9.	7.	19.	9.	24.	16.	10.	18.	157

2959

FORM A.
BRITISH RAINFALL.

2 F 20

REGISTER OF RAINFALL IN 1919.

Kept at Sewage Pumping Works. ~~Wheatley~~ Holmes Doncaster

in the County of Yorkshire.

by G. ~~Wm.~~ B. Blackburn

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Doncaster

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 30. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·23	·02			·17		·09		·07	·08	·06	·11	1
2	·13						·22		·41		·11		2
3	Snow ·77					·03	·42		·05		·33	·06	3
4	·18		·35			·06		·21	·05		·04	·08	4
5	·05							·02	·07		·04	·14	5
6					·27					·01		·05	6
7	·01		·15		·12								7
8	·07										·08		8
9			·01								·08		9
10			·10	·02	·48					·02	Rain & Snow ·15	·04	10
11			·67	·01	·06	·02	·20			·02	Snow ·02		11
12			·74				·09		·10				12
13	·09								·60	·16	Snow ·01	·04	13
14	·17			·30			·02	·04	·02		Snow ·14		14
15	·12	·18	·06	·09							Snow ·02	·76	15
16	·07	·84		·03		·02					·09		16
17		·26		·03		·10					·11		17
18			Snow ·07		·03			·14				·12	18
19		·23	Snow ·73			·03	1·24	·55	·07		·13	·02	19
20	·24	·11	·01			·01	·18	·12	·07		·05	·14	20
21	·14	·31				·02	·20		·02		·02	·12	21
22		·16							·12		·01	·28	22
23						·01	·03			·86		·04	23
24				·18	·05	·25				·29	·04	·09	24
25	·04	·02		·07	·04	·01		·40		·01	·04		25
26			·13	·06				·27	·07	·02	·01	·28	26
27	Snow ·03			Snow ·26						·17	·02	·07	27
28	Snow ·04			·20				·78		·10		·26	28
29	·07			·02		·09		·01		·88		·05	29
30	Snow ·03			·05		·16				·03	·06	·14	30
31	·02						·19			·07		·04	31
Total	2·50	2·16	3·02	1·32	1·22	·81	2·88	2·54	1·72	2·72	1·66	2·93	YEAR'S TOTAL 25·48
Rain Days.	19	9	11	13	8	13	11	10	13	14	23	21	164

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

2862

Kept at Sewage Pumping Station, Don Street, Doncaster
in the County of York
by F. O. Kirby Borough Surveyor and Water Engineer

Lat. 53° 32′ N. Long. 1° 7′ W.
Time of Observation 9 a.m.
Nearest Railway Station Doncaster
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				0·21	0·21		0·11			0·17	0·16	0·03	1
2				0·17			0·12		0·20	0·21		0·12	2
3				0·11	0·05	0·08	0·63		0·12	0·10		0·14	3
4	0·01			0·06			0·25	0·27	0·06	0·64		0·12	4
5			0·03		0·04		0·08	0·22	0·04	0·01		0·01	5
6			0·09	0·04	0·05		0·05					0·05	6
7			Snow 0·16	0·22			0·31						7
8	0·04	0·05		0·39	0·01		0·16	0·02	0·01	0·02			8
9	0·20			0·46			0·06	0·06	0·01				9
10	0·14	0·14		0·21			0·03	0·04				0·01	10
11	0·36		0·02	0·20	0·09	0·15						Snow. 0·16	11
12	0·01			0·24			0·01	0·06			0·06	Snow 0·13	12
13	0·02	0·03		0·06		0·46		0·01	0·01			Snow 0·15	13
14			Rain & Snow 0·45	0·05		0·27	0·05		0·26	0·08	0·09	0·02	14
15		0·02	Rain & Snow 0·53	0·21					0·11	0·22	0·01	Snow 0·04	15
16				0·01	0·01		0·54		0·01				16
17			0·01		0·08		0·04		0·23	0·01		0·01	17
18	0·04				0·07	0·04		0·02					18
19	0·01	Rain & Snow 1·65		0·09	0·03	0·15		0·06					19
20	0·02	0·04		0·14		0·27	0·07						20
21							0·36						21
22	0·01			0·16			0·05			0·01			22
23				0·04			0·18					0·27	23
24	0·03		0·11	0·02								0·03	24
25		0·08	0·01				0·56						25
26	0·06		0·07	0·02	0·43		0·97						26
27	0·09			0·08	0·53	0·14				0·03	0·30	0·19	27
28	Rain & Snow 1·18		0·06	0·14	0·49	0·02	0·03				0·25	0·06	28
29	0·05		0·23		1·53		0·06				0·04	0·39	29
30	0·10			0·10	0·01				0·14		0·15	0·23	30
31	0·06		0·05		0·06		0·04			0·26		0·06	31
Total	2·43	2·01	1·82	3·23	3·69	1·58	3·86	0·76	1·20	1·76	1·06	2·22	YEAR'S TOTAL 25·62
Rain Days.	18	7	13	24	16	9	23	9	12	12	8	20	171
	11	5	9	20	12	8	20	6	8	7	7	14	127

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

11 JAN 1915

R

DONCASTER
54, LITTLEMORE TERRACE
YORKSHIRE
1914 - 20

Kept at 54 Littl
in the County of Y ncaster
in.
by R. H. M Ground 1 ft. 6 in.
Sea Level 50 ft.

IMPORTANT
e result entered to the previous day. If a
sal rule, he is earnestly requested to add the
in the space provided for it at the end of
the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1							·88	·23		·02	·03	·13	1
2							1·70	·18		·01	·2	·06	2
3			·01		·04		·08				·08	·54	3
4	·08		·06	·12	·1			·01			·33	·26	4
5	·09		·14	·08	·03	·03					·08	·15	5
6		·02		·06	·1		·35				·02	·04	6
7	·01	·01	·18	·02	·14	·04		·05			·05	·08	7
8	·05		·02		·1	·3	·09	·05	·09			·02	8
9	·23	·01		·06	·01	·64		·17					9
10	·21	·1		·07	·01				·08	·01			10
11		·05	·20	·05	·02	·61					·21	·25	11
12		·03	·05				·01		·35			·29	12
13		·03	·13							·01	·08	·08	13
14	·03	·07	·01				·12		·05	·28	·19	·18	14
15		·07	·09								·13	·02	15
16	·03		·02				·19		·11				16
17	·06	·14	·04				·01		·16				17
18			·02			·01						·33	18
19						·02	·02					·18	19
20		·06	·06					·03		·05			20
21		·34	·01			·13		·16		·12	·04	·05	21
22			·03		·22	·03		·06				·02	22
23		·03	·02		·36	·01	·06			·06			23
24			·03	·02	·26		·01	·24		·01	·3		24
25							·01	·1		·49	·05	·25	25
26			·14							·17	·05	·15	26
27	·02										·05	·47	27
28	·05	·06								·29		·24	28
29	·02		·09					·21		·43			29
30										·17	·15	·08	30
31	·01						·24			·1		·03 4	31
Total	·89	1·02	1·35	·48	1·39	1·82	3·77	1·49	·84	2·22	2·04	3·91	YEAR'S TOTAL 21·22
Rain Days.	13	14	20	8	12	10	14	12	6	15	17	23	164

W. 7,500, XI. 12

R

FORM A. BRITISH RAINFALL.

11 JAN 1915

Kept at 54 Littlemoor Terrace Doncaster
in the County of York W R 7
by R. H. Moate

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Doncaster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1							·88	·23		·02	·03	·13	1
2							1·70	·18		·01	·2	·06	2
3			·01		·04		·08				·08	·54	3
4	·08		·06	·12	·1			·01			·33	·26	4
5	·09		·14	·08	·03	·03					·08	·15	5
6		·02		·06	·1		·35				·02	·04	6
7	·01	·01	·18	·02	·14	·04		·05			·05	·08	7
8	·05		·02		·1	·3	·09	·05	·09			·02	8
9	·23	·01		·06	·01	·64		·17					9
10	·21	·1		·07	·01				·08	·01			10
11		·05	·20	·05	·02	·61					·21	·25	11
12		·03	·05				·01		·35			·29	12
13		·03	·13							·01	·08	·08	13
14	·03	·07	·01				·12		·05	·28	·19	·18	14
15		·07	·09								·13	·02	15
16	·03		·02				·19		·11				16
17	·06	·14	·04				·01		·16				17
18			·02			·01						·33	18
19						·02	·02					·18	19
20		·06	·06					·03		·05			20
21		·34	·01			·13		·16		·12	·04	·05	21
22			·03		·22	·03		·06				·02	22
23		·03	·02		·36	·01	·06			·06			23
24			·03	·02	·26		·01	·24		·01	·3		24
25							·01	·1		·49	·05	·25	25
26			·14							·17	·05	·15	26
27	·02										·05	·47	27
28	·05	·06								·29		·24	28
29	·02		·09					·21		·43			29
30										·17	·15	·08	30
31	·01						·24			·1		·034	31
Total	·89	1·02	1·35	·48	1·39	1·82	3·77	1·49	·84	2·22	2·04	3·91	YEAR'S TOTAL 21·22
Rain Days.	13	14	20	8	12	10	14	12	6	15	17	23	164

W. 7,500, XI. ·12

3339

FORM A.
BRITISH RAINFALL
19 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 54 Littlemoor Terrace Doncaster

in the County of York W R

by Mr. R. H. Moate

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge 5in in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·06			·32		·03	·3	·08		·03		1
2	·01	·05	·12	·2		·05		·14		·02			2
3	·63		·04	·1			·36	·10			·05	·4	3
4	·14						1·01					·91	4
5	·02	·24			·35			·03		·01	·04	·33	5
6	·03	·2	·09	·04			·4	·15				·06	6
7	·3	·21	·01	·08			·2	·44			·03	·07	7
8	·05	·11		·03			·05	·07			·06		8
9	·01	·01						·17		·02	·05	·65	9
10	·15	·01	·05					·17				·03	10
11					·37		·12				·31	·22	11
12	·04			·23	·14		·02			·04	1·08		12
13	·01	·52		·01									13
14		·02					·03	·07				·23	14
15	·25						·01	·19		·02		·07	15
16		·14			·16		1·06						16
17		·09					·18						17
18			·1										18
19		·15					·06						19
20								·02				·4	20
21	·07				·03		·14	·02				·14	21
22	·02						·18					·02	22
23	·01		·23				·08		·04	·14		·02	23
24			·18	·04		·02			·48			·21	24
25						·14						·09	25
26		·22				·04	·07					·34	26
27		·15					·08			·37		·27	27
28		·19				·10		·3				·01	28
29					·12	·12					·33	·61	29
30	·07	X		·06		·11						·02	30
31	·06	X		X		X	·01	·16	X	·18	X	·22	31
Total	1·98	2·37	·82	·79	1·49	·58	4·09	2·33	·6	·8	1·98	5·32	YEAR'S TOTAL 23·15
Rain Days.	18	16	8	9	7	7	19	15	3	8	9	22	141

W. 8,000. X. 15.

3264

cwd pr auth ~~W.~~ HW

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

6 JAN. 1917

Kept at 54 Littlemoor Terrace
Doncaster
in the County of York. W.R.
by Mr. R. J. Moate.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Doncaster G. N.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11		·105			·07	·08				·12		1
2	·06	·05	·255						·115	·12	·01		2
3	·01	·30		·055			·035		·215	·09	·03		3
4	·01	·05			·75	·12			·93	·07	·32		4
5	·03	·02			·03	·135			·02	·14	·105		5
6		·40	·085		·35						·245		6
7			·07		·02		·19			·024	·04	·25	7
8			·24								·02	·10	8
9			·04		·38	·025			·19		·02	·12	9
10	·135	·05	·02	·11		·12	·04				·01	·125	10
11		·41	·265	·11		·09			·055			·015	11
12	·02	·04	·445		·53	·03	·12						12
13			·16		·03		·12	·21		·10	·045		13
14		·17	·025	·04	·085			·125		·035	·015		14
15			·675				·125	·15		·01			15
16		·13	·17	·10			·045	·26					16
17	·035	·07~~8~~5		·095			·05	·03	·125	·12			17
18		·225	·02	·045				·415	·14		1·15		18
19	·045	·02	·17	·075				·10	·06		·40	·08	19
20	·05		·22	·475	·12		·03					·10	20
21			·075	·02			·14				·01	·24	21
22		·07	·035			·035				·09			22
23			·01	·10						·025	·09	·24	23
24		·41				·375		·195		·02		·17	24
25			·30		·04			·11		·025			25
26		·07	·045					·04		·05			26
27		·21						·03		·065			27
28		·20	·055							·01	·105	·035	28
29		·21				·45		·065		·23	·175	·175	29
30		✗				·02				·11			30
31		✗		✗		✗			✗	·05	✗	·05	31
Total	·505 ✓	3·11 ✓	3·485 ✓	1·225 ✓	2·335 ✓	1·47 ✓	~~·86~~ ·975	1·73 ✓	1·85 ✓	1·40 ✓	2·91 ✓	1·70	YEAR'S TOTAL 22·685 22·665
Rain Days.	10 ✓	19 ✓	22 ✓	11 ✓	10 ✓	11 ✓	11	12 ✓	9 ✓	19 ✓	18 ✓	13	165

W. 8,000, VIII. 16

3115

FORM A.
BRITISH RAINFALL.

10 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at 54 Littlemoor Terr: Doncaster.
in the County of York.
by Mr R. J. Moate

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Doncaster.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17		·03		·36	·11		·11	·04	1
2	·05			·17		·14		·11					2
3								·23		·15			3
4								·10		·20			4
5	·27							·02		·08	·11		5
6										·14	·03		6
7	·30									·34		·02	7
8	·33			·31				·96		·41	·10		8
9				·03		·90		·02		·04	·28		9
10			·61	·08	·17						·04		10
11				·28				·15		·31			11
12	·30				·53			·14		·12			12
13	·05			·05				·19	·05				13
14	·05							·25					14
15							·30	·21		·03		·10	15
16				·06			·11	·06				·53	16
17		·20	·05	·12	·53		·06	·10	·04			·18	17
18	·20			·04	·03		·33	·06	·29				18
19	·05	·07			·23	·28		·04		·06			19
20		·19	·08		·09	·22					·09		20
21		·03						·10					21
22			·08					·02	·04	·03			22
23		·01	·03		·35			·10	·04	·11			23
24						·16		·07		·25	·15		24
25		·02					·05			·09	·02		25
26			·03				·02	·28	·11	·09			26
27			·03			·22	·14	·75					27
28			·11			·14	·04	·21				·13	28
29										·17		·17	29
30		X	·06					·09		·01			30
31		X		X		X		·03	X		X		31
Total	1·60	·52	1·08	1·31	1·93	2·09	1·05	4·65	·68	2·63	·93	1·17	YEAR'S TOTAL 19·64
Rain Days.	9	6	9	10	7	8	8	25	7	18	9	7	~~123~~

W. 8,000, IX. 17.

Exmd 96

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL. 1918

Kept at 5ft Littlemoor Terrace. Doncaster
in the County of York W R
by Mr R. J. Moate.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Doncr G. N. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.09							.10	.04	.18		1
2		.12		.03					.05			.14	2
3			.04		.73			.63			.27	.32	3
4								.08	.38	.16	.19		4
5			.02		.22			.40	.04	.17			5
6		.30		.49	.01	.12				.12			6
7	.03			.01					.02	.13	.10		7
8		.02	.01	.12			.04		.52	.06	.06	.02	8
9		.33		.20		.03	.19		.36	.24		.03	9
10		.05		.01			.02		.02	.01		.02	10
11	.17	.02		.07	.24				.02				11
12		.13		.02			.60		.03				12
13		.02			.10				.19	.12		.07	13
14				.08			.03		.57			.19	14
15					.02	.01	.16		.75			.07	15
16							.09		.18			.13	16
17	.33				.02	.13	.50	.05		.20		.20	17
18	.26		.08			.02	.09		.65			.14	18
19	.07		.09	.02			.04	.02	.04	.08		.56	19
20		.14				.12	.53		.02	.01			20
21	.12	.02			.50	.05	.02		.11	.25			21
22	.15			.02	.03		.04		.05	.02		.23	22
23	.04				.60		.08						23
24		.04					.04		.12		.08		24
25						.48	.02	.35					25
26							.02	.08	.05	.04	.07	.05	26
27							.20	.33	.24		.05		27
28		.13	.17						.02		.10	.36	28
29											.20	.06	29
30			.28					.02	.04			.32	30
31			.03									.01	31
Total	1.17	1.41	.72	1.07	2.47	.96	2.71	1.96	4.57	1.65	1.30	2.92	YEAR'S TOTAL 22.91
Rain Days.	8	13	8	11	10	8	18	9	24	15	10	18	152

W. 8,000, IX. 17.

[illegible] RA

2957

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at St. Littlemore Terr. Balby, Doncaster

in the County of York

by C. Smith.

See cover

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Doncaster G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ... in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35				·21		·01		·33	·10	·09	·13	1
2	·13						·29		·39		·08		2
3	·53				·01	·08	·45				·26	·06	3
4	·33					·04		·28			·04	·11	4
5	·04										·02	·16	5
6			·54		·21					·04			6
7	·02				·15								7
8	·06										·05		8
9					·11						·07		9
10	·02				·10					·04		·12	10
11				·15						·02		·01	11
12			·95	·06		·03	·34		·14				12
13	·12		·70	·06			·02		·71	·15			13
14	·21			·25				·03	·07				14
15	·15	·18	·05	·15							·03	·77	15
16	·09	1·06		(·01)		·03					·11		16
17	·02	·36		·01		·09					·36		17
18			·20		·03							·13	18
19	·02	·28	·58			·05	1·07	·13	·12		·15	·02	19
20	·26	·12				·01	·17	·62				·14	20
21	·15	·38	·02			·06	·36	·02			·08		21
22		·18				·02		·02			·01	·46	22
23				·10		·01			·15	·06	·04	·04	23
24				·10	·02	·23				·33		·12	24
25	·06	·02		·10	·05			·31		·01	·02		25
26			·21	·42		·01		·40	·03	·07	·03	·02	26
27				·08						(·17) ·10		·37	27
28	·10			·01				·56		1·06		·39	28
29	·10			·18		·10		·02		·02	·09		29
30	·02	X				·18				·06		·16	30
31	·04	X		X		X	·15		X		X	·04	31
Total	2·84	2·58	3·75	1·66	·91	·91	2·98	2·78	1·94	3·06	1·53	3·28	Year's Total 29·71
Days with ·01 in. or more	21	8	8	15	9	14	9	10	8	14	17	18	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2840

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 54 Littlemoor Terrace Doncaster.
in the County of York.
by Edgar Smith.

Lat.
Long.
Time of Observation 9-0 am
Nearest Railway Station Doncaster.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				30	28	08	11			17		19	1
2			02	14	02		13		35	23		15	2
3				13	06	08	63	01	02	11		15	3
4				05			18	36	05			07	4
5			11		04		10	29	03				5
6		01		07	05		08					02	6
7	01	01	02				40					01	7
8		04		46	01		22	03	02	08			8
9	25	01		51			05	05					9
10	05		07	22			05	03					10
11	59		03	24	11	02	01						11
12		15		23	01	05	02				21		12
13		04	01	07		80	14	06	01			25	13
14	07		37	05		32	05		37	09	13	02	14
15		03	50	28			14			21	01	02	15
16					01		58		06				16
17					09		04		27	03		01	17
18				01	11	06		03	02				18
19	04	1·50		12		18	11	04					19
20	04	14	03	10	03	36	05						20
21				02			40	06					21
22	03	01		19			04						22
23							22					28	23
24	03		13	08			01					04	24
25	01	10	02	01			59						25
26	10		07	03	60		04						26
27	11			10	29	14					40	24	27
28	77		08	11	50	03						08	28
29			20		1·26	04	12				25	50	29
30	16			08	02				15			23	30
31	06						05			32		09	31
TOTAL	2·32	2·04	1·66	3·60	3·49	2·16	4·56	·96	1·35	1·24	1·00	2·35	YEAR'S TOTAL 26·73
Days with ·01 in. or more	15	11	14	24	17	12	27	10	11	8	5	17	171
Days with ·04 in. or more	11	6	8	20	11	10	24	6	6	7	4	12	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGI 3160 IN 191

DONCASTER

1913 – 20

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Donca A.M.

in the County of Y Doncaster

5 in.

by M. H. Stile Ground 4 ft. 0 in.

Sea Level about 60 ft.

IMPORTANT NO the result entered to the previous day. If an O ersal rule, he is earnestly requested to add the re r in the space provided for it at the end of this paragraph. ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	·11	—	—	—	—	·10	—	·03	—	1
2	—	·04	·02	·01	—	—	—	—	—	·01	·02	—	2
3	·01	—	·07	—	·28	—	·02	—	—	·23	—	·16	3
4	·49	—	·03	—	·06	—	·09	—	·03	·12	·15	·18	4
5	·03	—	—	—	—	·01	·07	—	—	·35	—	—	5
6	—	·03	·08	—	·49	·08	·26	·02	·01	·48	—	—	6
7	—	·13	—	—	·04	—	—	—	—	·63	·01	—	7
8	—	·01	—	—	·30	·30	—	·09	—	·03	·10	—	8
9	—	·17	—	·01	·02	—	·01	·02	—	—	·11	—	9
10	·04	—	—	·05	—	·03	·03	—	—	·01	·17	—	10
11	1·14	·03	—	·62	—	—	—	—	—	·06	·25	—	11
12	—	·01	—	—	—	—	—	—	—	·01	·18	—	12
13	·05	—	·02	·04	—	·01	—	·02	·07	—	·11	—	13
14	·05	·07	·27	—	—	—	—	—	—	·06	·09	—	14
15	·08	—	·13	·26	—	—	—	—	·05	—	·18	—	15
16	·01	·01	·18	·02	—	—	—	—	·41	—	·02	—	16
17	·03	·01	·12	·01	—	—	·03	—	5·26	·01	·01	—	17
18	—	—	·13	·03	—	—	·02	—	—	—	·02	·01	18
19	·10	—	·05	·01	—	·01	—	—	·07	—	—	—	19
20	·14	—	·04	·06	—	—	—	—	—	·04	·02	—	20
21	·03	—	—	—	·09	—	·08	—	—	—	·29	—	21
22	·16	—	·26	—	—	—	—	·60	·11	—	—	—	22
23	·17	—	—	—	·01	—	—	·04	·11	—	·02	—	23
24	·06	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—	—	·01	—	—	—	—	·08	—	—	—	25
26	—	—	·13	·05	—	—	—	—	·02	·18	·06	·10	26
27	—	—	·01	·26	—	·07	—	—	—	—	·02	·08	27
28	·26	—	·17	·25	—	—	—	—	—	·01	—	·09	28
29	·03		·16	·45	·08	—	—	·29	—	·03	·01	·30	29
30	·22		—	—	·13	—	—	—	—	·31	·02	·06	30
31	—		—		·03		—	—		·01		—	31
Total	3·10	·51	1·93	2·25	1·53	·51	61	1·08	6·32	2·58	1·89	98	YEAR'S TOTAL 23·29
Rain Days.	19	10	18	17	11	7	9	7	12	18	22	8	158

W. 7,500, XI. ·12

REGIS

FORM A.
BRITISH RAINFALL.
- 2 JAN 1914

[illegible]

Kept at Doncaster
in the County of York
by M. H. Stiles F.R.M.S.

Lat. Long.
Time of Observation 9 - 0 A.M.
Nearest Railway Station Doncaster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level about 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	·11	—	—	—	—	·10	—	·03	—	1
2	—	·04	·02	·01	—	—	—	—	—	·01	·02	—	2
3	·01	—	·07	—	·28	—	·02	—	—	·23	—	·16	3
4	·49	—	·03	—	·06	—	·09	—	·03	·12	·15	·18	4
5	·03	—	—	—	—	·01	·07	—	—	·35	—	—	5
6	—	·03	·08	—	·49	·08	·26	·02	·01	·48	—	—	6
7	—	·13	—	—	·04	—	—	—	—	·63	·01	—	7
8	—	·01	—	—	·30	·30	—	·09	—	·03	·10	—	8
9	—	·17	—	·01	·02	—	·01	·02	—	—	·11	—	9
10	·04	—	—	·05	—	·03	·03	—	—	·01	·17	—	10
11	1·14	·03	—	·62	—	—	—	—	—	·06	·25	—	11
12	—	·01	—	—	—	—	—	—	—	·01	·18	—	12
13	·05	—	·02	·04	—	·01	—	·02	·07	—	·11	—	13
14	·05	·07	·27	—	—	—	—	—	—	·06	·09	—	14
15	·08	—	·13	·26	—	—	—	—	·05	—	·18	—	15
16	·01	·01	·18	·02	—	—	—	—	·41	—	·02	—	16
17	·03	·01	·12	·01	—	—	·03	—	5·26	·01	·01	—	17
18	—	—	·13	·03	—	—	·02	—	—	—	·02	·01	18
19	·10	—	·05	·01	—	·01	—	—	·07	—	—	—	19
20	·14	—	·04	·06	—	—	—	—	—	·04	·02	—	20
21	·03	—	—	—	·09	—	·08	—	—	—	·29	—	21
22	·16	—	·26	—	—	—	—	·60	·11	—	—	—	22
23	·17	—	—	—	·01	—	—	·04	·11	—	·02	—	23
24	·06	—	—	—	—	—	—	—	—	—	—	—	24
25	—	—	—	·01	—	—	—	—	·08	—	—	—	25
26	—	—	·13	·05	—	—	—	—	·02	·18	·06	·10	26
27	—	—	·01	·26	—	·07	—	—	—	—	·02	·08	27
28	·26	—	·17	·25	—	—	—	—	—	·01	—	·09	28
29	·03		·16	·45	·08	—	—	·29	—	·03	·01	·30	29
30	·22		—	—	·13	—	—	—	—	·31	·02	·06	30
31	—		—		·03		—	—		·01		—	31
Total	3·10	·51	1·93	2·25	1·53	·51	61	1·08	6·32	2·58	1·89	98	YEAR'S TOTAL 23·29
Rain Days.	19	10	18	17	11	7	9	7	12	18	22	8	158.

W. 7,500, XI. 12

Completed by B 9.18.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at 10 Avenue Rd, Doncaster
in the County of Yorkshire WR 7
by M. H. Stiles, F.R.M.S.

Lat. Long.
Time of Observation 9-0 A.M.
Nearest Railway Station Doncaster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 62·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	1·08	·22	–	·04	·03	·15	1
2	–	–	–	–	–	–	1·54	·24	–	–	·22	·07	2
3	–	–	·01	–	·04	–	·07	–	–	–	·05	·58	3
4	·12	–	·04	·15	·09	–	–	–	–	–	·31	·21	4
5	·10	–	·15	–	·06	·02	·19	–	–	–	·07	·22	5
6	–	·01	–	·07	·12	–	·26	–	–	–	·01	·04	6
7	–	·01	·20	·02	·12	·03	–	·02	–	–	·04	·08	7
8	·05	–	·02	–	·08	·34	·08	·06	·03	–	–	·01	8
9	·26	–	·01	·06	–	·71	–	·04	·04	–	–	·01	9
10	·23	·10	–	·05	–	–	–	·22	·11	·03	–	·02	10
11	–	·05	·22	·05	·01	·31	–	–	·02	–	·24	·31	11
12	–	·02	·06	–	–	·01	–	–	·32	–	–	·28	12
13	·02	·02	·14	–	–	–	–	–	–	·01	·09	·11	13
14	·03	·06	·01	–	–	–	·08	–	·06	·31	·42	·20	14
15	–	·07	·09	–	–	–	–	–	–	·01	·18	·01	15
16	·03	–	·03	–	–	–	·19	–	·11	–	–	–	16
17	·06	·11	·04	–	–	–	·01	–	·18	–	–	·13	17
18	–	–	·01	–	–	–	·01	–	–	–	–	·43	18
19	–	–	·01	–	–	·03	·08	–	–	–	–	·20	19
20	·01	·06	·04	–	–	–	–	–	·02	·06	–	–	20
21	–	·39	·01	–	–	·02	–	·52	–	·09	·07	·07	21
22	–	–	–	–	·18	·02	–	·08	–	·07	–	·02	22
23	–	·02	·02	–	·42	·01	–	–	–	·01	–	–	23
24	–	–	·04	·03	·25	–	–	·36	–	–	·28	–	24
25	–	–	–	–	–	–	–	·12	–	·56	·04	·32	25
26	–	–	·17	–	–	–	–	·35	–	·17	·04	·18	26
27	·01	–	–	–	–	–	–	–	–	–	·04	·52	27
28	·04	·05	–	–	–	–	–	–	–	·36	·03	·29	28
29	·01		·09	–	–	–	–	–	–	·48	–	–	29
30	–		–	–	·01	–	–	·02	·04	·09	·21	} (·15) ×	30
31	·01		–		·02		·26	–		·10			31
Total	·98	·97	1·41	·43	1·40	1·50	3·85	2·25	·93	2·39	2·37	4·61	YEAR'S TOTAL 23·09
Rain Days.	14	13	21	7	12	10	12	12	10	15	18	26	170

W. 8,000. X. 14.

3342

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at 10 Avenue Road, Doncaster

in the County of York

by M H Stiles F.R.M.S.

Lat. Long.

Time of Observation 9-0 AM.

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 62.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·06	–	–	·34	–	–	·19	·10	–	·04	·02	1
2	·01	·04	·11	·13	–	·04	·04	·12	–	·02	–	–	2
3	·68	–	·04	·10	–	–	·33	·05	·02	–	·05	·38	3
4	·16	–	–	–	·03	–	1·08	–	–	–	–	1·05	4
5	·03	·26	–	–	·23	–	–	·02	–	·01	·03	·43	5
6	·02	·29	·08	·03	–	–	·43	·09	–	–	–	·03	6
7	·30	·26	·02	·04	–	–	·22	·54	–	–	·02	·06	7
8	·02	·11	·01	·01	–	–	·09	·05	–	–	·04	–	8
9	·01	·01	–	–	–	–	–	·20	–	·02	·03	·73	9
10	·11	–	·03	–	–	–	–	·08	–	~~·02~~	–	·02	10
11	·01	–	·01	·01	·40	–	·06	–	–	–	·30	·30	11
12	·02	–	–	·25	·14	–	·01	–	–	·03	1·30	–	12
13	–	·63	–	–	–	–	–	–	–	–	–	–	13
14	–	·02	–	–	·04	–	·03	·09	–	–	–	·13	14
15	·30	·03	–	–	–	–	·02	·15	–	·02	·24	·10	15
16	–	·19	–	–	·11	–	1·20	–	–	·01	–	–	16
17	–	·11	–	–	–	–	·29	–	–	–	–	·01	17
18	–	·14	·30	–	–	–	–	–	–	·01	·02	–	18
19	–	–	–	–	–	–	·05	·03	–	–	·02	–	19
20	·01	–	–	–	–	–	–	–	–	–	–	·42	20
21	·11	–	–	·02	·02	–	·18	·01	–	·01	–	·12	21
22	·02	–	·15	–	–	–	·18	–	–	–	–	·03	22
23	·01	·02	·07	–	–	–	·22	–	–	·10	–	·02	23
24	–	–	·18	·03	–	·03	–	–	·03	·02	–	·21	24
25	–	–	·02	–	–	·13	–	–	·50	–	–	·10	25
26	·02	·18	–	–	–	·05	·06	–	–	–	–	·40	26
27	–	·14	–	–	–	–	·09	–	–	·46	–	·28	27
28	–	·18	·05	–	–	·11	–	·34	–	·05	–	·01	28
29	–		–	–	·14	·14	–	–	–	–	·15	·60	29
30	·08		–	·06	–	·18	–	–	–	·02	·02	·02	30
31	·05		–		–		–	·16		·15		·21	31
Total	2·06	2·67	1·07	·68	1·45	·68	4·58	2·12	·65	·93 ✓	2·26	5·68	YEAR'S TOTAL 24·83 ✓
Rain Days.	20	17	13	10	9	7	18	15	4	15	13	24	165

W. 8,000. X. 15.

3267

[illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at 10 Avenue Road, Doncaster
in the County of York W R
by M H Stiles F.R.M.S.

Lat. Long.
Time of Observation 9 0 A.M.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 62.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	–	·11	–	–	·10	·08	–	–	–	·13	–	1
2	·05	·03	·30	–	–	–	–	–	·16	–	·01	–	2
3	–	·30	·01	·07	–	–	·09	·01	·23	·07	·04	–	3
4	·02	·06	–	–	·81	·15	–	–	1·14	·14	·36	–	4
5	·03	–	·01	–	·04	·15	–	–	–	·10	·23	–	5
6	·01	·42	·14	·02	·34	–	·13	–	–	·14	·32	–	6
7	·02	–	·10	–	·03	–	·07	–	–	·05	·04	·27	7
8	–	·02	·30	–	–	–	–	–	–	–	·01	·10	8
9	–	–	·05	–	·44	·07	–	–	·26	–	·01	·15	9
10	–	·05	·03	·08	–	·08	·03	–	·02	–	–	·14	10
11	·12	·50	·29	·17	·01	·14	–	–	·03	–	–	·02	11
12	·02	–	·53	–	·49	·05	·12	–	–	·02	–	–	12
13	–	·04	·17	–	·03	–	·08	·24	–	·10	·06	·01	13
14	–	·09	·02	·02	·09	–	–	·09	–	·04	·02	–	14
15	–	·06	·66	–	–	–	·12	·12	–	–	–	·01	15
16	–	·11	·17	·09	–	–	·05	·39	–	–	–	–	16
17	·03	·06	·01	·10	–	–	·07	·04	·14	·16	–	–	17
18	–	·27	·01	·05	–	·01	–	·22	·15	·02	1·26	·03	18
19	·06	·01	·18	·06	–	–	–	·08	·04	–	·39	·13	19
20	·05	–	·26	·24	·08	–	·05	–	–	–	·01	·02	20
21	·01	·01	·09	·04	–	–	·12	–	–	–	–	·26	21
22	–	·08	·03	·02	–	·02	·01	–	–	·08	·01	·24	22
23	–	·03	·02	·07	–	·03	–	–	–	·02	·08	·26	23
24	–	·57	–	·07	–	·58	–	·21	–	·02	–	·13	24
25	–	·05	·29	–	·03	–	–	·12	–	·05	·09	·01	25
26	–	·06	·03	–	–	–	–	·03	–	·07	·02	–	26
27	–	·26	·01	–	–	–	–	·06	–	·09	–	–	27
28	–	·21	·11	–	–	·03	–	–	–	·01	–	·02	28
29	–	·23	–	–	–	·43	–	·07	·02	·25	–	·17	29
30	–		–	–	–	·03	–	–	–	·09	–	–	30
31	–		–		–		–	–		·04		·06	31
Total	·53	3·52	3·93	1·10	2·39	1·87	1·02	1·68	2·19	1·56	3·09	2·03	YEAR'S TOTAL 24·91
Rain Days.	12	23	26	14	11	14	13	13	10	20	18	18	192

W. 8,000, VIII. 16

[illegible]

3118

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at 10 Avenue Road, Doncaster

in the County of York

by M. H. Stiles, F.R.M.S.

Lat. Long.

Time of Observation 9. 0 A.M.

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 62·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	–	·23	–	·03	–	·40	·10	–	·11	·03	1
2	·03	–	–	·07	–	·13	–	·16	–	–	·01	–	2
3	–	·01	–	·01	–	·02	·01	·29	–	·10	–	–	3
4	–	–	·10	–	–	–	–	·07	–	·17	–	–	4
5	·31	–	·07	·20	–	–	–	·02	–	·08	·11	–	5
6	–	–	–	–	–	·13	–	–	–	·21	·02	–	6
7	·29	–	·01	–	–	·02	–	–	–	·38	–	·01	7
8	·57	–	–	·16	–	–	–	·67	–	·45	·15	·01	8
9	·04	–	·02	·12	·01	–	–	·02	–	·03	·35	–	9
10	·21	–	·67	·16	·17	–	–	·04	–	·03	·07	–	10
11	·02	–	–	·52	–	–	–	·13	–	·27	–	·01	11
12	·18	–	–	·01	49	–	–	·11	–	·13	–	–	12
13	·08	–	–	·02	–	–	–	·22	·07	·03	–	–	13
14	·29	–	–	·03	–	–	–	·44	–	–	–	·03	14
15	·02	–	–	–	–	–	·10	·12	–	·01	–	·04	15
16	·04	·03	–	·05	–	·01	·08	·08	–	–	–	·60	16
17	·05	·10	·04	·13	·54	–	·13	·05	·03	·03	–	·21	17
18	·04	·01	–	·04	·03	–	·27	·12	·29	·01	–	–	18
19	·05	·11	·09	–	·32	·26	–	·07	·01	–	–	–	19
20	·05	·23	–	–	·03	·03	–	·06	·02	–	·13	–	20
21	·01	·04	·03	–	–	–	–	·04	–	·02	–	–	21
22	–	–	·18	–	–	–	–	·02	–	·04	–	–	22
23	–	·01	–	–	·18	–	–	·07	·04	·03	–	–	23
24	–	–	–	–	–	·14	–	·02	–	·25	·21	·01	24
25	–	–	·03	–	–	–	–	–	–	·11	–	–	25
26	–	–	·04	–	–	·05	·05	·33	·10	·12	·02	–	26
27	–	–	·04	–	–	·18	–	·77	–	–	–	–	27
28	–	–	·07	–	–	·17	·21	·23	–	·01	–	·13	28
29	·01	✕	·01	–	·26	–	·12	–	–	·17	–	·15	29
30	·03	✕	·05	–	–	–	·04	·06	–	·02	·05	–	30
31	·02	✕	(·26)	✕	–	✕	·01	·05	✕	–	✕	–	31
Total	2·35	·55	1·71	1·75	2·03	1·17	1·02	4·66	·66	2·70	1·23	1·23	YEAR'S TOTAL 21.06
Rain Days.	21	9	16	14	9	12	10	27	8	23	11	11	171

W. 8,000, IX. 17.

99

FORM A.
BRITISH RAINFALL
7.1.19

REGISTER OF RAINFALL IN 1918.

Kept at Doncaster (10 Avenue Road)

in the County of Yorkshire W

by M H Stiles. F.R.M.S

Lat. Long. —

Time of Observation 9 AM

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. — in.

" " " " Sea Level 62·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·06	·01	–	–	–	–	–	·07	·04	·23	·01	1
2	·01	·17	–	·03	–	–	–	·08	·03	–	–	·15	2
3	–	·01	·05	–	·88	–	–	·67	–	–	·28	–	3
4	–	–	·03	–	·08	–	–	·10	·35	·12	·21	·33	4
5	–	–	·01	–	·21	–	–	·47	·03	·17	–	–	5
6	·02	·33	–	·49	–	·14	–	–	–	·11	–	–	6
7	·14	·02	–	·06	–	–	–	–	·01	·08	·10	–	7
8	–	·01	·07	–	–	–	·05	–	·44	·05	·06	–	8
9	·02	·33	–	·21	–	·04	·22	–	·38	·32	·01	·04	9
10	·03	·04	–	·01	–	–	·02	–	·07	–	–	·02	10
11	·15	·03	–	·06	·25	–	·17	–	·02	–	–	·03	11
12	–	·13	·02	·11	·03	–	·34	–	·08	–	–	·04	12
13	·01	·02	–	·08	·09	–	–	–	·34	·15	–	–	13
14	·18	–	–	·03	–	·01	·04	–	·39	·09	–	·18	14
15	·15	–	–	·01	·02	·01	·17	–	·68	–	–	·07	15
16	–	–	·02	–	–	–	·08	–	·20	–	·02	·09	16
17	·25	–	–	·01	·01	·18	·40	·03	·04	·08	–	·18	17
18	·26	–	·02	–	–	·02	·10	–	·55	–	–	·12	18
19	·06	·01	·04	·02	–	–	·04	–	·02	·08	–	·67	19
20	·04	·14	–	–	–	·09	1·32	–	·01	·01	–	–	20
21	·07	·01	–	–	·49	·02	·01	–	·08	·22	–	–	21
22	·06	–	–	·02	–	–	·04	–	·04	·03	·01	·24	22
23	·04	–	–	–	–	–	·13	–	–	–	–	–	23
24	–	·05	–	–	·56	–	·03	–	·15	·01	·06	–	24
25	–	–	–	–	–	·33	·04	·32	·02	–	–	–	25
26	–	–	–	–	–	–	·14	·09	·04	·04	·09	·02	26
27	–	·02	–	–	–	·03	·05	·38	·23	–	·06	·05	27
28	–	·19	·18	–	–	–	–	–	·03	–	·10	·38	28
29	–	X	–	–	–	–	–	–	·02	–	·01	·08	29
30	–	X	·38	–	–	–	–	·02	·02	–	·15	·26	30
31	–	X	·03	X	–	X	–	·02	X	–	X	·01	31
Total	1·49	1·57	·86	1·14	2·62	·87	3·39	2·18	4·34	1·60	1·39	2·97	YEAR'S TOTAL 24.42
Rain Days.	16	17	12	13	10	10	19	10	27	16	14	20	184

W, 6,500, VII. 18. W W G

2960

28 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Doncaster
in the County of York
by M. H. Stiles F.R.M.S.

Lat. Long.
Time of Observation 9.0 AM.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft 0 in.
" " " " Sea Level 62.2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·03	·01	–	·21	–	·09	–	·09	·08	·07	·13	1
2	·14	·01	–	–	·01	–	·45	–	·37	–	·12	–	2
3	1·11	–	–	–	·02	·07	·38	–	·04	–	·41	·08	3
4	·12	–	·40	·02	–	·03	–	·27	·05	–	·04	·10	4
5	·06	–	–	–	–	–	–	–	·08	–	·05	·16	5
6	–	–	·01	–	·32	–	–	–	–	–	·02	·06	6
7	·02	–	·16	·01	·15	–	–	–	–	–	–	·01	7
8	·10	–	–	–	·01	–	–	–	–	–	·08	–	8
9	·01	–	·02	–	–	–	–	–	–	·05	·09	–	9
10	–	–	·12	·04	·51	–	–	–	–	–	·07	·06	10
11	–	–	·90	·05	·07	–	·21	–	–	·02	·03	–	11
12	–	–	·95	·03	–	·03	·08	–	·16	·01	–	–	12
13	·13	–	–	·17	–	–	·01	–	·63	·10	·03	·03	13
14	·21	–	–	·26	–	–	·03	·05	·06	–	·15	–	14
15	·15	·21	·06	·13	–	–	–	–	–	–	·02	·92	15
16	·07	·95	–	·04	–	·01	–	–	–	–	·13	·01	16
17	·02	·33	–	·01	–	·12	–	·01	–	–	·12	–	17
18	–	–	·12	–	·04	–	·01	·40	·01	–	–	·16	18
19	·02	·28	1·02	–	–	·04	1·43	·41	·10	–	·16	·03	19
20	·36	·15	·01	–	–	·01	·17	·07	·07	–	·07	·14	20
21	·19	·38	·02	–	–	·04	·21	–	·03	–	·03	·17	21
22	–	·18	–	–	–	–	–	–	·14	–	·02	·33	22
23	–	–	–	·05	–	·02	·04	–	–	·96	–	·04	23
24	–	–	–	·11	·04	·26	–	·04	–	·30	·04	·08	24
25	·05	·02	–	·07	·06	–	–	·46	–	–	·04	–	25
26	·01	–	·15	·05	–	–	–	·30	·05	·04	·01	·39	26
27	·05	·01	–	·04	–	·02	–	–	–	·19	·02	·06	27
28	·06	–	–	·42	–	–	–	1·01	–	·14	–	·37	28
29	·09		–	·13	–	·09	–	·02	–	1·00	–	·05	29
30	·03		–	·01	–	·19	–	–	–	·03	·09	·19	30
31	·02		–		–		·23	–		·08		·05	31
TOTAL	3·34	2·55	3·95	1·64	1·44	·93	3·34	3·04	1·88	3·00	1·91	3·62	YEAR'S TOTAL 30·64
Days with ·01 in. or more	23	11	14	18	11	13	13	11	14	13	24	23	188.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2843

10 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Doncaster
in the County of York
by M H Stiles, F.R.M.S.

Lat. 53-31 N Long. 1·7 W
Time of Observation 9 AM.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 62·2 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·25	·24	—	·14	—	—	·18	·15	·03	1
2	—	—	·02	·17	—	—	·09	—	·24	·25	—	·16	2
3	—	—	—	·15	·06	·09	·67	—	·13	·18	—	·20	3
4	—	—	—	·05	—	—	·24	·37	·06	·70	—	·09	4
5	—	—	·02	—	·04	—	·10	·23	·05	—	—	·02	5
6	—	—	·10	·05	·05	—	·05	—	—	—	—	·02	6
7	·01	—	·01	·02	—	—	·35	—	—	—	—	—	7
8	·04	·05	—	·41	·01	—	·17	—	—	·03	—	—	8
9	·25	·01	·15	·52	—	—	·05	·09	—	·01	—	—	9
10	·17	·18	·02	·20	—	—	·03	·05	—	—	—	—	10
11	·48	·03	·03	·26	·10	·12	—	—	—	—	—	·12	11
12	·03	—	—	·30	—	—	·02	·04	—	—	·06	·08	12
13	—	·03	—	·08	—	·49	—	—	·01	—	—	·10	13
14	·03	—	·47	·07	—	·33	·07	—	·42	·05	·11	·02	14
15	—	·03	·65	·25	—	—	—	—	·01	·20	·02	·03	15
16	—	—	—	·01	—	—	·67	—	·01	—	—	—	16
17	—	—	·02	—	·09	—	—	—	·27	·02	—	·01	17
18	·05	—	—	—	·09	·04	—	·04	—	—	—	—	18
19	·01	1·95	—	·10	·03	·32	—	·05	—	—	—	—	19
20	·03	·04	—	·15	—	·22	·11	—	—	—	—	—	20
21	—	—	—	·02	—	—	·36	·06	—	—	—	—	21
22	·02	—	—	·20	—	—	·07	—	—	·02	·02	—	22
23	—	—	—	·05	—	—	·19	—	—	·01	—	·33	23
24	·03	—	·16	·01	—	—	—	—	·02	—	—	·03	24
25	—	·08	·02	—	—	—	·66	—	—	—	·02	—	25
26	·08	·02	·09	·03	·28	—	·06	—	—	—	—	—	26
27	·14	—	—	·09	·47	·16	—	—	—	·02	·34	·20	27
28	1·37	—	·09	·15	·65	·04	·04	—	—	—	·28	·07	28
29	·07	—	·23	—	1·67	—	·06	—	—	—	·05	·44	29
30	·13	✕	—	·12	·01	·01	—	—	·15	—	·18	·26	30
31	·06	✕	·04	✕	·06	✕	·04	—	✕	·33	✕	·09	31
TOTAL	3·00	2·42	2·13	3·71	3·85	1·82	4·24	·93	1·37	2·00	1·23	2·30	YEAR'S TOTAL 29·00
Days with ·01 in. or more	18	10	17	25	15	10	22	8	11	13	10	19	178
Days with ·04 in. or more	11	5	9	20	12	9	20	8	7	7	7	12	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DON~~CA~~STER
CARR HOSPITAL
YORKSHIRE
1913, 1916-18, 20

RE

FORM A.
BRITISH RAINFALL.

16 MAY 1914

Kept at Doncaster

in the County of Yo

by H.D.L.

5 in.

round 1 ft. 0 in.

Sea Level — ft.

IMPORTANT … he result entered to the previous day. If a … rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st … in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·08	·12	·0	·0	·0	·0	·11	·0	·03	·0	1
2	·01	·04	·03	·02	·0	·0	·0	·0	·0	·0	·04	·0	2
3	·0	·0	·05	·0	·30	·0	·02	·0	·0	·26	·0	·17	3
4	·47	·01	·03	·0	·08	·03	·06	·0	·04	·20	·15	·19	4
5	·02	·0	·0	·0	·0	·09	·10	·0	·02	·47	·0	·0	5
6	·0	·02	·05	·01	·49	·03	·22	·0	·02	·52	·0	·0	6
7	·0	·13	·0	·0	·05	·12	·0	·0	·0	·57	·0	·0	7
8	·0	·02	·0	·0	·28	·17	·0	·08	·02	·03	·10	·0	8
9	·0	·16	·0	·02	·02	·02	·02	·0	·0	·0	·08	·0	9
10	·0	·02	·0	·04	·0	·0	·03	·0	·0	·01	·17	·0	10
11	·59	·0	·0	·47	·0	·0	·0	·0	·0	·06	·28	·0	11
12	·0	·0	·0	·03	·0	·03	·0	·0	·0	·0	·15	·0	12
13	·05	·0	·03	·04	·0	·0	·0	·02	·10	·0	·10	·0	13
14	·09	·06	·27	·02	·0	·0	·0	·0	·0	·0	·11	·02	14
15	·09	·0	·08	·25	·0	·0	·0	·0	·08	·0	·15	·0	15
16	·0	·03	·04	·11	·0	·0	·0	·01	·22	·0	·03	·0	16
17	·02	·02	·13	·02	·0	·0	·0	·0	4·27	·0	·0	·0	17
18	·0	·0	·17	·04	·0	·0	·03	·0	1·0	·0	·0	·02	18
19	·12	·0	·03	·02	·0	·02	·0	·0	·09	·0	·0	·0	19
20	·12	·0	·05	·07	·0	·0	·0	·0	·0	·04	·03	·0	20
21	·0	·0	·0	·0	·07	·0	·11	·0	·0	·0	·29	·0	21
22	·15	·0	·24	·0	·01	·0	·12	·56	·14	·08	·0	·0	22
23	·17	·0	·0	·0	·02	·03	·0	·10	·11	·0	·0	·0	23
24	·05	·0	·0	·0	·0	·01	·0	·0	·0	·0	·0	·02	24
25	·0	·0	·0	·02	·0	·0	·0	·0	·08	·0	·0	·02	25
26	·0	·0	·13	·07	·0	·0	·0	·0	·02	·18	·06	·11	26
27	·0	·0	·02	·23	·0	·07	·0	·0	·0	·0	·03	·09	27
28	·21	·0	·16	·26	·0	·0	·0	·0	·0	·02	·0	·07	28
29	·02	·0	·17	·48	·08	·0	·0	·34	·0	·04	·0	·07	29
30	·19	·0	·0	·0	·12	·0	·0	·0	·0	·26	·02	·0	30
31	·0		·0		·03		·0	·0		·0		·0	31
Total	2·37	0·51	1·76	2·34	1·55	·62	·71	1·11	6·32	2·74	1·82	·79	YEAR'S TOTAL 22·64
Rain Days.	16.	10.	18.	~~19.~~ 20	12.	11.	9.	6.	15.	14.	17.	8.	~~155~~ 156

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

16 MAY 1914

RE

Kept at Doncaster, Carr Ho. Hospital
in the County of Yorks WR
by Dr D L. Anderson

W. Ng.

Lat. x Long. x
Time of Observation 8.30 a.m
Nearest Railway Station [illegible]
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·0	·08	·12	·0	·0	·0	·0	·11	·0	·03	·0	1
2	·01	·04	·03	·02	·0	·0	·0	·0	·0	·0	·04	·0	2
3	·0	·0	·05	·0	·30	·0	·02	·0	·0	·26	·0	·17	3
4	·47	·01	·03	·0	·08	·03	·06	·0	·04	·20	·15	·19	4
5	·02	·0	·0	·0	·0	·09	·10	·0	·02	·47	·0	·0	5
6	·0	·02	·05	·01	·49	·03	·22	·0	·02	·52	·0	·0	6
7	·0	·13	·0	·0	·05	·12	·0	·0	·0	·57	·0	·0	7
8	·0	·02	·0	·0	·28	·17	·0	·08	·02	·03	·10	·0	8
9	·0	·16	·0	·02	·02	·02	·02	·0	·0	·0	·08	·0	9
10	·0	·02	·0	·04	·0	·0	·03	·0	·0	·01	·17	·0	10
11	·59	·0	·0	·47	·0	·0	·0	·0	·0	·06	·28	·0	11
12	·0	·0	·0	·03	·0	·03	·0	·0	·0	·0	·15	·0	12
13	·05	·0	·03	·04	·0	·0	·0	·02	·10	·0	·10	·0	13
14	·09	·06	·27	·02	·0	·0	·0	·0	·0	·0	·11	·02	14
15	·09	·0	·08	·25	·0	·0	·0	·0	·08	·0	·15	·0	15
16	·0	·03	·04	·11	·0	·0	·0	·01	·22	·0	·03	·0	16
17	·02	·02	·13	·02	·0	·0	·0	·0	4·27	·0	·0	·0	17
18	·0	·0	·17	·04	·0	·0	·03	·0	1·0	·0	·0	·02	18
19	·12	·0	·03	·02	·0	·02	·0	·0	·09	·0	·0	·0	19
20	·12	·0	·05	·07	·0	·0	·0	·0	·0	·04	·03	·0	20
21	·0	·0	·0	·0	·07	·0	·11	·0	·0	·0	·29	·0	21
22	·15	·0	·24	·0	·01	·0	·12	·56	·14	·08	·0	·0	22
23	·17	·0	·0	·0	·02	·03	·0	·10	·11	·0	·0	·0	23
24	·05	·0	·0	·0	·0	·01	·0	·0	·0	·0	·0	·02	24
25	·0	·0	·0	·02	·0	·0	·0	·0	·08	·0	·0	·02	25
26	·0	·0	·13	·07	·0	·0	·0	·0	·02	·18	·06	·11	26
27	·0	·0	·02	·23	·0	·07	·0	·0	·0	·0	·03	·09	27
28	·21	·0	·16	·26	·0	·0	·0	·0	·0	·02	·0	·07	28
29	·02	·0	·17	·48	·08	·0	·0	·34	·0	·04	·0	·07	29
30	·19	·0	·0	·0	·12	·0	·0	·0	·0	·26	·02	·0	30
31	·0		·0		·03		·0	·0		·0		·0	31
Total	2·37	0·51	1·76	2·34	1·55	·62	·71	1·11	6·32	2·74	1·82	·79	YEAR'S TOTAL 22·64
Rain Days.	16.	10.	18.	~~19~~ 20	12.	11.	9.	6.	15.	14.	17.	8.	~~155~~ 156

W.7,000, XI. 13

~~Exc~~ 8L

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
16. JAN. 1917

Kept at Doncaster

in the County of Yorkshire WR

by Matron, Carr House Fever Hospital

Lat. 53°31 Long. 1°7 min West.

Time of Observation 8.30 a.m.

Nearest Railway Station Doncaster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·0	·15	·0	·0	·10	·0	·0	·0	·0	·15	·0	1
2	·0	·02	·0	·0	·0	·0	·05	·0	·11	·07	·0	·0	2
3	·0	·29	·0	·07	·0	·0	·0	·0	·32	·12	·06	·0	3
4	·0	·11	·0	·0	·82	·12	·03	·0	1·06	·13	·34	·0	4
5	·05	·0	·0	·0	·03	·13	·16	·0	·0	·15	·18	·0	5
6	·02	·39	·12	·03	·35	·0	·0	·0	·0	·0	·32	·0	6
7	·03	·0	·12	·0	·03	·0	·0	·0	·0	·04	·08	·36	7
8	·0	·0	·32	·0	·0	·0	·0	·0	·0	·0	·01	·05	8
9	·0	·0	·08	·0	·34	·04	·20	·0	·18	·0	·01	·16	9
10	·0	·03	·03	·10	·02	·08	·0	·0	·12	·0	·0	·14	10
11	·16	·51	·30	·15	·0	·09	·05	·0	·04	·0	·0	·02	11
12	·02	·0	·48	·0	·48	·07	·15	·0	·0	·01	·0	·0	12
13	·0	·05	·20	·0	·07	·0	·0	·25	·0	·09	·05	·0	13
14	·0	·09	·03	·03	·07	·0	·18	·12	·0	·02	·03	·0	14
15	·0	·03	·76	·0	·0	·0	·15	·15	·0	·01	·0	·0	15
16	·0	·10	·19	·09	·0	·0	·06	·22	·0	·0	·0	·0	16
17	·03	·07	·0	·10	·0	·0	·03	·07	·12	·17	·0	·0	17
18	·0	·10	·0	·05	·0	·0	·0	·26	·10	·03	1·18	·03	18
19	·05	·02	·19	·07	·0	·0	·0	·08	·11	·0	·43	·0	19
20	·04	·0	·26	·36	·13	·0	·0	·0	·0	·0	·0	·11	20
21	·02	·0	·13	·04	·01	·0	·04	·0	·0	·0	·0	·0	21
22	·0	·0	·0	·02	·0	·04	·0	·0	·0	·08	·0	·10	22
23	·0	·04	·02	·09	·0	·03	·0	·0	·0	·08	·10	·43	23
24	·0	·41	·0	·07	·0	·42	·0	·20	·0	·0	·0	·16	24
25	·0	·10	·19	·0	·05	·0	·0	·13	·0	·07	·11	·0	25
26	·0	·09	·04	·0	·0	·02	·0	·04	·0	·04	·02	·0	26
27	·0	·25	·0	·0	·0	·0	·0	·10	·0	·10	·0	·0	27
28	·0	·25	·10	·0	·0	·0	·0	·0	·02	·11	·0	·05	28
29	·0	·22	·0	·0	·0	·46	·0	·08	·0	·05	·0	·0	29
30	·0	X	·0	·0	·0	·0	·0	·0	·0	·0	·0	·0	30
31	·0	X	·0	X	·0	X	·0	·0	X	·05	X	·03	31
Total	·51	3·17	3·71	1·27	2·40	1·60	1·10	1·70	2·18	1·42	3·07	1·64	YEAR'S TOTAL 23·77
Rain Days.	10	20	19	14	12	12	11	12	10	19	15	12	166

W. 8,000, VIII. 16

3063

FORM A.
BRITISH RAINFALL.

JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Doncaster
in the County of Yorkshire
by Carr House Fever Hospital

Lat. 53·31 Long. 1·7 West.
Time of Observation 8.30 a.m.
Nearest Railway Station Doncaster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	·0	·06	·0	·0	·0	·40	·09	·0	·11	·03	1
2	·03	·0	·0	·19	·0	·05	·0	·14	·0	·0	·02	·0	2
3	·0	·0	·0	·08	·0	·02	·0	·33	·0	·09	·0	·0	3
4	·0	·0	·07	·0	·0	·0	·0	·06	·0	·23	·0	·0	4
5	·32	·0	·06	·14	·0	·0	·0	·02	·0	·04	·09	·0	5
6	·0	·0	·0	·0	·0	·18	·0	·0	·0	·15	·02	·0	6
7	·26	·0	·0	·0	·0	·05	·0	·0	·0	·42	·0	·0	7
8	·57	·0	·0	·21	·0	·0	·0	·75	·0	·46	·10	·0	8
9	·06	·0	·02	·04	·0	·0	·0	·0	·0	·02	·23	·0	9
10	·15	·0	·62	·10	·17	·0	·0	·04	·0	·22	·07	·0	10
11	·04	·0	·0	·55	·0	·0	·0	·10	·0	·11	·0	·0	11
12	·17	·0	·0	·0	·50	·0	·0	·13	·0	·03	·0	·0	12
13	·08	·0	·0	·04	·0	·0	·0	·26	·04	·0	·0	·0	13
14	·19	·0	·0	·0	·0	·0	·0	·42	·0	·0	·0	·0	14
15	·06	·0	·0	·0	·0	·0	·24	·23	·0	·0	·0	·0	15
16	·05	·08	·0	·04	·0	·0	·10	·02	·0	·03	·0	·50	16
17	·02	·08	·04	·06	·56	·0	·03	·12	·0	·0	·0	·54	17
18	·03	·0	·0	·04	·03	·0	·37	·06	·30	·0	·0	·14	18
19	·05	·10	·09	·0	·29	·30	·0	·02	·0	·0	·0	·0	19
20	·02	·25	·02	·0	·04	·03	·0	·03	·02	·0	·13	·0	20
21	·02	·04	·02	·0	·0	·0	·0	·04	·0	·08	·0	·0	21
22	·0	·0	·13	·0	·0	·0	·0	·02	·01	·05	·0	·0	22
23	·0	·0	·0	·0	·13	·0	·0	·09	·04	·0	·0	·0	23
24	·0	·0	·0	·0	·02	·23	·0	·06	·0	·18	·08	·0	24
25	·0	·0	·0	·0	·0	·0	·04	·005	·0	·09	·04	·0	25
26	·0	·0	·02	·0	·0	·03	·0	·30	·11	·08	·02	·0	26
27	·0	·0	·04	·0	·0	·19	·17	·74	·0	·0	·0	·04	27
28	·0	·0	·10	·0	·0	·15	·06	·23	·0	·02	·0	·0	28
29	·01	×	·0	·0	·22	·0	·03	·005	·0	·08	·0	·0	29
30	·01	×	·06	·0	·0	·0	·09	·07	·0	·0	·0	·20	30
31	·01	×	·18	×	·0	×	·01	·03	×	·0	×	·0	31
Total	2·17	0·56	1·47	1·55	1·96	1·23	1·14	4·72	·61	2·38	·91	1·45	YEAR'S TOTAL 20·15
Rain Days.	21	6	14	12	9	10	10	27	7	18	11	6	151

W. 8,000, IX. 17.

Cx 4KK

45

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

1.10

Kept at Carr House Hospital, Doncaster.

in the County of Yorkshire. WR

by Doncaster Corporation

Lat. 53° 31 Long. 1° 7 W. of Greenwich

Time of Observation 8·30 a.m

Nearest Railway Station Doncaster.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 36 to 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·01	·0	·01	·0	·0	·0	·0	·09	·04	·24	·0	1
2	·0	·20	·0	·0	·0	·0	·0	·08	·05	·02	·0	·14	2
3	·0	·01	·05	·0	·50	·0	·0	·71	·0	·0	·30	·0	3
4	·0	·0	·02	·0	·29	·0	·0	·07	·02	·04	·18	·31	4
5	·0	·0	·0	·0	·20	·0	·0	·46	·04	·10	·0	·0	5
6	·0	·24	·0	·58	·0	·10	·0	·0	·02	·02	·0	·0	6
7	·11	·01	·0	·08	·0	·0	·02	·0	·0	·12	·10	·0	7
8	·0	·0	·08	·0	·0	·0	·04	·0	·09	·04	·08	·01	8
9	·02	·29	·0	·24	·0	·10	·15	·0	·32	·28	·02	·04	9
10	·0	·03	·0	·0	·0	·0	·06	·0	·10	·0	·0	·02	10
11	·15	·03	·0	·02	·25	·0	·16	·02	·02	·0	·0	·04	11
12	·0	·12	·02	·10	·0	·0	·40	·0	·06	·0	·0	·04	12
13	·0	·01	·0	·07	·20	·0	·0	·0	·11	·09	·0	·0	13
14	·16	·0	·0	·02	·0	·0	·04	·0	·49	·11	·0	·24	14
15	·17	·0	·0	·0	·02	·0	·16	·0	·77	·0	·0	·10	15
16	·0	·0	·01	·0	·0	·0	·14	·0	·27	·0	·0	·11	16
17	·18	·0	·0	·0	·02	·10	·25	·03	·05	·10	·0	·18	17
18	·26	·0	·02	·0	·0	·102	·19	·0	·53	·0	·0	·23	18
19	·07	·08	·03	·03	·0	·0	·04	·0	·03	·08	·0	·66	19
20	·05	·0	·0	·0	·0	·10	1·50	·0	·01	·0	·0	·0	20
21	·09	·0	·0	·0	·35	·03	·02	·0	·11	·10	·0	·0	21
22	·10	·0	·0	·01	·01	·01	·04	·0	·04	·03	·0	·11	22
23	·04	·06	·0	·0	·62	·0	·08	·0	·01	·0	·0	·10	23
24	·0	·0	·0	·0	·0	·0	·05	·0	·10	·02	·06	·0	24
25	·0	·0	·0	·0	·0	·32	·02	·29	·01	·0	·0	·0	25
26	·0	·02	·0	·0	·0	·0	·18	·10	·03	·03	·10	·50	26
27	·0	·0	·0	·0	·0	·01	·06	·35	·20	·0	·05	·07	27
28	·0	·08	·09	·0	·0	·0	·0	·0	·02	·0	·11	·34	28
29	·0		·01	·0	·0	·0	·0	·0	·10	·0	·02	·07	29
30	·0		·35	·0	·0	·0	·0	·0	·06	·0	·0	·34	30
31	·0		·03		·0		·0	·02		·0		·0	31
Total	1·40.	1·19.	0·71	1·16	2·46	0·87	3·60	2·13	3·75.	1·22	1·26	3·65	YEAR'S TOTAL 23·40.
Rain Days.	12.	14.	11.	10.	10.	9.	20	10.	28.	16.	11.	20.	171.

W, 6,500, VII. 18. W W O

~~[illegible]~~ [illegible]

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Doncaster
in the County of York. WR
by Dr. Lechmere Anderson. M.O.H.

Lat. 53° 31' Long. 1° 7' W.
Time of Observation 8-30 AM
Nearest Railway Station Great Northern. Doncaster
Diameter of Funnel of Rain Gauge 5 in. in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 41·6 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·0	·0	·0	·24	·25	·02	·0	·06	·0	·08	·15	·03	1
2	·0	·0	·0	·13	·0	·0	·14	·0	·22	·25	·0	·08	2
3	·0	·0	·0	·05	·03	·08	·09	·0	·22	·13	·0	·15	3
4	·0	·0	·0	·10	·0	·0	·50	·33	·05	·85	·0	·08	4
5	·0	·0	·03	·0	·04	·0	·27	·21	·04	·0	·0	·01	5
6	·0	·0	·09	·04	·03	·0	·09	·0	·0	·0	·0	·01	6
7	·0	·0	·13	·0	·0	·0	·06	·0	·0	·0	·0	·0	7
8	·06	·05	·0	·44	·01	·0	·33	·03	·0	·0	·0	·0	8
9	·21	·01	·0	·49	·0	·0	·19	·07	·01	·0	·0	·0	9
10	·15	·12	·02	·12	·0	·0	·04	·06	·0	·0	·0	·0	10
11	·42	·03	·03	·26	·08	·08	·05	·0	·0	·0	·0	·16	11
12	·02	·0	·0	·24	·01	·0	·0	·03	·0	·0	·04	·14	12
13	·03	·03	·001	·06	·0	·54	·01	·0	·0	·0	·0	·09	13
14	·01	·0	·49	·06	—	·30	·0	·0	·05	·06	·08	·0	14
15	·0	·03	·53	·19	·0	·0	·05	·0	·0	·24	·02	·02	15
16	·0	·0	·0	·02	·01	·0	·01	·0	·0	·0	·0	·08	16
17	·0	·0	·0	·0	·08	·0	·55	·0	·32	·03	·0	·0	17
18	·03	·0	·02	·01	1·07	·04	·04	·03	·02	·0	·0	·0	18
19	·0	2·50	·0	·09	·01	·25	·0	·06	·0	·0	·0	·04	19
20	·01	·12	·0	·14	·0	·36	·0	·0	·0	·0	·0	·01	20
21	·0	·0	·0	·02	·0	·0	·05	·06	·0	·0	·0	·01	21
22	·0	·0	·0	·08	·0	·0	·37	·0	·0	·0	·0	·0	22
23	·02	·0	·0	·01	·0	·0	·05	·0	·0	·0	·0	·28	23
24	·0	·0	·14	·07	·0	·0	·23	·0	·0	·0	·0	·0	24
25	·0	·08	·01	·01	·0	·0	·0	·0	·0	·0	·0	·01	25
26	·0	·0	·07	·01	·31	·0	·49	·0	·0	·0	·0	·01	26
27	·23	·0	·0	·19	·34	·15	·06	·0	·0	·0	·29	·19	27
28	·12	·0	·07	·13	·52	·01	·0	·0	·0	·0	·25	·06	28
29	·18	·01	·20	·0	·79	·0	·03	·0	·0	·0	·05	·38	29
30	·08		·01	·04	·03	-	·06	·0	·14	·0	·0	·21	30
31	·08		·06		·04		·0	·0		·25		·10	31
TOTAL	1·64	2·98	1·89*	3·24 ~~4·42~~	2·65	1·83	3·76	·94	1·07	1·89	·88	2·15	YEAR'S TOTAL 24·92 ~~26·40~~
Days with ·01 in. or more	15 Days	10	16	26	17	10	23	10	9	8	7	22	173
Days with ·04 in. or more	9	5	9	20	10	8	20	7	7	7	6	14	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DONCASTER
~~WADWORTH~~ HALL
YORKSHIRE

1911 - 1916

R

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

Kept at WADWORT ... gical Soc

in the County of WR Yorks ... n.

... d 1 ft. 0 in.

... evel 189.80 ft.

by Revd James. C ... Doncaster,

... ce 4½. Direction N.

IMPORTANT NO ... result entered to the previous day. If an C ... rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.01	—	—	—	—	—	0.07	—	—	—	—	1
2	0.28	—	—	—	0.04	—	—	0.02	—	—	—	0.03	2
3	0.02	—	—	0.02	0.16	0.04	—	0.07	0.01	0.07	0.07	0.01	3
4	0.01	—	0.15	0.16	—	—	—	0.03	0.14	0.14	0.18	0.19	4
5	0.02	—	0.01	0.05	—	—	—	0.07	—	0.16	— 0.25	—	5
6	0.18	—	—	—	—	—	—	0.06 0.32	—	0.08	0.22	0.51	6
7	—	—	0.01	—	— 0.20	—	—	—	—	0.02	0.13	0.02	7
8	0.10. 0.61	—	0.13	—	—	—	—	—	0.10	— 0.47	0.02	0.28	8
9	—	—	—	—	—	0.07	—	—	—	—	—	—	9
10	—	—	—	0.01	—	—	—	—	— 0.25	—	—	0.50. 1.54	10
11	0.20.	—	—	—	—	— 0.11	—	0.06	—	—	0.50	—	11
12	0.18.	—	0.08 0.38	—	0.07	—	—	—	0.42	0.02	0.17 1.29	0.02	12
13	—	—	0.13	—	—	0.02	—	— 0.38	—	0.01	0.02	0.58	13
14	—	0.05	0.05	—	0.05 0.32	—	0.02	—	—	0.01	—	0.56	14
15	— 0.99.	0.04	0.09	—	0.15	—	—	—	—	0.07 0.58	0.01	0.09	15
16	—	0.01	0.08	— 0.24	—	0.06	0.04	—	—	0.04	0.16	0.07.	16
17	—	0.01	0.02	0.02	—	0.17	—	—	— 0.67	—	0.06	0.08 2.94	17
18	—	0.08	0.02	—	—	0.10 0.46	—	—	—	0.02	0.40	0.05	18
19	0.02	0.02. 0.22	0.02. 0.79	0.03	—	—	0.06	—	0.20	0.18	0.57 2.51	0.08	19
20	0.01	0.08	—	0.05	—	—	0.04	0.76 1.14	0.10	—	0.02	0.31	20
21	—	0.15	0.01	—	— 0.47	—	—	0.05	—	0.52	0.10	—	21
22	— 1.02	0.02	—	—	—	—	—	0.02	—	0.26 1.60	0.03	0.15	22
23	—	0.15	0.11	— 0.34	—	0.69	— 0.16	—	0.38	—	0.02	0.14	23
24	—	0.11	0.03	—	—	2.05	—	0.02	— 1.35	0.12	—	0.09 3.76	24
25	—	0.12.	0.01	0.13	—	0.04 3.24	—	—	0.09	0.03	0.01	0.08	25
26	—	— 0.85	— 0.95	0.04	0.27	—	—	—	—	0.28	0.43 3.12	0.33	26
27	—	0.06	0.10	0.17	—	—	—	0.71 1.94	0.37	—	0.01	0.02	27
28	0.01	0.04	0.03	0.18	— 0.74	0.02	—	0.03	0.04	—	0.07	0.11	28
29	— 1.03	×	0.02	0.02	—	0.01	0.07	0.03	0.17	0.11. 2.14	0.02	0.02	29
30	—	×	—	—	0.08	0.15	—	—	0.02	0.27	—	0.01	30
31	—	×	0.08	×	0.04	×	—	—	×	0.08	×	4.33 0.01	31
Total	1.03	0.95	1.18	0.88	0.86	3.42	0.23.	2.00	2.04	2.49	3.22	4.34	TOTAL for year 22.64
No. of Rain Days	11.	15.	20.	12.	8.	12	5.	14	12	20.	22	26	22.64 on 177

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

R

Kept at WADWORTH HALL. (Doncaster).
in the County of WR Yorkshire 6
by Revd James. C. Ross.

REV. JAMES C. ROSS.
WADWORTH HALL
DONCASTER

RAIN GAUGE
Pattern Meteorological Soc.
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 189.80 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Doncaster.
Distance 4½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.01	—	—	—	—	—	0.07	—	—	—	—	1
2	0.28	—	—	—	0.04	—	—	0.02	—	—	—	0.03	2
3	0.02	—	—	0.02	0.16	0.04	—	0.07	0.01	0.07	0.07	0.01	3
4	0.01	—	0.15	0.16	—	—	—	0.03	0.14	0.14	0.18	0.19	4
5	0.02	—	0.01	0.05	—	—	—	0.07	—	0.16	— 0.25	—	5
6	0.18	—	—	—	—	—	—	0.06 0.32	—	0.08	0.22	0.51	6
7	—	—	0.01	—	— 0.20	—	—	—	—	0.02	0.13	0.02	7
8	0.10. 0.61	—	0.13	—	—	—	—	—	0.10	— 0.47	0.02	0.28	8
9	—	—	—	—	—	0.07	—	—	—	—	—	—	9
10	—	—	—	0.01	—	—	—	—	— 0.25	—	—	0.50. 1.54	10
11	0.20.	—	—	—	—	— 0.11	—	0.06	—	—	0.50	—	11
12	0.18.	—	0.08 0.38	—	0.07	—	—	—	0.42	0.02	0.17. 1.29	0.02	12
13	—	—	0.13	—	—	0.02	—	— 0.38	—	0.01	0.02	0.58	13
14	—	0.05	0.05	—	0.05 0.32	—	0.02	—	—	0.01	—	0.56	14
15	— 0.99	0.04	0.09	—	0.15	—	—	—	—	0.07 0.58	0.01	0.09	15
16	—	0.01	0.08	— 0.24	—	0.06	0.04	—	—	0.04	0.16	0.07.	16
17	—	0.01	0.02	0.02	—	0.17	—	—	— 0.67	—	0.06	0.08 2.94	17
18	—	0.08	0.02	—	—	0.10 0.46	—	—	—	0.02	0.40	0.05	18
19	0.02	0.02. 0.22	0.02. 0.79	0.03	—	—	0.06	—	0.20	0.18	0.57 2.51	0.08.	19
20	0.01	0.08	—	0.05	—	—	0.04	0.76 1.14	0.10	—	0.02	0.31	20
21	—	0.15	0.01	—	— 0.47	—	—	0.05	—	0.52	0.10	—	21
22	— 1.02	0.02	—	—	—	—	—	0.02	—	0.26 1.60	0.03	0.15	22
23	—	0.15	0.11	— 0.34	—	0.69	— 0.16	—	0.38	—	0.02	0.14	23
24	—	0.11	0.03	—	—	2.05	—	0.02	— 1.35	0.12	—	0.09. 3.76	24
25	—	0.12.	0.01	0.13	—	0.04 3.24	—	—	0.09	0.03	0.01	0.08	25
26	—	— 0.85	— 0.95	0.04	0.27	—	—	—	—	0.28	0.43. 3.12	0.33	26
27	—	0.06	0.10	0.17	—	—	—	0.71 1.94	0.37	—	0.01	0.02	27
28	0.01	0.04	0.03	0.18	— 0.74	0.02	—	0.03	0.04	—	0.07	0.11	28
29	— 1.03	×	0.02	0.02	—	0.01	0.07	0.03	0.17	0.11. 2.14	0.02	0.02	29
30	—	×	—	—	0.08	0.15	—	—	0.02	0.27	—	0.01 4.33	30
31	—	×	0.08	×	0.04	×	—	—	×	0.08	×	0.01	31
Total	1.03	0.95	1.18	0.88	0.86	3.42	0.23.	2.00	2.04	2.49	3.22	4.34	TOTAL for year 22.64
No. of Rain Days	11.	15.	20.	12.	8.	12.	5.	14.	12.	20.	22.	26	22.64 on 177

9,000, IX. '10.

ordly mm stats 17.11.13

REGISTER OF RAINFALL IN 1912

FORM A1.
BRITISH RAINFALL.

JAN 1913

Kept at WADWORTH HALL.

in the County of (W.R.) YORKSHIRE W.6

by REV. JAMES C. ROSS, WADWORTH HALL, DONCASTER. REV. JAMES C. ROSS, WADWORTH HALL, DONCASTER. Rev. JAMES. C. ROSS. F.R.H.S: F.R.Met.S

RAIN GAUGE
Pattern "METEOROLOGICAL"
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 189.8 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name DONCASTER.
Distance 4½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.02	0.18	—	0.01	0.38	0.05	0.04	0.11	—	—	0.40	1
2	—	—	0.02	0.02	—	0.11	0.61	—	0.05	—	—	0.08	2
3	0.11	0.11	0.02	—	0.05	0.39	—	0.56	0.22	—	—	0.05	3
4	0.12	—	0.41	—	0.09	0.59	—	0.36	0.03	—	0.37	—	4
5	0.07	0.05	0.04	—	0.08	0.21	—	0.03	0.01	—	0.01	—	5
6	0.71.	0.09	0.06	—	0.05	0.05	0.03	0.39	—	—	—	—	6
7	0.03	0.04	0.01	—	0.04	0.08	—	0.13	0.03	—	—	0.03	7
8	0.39	0.30	0.15	0.02	—	0.02	0.03	—	0.27	0.02	—	0.01	8
9	0.04	0.13	0.32	0.15	—	0.36	—	0.03	—	—	0.05.	0.05	9
10	0.01	0.02	0.01	—	—	0.67	—	0.12	—	—	0.33	—	10
11	0.11	0.05	0.01	0.01	—	0.03	—	—	—	—	0.07	0.77	11
12	0.06	0.21	0.06	—	—	0.04	0.07	—	—	—	0.06	0.01.	12
13	—	0.03	—	—	—	—	—	0.07	—	0.04	0.20	—	13
14	0.10	—	0.32	—	—	0.07	—	0.06	—	—	—	—	14
15	0.04	0.06	0.10	—	0.35	0.11	—	0.03	—	—	—	0.05	15
16	0.73	0.01	0.15	—	0.29	0.12	—	0.04	—	0.05	—	0.06	16
17	0.14	0.02	0.11	—	—	0.24	0.03	0.28	—	—	—	0.31.	17
18	0.22	0.01	0.08	—	—	0.01	0.03	—	—	0.04	—	—	18
19	0.33	0.17	0.03	—	—	—	0.82	0.26	—	0.03	0.03	—	19
20	0.19	—	(04) 0.04	—	0.15	0.05	0.08	0.04	—	·12 0.22	—	—	20
21	0.01	—	0.40	—	0.64	—	0.53	—	—	—	0.01.	0.03	21
22	0.01	0.05	0.01	—	1.25	0.48	0.10	0.47	—	—	—	0.09	22
23	0.04	0.04	0.29	—	0.02	—	0.20	0.30	—	—	0.04	0.02	23
24	0.22	—	0.01	—	—	0.04	0.04	0.08	—	—	—	0.13	24
25	—	—	—	—	—	0.13	—	0.20	—	0.02	0.15	0.10	25
26	—	0.13	0.05	—	—	—	0.24	0.72	—	0.94	0.31.	0.28	26
27	—	—	0.01	—	—	0.18	1.11	—	—	0.75	0.01	0.05	27
28	—	0.01	—	—	—	0.09	0.13	0.37	0.01	0.38	0.74	0.05	28
29	—	—	0.13	—	—	0.08	0.05	—	0.48	0.06	0.12	0.03	29
30	0.05	+	0.03	—	0.61	0.06	—	—	0.03	0.01	—	—	30
31	—	+	0.08	+	0.36	+	0.47	0.40	+	—	+	—	31
Total	3.73	1.55.	3.13	0.20	3.99	4.59	4.62	4.98	1.24	2.46	2.50	2.60.	TOTAL for year 35.59
No. of Rain Days	22.	20.	28	4	14	25.	18	22.	10.	12.	15.	20.	210

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

refused 14·4·14

Ca. by obsv. 17. IV. 14.

REGISTER OF RAINFALL IN 1913

FORM A1.
BRITISH RAINFALL.
3 JAN 1914

Kept at Wadworth Hall. ~~WDM~~

in the County of (W.R) Yorkshire 6

by Revd. James C Ross. F.R.H.S. F.R.Met.Soc.

RAIN GAUGE
Pattern "METEOROLOGICAL"
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 189·80 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name DONCASTER.
Distance 4½ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	—	0·05	0·11	—	—	—	—	0·27	—	0·03	—	1
2	0·02	0·06	0·05	0·05	—	—	—	—	—	—	0·03	0·01	2
3	0·01	0·03	0·10	—	0·36	—	0·03	—	—	0·15	—	0·19	3
4	0·58	0·07	0·01	0·01	0·09	0·05	0·07	—	0·04	0·13	0·19	0·20	4
5	0·05	0·01	0·02	—	—	0·24	0·17	—	0·03	0·75	—	—	5
6	0·01	0·01	0·13	0·01	0·46	0·03	0·42	—	0·01	0·69	—	—	6
7	—	0·19	—	—	0·11	0·15	—	—	—	0·58	—	—	7
8	—	0·04	—	—	0·33	0·16	—	0·06	0·04	0·02	0·15	—	8
9	—	0·18	—	0·03	0·02	0·04	0·02	—	—	—	0·15	0·02	9
10	0·01	0·02	—	0·06	—	—	0·07	—	—	0·03	0·18	—	10
11	1·23	0·01	—	0·55	—	0·04	—	0·01	—	0·06	0·31	—	11
12	—	0·01	—	—	0·01	0·03	—	—	—	—	0·19	—	12
13	0·05	0·01	0·05	0·06	—	—	—	0·02	0·10	—	0·11	—	13
14	0·09	0·06	0·36	0·01	—	—	—	—	—	0·08	0·12	—	14
15	0·07	0·02	0·26	0·30	—	—	—	—	0·05	—	0·30	0·02	15
16	0·02	0·02	0·29	0·05	—	—	—	0·05	0·44	—	0·02	—	16
17	0·03	0·03	0·08	0·03	—	—	—	—	2·83	0·01	0·02	—	17
18	—	—	0·18	0·09	—	—	0·04	—	—	—	0·02	0·02	18
19	0·14	—	0·05	0·02	—	0·03	—	—	0·12	—	—	—	19
20	0·10	—	0·04	0·09	—	—	—	—	—	0·05	0·04	—	20
21	0·03	—	—	0·01	0·12	—	0·18	—	—	—	0·28	—	21
22	0·16	—	0·30	—	0·01	—	—	0·67	0·16	—	—	—	22
23	0·14	—	—	—	0·01	0·04	—	0·08	0·10	0·02	0·01	—	23
24	0·11	—	—	—	—	0·02	—	0·04	—	—	—	—	24
25	—	—	—	0·03	—	—	—	—	0·08	—	—	—	25
26	—	0·01	0·15	0·11	—	—	—	—	0·02	0·20	0·03	0·18	26
27	—	0·01	0·02	0·26	—	0·05	—	—	—	—	0·02	0·15	27
28	0·25	—	0·19	0·32	—	—	—	—	0·01	0·02	—	0·07	28
29	0·03	+	0·20	0·45	0·07	—	—	0·45	—	0·04	0·01	0·35	29
30	0·26	+	—	—	0·19	—	—	—	—	0·25	0·02	0·09	30
31	3—40	+	—	+	0·09	+	—	—	+	—	+	—	31
Total	3·49 3·40	0·79	2·53	2·64	1·87	~~0·98~~ ·88	1·00	1.38.	4·30.	3.08	2·23	1·30	TOTAL for year 25·51. 25·41
No. of Rain Days	22.	18.	19.	20. 21.	13.	12.	8.	8.	15.	16	21	11.	184.

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER OF RAINFALL IN 1914.

FORM A1.
BRITISH RAINFALL.
JAN 1915

Kept at WADWORTH HALL – DONCASTER.

in the County of YORKSHIRE. (West Riding) 6

by Rev James. C Ross. MA. FRMetS. FRHS.

RAIN GAUGE
Pattern METEOROLOGICAL
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 189.80 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name DONCASTER
Distance 4½ m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.01	—	—	—	0.88	0.25	—	0.03	0.03	0.09	1
2	—	—	—	—	—	—	2.00	0.18.	—	—	0.25	0.11	2
3	—	—	—	—	0.05	—	0.11	0.11	—	—	0.03	0.55	3
4	0.11	—	0.06	0.15	0.07	—	—	0.01	—	—	0.37	0.23	4
5	0.07	—	0.14	0.18	0.04	0.04	0.06	—	—	—	0.06	0.09	5
6	—	0.03	—	0.15	0.09	—	3.05 0.33	—	—	—	—	0.07	6
7	—	0.03	0.21	0.06	0.03	0.04	—	0.06	—	—	0.04	0.10	7
8	0.06	—	0.02	0.01	0.10	0.38	0.11	0.06	0.20	—	—	0.02	8
9	0.32	0.02	0.01	0.05	—	0.84	—	0.25	0.04	—	—	—	9
10	0.30	0.12	0.03	0.10	—	—	—	—	0.05	0.02	—	—	10
11	—	0.08	0.23	0.07	0.38 0.02	0.32	—	—	0.01	—	0.23	0.47	11
12	—	0.04	0.07	—	—	0.02	0.03	—	0.37.	—	—	0.28	12
13	—	0.05	0.18	—	—	—	—	—	—	—	0.13	0.14	13
14	0.06	0.09	0.04	—	—	—	0.12	—	0.04	—	0.25	0.16	14
15	—	0.03	0.07	—	—	—	—	—	0.02	—	0.21	—	15
16	0.04	—	1.07 0.04	—	—	—	0.21	—	0.08	—	—	—	16
17	0.05	0.14	0.05	—	—	—	0.01	—	0.19	—	—	0.16	17
18	—	—	—	—	—	—	0.01	—	—	—	—	0.30	18
19	—	—	0.02	—	—	—	0.06	—	—	—	0.02	0.20	19
20	0.01	0.09.	0.12	—	—	—	—	0.05	—	0.03	—	—	20
21	—	0.48	0.02	—	—	0.06	—	0.24	1.00 —	0.09	0.04	0.03	21
22	—	—	—	—	0.30	0.05	0.01	0.09	—	0.09	—	—	22
23	—	0.03	1.32 0.03	—	0.39	0.07	0.10	—	—	—	—	—	23
24	—	—	0.11	—	0.74	—	0.03	0.29	—	—	0.34	0.02	24
25	—	—	—	—	1.83 0.01	—	0.02	0.18	—	1.07	0.06	0.28	25
26	—	—	0.13	—	—	—	—	0.76	—	.18	0.04	0.21	26
27	0.03	—	—	—	—	—	0.01	—	—	—	0.03	0.53	27
28	0.05	0.07	—	—	—	—	—	—	—	.17	0.02	4.04 0.33	28
29	0.03	×	0.11	—	—	—	—	—	—	.42	0.03	—	29
30	—	×	1.70 0.01	—	0.01	—	—	0.01		.06	0.15	0.09	30
31	0.04	×	0.03	×	—	×	0.28	—	×	.12	×	0.03	31
Total	1.17	1.30.	1.74	0.77	1.85.	1.82	4.38	2.54	1.00.	2.28.	2.33	4.49	TOTAL for year 25.67
No. of Rain Days	13.	14.	23.	8.	12.	9	18.	14	9.	~~10~~ 11	19.	23	~~175~~ 173

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

V4/IX/16

cordy Obr 3.V.16

FORM A. BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at WADWORTH HALL, (Doncaster)
in the County of YORKSHIRE (West Riding)
by Rev. JAMES. C. ROSS. MA FRMetS FRHS

Lat. ? Long. ?
Time of Observation 9. am
Nearest Railway Station Doncaster 4½ m
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 189.80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.10	–	–	0.42	–	0.03	0.37	0.13	–	0.03	0.03	1
2	0.01	0.07	0.13	0.18	–	0.05	0.04	0.31	–	0.04		0.01	2
3	0.61	–	0.07	0.10	–	–	0.41	0.14	0.03	–	0.01	0.44	3
4	0.18	–	–	–	0.01	–	1.11	0.07	–	–	–	1.02	4
5	0.03	0.34	–	–	0.14	–	–	0.03	–	0.01	0.03	0.46	5
6	0.02	0.22	0.11	0.04	–	–	0.45	–	–	–	–	0.04	6
7	0.30	0.27	–	0.09	–	–	0.24	0.39	–	–	0.03	0.08	7
8	0.14	0.11	0.01	0.05	–	–	0.09	0.07	–	–	0.15	–	8
9	0.02	–	–	–	–	–	–	0.28	–	.01	0.06	0.62	9
10	0.32	0.01	0.03	–	–	–	–	0.16	–	.01	–	0.02	10
11	0.12	–	–	–	0.50	–	0.24	–	–	–	0.32	0.32	11
12	0.03	–	–	0.30	0.13	–	–	–	–	0.03	1.40	0.01	12
13	–	0.48	–	–	–	–	–	0.17	–	–	–	0.01	13
14	–	0.02	–	–	0.05	–	–	–	–	–	–	0.17	14
15	0.34	0.03		–	–	–	–	0.02	–	–	0.20	0.12	15
16	–	0.19		–	0.12	–	1.54	2.01 –	–	0.01	0.01	0.01	16
17	–	0.09			–	–	0.30	–	–	–	–	–	17
18	–	0.16	0.14	–	–	–	–	0.04	–	–	0.04	–	18
19	–	–	–	–	–	–	0.10	–	–	–	–	–	19
20	0.02	–	–	–	–	–	–	–	0.16 –	0.03	–	0.42	20
21	0.09	–	–	0.02	0.04	–	0.06	0.01	–	–	(2.18)	0.12	21
22	0.02	–	0.16	–	–	–	0.15	–	–	–	–	0.03	22
23	–	–	0.08	–	–	–	0.23	–	0.03	0.15		0.03	23
24	–	–	0.18	0.03	–	–	–	–	0.56	–	–	0.26	24
25	–	–	–	–	–	0.18	–	–	–	0.29 0.02	–	0.10	25
26	–	0.24	–	–	–	0.04	0.07	–		–	–	0.35	26
27	–	0.11	–	–	–	–	0.07	–	0.75 –	0.44	–	4.67 0.41	27
28	–	0.13	0.05	–	–	0.33	–	0.35	–	0.05	–	–	28
29	+		–	–	0.12	0.06	–	–	–	–	0.16	0.58	29
30	0.07	X	–	0.06	–	0.09	–	2.41 –	–	–	0.01	0.02	30
31	0.05	X	–	X	–	X	–	0.16	X	0.26	X	0.25	31
Total	2.46	2.57	0.96	0.87	1.53	0.75	~~4.73~~ 5.13	2.57	0.75	1.06	2.35 2.45	5.93	YEAR'S TOTAL ~~26.63~~ 27.63 27.63
Rain Days.	18	2.57 16	10	9	9	6	16	15	4	12	13	26	152

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at WADWORTH HALL (DONCASTER)
in the County of YORKSHIRE (W. Riding)
by Rev. J. C. Ross M.A. F.R.Met.S. F.R.H.S.

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Doncaster 4½ miles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 189·80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·16	—	0·26	—	—	0·05	0·05	—	—	[illegible]	0·17	—	1
2	0·19	0·04	0·27	—	0·01	—	—	—	0·15	0·12	0·01	—	2
3	—	0·36	—	0·07	—	—	0·03	—	0·35	0·13	0·06	—	3
4	0·02	0·06	—	—	0·80	0·08	—	—	0·41	0·09	0·32	—	4
5	0·02	—	—	—	0·04	0·09	—	—	—	0·21	0·24	—	5
6	0·01	0·50	0·10	0·02	0·40	—	0·13	—	—	—	0·35	0·03	6
7	0·03	—	0·09	—	0·02	—	0·14	—	—	0·06	0·12	0·22	7
8	—	—	0·28	—	0·01	—	—	—	—	0·01	0·001	0·10	8
9	—	—	0·04	—	0·40	0·18	—	—	0·20	—	0·01	0·12	9
10	—	0·06	0·01	0·08	—	0·12	0·02	—	—	—	[illegible]	0·15	10
11	0·09	0·49	0·26	0·15	—	0·09	—	—	0·05	—	—	0·02	11
12	—	[illegible]	0·41	—	0·98	0·04	0·13	—	—	0·02	—	0·01	12
13	—	0·05	0·19	—	0·03	—	0·15	0·25	—	0·05	0·02	—	13
14	—	0·10	0·02	0·11	0·06	—	—	0·10	—	0·08	0·02	0·01	14
15	—	0·21	0·71	—	—	—	0·10	0·18	—	0·01	—	0·01	15
16	—	0·15	0·19	0·11	—	—	0·04	0·17	—	0·13	—	—	16
17	0·04	0·14	—	0·08	—	—	0·09	0·03	·15	0·06	—	—	17
18	—	0·27	0·01	0·05	—	0·02	—	0·12	0·17	—	1·11	—	18
19	0·02	0·02	0·18	0·08	—	—	—	0·05	0·07	—	0·40	0·12	19
20	0·07	—	0·26	0·75	0·20	—	0·04	—	—	—	—	0·03	20
21	0·02	—	0·10	0·61	—	—	0·13	—	—	—	—	0·27	21
22	—	0·05	0·01	0·03	—	0·03	—	—	—	0·08	[illegible]	0·26	22
23	—	0·02	0·02	0·08	—	0·02	—	—	—	0·03	0·12	0·32	23
24	—	0·32	—	0·03	—	0·05	—	0·18	—	0·04	—	0·15	24
25	—	0·06	0·36	—	0·05	—	—	0·13	—	0·05	0·10	0·02	25
26	—	0·07	0·04	—	—	—	—	0·03	—	0·06	—	—	26
27	—	·012	—	—	—	—	—	0·01	—	0·09	—	—	27
28	—	·025	0·09	—	—	0·08	—	—	·002	—	—	~~0·06~~	1·90 28
29	—	0·22	—	—	—	0·41	—	0·10	·55	·34	—	0·25	29
30	—	X	—	—	—	0·07	—	—	—	0·09	—	—	30
31	—	X	—	X	—	X	—	—	X	0·04	X	0·10	31
Total	·67	3·56	3·90	1·65	3·00	1·33	1·05	~~1·35~~	1·57	1·82	3·06	2·34 2·25	YEAR'S TOTAL 25·27 ~~25·21~~
Rain Days.	11	21	22	14	12	14	12	12	9	21	15 22·06	19	~~25·27~~ 18

W. 8,000. X. 15.

DONCASTER
WYNDTHORPE
YORKSHIRE

1911- 18

RI

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Wyndthor

in the County of WR Yor

by Viscountess

— ft. 11 in.

vel 13 ft.

Barnby Don.

2 Direction N.W.

IMPORTANT NOT esult entered to the previous day. If an O rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.07					1
2	.39				.08								2
3					.09				.04	.12	.04		3
4	.07		.14	.20				.04	.13	.10			4
5				.10				.09		.20	.02	.11	5
6	.15									.15	.35	.40	6
7											.12		7
8			.15									.24	8
9						.05							9
10												.40	10
11	.17											.01	11
12	.25		.13		.11				.53		.05		12
13		.21									.03	.49	13
14			.18		.05		.02					.42	14
15			.10							.04		.05	15
16			.09			.08					.11	.11	16
17						.14					.07	.11	17
18		.09	.04			.18					.40	.06	18
19							.05		.12		.42	.21	19
20		.09					.04	.30	.08	.10		.11	20
21		.13						.15		.28			21
22	.05							.06		.24	.05	.06	22
23		.14	.14			.52			.49			.11	23
24		.09		.05		2.10				.10			24
25		.04		.30		.03				.05	.48	.08	25
26			.03	.04	.30					.25		.30	26
27		.06		.13				.93	.39				27
28				.18							.09	.10	28
29							.03		.23	.05			29
30					.08	.18				.20			30
31										.10			31
Total	1.08	.85	1.00	1.00	.71	3.28	.14	1.64	2.01	1.98	2.23	3.37 3.37	19.29 TOTAL for year 19.29
No. of Rain Days	6	8	9	7	6	8	4	7	8	14	15	18	108

9,000, IX. '10.

RI

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Wyndthorpe

in the County of W.R. Yorkshire

by Viscountess Chetwynd.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level 13 ft.

Time of Observation

Nearest Railway Station
Name Barnby Don.
Distance 2 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.07					1
2	.39				.08								2
3					.09				.04	.12	.04		3
4	.07		.14	.20				.04	.13	.10			4
5				.10				.09		.20	.02	.11	5
6	.15									.15	.35	.40	6
7											.12		7
8			.15									.24	8
9						.05							9
10												.40	10
11	.17											.01	11
12	.25		.13		.11				.53		.05		12
13		.21									.03	.49	13
14			.18		.05		.02					.42	14
15			.10							.04		.05	15
16			.09			.08					.11	.11	16
17						.14					.07	.11	17
18		.09	.04			.18					.40	.06	18
19							.05		.12		.42	.21	19
20		.09					.04	.30	.08	.10		.11	20
21		.13						.15		.28			21
22	.05							.06		.24	.05	.06	22
23		.14	.14			.52			.49			.11	23
24		.09		.05		2.10				.10			24
25		.04		.30		.03				.05	.48	.08	25
26			.03	.04	.30					.25		.30	26
27		.06		.13				.93	.39				27
28				.18							.09	.10	28
29							.03		.23	.05			29
30					.08	.18				.20			30
31										.10			31
Total	1.08	.85	1.00	1.00	.71	3.28	.14	1.64	2.01	1.98	2.23	3.37 3.37	19.29 TOTAL for year 19.29
No. of Rain Days	6	8	9	7	6	8	4	7	8	14	13	18	108

9,000, IX. '10.

corrd for arith – by min stats 17·III·13

REGISTER OF RAINFALL IN 1912

W

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at Wyndthorpe

in the County of Yorkshire W 7

by Viscountess Chetwynd

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Barnby Dun 2 m N.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.35	.17	.04	.18			.20	1
2						.12	.53		.23				2
3	.13	.16	.01			.45		.54			.39	.16	3
4	.07		.33		.12	.49							4
5	.03				.09	.23		.02					5
6		.10			.04	.02		.28					6
7	.77	.17				.04	.04	.15	.05			.02	7
8	.27		.16						.17		.02	.02	8
9		.17	.13	.16		.22		.02			.02	.01	9
10						.34					.13	.	10
11	.09							.01				.61	11
12	.06	.16	.15			.19	.09				.33		12
13								.04	.07		.23		13
14	.15		.35			.05		.03					14
15			.17		.38	.10							15
16	.57	.01	.07		.06			.06	.06			.04	16
17	.20	.03	.30					.27				.17	17
18	.10		.10										18
19	.38						.79	.44	.08		.01		19
20	.19		.13		.25		.07	.11	.25				20
21			.08				.52					.02	21
22		.11	.03		1.16	.60	.27	.40					22
23			.15		.03		.21	.28			.04		23
24			.01				.42	.12			.04	.08	24
25							.21	.28			.17	.13	25
26		.12				.16	.18	.71		.92	.16	.08	26
27			.04				.20			.62		.04	27
28					.06	.15	.11	.34	.02	.32	.82	.04	28
29		.19					.03		.48	.05			29
30					.25	.08			.09	.03			30
31					.08		.20	.28					31
Total	3.01	1.22	2.21 2.01	.16	2.52	3.59	4.04	4.42	1.22	2.40 ~~1.94~~	2.36	1.62	YEAR'S TOTAL 28.77
Rain Days.	13	10	16	1	11	16	16	20	7 ~~11~~	9 ~~5~~	12	14	145

W. 7,500, XI. 12

✓ [illegible] 9.iv.14

FORM A. BRITISH RAINFALL
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Wyndthorpe

in the County of York W7

by Viscountess Chetwynd

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Barnby Don. 2

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.10					.10		.03		1
2		.05	.06								.02		2
3		.02	.08		.31					.43		.12	3
4	.55				.07		.07			.39	.16	.19	4
5	.03		.12			.15	.07	.02	.02	.20			5
6					.62		.21			.47			6
7		.14			.03				.02	.94			7
8					.39	.30		.05	.03	.05	.14		8
9		.23									.14		9
10							.05			.03	.23		10
11	1.16			.59							.24		11
12						.04					.10		12
13			.31						.08		.12		13
14	.11	.14	.10	.08				.03		.10	.04		14
15				.23							.14		15
16			.21						.50		.03		16
17		.04	.06	.03		.34			5.50				17
18			.12			.03	.03						18
19	.15					.02			.03		.04		19
20	.12		.09		.09					.07	.02		20
21				.08				.02			.24		21
22	.14		.26		.03	.02			.11	.01			22
23								1.12	.10				23
24													24
25		.04							.08				25
26		.03	.09	.03						.22	.13		26
27		.03		.08							.07	.15	27
28	.24		.17	.25									28
29			.16	.28	.05			.09		.05	.02		29
30	.24			.50							.03	.45	30
31					.04								31
Total	2.74	.72	1.83	2.25 2.25	1.63	.90	.43	1.33	6.57	2.96 2.95	1.94	.91	YEAR'S TOTAL 24.37 24.21
Rain Days.	9	9	13	11	9	7	5	6	11	12	19	4	~~115~~

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
62, CAMDEN SQUARE, N.W.
7 - JAN 1915

Kept at Wyadthorpe nr Doncaster
in the County of Yorkshire WR 7
by Viscountess Chetwynd 4

Lat. .... Long. ——
Time of Observation ....
Nearest Railway Station Barnby Don 2 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1.06	.19				.11	1
2							1.21	.26			.19	.07	2
3			.10		.05		.10				.36	.48	3
4				.15	.15						.01	.24	4
5	.24		.17	.06	.02	.04	.25					.20	5
6				.06	.18		.17				.05		6
7			.21		.11								7
8	.11		.05			.05		.18	.12				8
9	.29			.10	.10	.40		.17	.01				9
10	.23								.15	.08			10
11		.11	.24	.10		.14					.28	.20	11
12	.04	.04	.09						.23			.30	12
13		.03	.12							.01	.09	.10	13
14	.02	.06					.05			.20		.28	14
15		.04	.10				.21				.44		15
16	.10												16
17			.12			.04			.10			.27	17
18		.06											18
19												.17	19
20		.06					.03	.02		.06			20
21		.26	.10			.19	.01	1.24		.07	.14		21
22					.30	.03		.12		.08		.03	22
23		.01			.46		.05						23
24			.03		.13			.30			.24		24
25			.05	.07	.02			.03		.50	.03	.37	25
26			.15					.40				.15	26
27	.03	.04										.49	27
28	.01	.09			.03					.22		.28	28
29										.50			29
30		×						.01		.05	.11	.09	30
31	.02	×		×		×	.26		×	.10	×	.15	31
Total	1.09	.80	1.53	.54	1.55	.89	3.34	2.92	.61	1.87	1.94	3.98	YEAR'S TOTAL 21.06
Rain Days.	10	11	13	6	11	7	11	11	5	11	11	18	125

W. 8,000. X. 14.

#18 [illegible] 27.IV.16 3357

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Wyndthorpe Doncaster
in the County of Yorkshire
by Viscountess Chetwynd

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Barnby Don
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·10			·30		·03	·20	·24				1
2			·13	·30		·04	·04	·30	·04			·44	2
3	·65						·55	·45			·08	1.55	3
4	·18						·84					·42	4
5	·08	·20			·24							·05	5
6	·03	·15	·15	·03			·53						6
7	·30	·18	·03				·23	·49					7
8	·03	·11					·04	·04		·04		·04	8
9								·26			·03	·52	9
10	·30		·04					·15		·04		·02	10
11				·05	·33		·30	·04			·25	·18	11
12	·04			·24	·14						1.15		12
13		·60											13
14	·03				·04			·04					14
15	·33						·04	·16			·28	·11	15
16		·20			·11		1.10	·02		·04		·03	16
17	·01						·25						17
18		·23	·20				·04						18
19							·06	·04					19
20											·08	·42	20
21							·24					·10	21
22			·16				·21					·07	22
23			·14			·02			·03	·14	·02	·03	23
24			·17	·05					·70			·19	24
25						·13						·19	25
26	·04	·19				·04	·04						26
27							·18			·52		·10	27
28		·23				·01		·47					28
29					·23	·52					·14	·50	29
30	·02	✕		·03		·03	·0					·03	30
31	·13	✕		✕		✕	·01	·14	✕	·14	✕	·14	31
Total	2.17	2.19	1.02	·70	1.39	·79	4.73	2.80 2.80	1.01	·92	2.03	5.16 5.16	YEAR'S TOTAL 24.91 24.92
Rain Days.	14	10	8	6	7	7	18	14	4	6	8	20	~~142~~ ~~122~~

W. 8,000. X. 15.

3280

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

4 JAN 1917

Kept at Wyndthorpe Doncaster
in the County of Yorkshire W R
by Viscountess Chetwynd

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Barnby Don 2 miles N W
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09		.10			.04	.10		.19				1
2	.03		.45		.08				1.13		.20		2
3		.04		.03			.14		.26				3
4	.02	.30			.74						.17		4
5	.03					.18				.28	.20		5
6		.40	.19	.03	.24		.11			.21	.23		6
7	.01		.16		.03		.19			.03	.08	.07	7
8			.32								.04	.30	8
9			.08		.43	.22						.10	9
10				.06		.06			.37			.12	10
11	.09	.56	.32	.14					.04				11
12	.03		.49		.60	.19	.13			.04			12
13		.06			.16	.02		.22		.23			13
14			.16		.12		.04	.08					14
15		.13	.76				.03	.22		.04			15
16			.10	.11			.05	.35					16
17	.03	.34	.01	.15				.21	.11	.17			17
18		.13	.01	.09		.04		.16			1.00		18
19	.11		.15	.05	.60						.29	.10	19
20	.02		.23	.13	.01							.11	20
21			.06			.05	.17					.26	21
22		.15	.06			.04				.09		.18	22
23		.52		.09		.04				.03	.08		23
24								.23		.05			24
25			.25					.12			.08		25
26		.13	.03			.40		.04				.14	26
27			.08					.16					27
28		.45				.05			.02			.31	28
29		.17						.10		.10	.03		29
30		×								.20			30
31		×		×		×			×		×	.04	31
Total	.46	3.38	4.01	.88	3.01	1.33	.96	1.89	2.12	1.47	2.40	1.73	YEAR'S TOTAL 23.64
Rain Days.	10	13	20	10	10	12	9	11	7	12	11	11	136

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL

-2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wyndthorpe. Doncaster

in the County of Yorkshire

by Viscountess Chetwynd

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Bawtry Don

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.26				.28			.12		1
2						.11		.16	.21				2
3	.05							.33					3
4								.04		.32			4
5	.46					.05				.08			5
6				.22						.10	.10		6
7	.38									.72			7
8	.67			.16				.95		.50			8
9				.09						.06	.30	.01	9
10	.09			.08	.15			.02			.07		10
11	.17			.38				.10		.34	.01		11
12	.21		.60		.36			.08		.08			12
13				.03				.35	.14				13
14	.27			.02				.14				.03	14
15	.03			.03				.04				.15	15
16					.50		.12	.04	.01		.02		16
17	.03	.18		.19			.06						17
18	.24		.06		.03		.13	.14	.31				18
19	.04	.17	.03		.36	.24	.21					.17	19
20		.15	.07			.05		.02					20
21			.18					.02		.03			21
22		.05								.09			22
23			.10		.04								23
24										.32	.15	.50	24
25			.05			.15				.08			25
26			.05			.15		.33		.13			26
27						.20	.14					.07	27
28						.20	.09			.03		.11	28
29			.03		.65		.04			.13		.11	29
30		X	.06	.05			.14	.06			.07		30
31		X	.06	X		X	.04	.02	X		X		31
Total	2.67	55	1.29	1.51	2.09	1.15	.97	3.14	.67	3.01	.84	1.15	YEAR'S TOTAL 19.04
Rain Days.	12	4	11	11	7	8	9	18	4	15	8	8	115

111

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Wyndthorpe Doncaster
in the County of Yorkshire W
by Viscountess Chetwynd

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Barnby Don
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	·01					·08		·04	·21		1
2		·22	·01		·65			·80		·12		·17	2
3		·02	·03		·02			·05			·35		3
4					·17			·50	·30	·06		·35	4
5					·02				·04	·24			5
6		·32		·54								·02	6
7	·10					·13	·01		·02		·07		7
8						·04	·28		·32		·02	·01	8
9		·13		·16			·08		·38	·23	·03	·05	9
10	·06						·02				·02	·03	10
11	·12				·29		·14	·04				·03	11
12		·18		·09	·09		·30					·04	12
13		·02		·10					·22	·14		·02	13
14	·08						·04		·40			·20	14
15	·17				·05		·19		·68	~~·0~~	·02		15
16			·05				·14		·38				16
17	·30		·02				·33			·03		·21	17
18	·29		·07					·02	·50			·20	18
19									·02	·25		·62	19
20				·07			1.23		·05	·04			20
21					·24		·03		·01	·17			21
22					·04	·08	·07		·10	·02			22
23					·59		·10						23
24							·07				·08	·28	24
25					·01	·06	·16		·04	·33			25
26								·30	·03	·03	·10		26
27	·09							·10			·10	·10	27
28			·20					·30				·47	28
29			·15										29
30		X	·35					·02			·10	·04	30
31		X	·05	X		X			X		X	·17	31
Total	1.21	·93	·94	·96	2.17	·31	3.19	2·21	3.49	1.30	1.10	3.01	YEAR'S TOTAL 20.82
Rain Days.	8	7	10	5	11	4	16	10	16	13	11	18	~~129~~

W. 6,500, VII. 18. W W C

DL

cnd for W.D.

DRAX
VICARAGE
YORKSHIRE
1912 - 14

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

43S

Kept at Drax

in the County of

by C. D. Fothe

in.
round ft. in.
Sea Level ft.

Name

Distance Direction

IMPORTANT the result entered to the previous day. If a rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.02
from c

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									11	.11			1
2													2
3													3
4												.25	4
5													5
6											.45		6
7													7
8													8
9											.02	.02	9
10													10
11											.09		11
12											.03	.55	12
13											.40		13
14										.11	.19		14
15											.48		15
16													16
17										.06		.02	17
18												.11	18
19										.02			19
20										.05	.01		20
21										.29			21
22										.01			22
23												.05	23
24											.06	.01	24
25											~~.01~~	.09	25
26											.11	.11	26
27										.65	.06	.06	27
28										.51	.01	.07	28
29										.14	(.45) ~~.12~~	.02	29
30									.65	.02	.05		30
31									.11	.05		.02	31
~~Total~~									insp	~~2.03~~ 1.91	~~1.75~~ (2.44)	1.38	TOTAL for year
No. of Rain Days.										11	14	13	

W. 8,000, X. '11.

DL

cnd for W.D.

REGISTER OF RAINFALL IN 191

FORM A2. BRITISH RAINFALL. 25 JAN 1913

435

Kept at Drax Vicarage

in the County of Yorks: W.R.

by C. D. Fothergill

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02 from C

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										·11			1
2													2
3													3
4												·25	4
5													5
6											·45		6
7													7
8													8
9											·02	·02	9
10													10
11											·09		11
12											·03	·55	12
13											·40		13
14										·11	·19		14
15											·48		15
16													16
17										·06		·02	17
18												·11	18
19										·02			19
20										·05	·01		20
21										·29			21
22										·02			22
23												·05	23
24											·06	·01	24
25											~~·01~~	·09	25
26											·11	·11	26
27										·65	·06	·06	27
28										·51	·01	·07	28
29										·14	(·45) ~~·12~~	·02	29
30									·65	·02	·08		30
31									·11	·05	–	·02	31
~~Total~~									incp	~~2·03~~ 1·91	~~1·75~~ (2·44)	1·38	TOTAL for year
No. of Rain Days.										11	14	13	

W. 8,000, X. '11.

88 ✓ comp. with Mr W D 13.IV.14

443

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

31 JAN 1914

Kept at Drax

in the County of W. R. York

by F. D. Fothergill

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·04										1
2	·03		·12	·15					·02		·03		2
3		·04	·02	·01							·02		3
4	·02				·20				·01	·62			4
5	·44				·04				·03	·12	·17	~~·04~~ ·40	5
6	·01	·01							·01	·25			6
7		·09			·47					·05			7
8	·01	·06			·02					·38	·01		8
9		·01			·27			·03	·01	·23	·11		9
10		·17			·11			~~·005~~			·28		10
11		·02		·02									11
12	·31	·01		·35						·01	·16		12
13											·06		13
14	·11			·03				·10	·11	·11	·08		14
15	·10	·04	·39								·03	·01	15
16	·11		·11	·20							·15	·01	16
17	·01		·18						·01				17
18	·04			·04					·87				18
19				·06								·02	19
20	·08		·17						·01				20
21			·06						·04	·03			21
22	·08			·04	·36			·36					22
23			·21					·06	·07		·40		23
24	·07		·01					·01	·10				24
25	·11												25
26									·09	·21		·01	26
27		·01	·02	·05					·02	·04		·15	27
28		·04		·22						·03			28
29			·09	·25						·25		·35	29
30			·24	·39	·09								30
31	·42				·20								31
Total	– ~~1·97~~ 1·95	·04 ~~·50~~ ·54	– ~~1·16~~ 1·12	1·63 1·81	·34 ~~1·76~~ 2·10	~~·60~~	~~·08~~	– ·56 ·56	– 1·40	2·33 2·33	– 1·50	(–) ~~·60~~ ·95	YEAR'S TOTAL imp
Rain Days.	18	11							14	13	17?	8	

W. 7,500, XI. 12

DL ✓ cnd pr W D 82. 12.IV.15 referred 19.IV.15

426

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Drax Vicarage
in the County of W. R. York
by F. D. Fothergill

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03				·12 ?	·15					1
2		·03					?	·26			·35	·19	2
3							·12	·06					3
4			·11		·12		·06				·25		4
5	? ~~·55~~		·05	·13	·11	·05						·40	5
6	·04		·16	·07	·04		·01	·01				·20	6
7				·01	·08	·17					·15	·06	7
8	·01		·18		·02	·18					·04		8
9			·03		·04	·55		·10	·03				9
10	·53	·02		·02				·48	·01				10
11	·32	·05				·02			·03			·05	11
12		·03	·20	·07					·05		·10	·36	12
13		·02	·18						·23		·12		13
14	·02	·03	·24		·01		·04				·03	·13	14
15		·02	·05					·01		·17		·21	15
16			·13				·38			·04	·22	·03	16
17	·04		·03				·02		·21				17
18	·04	·02	·03			·45			·27			·13	18
19			·03			·11	·08				·01	·29	19
20											·05		20
21		·08				·07				·03		·13	21
22		·25	·05	·02		·09		·06		·03	·04	·02	22
23					·20	·50	·02	·03		·03			23
24		·01	·01		·51								24
25			·03	·05	·13			·45			·15		25
26	·30				·01		·02	·07		·50	·11	·44	26
27			·11					·17		x		·12	27
28										x		·43	28
29	·02									x ·75	·16	·20	29
30			·08		·01			·01		x			30
31	·03			–			·24	·04	–	x	–	·08	31
Total	1·35 ~~1·67~~	03 ·59 ~~·56~~	1·70 ~~1·73~~	·37 ✓	1·28 ✓	2·19 ✓	1·11 ? ✓	1·90 ✓	·83 ✓	·14 ~~1·55~~ 4·69	1·78 ✓	3·47	YEAR'S TOTAL 18·26
Rain Days.	16 ~~9~~	12 ~~11~~	18 ~~19~~	7 ✓	12 ✓	10 ✓	11 ✓	14 ✓	7 ✓	12	14	18	145

W.7,000, XI. 13

S. made ✓

REGI

DRIFFIELD
HIGHFIELD
YORKSHIRE
1913 - 1914

FORM A.
BRITISH RAINFALL.
2. JAN 1914

Kept at Highfie n

in the County of ffield N°

in.

by Robert 1 ft. in.

80 ft.

IMPORTANT NOTE lt entered to the previous day. If an Obse e, he is earnestly requested to add the readin space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			16	19									1
2		6	13								15		2
3	2		5		8		10			31		6	3
4			5							154	30	85	4
5	49		14			21	13						5
6	4	16	7		28					5			6
7		25			11					5			7
8					55					81			8
9		11			24	12				4			9
10		8	5		28		5				75		10
11	91			50							14		11
12	24												12
13	4							22			12		13
14	5		19				7						14
15	23		18	35				6			33		15
16			10						32				16
17			27	9									17
18			23	11							28		18
19	18		4										19
20	21		10							22	5		20
21	9				51			9					21
22	6		43					25	7				22
23	18							24	8				23
24	20					58		24					24
25		7						6	9				25
26			7	9						44			26
27				14								17	27
28	32		15	20							13	60	28
29	19		37	21	29							30	29
30	35						5			23		5	30
31	7	8			10								31
Total	387	0·81	248	191	244	0·91	040	1·16 118	056	369	225	203	YEAR'S TOTAL 22·98
Rain Days.	18	7	18	9	9	3	5	7	4	9	9	6	22·81

W. 7,500, XI. ·12

S. made ✓

REGI

FORM A. BRITISH RAINFALL.

2. JAN 1914

Kept at Highfield Driffield

in the County of York # R E 3

by Robert Grasson

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Driffield N E R

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			16	19									1
2		6	13								15		2
3	2		5		8		10			31		6	3
4			5							154	30	85	4
5	49		14			21	13						5
6	4	16	4		28					5			6
7		25			11					5			7
8					55					81			8
9		11			24	12				4			9
10		8	5		28		5				45		10
11	91			50							14		11
12	24												12
13	4							22			12		13
14	5		19				4						14
15	23		18	35				6			33		15
16			10						32				16
17			24	9									17
18			23	11							28		18
19	18		4										19
20	21		10							22	5		20
21	9				51			9					21
22	6		43					25	4				22
23	18							24	8				23
24	20					58		24					24
25		7						6	9				25
26			7	9						44			26
27				14								17	27
28	32		15	20							13	60	28
29	19		34	21	29							30	29
30	35						5			23		5	30
31	7	8			10								31
Total	387	0·81	248	191	244	0·91	040	1·16 113	056	369	225	203	YEAR'S TOTAL 22·88 22·81
Rain Days.	18	7	18	9	9	3	5	7	4	9	9	6	

W. 7,500, XI. 12

Sample

and by own stats 12.IV.15

REGISTER OF RAINFALL IN 1914

Kept at Highfield Driffield
in the County of York # ER 3
by Robert Mawson

Lat. Long.
Time of Observation 9
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A. BRITISH RAINFALL. 8 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. none

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							96	33				20	1
2			1				76	38			16	12	2
3			5		12		33				12	32	3
4			6	12	11						32	29	4
5			10	24							22		5
6					9						7	7	6
7						9						4	7
8	39		22	5	29	41							8
9	50					50		43	50			6	9
10	52	23											10
11			23								24	9	11
12		5										(69)	12
13	11		27		5				26		10	30	13
14		10										15	14
15	7		22				45				58		15
16	10		11				74		33		12		16
17		19	12						52			14	17
18	14					10			5			49	18
19			14			16						14	19
20		18	15			67				10	12		20
21			10			10					24	5	21
22					43	9				10	8	25	22
23		20			51	35					12	11	23
24				20				189			10		24
25	6	11								82	24	25	25
26								35		21	8	47	26
27											12	60	27
28			4									37	28
29			16							58			29
30		X								37		13	30
31		X		X		X	49	17	X		X		31
Total	18·9	10·3	201	0·61	160	247	343	355	166	218	303	539	YEAR'S TOTAL 29·15
Rain Days.	8	7	15	4	7	9	6	6 5	5	6	17	22	~~112~~

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

DUN~~FORD~~ BRIDGE

YORKSHIRE

1911 – 17, – 1919 – 1920

Dewsbury REGIS

Kept at Dunford

in the County of WR Yo

by Hy Dearden
Water Eng

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	1·28	·00	·00	·00	·07	07	·00	00	0·25	·00	1
2	·14	·00	·10	·00	·36	·00	·06	·00	·00	·02	·07	·05	2
3	·00	·00	·08	·01	·51	·00	·00	·07	·00	·02	·60	·04	3
4	·12	·00	·20	·10	05	·01	·00	·09	·21	·24	1·25	·34	4
5	·08	·00	·00	·03	·00	·00	·00	20	·00	22	·03	·03	5
6	·68	·00	·02	·04	·00	·00	·00	39	·00	·38	·85	·84	6
7	·20	·02	·03	·00	·00	00	·00	·00	·00	·02	·15	·00	7
8	·25	·00	·32	·00	·00	·00	·00	·00	·04	·04	·15	·43	8
9	·05	·00	·14	·00	·00	·02	·00	·00	00	00	·00	·23	9
10	·35	·02	·00	·03	·00	·00	·00	02	·00	·00	·00	·87	10
11	·37	·00	·00	·00	04	·00	·00	04	·04	·00	·75	·23	11
12	·02	·00	·45	·00	·03	·00	·00	·00	·65	·00	·70	·02	12
13	·00	·00	·02	·00	·15	·03	·00	·00	·00	00	·26	·43	13
14	·00	·63	·05	·00	·15	·00	·04	·00	·01	·02	·14	·52	14
15	·00	·42	·35	·02	·00	·00	·00	·00	·00	·19	·15	·48	15
16	·00	1·30	·05	·07	·00	09	·02	00	·00	·17	·23	·22	16
17	·07	·07	·05	03	·00	35	·04	·00	·00	·00	·26	·23	17
18	·00	1·02	·06	·07	·02	·33	·00	·00	·00	·02	·07	·25	18
19	·00	·25	·05	·26	·00	·14	·09	·00	·40	·17	·38	·15	19
20	·00	·13	·00	·45	00	·02	·09	1·22	·45	·03	·00	·32	20
21	·00	1·03	·02	·00	·00	·03	·03	1·32	·02	·25	·02	·22	21
22	·02	·15	·00	·04	·00	·05	·02	·14	·00	·33	·65	·14	22
23	·00	·61	·00	·02	·20	·40	·00	·02	·22	·21	·03	·67	23
24	·62	·18	·04	·12	·00	2·38	00	·04	·02	·23	·00	·48	24
25	·20	·63	·02	·41	·00	·04	·02	·00	·47	·02	·02	·53	25
26	·05	·02	·00	·33	·06	·04	·04	·00	·00	·63	·47	·28	26
27	·04	·34	·10	·97	·00	·00	·00	·80	·52	·03	·04	·04	27
28	·00	·54	·02	·21	·00	·34	·00	·52	·04	00	·05	·43	28
29	·00		·03	·66	·00	·69	·02	·20	·61	·77	·02	·19	29
30	·00		·02	·03	·14	·20	·00	·06	·01	·60	·02	·00	30
31	·00		·30		·02		·00	·00		·26		·03	31
Total	3·26	7·36	3·80	3·90	1·73	5·16	·54	5·20	3·71	4·87	7·01	8·69	TOTAL for year 55·23
No. of Rain Days.	16	17	24	20	12	17	12	16	15	23	26	28	226

W. 8,000, X. '11.

Dewsbury

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Dunford Bridge

in the County of WR York 7

by Hy Dearden Water Engineer Dby

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft. As before

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	1·28	·00	·00	·00	·07	·07	·00	·00	0·25	·00	1
2	·14	·00	·10	·00	·36	·00	·06	·00	·00	·02	·07	·05	2
3	·00	·00	·08	·01	·51	·00	·00	·07	·00	·02	·60	·04	3
4	·12	·00	·20	·10	·05	·01	·00	·09	·21	·24	1·25	·34	4
5	·08	·00	·00	·03	·00	·00	·00	·20	·00	·22	·03	·03	5
6	·68	·00	·02	·04	·00	·00	·00	·39	·00	·38	·85	·84	6
7	·20	·02	·03	·00	·00	·00	·00	·00	·00	·02	·15	·00	7
8	·25	·00	·32	·00	·00	·00	·00	·00	·04	·04	·15	·43	8
9	·05	·00	·14	·00	·00	·02	·00	·00	·00	·00	·00	·23	9
10	·35	·02	·00	·03	·00	·00	·00	·02	·00	·00	·00	·87	10
11	·37	·00	·00	·00	·04	·00	·00	·04	·04	·00	·75	·23	11
12	·02	·00	·45	·00	·03	·00	·00	·00	·65	·00	·70	·02	12
13	·00	·00	·02	·00	·15	·03	·00	·00	·00	·00	·26	·43	13
14	·00	·63	·05	·00	·15	·00	·04	·00	·01	·02	·14	·52	14
15	·00	·42	·35	·02	·00	·00	·00	·00	·00	·19	·16	·48	15
16	·00	1·30	·05	·07	·00	·09	·02	·00	·00	·17	·23	·22	16
17	·07	·07	·05	·03	·00	·35	·04	·00	·00	·00	·26	·23	17
18	·00	1·02	·06	·07	·02	·33	·00	·00	·00	·02	·07	·25	18
19	·00	·25	·05	·26	·00	·14	·09	·00	·40	·17	·38	·15	19
20	·00	·13	·00	·45	·00	·02	·09	1·22	·45	·03	·00	·32	20
21	·00	1·03	·02	·00	·00	·03	·03	1·32	·02	·25	·02	·22	21
22	·02	·15	·00	·04	·00	·05	·02	·14	·00	·33	·65	·14	22
23	·00	·61	·00	·02	·20	·40	·00	·02	·22	·21	·03	·67	23
24	·62	·18	·04	·12	·00	2·38	·00	·04	·02	·23	·00	·48	24
25	·20	·63	·02	·41	·00	·04	·02	·00	·47	·02	·02	·53	25
26	·05	·02	·00	·33	·06	·04	·04	·00	·00	·63	·47	·28	26
27	·04	·34	·10	·97	·00	·00	·00	·80	·52	·03	·04	·04	27
28	·00	·54	·02	·21	·00	·34	·00	·52	·04	·00	·05	·43	28
29	·00		·03	·66	·00	·69	·02	·20	·61	·77	·02	·19	29
30	·00		·02	·03	·14	·20	·00	·06	·01	·60	·02	·00	30
31	·00		·30		·02		·00	·00		·26		·03	31
Total	3·26	7·36	3·80	3·90	1·73	5·16	·54	5·20	3·71	4·87	7·01	8·69	TOTAL for year 55·23
No. of Rain Days.	16	17	24	20	12	17	12	16	15	23	26	28	226

W. 8,000, X. '11.

made

and · 17 · III · 13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 MAR 1913

Kept at Dunford Bridge

in the County of York

W7

by Henry Dearden
Water Engineer
Dewsbury.

Lat. ~~Long.~~
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge ……… in.
Height of top of Gauge above Ground ……… ft. ……… in.
" " " " Sea Level ……… ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·00	·03	·42	·00	·01	·40	·10	·00	·15	·03	·00	·95	1
2	·01	·03	·03	·06	·13	·23	·86	·00	·05	·11	·02	·15	2
3	·60	·03	·04	·00	·04	·26	·02	1·17	·87	·00	·00	·12	3
4	·75	·00	1·02	·80	·16	·60	·00	1·73	·18	·60	·41	·00	4
5	·35	·04	·03	·06	·18	·16	·06	·13	·11	·02	·02	·02	5
6	·70	·11	·00	·04	·08	·06	·01	·42	·00	·02	·00	·00	6
7	·00	·07	·06	·04	·06	·04	·00	·15	·26	·66	·02	·02	7
8	·19	·36	·23	·56	·03	·03	·20	·09	·35	·00	·15	·00	8
9	·36	·09	·19	·69 69	·02	·05	·00	·04	·02	·00	·17	·03	9
10	·36	·03	·00	·04	·00	·37	·02	·03	·02	·00	·90	·00	10
11	·16	·12	·00	·00	·00	·20	·01	·07	·06	·06	·05	1·04	11
12	·19	·77	·38	·00	·00	·09	·63	·03	·00	·00	·00	·13	12
13	·02	·05	·03	·00	·00	·00	·00	·18	·00	·18	·08	1·33	13
14	·13	·00	·73	·00	·00	·06	·00	·53	·00	·02	·00	1·05	14
15	·21	·15	·25	·00	·75	·06	·00	·12	·00	·00	·00	·52	15
16	·70	·00	·30	·00	·15	·13	·00	·08	·00	·33	·03	·22	16
17	·02	·06	·18	·00	·03	·95	·07	·16	·00	·02	·00	·88	17
18	·18	·03	·11	·00	·00	·13	·00	·03	·00	·49	·05	·18	18
19	·30	·09	·11	·00	·00	·09	·75	·25	·00	·23	·05	·00	19
20	·00	·00	·16	·00	·20	·07	·12	·44	·00	·65	·01	·00	20
21	·25	·03	·16	·00	·60	·00	·69	·00	·00	·18	·02	·15	21
22	·02	·36	·03	·00	1·41	·33	·10	·23	·00	·00	·00	·09	22
23	·03	·02	·20	·00	·04	·00	·57	1·31	·00	·03	·46	·07	23
24	·00	·00	·05	·00	·03	·21	·03	·38	·00	·05	·16	·18	24
25	·27	·03	·09	·00	·00	·31	·00	·05	·00	·00	1·09	·34	25
26	·03	·33	·19	·00	·00	·03	·30	1·02	·00	1·70	·49	·26	26
27	·00	·03	·65	·00	·00	·37	·65	·04	·00	·71	·03	·35	27
28	·06	·06	·11	·00	·06	·05	·35	·48	·23	·30	·45	·00	28
29	·00	·03	·15	·00	·00	·31	·60	·05	1·06	·06	·02	·54	29
30	·03		·32	·00	·09	·02	·18	·00	·01	·15	·00	·02	30
31	·00		·25		·84		·36	·33		·00		·03	31
Total	5·86	2·95	6·47	2·29	4·85	5·61	6·62	9·54	3·31	5·28	4·68	8·67	YEAR'S TOTAL 66·13
Rain Days.	23	24	28	8	19	27	21	27	12	19	21	24	253

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8- JAN 1914

S. made

Kept at Dunford Bridge E. 132
in the County of York W 7
by Henry Dearden, Water Engineer Dewsbury

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station .... as before
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·00	·46	·12	·00	·00	·00	·00	·03	·62	·12	·00	1
2	·00	·27	·38	·07	·00	·09	·00	·00	·00	·04	·08	·16	2
3	·11	·31	·62	·00	·65	·00	·02	·00	·05	·64	·02	·52	3
4	·52	·00	·08	·00	·06	·03	·10	·00	·07	·02	·00	·41	4
5	·12	·13	·52	·00	·02	·15	·02	·00	·07	·84	·00	·00	5
6	·05	·35	·47	·00	·63	·14	·67	·00	·00	·82	·00	·02	6
7	·01	·42	·07	·02	·27	·18	·03	·00	·00	·96	·05	·05	7
8	·00	·23	·04	·02	·46	·03	·00	·19	·00	·14	·15	·08	8
9	·00	·36	·59	·00	·12	·58	·03	·05	·00	·00	·10	·15	9
10	·02	·02	·34	·13	·00	·01	·04	·00	·03	·03	·21	·00	10
11	·20	·00	·03	·30	·02	·17	·00	·00	·00	·02	·15	·08	11
12	·02	·00	·00	·00	·02	·03	·00	·00	·06	·02	·29	·02	12
13	·02	·00	·73	·05	·00	·00	·07	·05	·18	·00	·32	·02	13
14	·16	·04	·39	·38	·00	·00	·00	·03	·00	·46	·28	·04	14
15	·10	·04	·41	1·08	·00	·00	·03	·00	·03	·00	·61	·04	15
16	·03	·02	·10	·08	·00	·00	·03	·02	·00	·00	·45	·02	16
17	·03	·03	·02	·29	·09	·04	·10	·01	1·47	·00	·20	·00	17
18	·10	·00	·47	·57	·12	·04	·03	·00	·00	·00	·36	·03	18
19	·19	·00	·04	·06	·02	·07	·00	·00	·90	·03	·17	·00	19
20	·38	·00	·21	·18	·03	·00	·00	·00	·02	·07	·46	·00	20
21	·08	·00	·12	·05	·23	·00	·16	·10	·00	·00	·14	·00	21
22	·17	·00	1·08	·00	·15	·00	·00	·61	·15	·00	·00	·00	22
23	·57	·00	·04	·00	·35	·43	·02	·38	·20	·03	·04	·04	23
24	·79	·02	·00	·07	·03	·32	·00	·06	·00	·00	·09	·08	24
25	·01	·00	·00	·08	·00	·00	·00	·00	·90	·03	·10	·55	25
26	·00	·02	·00	·60	·00	·00	·00	·00	·03	·13	·00	·96	26
27	·00	·01	·02	·24	·00	·00	·00	·00	·00	·09	·03	·21	27
28	·28	·02	·34	·63	·03	·00	·00	·00	·03	·02	·00	·11	28
29	·00		·50	·43	·07	·00	·00	·29	·00	·02	·06	·23	29
30	·83		·04	·00	·08	·00	·00	·00	·01	·54	·17	·03	30
31			·04		·03		·00	·00		·00		·00	31
Total	4·72	2·29	8·15	5·45	3·48	2·61	1·37	1·79	4·23	4·97	4·65	3·85	YEAR'S TOTAL 47·56
Rain Days.	24	16	27	21	21	15	15	11	17	21	24	22	234

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Dunford Bridge

in the County of York WR 47 R

by Hy Dearden Water Engineer Dewsbury

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·04	·33	·00	·00	·01	1·15	·99	·00	·02	·02	·55	1
2	·02	·00	·06	·00	·00	·00	·18	·26	·00	·04	·61	·34	2
3	·58	·00	·29	·00	·27	·00	·02	·04	·00	·10	·05	·75	3
4	1·16	·00	1·02	·47	·71	·02	·00	·01	·01	·00	·42	·52	4
5	·17	·00	·92	·57	·28	·15	·01	·00	·00	·03	·41	·35	5
6	·00	·04	·08	·19	·13	·02	·02	·04	·00	·00	·04	·10	6
7	·05	·09	·13	·06	·44	·05	·00	·03	·02	·00	·03	·11	7
8	·69	·00	·05	·02	·28	·80	·04	·39	·35	·02	·06	·06	8
9	·38	·05	·00	·23	·07	1·22	·00	·74	·03	·00	·21	·00	9
10	·13	·21	·01	·14	·02	·04	·00	·00	·07	·00	·23	·00	10
11	·00	·46	·30	·03	·04	·48	·03	·00	·58	·00	1·31	·61	11
12	·00	·27	·08	·00	·09	·04	·04	·00	·50	·00	·93	·75	12
13	·00	·28	·22	·06	·03	·00	·04	·00	·19	·02	·70	·40	13
14	·04	·28	·13	·00	·00	·00	·06	·01	·22	·19	·15	·25	14
15	·02	·10	·45	·00	·00	·00	·00	·00	·04	·08	·06	·00	15
16	·03	·08	·07	·00	·00	·00	·55	·00	·52	·00	·00	·02	16
17	·05	·61	·10	·00	·00	·07	·06	·00	·37	·00	·00	1·04	17
18	·00	·00	·06	·00	·00	·29	·02	·00	·05	·00	·00	·16	18
19	·00	·00	·00	·00	·00	·00	·13	·00	·00	·00	·02	·20	19
20	·02	·12	·03	·00	·00	·00	·00	·00	·06	·06	·02	·00	20
21	·00	·48	·02	·00	·00	·40	·00	·01	·00	·08	·06	·04	21
22	·00	·16	·05	·05	·24	·15	·00	·07	·00	·17	·00	·00	22
23	·00	·02	·16	·17	·46	·03	·10	·00	·00	·02	·02	·08	23
24	·05	·00	·41	·05	·06	·05	·49	·28	·00	·01	·14	·00	24
25	·08	·00	·00	·00	·00	·00	·21	·22	·00	·72	·08	·56	25
26	·06	·00	·16	·00	·00	·00	·03	·05	·00	·28	·29	·33	26
27	·03	·01	·02	·00	·00	·00	·00	·00	·01	·17	·37	·72	27
28	·26	·08	·09	·00	·00	·00	·13	·00	·00	·02	·47	·17	28
29	·30		·26	·00	·04	·00	·00	·04	·00	·75	·22	·00	29
30	·02	╳	·18	·03	·00	·00	·00	·03	·00	·11	·31	·35	30
31	·35	╳	·22	╳	·01	╳	·27	·00	╳	·29	╳	·00	31
Total	4.52	3·38	5·90	2·07	3·17	3·82	3·58	3·21	3·02	3·18	7·23	8·46	YEAR'S TOTAL 51·54
Rain Days.	22	18	28	13	16	16	20 21	16	15	20	25 26	23	233

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Dunford Bridge

in the County of York WR

by Henry Dearden, Water Engineer Dewsbury

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.
as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·20

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	·06	·27	·00	·00	·67	·31	·00	·00	·00	·28	·00	1
2	·47	·39	·35	·00	·00	·03	·03	·00	·17	·07	·04	·00	2
3	·00	·36	·00	·02	·00	·00	·03	·00	·44	·23	·17	·02	3
4	·45	·40	·00	·04	·85	·80	·03	·00	·04	·55	·31	·00	4
5	·18	·20	·00	·00	·15	·35	·00	·00	·00	·78	·59	·00	5
6	·83	·78	·04	·02	·36	·05	·22	·00	·00	·45	·59	·00	6
7	·11	·06	·04	·00	·03	·03	·38	·00	·00	·53	·08	·34	7
8	·00	·03	·27	·02	·00	·00	·03	·00	·00	·08	·85	·06	8
9	·11	·00	·04	·00	·45	·09	·00	·00	·08	·00	·34	·30	9
10	·05	·03	·04	·24	·00	·65	·11	·00	·12	·39	·03	·09	10
11	·02	·56	·16	·73	·02	·20	·08	·00	·14	·04	·00	·22	11
12	·37	·15	·21	·24	·20	·02	·58	·09	·02	·14	·00	·00	12
13	·00	·16	·26	·19	·04	·00	·00	·45	·00	1·22	·00	·18	13
14	·05	·40	·13	·14	·58	·00	·00	·63	·01	·28	·02	·17	14
15	·05	1·24	·63	·00	·00	·00	·03	·36	·09	·11	·00	·00	15
16	·02	·23	·60	·31	·00	·00	·16	·54	·00	·04	·00	·00	16
17	·16	·13	·00	1·08	·00	·00	·09	·02	·89	·16	·00	·00	17
18	·02	·90	·05	·16	·00	·04	·02	·20	·42	·19	·18	·14	18
19	·32	·05	·27	·15	·00	·00	·00	·06	·05	·00	·47	·00	19
20	·53	·00	·23	·09	·07	·00	·00	·02	·00	·00	·02	·10	20
21	·46	·00	·22	·03	·00	·00	·02	·00	·00	·00	·00	·00	21
22	·00	·03	·02	·01	·00	·06	·00	·00	·00	·13	·00	·05	22
23	·08	·05	·02	·09	·00	·05	·00	·07	·00	·04	·31	·25	23
24	·00	·26	·00	·12	·00	·25	·00	·04	·00	·03	·08	·11	24
25	·20	·03	·21	·00	·00	·00	·00	·08	·00	·18	·53	·08	25
26	·16	·04	·06	·00	·00	·00	·00	·06	·00	·12	·05	·00	26
27	·00	·13	·00	·00	·00	·02	·56	·06	·02	·87	·00	·00	27
28	·00	·30	·00	·00	·00	·09	·00	·00	·02	·23	·04	·63	28
29	·03	·38	·02	·00	·00	·30	·00	·02	·00	·41	·00	1·12	29
30	·00	╳	·00	·00	·00	·11	·00	·00	·00	·69	·05	·15	30
31	·00	╳	·00	╳	·02	╳	·03	·05	╳	·91	╳	·47	31
Total	5·53	7·35	4·14	3·68	2·77	3·81	2·71	2·75	2·51	8·87	5·03	4·48	YEAR'S TOTAL 53·43
Rain Days.	22	26	22	18	11	18	17	16	14	26	20	18	228

W. 8,000, VIII. 16

3122

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Dunford Bridge

in the County of York -

by Hy Dearden Water Engineer, Dewsbury

Lat. Long.
Time of Observation As before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·00	·00	·14	·00	·08	·00	·33	·55	·00	·00	·38	1
2	·78	·00	·00	·23	·00	·03	·00	·18	·02	·03	·13	·00	2
3	·16	·02	·00	·00	·00	·17	·00	·09	·00	·28	·11	·02	3
4	·08	·04	·03	·00	·00	·00	·00	·05	·00	·32	·00	·00	4
5	·26	·00	·07	·23	·00	·00	·00	·10	·00	·18	·22	·00	5
6	·00	·00	·00	·00	·00	·07	·00	·00	·00	·33	·22	·22	6
7	·34	·00	·03	·00	·00	·38	·00	·00	·00	·89	·04	·06	7
8	·30	·00	·00	·12	·00	·02	·00	·82	·10	·92	·35	·04	8
9	·00	·00	·11	·08	·00	·00	·00	·04	·00	·24	1·06	·00	9
10	·16	·00	·13	·04	·07	·00	·00	·06	·00	·06	·00	·00	10
11	·04	·00	·00	·28	·02	·00	·00	·07	·00	·71	·00	·00	11
12	·20	·02	·03	·00	·41	·00	·00	·30	·00	·19	·00	·09	12
13	·04	·00	·00	·39	·40	·35	·00	·27	·51	·13	·00	·45	13
14	·12	·00	·00	·22	·02	·00	·00	·32	·00	·00	·02	·21	14
15	·10	·00	·00	·04	·03	·00	·79	·06	·07	·09	·00	·18	15
16	·00	·02	·00	·30	·00	·02	·10	·34	·00	·05	·02	·23	16
17	·04	·09	·14	·10	·40	·02	·13	·62	·20	·12	·02	·06	17
18	·02	·00	·17	·00	·16	·00	1·04	·27	·40	·08	·00	·00	18
19	·00	·17	·49	·00	·24	·18	·00	·14	·00	·00	·00	·00	19
20	·05	·13	·00	·00	·24	·19	·00	·04	·26	·00	·18	·00	20
21	·04	·03	·00	·00	·06	·10	·00	·05	·00	·08	·02	·00	21
22	·03	·00	·06	·00	·00	·00	·00	·06	·59	·21	·08	·00	22
23	·00	·04	·00	·00	·15	·19	·00	·15	·60	·10	·09	·06	23
24	·00	·00	·00	·00	·03	·27	·02	·38	·00	1·08	·55	·03	24
25	·00	·07	·13	·00	·00	·00	·00	·10	·00	·28	·03	·00	25
26	·00	·00	·00	·00	·00	·17	·00	·55	·25	·15	·69	·00	26
27	·00	·00	·00	·00	·00	·30	·40	1·15	·00	·02	·41	·06	27
28	·00	·03	·23	·00	·00	·05	·10	·71	·00	·03	·52	·10	28
29	·02		·06	·00	·01	·00	·05	·10	·00	·57	·59	·38	29
30	·04	✕	·36	·00	·00	·00	·00	·10	·00	·12	·22	·02	30
31	·03	✕	·17	✕	02	✕	·02	·09	✕	·00	✕	·07	31
Total	3·05	·66	2·19	2·17	2·26	2·59	2·65	7·54	3·55	7·26	5·57	2·66	YEAR'S TOTAL 42·15
Rain Days.	21	11	15	12	15	17	~~10~~ 9	29	11	26	~~22~~ 21	18	20~~7~~5 205

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JUN 20

Kept at Dunford Bridge
in the County of Yorks
by Henry Dearden Water Engineer Dewsbury

Lat. .... Long. ....
Time of Observation .... as before
~~Nearest Railway Station~~ ....
Diameter of ~~Funnel of~~ Rain Gauge .... in.
Height of top of Gauge ~~above Ground~~ .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.10	·00	·09	·03	1.22	·00	·31	·08	·29	·13	·07	·32	1
2	·30	·02	·48	·00	·03	·00	·25	·10	·02	·05	·11	·25	2
3	·32	·00	·00	·00	·08	·17	1.24	·00	·02	·00	·30	·35	3
4	·10	·00	·27	·00	·03	·03	·00	·15	·04	·00	·04	·35	4
5	·08	·02	·03	·00	·03	·00	·00	·00	·00	·00	·10	·80	5
6	·07	·00	1.00	·00	·90	·00	·00	·00	·00	·08	·00	·26	6
7	·06	·00	·68	·00	·01	·00	·00	·00	·00	·00	·03	·00	7
8	·22	·00	·03	·02	·03	·08	·00	·03	·05	·00	·00	·00	8
9	·49	·00	·10	·00	·00	·00	·00	·00	·00	·00	·07	·00	9
10	·00	·00	1.14	·00	·00	·00	·00	·00	·00	·01	·06	·43	10
11	·05	·00	1.02	·09	·15	·00	·03	·00	·00	·01	·02	·02	11
12	·00	·00	·58	·46	·00	·00	·08	·00	·25	·03	·01	·00	12
13	·56	·00	·00	·20	·00	·00	·03	·03	·28	·20	·00	·08	13
14	·40	·09	·00	·54	·00	·00	·00	·02	·11	·00	·00	·03	14
15	·33	·05	·03	·02	·00	·00	·00	·02	·00	·00	·08	·43	15
16	·38	·41	·00	·04	·00	·03	·00	·00	·00	·00	·10	·02	16
17	·28	·32	·00	·15	·00	·13	·00	·31	·00	·00	1.38	·06	17
18	·00	·00	·04	·00	·00	·00	·00	·38	·26	·00	·02	·51	18
19	·05	·27	·27	·00	·00	·15	1.03	·32	·11	·00	·40	·04	19
20	·35	·27	·10	·00	·00	·12	·54	·08	·02	·00	·13	·72	20
21	·09	·47	·06	·00	·00	·04	·16	·02	·00	·00	·03	·17	21
22	·00	·17	·02	·00	·00	·13	·00	·06	·49	·00	·14	·92	22
23	·00	·00	·00	·00	·00	·00	·00	·00	·00	1.20	·28	·51	23
24	·00	·00	·00	·26	·05	·05	·00	·00	·71	·88	·33	·12	24
25	·27	·00	·00	·38	·22	·09	·00	·52	·00	·00	·32	·05	25
26	·02	·03	·78	·11	·00	·03	·00	·77	·27	·00	·08	·95	26
27	·08	·02	·07	·13	·00	·00	·02	·04	·11	·00	·03	·27	27
28	·03	·54	·00	·09	·00	·00	·00	1.06	·00	·08	·00	·64	28
29	·10		·00	·08	·00	·00	·00	·02	·00	1.35	·00	·19	29
30	·02		·03	·14	·00	·21	·00	·00	·00	·26	·33	·96	30
31	·02		·03		·00		·36	·00		·09		·10	31
TOTAL	5.77	2.68	6.85	2.74	2.75	1.26	4.05	4.01	3.03	~~3.37~~ 4.37	4.46	9.55	YEAR'S TOTAL ~~50.52~~ 51.52
Days with ·01 in. or more	25	13	21	16	11	13	11	18	~~16~~ 15	13	24	27	207

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2847

6 JUN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dunford Bridge

in the County of York

by H Dearden, Water Engineer
Dewsbury

~~Lat. Long.~~
~~Time of Observation~~
~~Nearest Railway Station~~
~~Diameter of Funnel of Rain Gauge in.~~
~~Height of top of Gauge above Ground ft. in.~~
~~" " " " Sea Level ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·68

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·02	·35	·51	·03	·40	·14	·58	·16	·39	·15	1
2	·02	·00	·07	·55	·02	·02	·08	·00	·31	·35	·00	·25	2
3	·00	·05	·00	·20	·19	·09	1·37	·62	·12	·25	·00	·32	3
4	·02	·00	·00	·10	·00	·00	·26	·94	·03	·56	·00	·03	4
5	·00	·00	·15	·00	·64	·00	·07	·48	·03	·10	·00	·00	5
6	·00	·00	·49	·24	·25	·00	·06	·00	·21	·00	·03	·15	6
7	·30	·00	·08	·17	·14	·00	·54	·00	·02	·00	·00	·00	7
8	·40	·15	·00	·44	·28	·00	·33	·21	·00	·00	·04	·00	8
9	·42	1·13	·00	·68	·00	·00	·06	·14	·02	·05	·07	·00	9
10	1·35	2·21	·16	·25	·00	·00	·86	·00	·00	·00	·00	·00	10
11	·64	·09	·02	·49	·33	·28	·00	·00	·00	·00	·00	·07	11
12	·29	·21	·26	·43	·10	·20	·03	·14	·00	·00	·13	·08	12
13	·33	·35	·25	·34	·02	·79	·32	·00	·00	·00	·13	·09	13
14	·08	·07	·23	·34	·00	1·29	·02	·00	·58	·03	1·03	·00	14
15	·00	·31	·10	·65	·00	·00	·03	·00	·05	·20	·15	·00	15
16	·00	·00	·43	·41	·04	·00	·70	·00	·10	·03	·14	·00	16
17	·28	·00	·16	·00	·28	·02	·00	·33	·39	·23	·00	·02	17
18	·20	·00	·00	·03	·56	·00	·40	·08	·14	·00	·00	·00	18
19	·16	1·02	·00	·15	1·07	·13	·03	·21	·03	·00	·00	·00	19
20	·18	·15	·00	·44	·00	·14	·18	·00	·00	·00	·00	·25	20
21	·07	·00	·00	·00	·00	·00	·51	·10	·00	·00	·00	·44	21
22	·15	·00	·00	·78	·00	·05	·50	·07	·00	·00	·00	·16	22
23	·00	·00	·00	·02	·00	·00	·83	·00	·00	·00	·00	·42	23
24	·09	·00	·60	·24	·00	·00	·00	·00	·00	·00	·00	·33	24
25	·03	·04	·24	·20	·00	·03	·65	·00	·00	·00	·00	·00	25
26	·00	·33	·35	·38	·00	·00	·08	·00	·00	·00	·00	·00	26
27	·36	·11	·10	·41	·77	·68	·01	·00	·00	·00	·15	·19	27
28	·35	·08	·16	·30	·27	·02	·04	·00	·00	·00	·03	·19	28
29	·14	·00	·15	·02	1·45	·09	·49	·00	·04	·00	·24	1·20	29
30	·35		·03	·24	·16	·05	·10	·00	·20	·00	·29	·67	30
31	·57		·10		·09		·00	·00		·00		·36	31
TOTAL	6·78	6·30	4·15	8·85	7·17	3·91	8·95	3·46	2·85	1·96	2·82	5·37	YEAR'S TOTAL 62·57
Days with ·01 in. or more	23	15	21	27	19	16	27	12	16	10	13	19	218
Days with ·04 in. or more	~~21~~ 20	15	18	24	17	11	22	12	11	8	11	17	~~187~~ 186

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.